

[E] LIQUID_eKYC_012_GetVerificationResultsAPI_v1.3.4

Revision history

- 2019/08/09 v1.0 Created
- 2020/4/13 V1.1
 - Added score to response
 - Added error code
 - ID document with no response value (CE00019)
- 2020/12/02 v1.2
 - Added features for individual number document collection
 - Changed value type descriptions from Japanese to English
- 2021/08/05 v1.2.1 Added General Document Application, reorganized My Number Collection features
- 2021/10/07 v1.2.2 Added Error Code (CE00017)
- 2021/11/01 v1.2.3
 - Changed the error code returned when requesting for an expired application
 - Added information about restrictions
- 2022/03/28 v1.2.4 Support the Auto-eKYC processing option.
- 2022/05/24 v1.2.5 Added "ID document number" in the "Auto-eKYC processing option" within the response.
- 2022/06/28 v1.2.6 Support for additional verification on the application for the Auto-eKYC processing option (AI verification).
- 2022/11/22 v1.2.7
 - Deleted "In progress" and "In case of processing error" when null is returned as a result of the Auto-eKYC processing option (AI verification).
 - Added "Face Verification" and "Face Verification Score" in "the Auto-eKYC processing option (AI verification)" response.
- 2023/05/23 v1.2.8 Passive Facial Liveness Detection
 - Response item : Change description of Face Verification Score
- 2023/07/23 v1.2.9
 - "License to drive special small motor vehicle" is added to the Response, "Auto-eKYC processing option (AI verification)."
 - "Document Verification Result" and "Document Verification Score" have been added to the "Verification Result" in "Response Detail"
- 2024/03/26 v1.3.0
 - The following have been added as response to the "Auto-eKYC Processing option (AI verification)": "Matching Residence Status," "Matching Period of Stay," "Matching Period of

Stay Expiration Date," "Matching Date of Permission," "Matching Type of Permission," "Matching Employment Restrictions," and "Matching Issue Date".

- 2025/01/12 v1.3.1
 - "Injection attack detection result" added to "Verification Result" in the response
 - Injection attack detection result' added to the "Auto verification option (AI verification)" in the response
- 2025/02/20 v1.3.2
 - Added 'Document Authenticity Detection' to the 'Auto-eKYC processing option (AI verification)' in "Response Detail"
 - Changed the description of the 'Face photo verification score' in "Response Detail"
 - Corrected misprint in JSON Data Type and Value Type in the 'Auto-eKYC processing option (AI verification)' in Response Detail"
- 2025/04/01 v1.3.3
 - Added "Past User Detection Result" to the response.
- 2025/06/01 v1.3.4
 - Added the following to the response:
 - Face Reuse Detection
 - Personally Identifiable Information Reuse Detection
 - Warning List (personally identifiable information) Detection
 - Warning List (face) Detection
 - Added the following to the "Auto-eKYC processing option (AI verification)" response:
 - Past User Detection
 - Face Reuse Detection
 - Personally Identifiable Information Reuse Detection
 - Warning List (personally identifiable information) Detection
 - Warning List (face) Detection
 - Addition of limitations
 - The detection results are not returned depending on the timing of when the Fraud Detection Service is used

Overview

- This API returns auto verification results of the latest KYC application represented by designated Applicant ID

Specification

- If the request was sent to an Applicant ID that does not belong to KYC Application, will return "Applicant ID is not found" (CE00001)
- Return CE0011 in case of the Applicant ID is expired.
- If auto verification has not been run, will return "OCR or Verification has not been run" (CE00017)
- Please retry the retrieval when this error occurs (Always implement a process to retry, because this error may be returned when LIQUID's platform is busy).

Restrictions

- Max 100 requests/minute
- Immediate modifications to the database may not be reflected, so the response may include old data or the request might result in an error. In this case please repeat the request after an interval
- For SDK
 - Calling this API before executing the Activate Function may result in error code "CE00017". Make sure to call after a 1 second interval with several retries
- For Web (pre-application)
 - Calling thi API immediately after the application is completed on eKYC Applicant may result in error code "CE00017". Make sure to call after a 1 second interval with several retries
- For Web (post-application)
 - Calling this API immediately after 016_RegisterApplicationInfoAPI may result in error code "CE00017". Make sure to call after a 1 second interval with several retries
- If using the following 4 detections of the Fraud Detection Service
 - Face Reuse Detection
 - Personally Identifiable Information Reuse Detection
 - Warning List (personally identifiable information) Detection
 - Warning List (face) Detection

If the Register Application Info API is called immediately after it has been executed, the following results may be returned as null before verification is completed, depending on the timing.

- Past User Detection result
- Face Reuse Detection result
- Personally Identifiable Information Reuse Detection result
- Warning List (personally identifiable information) Detection result
- Warning List (face) Detection result
- Auto-eKYC processing option (AI verification)

Additionally, for the Auto-eKYC processing option (AI verification), if "Pending Evaluation" is ON, the result may be "Waiting" rather than "Not Yet Evaluated".

Please wait a little while and request again.

Error cases

- Applicant ID is not found (CE00001)
- Newest application of designated Applicant ID is expired (CE00011)
- OCR or Verification has not been run (CE00017)
- ID document with no response value (CE00019)
- System Error

API Specification

- URL
 - Staging: https://(Unique URL for each organization)/v1/applicants/:applicant_id/verification_results
 - Production: https://(Unique URL for each organization)/v1/applicants/:applicant_id/verification_results
- Protocol: https
- Method: GET
- Request: PATH Parameter
- Response: JSON

Request detail

HTTP header

	論理名 (Logical Name)	物理名 (Physical Name)	JSONデ ータ型 (JSON Data Type)	データ属 性 (Value Type)	文字数上 限 (Char. Limit)	必須 (Req?)	フォーマ ット (Format)	説明 (Descript ion)
1	API Key	Refer to Common Spec.				○	Refer to Common Spec.	

Body

	論理名 (Logical Name)	物理名 (Physical Name)	JSONデ ータ型 (JSON Data Type)	データ属 性 (Value Type)	文字数上 限 (Char. Limit)	必須 (Req?)	フォーマ ット (Format)	説明 (Descript ion)
1	Applicant ID	Refer to Common Spec.				○	Refer to Common Spec.	

Response detail

Body

	論理名 (Logical Name)	物理名 (Physical Name)	JSON データ 型 (JSON Data Type)	デー タ属 性 (Value Type)	文字 数上 限 (Character Limit)	必 須 (Required?)	フ ォ ー マ ット (Format)	説明 (Description)
1	Verification results		verification_ result	Object			○	
2		Face verification result	face_verific ation	string	Number	1	○	Default (Face Liveness Detection Type = Active Detection) Matching result of a frontal face photo and face of head gesture video for random action. Face Liveness Detection Type = Passive Detection Face Liveness Detection result of Front face photo << Please refer to “APIGenericCode” >>
3		Score of face verification result	face_verific ation_score	number	Number		○	Default (Face Liveness Detection Type = Active Detection) A number that indicates the matching result of the face. A larger value means higher similarity. The range is from -1,000 to 1,000. Below are scores and corresponding FARs for reference. Score: 436 ⇒ FAR: 0.0001% Score: 388 ⇒ FAR: 0.001% Score: 332 ⇒ FAR: 0.01% Score: 270 ⇒ FAR: 0.1% ※FAR: False Acceptance Rate. The probability that the facial verification incorrectly accepts a KYC attempt by another person. Face Liveness Detection Type = Passive Detection Return uniformly as NULL
4		Face photo verification result	face_photo_ verification	string	Number	1	○	Matching result of a face photo of ID document and frontal face photo << Please refer to “APIGenericCode” >>

5	Score of face photo verification result	face_photo_verification_score	number	Number	○	A number that indicates the matching result of the face. A larger value means higher similarity. The range is from -1,000 to 1,000. Below are scores and corresponding FARs for reference. Score : 436 ⇒ FAR : 0.0001% Score : 388 ⇒ FAR : 0.001% Score : 332 ⇒ FAR : 0.01% Score : 270 ⇒ FAR : 0.1% ※Whether the Face Authenticity Detection Type is active or passive, it does not contribute to the presence or absence of a value.
6	Document liveness detection result	id_document_verification	string	Number		Default (In the event of no detection of document verification) Return uniformly as NULL In the event of Face Liveness Detection Type = Passive Detection Results of Face Liveness Detection of the "front" image of the ID document. << Please refer to "APIGenericCode" >>
7	Document liveness detection result score	id_document_verification_score	number	Number		Default (In the event of no detection of document verification) Return uniformly as NULL In the event of Face Liveness Detection Type = Passive Detection Results of Face Liveness Detection of the "front" image of the ID document. This is a numerical value indicating the authenticity (genuineness) of the ID documents; the higher the number, the more authentic (genuineness). The range is 0 to 1. Returned to the third decimal place Currently, there are a number of improvements planned for the scores, and the score definitions and weightings may change in the future. Therefore, please do not use the score results in your determination process.

8		Result of injection attack detection	injection_attack_verification	string	Number	1		Result of injection attack detection << Please refer to "APIGenericCode">>
9	Past User Detection Result		multiple_user_verification_result	Object				The detection result will be returned only if the Past User Detection process is completed successfully. The detection result indicates whether a person identical to the current applicant exists among past applications. Return "null" in the following cases (For details, refer to the response sample below) : • When Past User Detection is not used • When Past User Detection is enabled but the detection has not yet been performed
10		Past User Detection Result	result	string	Number	1		1 : No match found 2 : Match found
11		Applicant ID list	applicant_ids	array of string				Relevant Applicant ID list (Past applications considered to be from the same person)
12	Face Reuse Detection result		reuse_face_verification_result	Object				This item detects whether there have been any previous applications with the same face but different personally identifiable information (name / date of birth). The result will be returned as null in the following cases. (Refer to the response sample below for more details.) • Without the "Face Reuse Detection". • In cases where the "Face Reuse Detection" is being used, before verification.
13		Fraud Detection results	result	string	Number	1		1 : Not detected 2 : Fake detected (Internal Data) 3 : Fake detected (External Data) 4 : Fake detected (Internal • External Data) 5 : Detection Error

14		Applicant ID list	applicant_ids	array of string				Relevant Applicant ID list The Applicant ID is returned when the fraud detection result is 2 or 4. ※Output up to 10 items
15	Personally Identifiable Information Reuse Detection result		reuse_identification_verification_result	Object				This item detects whether there are applications with the same personally identifiable information (name / date of birth) but different faces. The result will be returned as null in the following cases. (Refer to the response sample below for more details.) - Without the "Personally Identifiable Information Reuse Detection". - In cases where the "Personally Identifiable Information Reuse Detection" is being used, before verification.
16		Fraud Detection results	result	string	Number	1		Identical to the fraud detection result of the above "Face Reuse Detection result"
17		Applicant ID list	applicant_ids	array of string				Identical to the Applicant ID list of the above "Face Reuse Detection result"
18	Warning List (personally identifiable information) Detection result		warning_list_identification_verification_result	Object				This item detects whether any of the personally identifiable information (name / date of birth) in the application matches the identification information that has been placed on the warning list in the past. The result will be returned as null in the following cases. (Refer to the response sample below for more details.) - Without the "Warning List (personally identifiable information) Detection". - In cases where the "Warning List (personally identifiable information) Detection" is being used, before verification.
19		Fraud Detection results	result	string	Number	1		Identical to the fraud detection result of the above "Face Reuse Detection result"
20		Applicant ID list	applicant_ids	array of string				Identical to the Applicant ID list of the above "Face Reuse Detection result"

21	Warning List (face) Detection result		warning_list_face_verification_result	Object					This item detects whether the face of the application matches the face of an application that has been placed on the warning list in the past. The result will be returned as null in the following cases. (Refer to the response sample below for more details.) - Without the "「Warning List (face) Detection」". - In cases where the "「Warning List (face) Detection」" is being used, before verification.
22		Fraud Detection results	result	string	Number	1			Identical to the fraud detection result of the above "Face Reuse Detection result"
23		Applicant ID list	applicant_ids	array of string					Identical to the Applicant ID list of the above "Face Reuse Detection result"
24	Auto-eKYC processing option (AI verification)		optional_verification_result	Object					A result is returned only when the Auto-eKYC processing option is successfully completed. The result will be returned as null in the following cases (see response sample below for details) : -Without the Auto-eKYC processing option. -In cases where the Auto-eKYC processing option is being used or before verification.
25		Overall result	result	string	Number				1 : OK 2 : NG 4 : Waiting
26		Matching Name (Kanji)	name	string	Number				1 : OK 2 : NG 3 : Not implemented as setting is OFF. 4 : Waiting
27		Matching Birthday	birthday	string	Number				Same as "Matching Name (Kanji)" above
28		Matching Address (all)	address	string	Number				Same as "Matching Name (Kanji)" above

29	Matching Address(zip code)	zip_code	string	Number				Same as "Matching Name (Kanji)" above
30	Matching ID document number	id_number_match	string	Number				Same as "Matching Name (Kanji)" above
31	Matching Nationality	nationality	string	Number				Same as "Matching Name (Kanji)" above
32	Matching Sex	sex	string	Number				Same as "Matching Name (Kanji)" above
33	Expiration date check	expire_date	string	Number				Same as "Matching Name (Kanji)" above
34	Document number check	id_number	string	Number				Same as "Matching Name (Kanji)" above
35	Verification of the face with a random action face shot.	face_verification	string	Number				Same as "Matching Name (Kanji)" above
36	Verification of the face with a face photo	face_photo_verification	string	Number				Same as "Matching Name (Kanji)" above
37	Age verification	age	string	Number				Same as "Matching Name (Kanji)" above
38	Face Verification	face_liveness_verification	string	Number				Same as "Matching Name (Kanji)" above
39	Face Verification Score	face_liveness_verification_score	number	Number				It is a numerical value indicating the authenticity of an appearance; the higher the number, the more authentic it is deemed. The range is 0 to 1. Returned to the third decimal place. Returned as null when the value of the Face Verification is less than the response sample (refer to the below for more details).

							• 3 : Not implemented as setting is OFF. • 4 : Waiting
40	Injection attack detection	injection_attack_verification	string	Number			1 : OK 2 : NG 3 : Not implemented as setting is OFF 4 : Waiting
41	Document Authenticity Detection	id_document_verification	string	Number			Same as "Matching Name (Kanji)" above
42	Past User Detection	multiple_user_verification	string	Number			Same as "Matching Name (Kanji)" above
43	Face Reuse Detection	reuse_face_verification	string	Number			Same as "Matching Name (Kanji)" above
44	Personally Identifiable Information Reuse Detection	reuse_identification_information_verification	string	Number			Same as "Matching Name (Kanji)" above
45	Warning List (personally identifiable information) Detection	warning_list_identification_information_verification	string	Number			Same as "Matching Name (Kanji)" above
46	Warning List (face) Detection	warning_list_face_verification	string	Number			Same as "Matching Name (Kanji)" above
47	License to drive a small special motor vehicle or not	small_special_vehicle_license	string	Number	1		It will be determined if you are eligible for a small special motor vehicle license. 1: Qualified 2: Not qualified 3: Not implemented as setting is OFF 4: Waiting
48	Match of status of residence	resident_status	string	Number			Same as "Matching Name (Kanji)" above

49		Matching Period of Stay	stay_period	string	Number				Same as "Matching Name (Kanji)" above
50		Matching Period of Stay Expiration Date	stay_expire_date	string	Number				Same as "Matching Name (Kanji)" above
51		Matching Date of Permission	permitted_date	string	Number				Same as "Matching Name (Kanji)" above
52		Matching Type of Permission	kind_of_permission	string	Number				Same as "Matching Name (Kanji)" above
53		Matching Employment Restrictions	employment_restriction	string	Number				Same as "Matching Name (Kanji)" above
54		Matching Issue Date	issue_date	string	Number				Same as "Matching Name (Kanji)" above

HTTP Status Code

	Code	説明(Description)
1	200	Success

Usage Examples

Request URL

https://xxxx.xxx-liquid-ekyc.com/v1/applicants/a00000001/verification_results

Response body

- Without the Auto-eKYC processing option
- In cases where the Auto-eKYC processing option is being used or before verification

```

1 {
2   "verification_result": {
3     "face_verification": "1",
4     "face_verification_score": 201,
5     "face_photo_verification": "1",
6     "face_photo_verification_score": -18,
7     "id_document_verification": null,
8     "id_document_verification_score": null,
9     "injection_attack_verification": null
10  },
11  "multiple_user_verification_result": null,

```

```

12  "reuse_face_verification_result":null,
13  "reuse_identification_information_verification_result":null,
14  "warning_list_identification_information_verification_result":null,
15  "warning_list_face_verification_result":null,
16  "optional_verification_result": null
17  }

```

- When the Auto-eKYC processing option (AI verification) is not used and Document Liveness Detection Type is Passive Detection
- When the Auto-eKYC processing option (AI verification) is used, before judgment is implemented, and when the Document Liveness Detection Type is Passive Detection

```

1  {
2    "verification_result": {
3      "face_verification": "1",
4      "face_verification_score": 201,
5      "face_photo_verification": "1",
6      "face_photo_verification_score": -18,
7      "id_document_verification": "1",
8      "id_document_verification_score": 0.2,
9      "injection_attack_verification": null
10   },
11   "multiple_user_verification_result": null,
12   "reuse_face_verification_result":null,
13   "reuse_identification_information_verification_result":null,
14   "warning_list_identification_information_verification_result":null,
15   "warning_list_face_verification_result":null,
16   "optional_verification_result": null
17  }

```

- When the Auto-eKYC processing option (AI verification) is not used,the Document Liveness Detection Type is Passive Detection, and there is no the face photo (e.g.,Comply to "To/Chi).
- When the Auto-eKYC processing option (AI verification)is used, before judgment is made, the Document Liveness Detection Type is Passive Detection, and there is no the face photo (e.g.,Comply to "To/Chi).

```

1  {
2    "verification_result": {
3      "face_verification": null,
4      "face_verification_score": null,
5      "face_photo_verification": null,
6      "face_photo_verification_score": null,
7      "id_document_verification": "0",
8      "id_document_verification_score": 0.8,
9      "injection_attack_verification": null
10   },
11   "multiple_user_verification_result": null,
12   "reuse_face_verification_result":null,
13   "reuse_identification_information_verification_result":null,
14   "warning_list_identification_information_verification_result":null,
15   "warning_list_face_verification_result":null,
16   "optional_verification_result": null
17  }

```

- When Auto-eKYC processing option (AI verification) is successfully completed

```

1  {
2    "verification_result": {
3      "face_verification": "1",
4      "face_verification_score": 201,
5      "face_photo_verification": "1",
6      "face_photo_verification_score": -18,
7      "id_document_verification": null,
8      "id_document_verification_score": null,
9      "injection_attack_verification": null

```

```

10 },
11 "multiple_user_verification_result": null,
12 "reuse_face_verification_result": null,
13 "reuse_identification_information_verification_result": null,
14 "warning_list_identification_information_verification_result": null,
15 "warning_list_face_verification_result": null,
16 "optional_verification_result": {
17   "result": "1",
18   "name": "1",
19   "birthday": "1",
20   "address": "1",
21   "zip_code": "3",
22   "nationality": "3",
23   "sex": "3",
24   "expire_date": "1",
25   "id_number": "1",
26   "id_number_match": "1",
27   "face_verification": "1",
28   "face_photo_verification": "1",
29   "age": "1",
30   "face_liveness_verification": "1",
31   "face_liveness_verification_score": 0.987,
32   "injection_attack_verification": "3",
33   "id_document_verification": "3",
34   "multiple_user_verification": "3",
35   "reuse_face_verification": "3",
36   "reuse_identification_information_verification": "3",
37   "warning_list_identification_information_verification": "3",
38   "warning_list_face_verification": "3",
39   "small_special_vehicle_license": "1",
40   "resident_status": "3",
41   "stay_period": "3",
42   "stay_expire_date": "3",
43   "permitted_date": "3",
44   "kind_of_permission": "3",
45   "employment_restriction": "3",
46   "issue_date": "3"
47 }
48 }

```

- In cases where the Auto-eKYC processing option (AI verification) is completed successfully, the user's facial photo is not captured (such as Comply to "To"/"Chi" methods), and "Document Authenticity Detection" is not conducted

```

1 {
2   "verification_result": null,
3   "multiple_user_verification_result": null,
4   "reuse_face_verification_result": null,
5   "reuse_identification_information_verification_result": null,
6   "warning_list_identification_information_verification_result": null,
7   "warning_list_face_verification_result": null,
8   "optional_verification_result": {
9     "result": "1",
10    "name": "1",
11    "birthday": "1",
12    "address": "1",
13    "zip_code": "3",
14    "nationality": "3",
15    "sex": "3",
16    "expire_date": "1",
17    "id_number": "1",
18    "id_number_match": "1",
19    "face_verification": "1",
20    "face_photo_verification": "1",
21    "age": "1",
22    "face_liveness_verification": "3",
23    "face_liveness_verification_score": null,

```

```

24     "injection_attack_verification": "3",
25     "id_document_verification": "3",
26     "multiple_user_verification": "3",
27     "reuse_face_verification": "3",
28     "reuse_identification_information_verification": "3",
29     "warning_list_identification_information_verification": "3",
30     "warning_list_face_verification": "3",
31     "small_special_vehicle_license": "3",
32     "resident_status": "3",
33     "stay_period": "3",
34     "stay_expire_date": "3",
35     "permitted_date": "3",
36     "kind_of_permission": "3",
37     "employment_restriction": "3",
38     "issue_date": "3"
39   }
40 }

```

- When some of the processes in Auto-eKYC processing option (AI verification) are successfully completed, but some of the processes are not yet completed

```

1  {
2    "verification_result": {
3      "face_verification": "1",
4      "face_verification_score": 201,
5      "face_photo_verification": "1",
6      "face_photo_verification_score": -18
7      "id_document_verification": null,
8      "id_document_verification_score": null,
9      "injection_attack_verification": null
10   },
11   "multiple_user_verification_result": {
12     "result": 1,
13     "applicant_ids": [],
14   },
15   "reuse_face_verification_result": {
16     "result": 1,
17     "applicant_ids": [],
18   },
19   "reuse_identification_information_verification_result": {
20     "result": 1,
21     "applicant_ids": [],
22   },
23   "warning_list_identification_information_verification_result": {
24     "result": 1,
25     "applicant_ids": [],
26   },
27   "warning_list_face_verification_result": {
28     "result": 1,
29     "applicant_ids": [],
30   },
31   "optional_verification_result": {
32     "result": "4",
33     "name": "4",
34     "birthday": "4",
35     "address": "4",
36     "zip_code": "4",
37     "nationality": "3",
38     "sex": "3",
39     "expire_date": "1",
40     "id_number": "1",
41     "id_number_match": "4",
42     "face_verification": "4",
43     "face_photo_verification": "4",
44     "age": "1",
45     "face_liveness_verification": "3",
46     "face_liveness_verification_score": null,
47     "injection_attack_verification": "3",

```

```

48     "id_document_verification": "3",
49     "multiple_user_verification": "1",
50     "reuse_face_verification": "1",
51     "reuse_identification_information_verification": "1",
52     "warning_list_identification_information_verification": "1",
53     "warning_list_face_verification": "1",
54     "small_special_vehicle_license": "4",
55     "resident_status": "3",
56     "stay_period": "3",
57     "stay_expire_date": "3",
58     "permitted_date": "3",
59     "kind_of_permission": "3",
60     "employment_restriction": "3",
61     "issue_date": "3"
62 }
63 }

```

- When "Past User Detection", "Face Reuse Detection", "Personally Identifiable Information Reuse Detection", "Warning List (personally identifiable information) Detection" and "Warning List (face) Detection" is not used

```

1 {
2   "verification_result": {
3     "face_verification": "1",
4     "face_verification_score": 201,
5     "face_photo_verification": "1",
6     "face_photo_verification_score": -18,
7     "id_document_verification": null,
8     "id_document_verification_score": null,
9     "injection_attack_verification": null
10  },
11  "multiple_user_verification_result": null,
12  "reuse_face_verification_result": null,
13  "reuse_identification_information_verification_result": null,
14  "warning_list_identification_information_verification_result": null,
15  "warning_list_face_verification_result": null,
16  "optional_verification_result": null
17 }

```

- When "Past User Detection", "Face Reuse Detection", "Personally Identifiable Information Reuse Detection", "Warning List (personally identifiable information) Detection" and "Warning List (face) Detection" has been performed : Match does not exist

```

1 {
2   "verification_result": null,
3   "multiple_user_verification_result": {
4     "result": 1,
5     "applicant_ids": [],
6   },
7   "reuse_face_verification_result": {
8     "result": 1,
9     "applicant_ids": [],
10  },
11  "reuse_identification_information_verification_result": {
12    "result": 1,
13    "applicant_ids": [],
14  },
15  "warning_list_identification_information_verification_result": {
16    "result": 1,
17    "applicant_ids": [],
18  },
19  "warning_list_face_verification_result": {
20    "result": 1,
21    "applicant_ids": [],
22  },
23  "optional_verification_result": null,

```


- 「Past User Detection」 「Face Reuse Detection」 「Personally Identifiable Information Reuse Detection」
「Warning List (personally identifiable information) Detection」 「Warning List (face) Detection」 : Match exists

```

1  {
2    "verification_result": null,
3    "multiple_user_verification_result": {
4      "result": 2,
5      "applicant_ids":[
6        "a00000001",
7        "a00000002"
8      ],
9    },
10   "reuse_face_verification_result":{
11     "result": 2,
12     "applicant_ids":[
13       "b00000001",
14       "b00000002"
15     ],
16   },
17   "reuse_identification_information_verification_result":{
18     "result": 2,
19     "applicant_ids":[
20       "c00000001",
21       "c00000002"
22     ],
23   },
24   "warning_list_identification_information_verification_result":{
25     "result": 2,
26     "applicant_ids":[
27       "d00000001",
28       "d00000002"
29     ],
30   },
31   "warning_list_face_verification_result":{
32     "result": 2,
33     "applicant_ids":[
34       "e00000001",
35       "e00000002"
36     ],
37   },
38   "optional_verification_result": null,
39 }

```