

Tables and Figures

List of Tables

List of Figures

- | | | |
|---|---|---|
| 1 | (A) Proportion (%) of sizes of starch granules in the wheat solution (outer ring) and extracted from the wheat-treatment samples (inner ring), and (B) in the potato solution (outer ring) and extracted from the potato-treatment samples (inner ring). l = large, m = medium, s = small. | 2 |
| 2 | Proportion of sizes of (A) wheat granules in the mixed solution (outer ring) and extracted from the wheat-treatment samples (inner ring), and sizes of (B) potato granules in the solution (outer ring) and extracted from the potato-treatment samples (inner ring). l = large, m = medium, s = small. | 3 |

0.1 Tables

0.2 Figures





Figure 1: (A) Proportion (%) of sizes of starch granules in the wheat solution (outer ring) and extracted from the wheat-treatment samples (inner ring), and (B) in the potato solution (outer ring) and extracted from the potato-treatment samples (inner ring). l = large, m = medium, s = small.

A



B




Figure 2: Proportion of sizes of (A) wheat granules in the mixed solution (outer ring) and extracted from the wheat-treatment samples (inner ring), and sizes of (B) potato granules in the solution (outer ring) and extracted from the potato-treatment samples (inner ring). l = large, m = medium, s = small.