Iconate

Simple CSS icon animations

Stylesheets

1. Include the Stylesheet and Javascript files in your html.

```
<link rel="stylesheet" href="iconate.min.css">
<script type="text/javascript" src="iconate.min.js">
```

Stylesheets

Create Icon

2. Create icon element.

```
<i id="icon" class="fa fa-bars fa-lg"></i>
```

Create Icon

```
<!DOCTYPE>
    <html>
        <head>
            <meta charset="UTF-8">
            <link rel="stylesheet" href="Iconate/dist/iconate.min.css">
        </head>
 8
        <body>
            <i id="icon" class="fa fa-3x fa-bars fa-lg"></i></i>
10
11
             <script type="text/javascript" src="Iconate/dist/iconate.min.js"></script>
12
        </body>
13
    </html>
```

Add Font Awesome

```
<!DOCTYPE>
    <html>
        <head>
            <meta charset="UTF-8">
            <link rel="stylesheet" href="Iconate/dist/iconate.min.css">
            <link href="Font-Awesome/css/font-awesome.css" rel="stylesheet">
        </head>
        <body>
            <i id="icon" class="fa fa-3x fa-bars fa-lg"></i>
11
12
            <script type="text/javascript" src="Iconate/dist/iconate.min.js"></script>
13
            <script type="text/javascript" src="js/main.js"></script>
        </body>
    </html>
```

Apply JavaScript

3. Animate icon from fa-bar to fa-arrow-right with rubberBand animation.

```
var iconElement = document.getElementById('icon');
var options = {
    from: 'fa-bars',
    to: 'fa-arrow-right',
    animation: 'rubberBand'
};
iconate(iconElement, options);
```

Apply JavaScript

```
var iconElement = document.getElementById('icon');
var options = {
    from: 'fa-bars',
    to: 'fa-arrow-right',
    animation: 'rubberBand'
};

iconate(iconElement, options);
```

Demo



Demo

