New Hampshire University

Southern

Instructor: brian hogan

https://github.com/bbe2/instructor.brian/tree/it.304.fall.2023

## Course Description – it.304 - Systems requirements and implementation planning

Location: on-ground, SETA, 209, Wednesday and Friday at 11:00 – 12:15

Systems analysis and design is an art form, discipline, and science. The 1890s witnessed its formative pillars of speed, quality, and checklists thanks to the efforts of Frederick Taylor, and his methods and stop-watches remain key systems analysis and design tools[1].

1890 1930 1950 1960 1970 1980 1990 2020 2000 Scientific mgmt Fordism Manufacturing automation (MA) Statistical process control Total quality mgmt (TQM)(Demming) **Transistors** Microprocessors Integrated data stores (IDS)<tape> Personal computers Information Systems <a href="MIS\MES">MIS\MES</a> Business process reengineering Info. factory-servers Intelligence systems Data warehouses Artificial Intell.

To perform systems analysis and design well, it helps to understand different process models alongside what operation managers need to see, what business leaders want to achieve, and what financiers advise on sustainability. Information technology (IT) facilitates systems design efforts through codification. Leaping forward, Artificial intelligence (AI) identifies potentiality by pairing unseen connections with deep learning neural networks.

In the 1990s, MIT computer science professor Michael Hammer developed the management theory of <u>business process re-engineering</u> (BPS). Its tenets are process improvement, process re-design, and process re-engineering. BPS emphasizes the application of a holistic view of understanding how business objectives and processes are or are not aligned.

Question: have you stood in line in a coffee shop while the servers are busy doing lots of things but not helping you? IT online ordering has changed business operations, and perhaps customer experience is out of alignment with new transaction processing models. Good design principals may have identified this experience gap a priori by using first in, first out (FIFO) queueing.

In 2022 BPS is alive and well, as witnessed by consultancies like IBM's Business Process Reengineering < IBM-BPRS> and Bain & Company's Business Process Redesign <Bain>. BPS names change, such as Accenture's Human + machine intelligence, but its Tayloristic principles are still profitable.

Business requirements, business rules, system specifications, environmental factors, opportunities to tear things apart, reorganize, recodify, and discover new viability vectors. IT is essential to this process. Understanding the application of <a href="mailto:BPS">BPS</a> models will help you become a better system's designer through the development of abstraction and looking ahead skills. These skills improve with training and application.

In BPS, an individual's skills express themselves in the selection, testing, and application of <u>BPS models</u> to frame situations. Abstracting systems involves applying process engineering skills to help orchestrate quality engineered improvements, new IT paradigms, and machinery to augment and facilitate change. Measuring change is problematic, and this course is not focused on it. Suffice it to say, sometimes only profit and stock price reflect the systemic effects of an organization's BPS's efforts.

Why do BPS efforts wane? One answer is people and systems "move on." Life flows forward with designers and business champions refocusing and pulling the wind out of BPS sails. Perhaps work was not understood by managers leading to other ineffective, haphazard d outcomes. Developing skills in this arena will help you identify concerns hopefully before a ghoulish nightmare.

The coursework is challenging, accessible, and extremely useful. As such, the expectation is your work will progress naturally in an ongoing fashion driven by self-interest and self-motivation.

## Evidence of skills in systems analysis & design skills includes

- 1. Written examination and diagnostics of systems thinking.
- 2. Use of 10-15 systems knowledge classifications.
- 3. Use of Python for data modeling and codifify transactional information.
- 4. Translation of systems analysis and design principles into functional specs., object models, requirement specs., and implementation plans.

## Attendance

Your presence in class is instrumental to your learning, peer learning, and skills advancement. 500 of the 1,000 total class points represent in-class attendance, activities, and participation. Evaluation points accumulate per class for attentiveness, engagement, distraction, level of focus, use of cell phones, and illustration of sustained participation. Abnormal breaks or unexcused time out of class deducts (2.5\*total.minutes out of class). For example, and abnormal break of 10 minutes will cost you 10\*2.5 = 25/95 = 0.2631\*35.71<per class points> = or 9.5 points.

## 7.pillars.of.python – Required training

In order to have full competence in systems design it's necessary to perform

• <u>data transformations</u> and manipulation with Python data objects.

A customized programming crash course will build your competence with conditionals, functions, iterators, conditionals, and classes to provide you with basic fierce compute skills.

Outputs

## Required Resources

Textbook Notes	Textbook	
You are welcome to use either the 11 <sup>th</sup> or 12 <sup>th</sup> edition. Other details provided in class.  • excellent book to have on hand today and years from now.	Tilley, Scott (2022). <b>Systems analysis and design, 12</b> <sup>th</sup> <b>Edition</b> . Shelley Cashman Series. Cengage. Published 2022. ISBN 978-0-357-11781-1.	<amazon> 12th <abebooks>  11th <abebooks>  abebooks&gt; ~\$10</abebooks></abebooks></amazon>
Not required to purchase but an • excellent book to have on hand today and years from now.	BKrogerus, M., Tschappeler, R., and Pienning, J. (2018). The decision book: fifty models for strategic thinking. ISBN-10: 0393652378, ISBM-13, 978-0393652376.	<abebooks> ~\$7</abebooks>

## Tools, technology, and software to facilitate evidence

- Index cards and pencils #=> provided.
- 2. Installation of Google Chrome for Colab
- 3. Microsoft Visio \ university.download
- 4. Anaconda IDE Spyder. Best for data transformation learning.
- 5. **S**tudents are not required to figure out code from scratch but are expected to type code or re-stenograph as necessary.

## Required Performance Hardware - Mouse!

- 1. Mouse! if you don't have one I will find one for you.
  - Use of 3-finger dolls for compute activities is slow and illustrates to an employer ineffectiveness. Points substracted if no mouse in-class.
- 2. **2<sup>nd</sup> Monitor** 2 Monitors help you get your work done are virtually required for effective computer science work. If need one ask and I will find for you.

## Instructor availability

• Simply reach out to your instructor on Teams and we will schedule and continue your support and progress. <a href="mailto:b.hogan@snhu.edu">b.hogan@snhu.edu</a>

### Prior course competencies

- IT-20358: Make ethically informed decisions based on awareness of legal and organization parameters
- IT-20359: Develop a systems requirements specification
- IT-30360: Develop an implementation plan

## A brief guide to effective analysis

This course is lecture based and taking notes is critical to both scholastic and business success.





MOLESKINE

- i. In systems analysis and design, you interview customers to learn information and process details. Many people remain averse to recording conversations in any medium, so conversation recall is an essential skill. Augment your class notes shortly after a lecture to flesh out learnings, context, and details.
- ii. Augment your class notes shortly after a lecture to flesh out learnings context, and details. When something is not well-understood reach out to your instructor promptly to help your analysis skills advance organically. Consider keeping an experience journals as they are helpful to reflect upon if you seek employment in this field.
- iii. Blackout typing. Consider typing your notes and ideas with the computer screen blocked or blacked out. Doing so stimulates your abstraction engine flow.
  - iv. Word spelling/grammar matters. But, for now, focus on IDEA generation and design. The Victorians have 1000s of well-written texts nobody reads, and Herman Melville, a Victorian, wrote about a process -- whale hunting.
    - v. Ask questions right away. Your focus should always be
      - a. An engineered course of action, and
      - b. Clarified thinking.

Good writing is good thinking

### Effective analysis items to do first:

- 1. Write down any ideas about assignment and models that come into you they arrive. Carry index cards, text yourself, keep a <a href="modeskin">modeskin</a> notebook and pencil. Don't put off recording something interesting for even for five minutes else "whooosh-vapor."
  - laboratory bench scientists are required to this day to perform daily journal of their work. It is a skill worth considering.
- 2. Carefully read every word of the assignment 2x to make sure you consider what lectures, readings, and models you're asked to consider. Cogitate carefully as every assignment is curated to deepen knowledge and focus thinking.
  - Consider reviewing weekly assignment section and re-reading curated course content when your logic is amiss.
  - Between 4-8 will review strategies for librarian type research.
- 3. If you assignment wants you to use class lectures, then study your lecture notes. Hopefully you have augmented your lecture notes shortly after the lectures to add context.
  - Add to your class notes in another color pen to increase neuroplasticity.

#### Research Websites

The internet is full of information and advertisements. Use your time wisely working with research sites instead of the internet. I can help anyone setup an account.

- Shapiro Library Research Guides at Southern New Hampshire University (snhu.edu)
- <u>Home Feed | ResearchGate</u>, <u>https://www.researchgate.net/</u>
- Routledge Publisher of Professional & Academic Books, https://www.routledge.com/

## Wikipedia "IS NOT" an academic reference website

Use of Wikipedia is for idea generation and quick information fact sharing.

- Any links to dictionary wikipedia is to help quickly build topic background and.or augment class lectures.
- Wikipedia helps to broadly engage a topic's context and related info.
- Wikipedia <u>is not</u> an academic reference nor a substitute for quality academic media. Some academics argue Wikipedia's veracity p.e.r.i.o.d.
- At any time a student may request academic approved learning media to substantiate any reviewed topic.

## Task, activity, assignment, and report Due Date

Anytime the day due day is stil day on world clock.

## **Missing Class**

To recoup class points, present the instructor with a doctor's note, a campus health department note, or one from your academic advisor or dean.

## **Grading**

## All activities are graded via points earned per week per activity.

Category	# weeks or items	Points	Total points
In class	14	35.71	500
participation & JAMs			
Labs	10	20	200
Quizzes	10	10	100
Project	1	200	200
		Total	1000

#### University grading system

Grade	Numerical Equivalent	Points
Α	93-100	4
A-	90-92	3.67
B+	87-89	3.33
В	83-86	3
B-	80-82	2.67

C+	77-79	2.33
С	73-76	2
C-	а	1.67
D+	67-69	1.33
D	60-66	1
F	0-59	0
I	Incomplete	
IF	Incomplete/Failure	
IP	In progress	
W	Withdrawn	

#### Diversity, Equity, and Inclusion

As indicated in SNHU's core value, the university is committed to "embrace diversity where we encourage and respect diverse identities, ideas, and perspectives by honoring difference, amplifying belonging, engaging civilly, and breaking down barriers to bring our mission to life."

In higher education, you're expected to think critically while exhibiting a growth mindset. This mindset includes the practice of diversity, equity, and inclusion (DEI) to provide transformative experiences for yourself, peers, faculty, and staff.

Collectively we are an organize learning mechanism. Through our community, compassion, and collaborative interactions we walk with respect towards a greater

#### SNHU Handbook and University General Guidelines

- https://snhu.sharepoint.com/sites/CAMPUSACADEMICS
- Use your internal resources to access the student handbook detailing all features of attendance, academic honesty et. cetera.
- Perform authentic work.
  - SNHU requires all students adhere to high standards of integrity including avoidance of plagiarism and cheating.
- SNHU adheres to copyright provisions of the Copyright Act.
- Consult the handbook when considering withdrawal or need anything else.

#### ADA/504 Compliance Statement

SNHU is dedicated to providing equal access to individuals with disabilities in accordance with Section 504 of the Rehabilitation Act of 1973 and with Title III of the Americans with Disabilities Act (ADA) of 1990, as amended by the American's with Disabilities Act Amendments Act (ADAAA) of 2008.

SNHU prohibits unlawful discrimination on the basis of disability and takes action to prevent such discrimination by providing reasonable accommodations to eligible individuals with disabilities. The university has adopted this policy to provide prompt and equitable resolution of complaints regarding any action prohibited by Section 504, the ADA, and the ADAAA.

For any questions about support services, documentation guidelines, general disability issues, or pregnancy accommodations please email <a href="wellness@snhu.edu">wellness@snhu.edu</a>. See my.snhu.edu and select the wellness tab. And the campus accessibility center at cac@snhu.edu.

For anything regarding discrimination please contact school professionals right away at the emails above and or see the Disability and Accessibility Services at https:\\my.snhu.edu

#### Student Support Resources including Tutoring and Instructional Support

It is really amazing to have a <u>careteam@snhu.edu</u> to help students with assistance of all sorts. Again, this is an amazing resource.

- Consider this service if feeling pressured or overwhelmed.
- For instructional support email instructionalsupport@snhu.edu.
- For in class tech support call 603.645.9615

#### Other Key Resources

- <a href="https://snhu.sharepoint.com/sites/thesource">https://snhu.sharepoint.com/sites/thesource</a>
- https://snhu.sharepoint.com/sites/CAMPUSACADEMICS

## Lecture and Weekly Assignment Schedule

Lecture notes, tasks, learnings, assignments, and bits and bobs are added here each week. This is the ONLY course document and its formatted for printing and easy reading on any device for studying on the fly.

#### Template format

Wk	Focus & Medium	Weekly Topic & Assignment
х	~py pkg index~	<pre>Hands - mediapipe (google.github.io)</pre>
	<pre>https://pypi.org/</pre>	note: Weekly Assignments (1 or 2 pages per week as indicated on left)

Wk	Focus & Medium	Weekly Topic & Assignment
х		

Wk	Focus & Medium	Weekly Topic & Assignment
Х		

## 08.31.2023 4:32PM

I'm still finishing this as organizing a few other things for our class JAM tommorrow.

This code is all part of the training to learn python data objects and fundamentals of coding. Its fun, easy to learn, and extremely useful for school and any work in computer science so thank you for putting your best foot forward with it. ~brian

Wk	Focus & Medium	Weekly Topic & Assignment
x		7.pillars.ofpython  #=> fill in the blanks     obj_Name   charcter code   explicit code
		#=====================================
		string data is in a dictionary {key:value} which is inside a tuple which is inside a list separated by a comma to another object which is a dictionary with a string for a key, and a list of its key values
		Now you have the tools to decipher how data is packed and figure out how to mix and mingle python objects and re-organize as needed.
		You have also worked with iterators, conditionals, and variables and can transpose data
		<pre>dir(<myobject>) =&gt; displays its constructors, methods, and attributes ['_class', 'delattr', 'dict', 'dir', 'doc',</myobject></pre>

```
'species',====> user defined attributes
   'train']

help(<myobject> or <function)
-----
| Data and other attributes defined here:
| name = ''
| species = '' ==> these are the attributes in our wk7 object
| train = ''
```

Wk Focus	& Medium	Weekly Topic & Assignment
Python pi     core c     condit     iterat     functi	"""# -*- coding @author:17574 b.h. Objective: import use conditionals, Library homebase """  '''==============================	<pre>c: utf-8 -*- Created Sep 15 07:58:23 2022 ogan@snhu.edu it.304.fall.22 data and apply zipper to transform, iterate, apply functions, leading to python classes work = Python package index: https://pypi.org  library install path from</pre>
	<pre>df0 = pd.DataFram #df0 = pd.read_cs df0 = pd.read_exc df0.info() #</pre>	e() #explicitly set the data object v("shakes_corpus_v1.csv") #ETL method 1 el("shakes_corpus_v1.xlsx") #ETL method 2 RangeIndex: 37 entries, 0 to 36
	#	Data columns (total 3 columns): # Column Non-Null Count Dtype
	# # #	0 title 37 non-null object 1 script 37 non-null object 2 type 37 non-null object 3 ID 37 non-null int64 dtypes: int64(1), object(3) memory usage: 1.3+ KB
	<pre>print(type(df0)) df0.head()</pre>	<pre>#use type() to always see what an object is</pre>
	# # #	title type  0 Alls Well That Ends Well Comedy  1 As You Like It Comedy
PLEASE BE	#2.1 use pandas d mydict = df0.to_d print(mydict.keys type(mydict.keys(	())
	#2.2 understand w	hat a dictionary and zip is doing





```
'''========
#=>STEP 2 - seperate Megasaurus into usuable object chunks
#-----
#======"'"
1112.1111
type(mylist_values) #=> [({...})],
'''=====> packed as [({...})], =>list, tuple, dictionary'''
type(type(mylist_values[1]) )#hmm doesn't unpack
len(mylist values) #=> 4 columns in spreadsheet, ie data objects
'''megasaurus - all plays and words'''
mylist_values
                     # => format is list[(tuple(dict))]
                     # [ ({id:title}),({id:script}),
                         ({id:type}), ({id:id}) ]
                     # zip added an key sequential value
'''==>2.2'''
'''use slicing [0:1], [2] to view next level down'''
type(mylist_values[0]) # tuple
mylist_values[0]
                    #=> [x] is called slicing
               Out[23]:
               ({ 0: 'Alls Well That Ends Well',
                  1: 'As You Like It',
'''now think data like in spreadsheet'''
# columns
# |title |script| type | id |
# hamlet,oh joy,tragedy, 29
mylist values[1] #displays all the script text!
'''==>2.3'''
len(mylist_values[1]) # waits its '1' so need to unpack my data
mylist = []
for i in mydict['title'].values():
   mylist.append(i)
mylist
len(mylist) #37 - does htat match spreadsheet? always know your bounds
title_total_characters = 0
                         #how many characters?
for i in mylist:
   title_total_characters = title_total_characters + len(i)
```

```
title_total_characters #do you get 560 ?
==>2.4 autoBOTs304 - repeat this for total script words
===> moved this into the graded_assign_wk7'''
#==========
#=>STOP! : view 'Variable Explorer' window
# use this feature to propel data transformation learning
#===========
#=========
'''#=========
#=> WRAP - UP Housekeeping
# delete variables not using; help avoid unnecssary mistakes
# be mindful how you stage both variable and data names
# df0 = baseline import
     df1 = analysis 1
        df2 = analysis 2
#========
'''==>2.5'''
del mylist_keys
            # del removes a variable
mylist2 = []
for i in [mydict.get('title')]:
  mylist.append(i) #so what happended here a. wrote name list wrong
print(len(mylist2), len(mylist))
#make a note here on what happended.....
mvlist
     #stacked a list on a dictionary bc meant to use list2
#go back and rest data for part 2
mylist = []
for i in mydict['title'].values():
  mylist.append(i)
#===========
#=>STEP 3: Use dir(object) to learn its methods to get work done
#===========
#======"""
'''==>3.1'''
#======> use dir() to get functions available for an object
myset = set()
print(type(myset))
dir(myset)
  '__xor_
    _xor__', ==> these are constructors, more later 'add', 'clear', ==> these are methods
  'copy', 'difference', 'difference_update', 'discard',
# 'intersection','intersection_update', 'isdisjoint', 'issubset',
   'issuperset', 'pop', 'remove', 'symmetric difference',
   'symmetric_difference_update','union', 'update']'''
'''==>3.1'''# ====> SETS
mylist2 = mylist
mylist2.append("Winters Tale") #add one duplicate title
myset = set(mylist2)
print(len(mylist),len(myset)) #so got rid of duplicate
```

```
del mylist2
#======> ACTION learn what you need and go find it
mystring = ""
print(type(mystring))
dir(mystring)
#'''_subclasshook__', 'capitalize', 'casefold',, 'center',
#'count', 'encode', 'endswith', 'expandtabs', 'find', 'format',
#'format_map', 'index', 'isalnum', 'isalpha', 'isascii', 'isdecimal',
#'isdigit', isidentifier', 'islower', 'isnumeric', 'isprintable',
#'isspace', 'istitle', 'isupper', 'join', 'ljust', 'lower', 'lstrip',
#'maketrans', 'partition', 'replace', 'rfind', 'rindex', 'rjust',
#'rpartition', 'rsplit', 'rstrip', 'split', 'splitlines','startswith',
#'strip', 'swapcase', 'title', 'translate', 'upper', 'zfill']'''
'''============
#===========
#=>STEP 4: More dictionary: .keys(), .values(), .get(<key>)
#===========
#======"'"
'''==>4.1'''
mydict.get('title') #.get() views one series
play_names = [mydict.get('title')]
play_names
       [{0: 'Alls Well That Ends Well',
         1: 'As You Like It',
         2: 'The Comedy of Errors',
mylist
# Now add titles to a different object with an iterator
mylist2 = []
for i in [mydict.get('title')]: #method returns a dict obj
   mylist2.append(i)
mylist2
    [{0: 'Alls Well That Ends Well',
     1: 'As You Like It',
     2: 'The Comedy of Errors',
#3.2 => Learn dictionary key, value, items parameters
mylist_key = []
mylist_values = []
for k,v in mydict.items():
   mylist_key.append(k)
   mylist_values.append(v)
mylist_key
                       #['title', 'script', 'type', 'ID']
mylist_values #'''again megasaurus''
'''==>4.2''' #=> Understand and count items in a list
len(mylist_values) #hmm why is this only four ?
mylist_values[0]
mylist values[1]
mylist values[2]
mylist values[3]
#=========
#============
#=>STEP 3: Use Functions and get Meta Data
#============
https://docs.python.org/3/library/functions.html#built-in-functions
sum(mylist_values[3])-1
sum(df0['ID'])-1
```

#### Focus & Medium

#### wk.16 Machine Learning 12.12-12.16

#### Program / operating parameters:

- 1. Demonstrate how to create a small Python program, called a script, and generate speech to text and text to audio results.
- 2. Challenge a user to replicate proper syntax, indenting, and other coding idioms to ensure programs run as intended.
- 3. Educate on basic data encoding where binary (1 or 0) is used for pictures/voice and nonbinary (byte/collations) is for text.
- **4.** Educate on how libraries simplify program feature engineering making the art of the possible a far less daunting task.

Scenario 1: Generate a working program in a Python integrated development environment (IDE) such as Anaconda. The following example uses the Jupyter notebook program as part of the Anaconda Install.

Scenario 2: Expand code requiring 2 audio requests but deliver a single audio outcome file
Hint: The trick of this scenario is to create 2 separate myWords variables.

- In Python variables are either implicitly or explicitly declared.
- Code line 7 "my Words" is an implicit declaration as its

#### Grow with Google Test Answer, <a href="mailto:b.hogan@snhu.edu">b.hogan@snhu.edu</a>

```
""" Part 1: Set Computer File Directory os=operating system"""
import os
os.chdir('C:\\Users\\17574\\Desktop')
""" Part 2: Set Google Speech Recognition and Microphone Library Functions
import speech_recognition as sr
import pyaudio
""" Part 3: Ask user to same something use Google speech to parse words"""
with sr.Microphone() as source:
   print("Ready? Say something quick")
   myWords = sr.Recognizer().listen(source)
   print("You Said...: "+ sr.Recognizer().recognize_google(myWords))
>>> Ready? Say something quick
>>> You Said...: Nacho
"""Part 4: Encode words into audio file audio data is binary so add 'wb'
                            for 'write binary data (1 or 0)"
with open("myAudio.wav", "wb") as file_:
   file_.write(myWords.get_wav_data())
"""Part 5: Import a generic microphone module """
from playsound import playsound
playsound('myAudio.wav')
import os
os.chdir('C:\\Users\\17574\\Desktop')
import speech_recognition as sr
import pyaudio
with sr.Microphone() as source:
   print("Ready? Say something quick")
   myWords_1 = sr.Recognizer().listen(source)
   print("You Said...: "+ sr.Recognizer().recognize_google(myWords))
with sr.Microphone() as source:
   print("Ready? Say something quick")
   myWords_2 = sr.Recognizer().listen(source)
   print("You Said...: "+ sr.Recognizer().recognize_google(myWords))
myWords = myWords_1 + myWords_2
with open("myAudio.wav", "wb") as file_:
   file_.write(myWords.get_wav_data())
from playsound import playsound
playsound('myAudio.wav')
>>> Ready? Say something quick
>>> You Said...: Nacho
>>> Ready? Say something quick
>>> You Said...: Nacho
""" Run like a Pro """
import os
os.chdir('C:\\Users\\17574\\Desktop')
import speech recognition as sr
import pyaudio
```

with sr.Microphone() as source: type is not declared, such a character print("Ready? Say something quick") (char) or number myWords = sr.Recognizer().listen(source) print("You Said...: "+ sr.Recognizer().recognize\_google(myWords))
with open("myAudio.wav", "wb") as file\_: • Add a "\_1" to the variable and then duplicate code lines 5-8 file\_.write(myWords.get\_wav\_data()) with a second variable myWords\_2 from playsound import playsound playsound('myAudio.wav') • Finally, combine the myWords\_1 with myWords\_2 into myWords >>> Ready? Say something quick >>> You Said...: I like cake to deliver the audio output

```
(2 \text{ of } 5)
8
                                                         it.304.wk8 (10/16-10/22/22)
                          Created on Sat Oct 15 13:56:24 2022
0ct
        wk8 code git
                         @author: 17574
                                               b.hogan@snhu.edu
17
to
                          #====== > Week 8
22
                          #==== Classes - Week 8
                          #========
                          #===========
                         #=> Objective: use the following Classes example to make one of your own
                         #=> new function input("<message>") -> asks user for a value
                         # Part I: Import libraries and source data
                          # Part II: Draft an object with couple functions
                          # Part III: Creat a child object and run the function
                          # Part IV: Run a report
                         ''' CARLY! this is not boo scary!
                               conditionals (below) are a set of questions, often in your own words.
                               if you are stuck, set a timer and spend no more than 20 minutes.
                               research says your better phoning or emailing a friend as anything
                               after 20 minutes exceeds optimal learning. good luck!
                          #=> # Part I:
                          #-----
                          #=> # Part I: Import libraries and source data
                         Import libraries + data
                          import pandas as pd
                                                                      #dataframe library
                          import numpy as np
                                                                      #numeric library
                          import matplotlib.pyplot as plt
                                                                      #visualization library
                          import os
                                                                      #operating system library
                          import sys
                                                                      # sys.exit()
                          os.chdir('c:\\Users\\17574\\Desktop\\data_it304') #microsoft uses 2\\
                          df0 = pd.DataFrame()
                                                                      #explicitly set datafarme
                          df0 = pd.read_excel("data_shakes_corpus_v1.xlsx") #ETL method 2
                          df0.info()# RangeIndex: 37 entries,0 to 36, 4 col=> all data u need to
                          index
                         mydict = df0.to dict()
                          '''mydict_shakespeare => {'title':{},'script':{},'type':{},'ID:{} }'''
                         len(df0) #37
                                                             lenth is always veritical by
                          default!
                          #=> # PART - DEtour - was best to add NEW INFO here
                          '''this will help you create a report for quiz end of wk...'''
                          #=======>>
                          #=> Function idea and drive a bitchen camero data to excel
                          #----
                           # Use if, elif, else 'conditionals' to draft your questions based on data
                           # Consider drafting 1-3 questions on an index card before coding
                           # detail what information need to perform so you focus vs get stuck on
                           # remember - objects are the actors and functions are their script
                          '''Fucntion ideas & examples:
                            i) write a function to count total characters in a play or all plays!
                            ii) use an iterator, count characters, and put in a list
                            iii) use new lists to create a report or write back to excel using'''
8
                         mylist = []
                                                  #so this could be a function to count
          (3 \text{ of } 5)
                          characters
                          for i in mydict['title'].values(): mylist.append(len(i))
```

print(mylist, type(mylist), sum(mylist)) wk8 code git #use the new objects and variables to creat a dictionary 0ct myNewDict = {sum(mylist): mylist} 17 # or {'play-1':[<TitleTotalWords>,<ScriptTotalWords>]} to 22 print(myNewDict) print(type(myNewDict)) myDF = pd.DataFrame.from dict(myNewDict)#function create a pandas.DF from dict #myDF.info() #check it out ''' Send to excel or view here - will review in class''' mywriter = pd.ExcelWriter('myoutput.xlsx') #create object that writes out myDF.to excel(mywriter) mywriter.save() myDF #Excel will look exact same ! #=> # Part II: #=> # Part II: Draft an object with couple functions # We are training with .self notation. write self.<attribute or variable> # are inherent, or part of our instantiated children objects '''START - HIGHlight all of class and hit F9 from lines 93 to 150 ''' class shakespeare minion: #this defines the parent object pass name = "" perform\_work = 0 #yes,no switch so could exit terminal total\_plays\_not\_read = len(df0) #use an object vs. hardcode a value total\_plays\_read = 0 #increment so you know how much work done # countdown tracker based on user input num plays work now = 0 '''Function-1: ask user how many plays to read''' def how\_much\_work\_master(self): #int() function here ensures user response encoded as a # perform\_work = int(input("Enter greater than 0 to run program => ")) if perform\_work <= 0:</pre> #On/off switch so can exit program in terminal sys.exit() if perform\_work > 0: #NEW - ask user a question with input() self.num\_plays\_work\_now = \ int(input("Enter how many plays you will read today?=> ")) perform\_work = 0 #set back to zero as 1x trigger '''Function-2: have minions completed what they said they would do?''' def do work and report status(self): #0) for transactions, here would be some kind of wait time to do work #1) condition 1 - Did we complete total work yet? if self.num\_plays\_work\_now <= 0:</pre>

```
#after test, then increment/decrement associated variables
           (4 \text{ of } 5)
8
                                       self.total_plays_not_read = self.total_plays_not_read - 1
                                       self.num_plays_work_now = self.num_plays_work_now - 1
0ct
        wk8 code git
                                       total_plays_read =+1 #another way to increment variables
17
to
                                       return "Master! {} is done. I finished {} plays today.". \
22
                                                      format(self.name,self.total plays read)
                               #2) condition 2 - Still doing daily work ?
                                   elif self.num_plays_work_now > 0:
                                       #after test, then increment/decrement associated variables
                                       self.total plays not read = self.total plays not read - 1
                                       self.total plays read = self.total plays read +1
                                       self.num_plays_work_now = self.num_plays_work_now -1
                                       total_plays_read =+1
                                                                 #another way to increment variables
                               #3) condition 3 - this is a NESTED loop b/c now you either no more work
                                       or you report what you have left to do in this batch
                                       if self.num_plays_work_now == 0:
                                          return "Master I have {} plays left to read AND no more
                           work.\
                                                     I am 100% done for today so start over!".\
                                                                format(self.total_plays_not_read)
                                       else:
                                          return "Master I read {} plays today and have {} more plays
                                          to do in this most egregiousness and unjust batch.".\
                                              format(self.total_plays_read,self.num_plays_work_now)
                           '''END HERE - HIGHlight all of class to define full object'''
                           # Part III: Creat a child object and run the function
                           # IIIa: ask user number plays to ready & run the transaction
                           '''Run these 3 lines together! - This starts to queue up total work'''
                           minion = shakespeare minion()
                           minion.name = "Toothless Harold"
                                                              #ask user how much to do!
                           minion.how_much_work_master()
                           #========
                            '''====>Now run a transaction, that is read a play.
                                   this program runs these transactions manually.
                                   The final little program we make will run them all at once.'''
                           #========== select all 4 lines - keep running to run out of work!
                           print(minion.do_work_and_report_status())
                           print(minion.total_plays_not_read)
                           print(minion.num_plays_work_now)
                           print(minion.total plays read)
```

Wk	Focus & Medium	Weekly Topic & Assignment
	(1 of 4)	"""# -*- coding: utf-8 -*-
		Created on Mon Oct 10 10:59:53 2022
		@author: 17574
	<b>QUIZ Instructions</b>	
	QUIZ Answer	#======================================
	<u></u>	#======================================
		#=> it.304 2nd Graded Assignment
		#======================================

```
#======"""
Objective: more
                      import pandas as pd
                                                    #dataframe library
exercises on python
                      import numpy as np
                                                    #numeric library
pillars to prepare
                      import matplotlib.pyplot as plt #visualization library
for creating an
                      import os
                      os.chdir('c:\\Users\\17574\\Desktop\\data') #microsoft uses 2 \\
object generator.
                      df0 = pd.DataFrame() #explicitly set the data object
                      df0 = pd.read_excel("shakes_corpus_v1.xlsx") #ETL method 2
We will review in
                      df0.info()
                      mydict = df0.to dict()
class but you will
                      need to answer and
                      #=>1.0 Pillar: Iterators
turn it in when
                       '''1.1 Task: use an iterator and produce total words all plays'''
                      finished. Turn it
in by the 19<sup>th</sup> the
                      #==> ENTER YOUR CODE HERE
latest but won't
                      mylist = []
                      for i in mydict['script'].values():
take you long.
                          mylist.append(i)
                                                 #how many characters?
                      total_script_characters= 0
                      for i in mylist:
 I will post
                          total_script_characters = total_script_characters + len(i)
  everyone's own
                      total_script_characters
  gradebook this
  week.
                      # Answer: 1,212,379
                       '''1.2 Task: what is easiest in code to double total characters'''
  The 2<sup>nd</sup> part of
                      #==> ENTER YOUR CODE HERE
  the week will
                      total_script_characters*2
  review class
  objects
                      # Answer: 2424758
                      #=> 2.0 Pillar: Functions
                      '''Task: Generate a tuple wth the code provided
                         hint: use codebook '''
                      mylist = []
                      mytuple = ()
                      for i in range(37):
                          mylist.append(i)
                      #==> ENTER YOUR CODE HERE
                      mytuple = tuple(mylist)
      (2 \text{ of } 4)
                      # Answer:
                                           # (0,1,.....36)
                      print(mytuple)
                      print(type(mytuple)) # tuple
                      #=> 3.0 Pillar: Built-in objects - Sets
                      ''' 3.1 Quickly explain what this statement is doing
                          random.randint(len(mydict),len(df0['script']))
                          3.2 What does the type() function tell you and why is it
                              important?
                          3.3 Create one set from =mydata1 and mydata2
                          3.2 Use the type() function to prove it is a set
                          3.5 Why is performing housekeeping a good habit?'''
```

```
import random # generates random numbers
             # randint(start value, end value)
mydata1 = random.randint(len(mydict),len(df0['script']))
print(len(mydict),len(df0['script'])) #4, 37
#==> 3.1 ENTER YOUR RESPONSE HERE
'''pulling random value from 4 to 37'''
#==> 3.2 ENTER YOUR RESPONSE here after the 3 lines of code
type(mydata1)
mydata1 = (mydata1,)
type(mydata1)
'''can only add objects that are the same object type'''
#==> 3.2 ENTER YOUR RESPONSE HERE
mydata2 = 1,2,3,4,3,2,1
myset = set(mydata1 + mydata2)
#...ANSWERS:
#Answer: <your code answers should be the same except m
      #each person will have 1 diff value
print(mydata1,set(mydata2))
                            # 35, {1,2,3,4}
print(myset)
                             # {1, 2, 3, 35, 4}
print(len(myset)) # 3.1 => 4
print(type(myset)) # <class 'set'>
#Answer built in objects only take one parameter.
# BUT you can add objects together as long as they are the same
# object type.
# housekeeping
#Why: so dont absob data you dont need later by accident
del mydata1; del mydata2;del myset
#----
#= 4.0 Pillar - interpreting packed built-in objects
'''Task: you have the following object visible to your in your
  'variable explorer' window. if script is in the ... describe
  the object container around it and what you would do to
   unpack it.'''
[(\{...\})],
the string data is in a dictionary
which is inside a tuple
which is inside a list
```

Wk	Focus & Medium	Weekly Topic & Assignment
7	3 of 4)	"""# -*- coding: utf-8 -*-Created on Mon Oct 12 10:59:53 2022 @author:17574 b.hogan@snhu.edu it.304.fall.22
0ct 10	classes!	# WEEK 7 CODE final - including classes """  #=================================
to 15		#=>week 7 Object Classes Overview #====================================
		Lexical Analysis always remember about indent \ dedent! if you copy and paste and teh spacing is wrong it wont run
		https://python.readthedocs.io/en/latest/reference/lexical_analysis.html

```
mydict = {"training done":[], "total animals":0}
                          class myFarm: #create parent class object
                              pass
                              name = ""
                              species = ""
                              train = ""
                          def add_train(traintype): #create a user function to count, sort
                              mydict["training done"].append(traintype)
                              mydict["total animals"] =+1
                          #----> #children instantiate from parents
                          a1 = myFarm()  # instantiate children objects from parent, a for animal
a2 = myFarm()  # all object names are user defined
                          #update attributes
                          a1.name = 'mackenzie' #object.attribute or object.function
                          a1.species ='dog'
                          a1.train = 'speak'
                          add train(a1.train) #cheCK-OUT! <only here bc space>
                          a2.name = 'vinny'
                          a2.species = 'horse'
                          a2.train = 'jumping'
                          add_train(a2.train) #'''function accepts attribute to update dictionary
                          object''
                          #write a simple report using a dictionary data object format
                          mydict_rpt = {a1.name:a1.species, a2.name:a2.species, "metrics=>":mydict}
                          mydict_rpt
                            '''{'arnold': 'dog','vinny': 'horse','metrics=>':
                               {'training done': ['catch', 'jumping'], 'total animals': 1}}'''
                          #use object's constructors to view its contents
                          print(a1.__dict__,a2.__dict__)
                             ''' {'name': 'arnold', 'species': 'dog', 'train': 'catch'}
                               {'name': 'vinny', 'species': 'horse', 'train': 'jumping'}'''
                          dir(a1)
                          Oct 10 to 15
                           'name',
                           'species', 'train']
#=>Week 7 Objects part II
       #==> this is using programmming construct of .self.
class dog_train:
   name = ""
   num_fetch_train = 30
   num_fetched = num_fetch_train
```

trainer ok = 0

#Create a report structure

```
def fetch_train(self, num_balls):
       self.num_fetched = self.num_fetched - num_balls
       if self.trainer ok == 0 and self.num fetched <= 0:</pre>
            return "sorry! {} not fetch trained. {} balls over a target of
{}".format(self.name,abs(self.num_fetched),self.num_fetch_train)
       elif self.trainer ok == 1:
            return "Whew! {} passes training after {} balls".format(self.name, abs(self.num fetch train-
self.num_fetched-1))
       else:
            return"{} on target to pass fetch train with {} balls
left".format(self.name, self.num fetch train-self.num fetched)
                                                        Class
dog1 = dog_train()
                                                                    self Reference to an object
dog1.name = "cheeseman"
                                                                  init Constructor method
```



#### Class, object, and function definitions:

<u>Classes</u> - are a framework or template for creating objects, attributes, and methods.

<u>Objects</u> – are the actors performing work. Child objects instantiate from parent objects and may contain their attributes and methods or have distinct attributes and methods.

Methods - are object instructions detailing how to perform behaviors in a class such as data arrangement, computation, printing, and conditional logic trees, perhaps to test, parse, or look for specific information. Methods do not have to return a value!

<u>Functions</u> – a set of instructions to accomplish a task independent of an object and typically part of a program. They may accept arguments and always return a value.

Class attributes - user-defined names that describe features of a class, and methods can use their values. For example, an object's unique ID, color, name, or numeric value for use in a calculation.

.self <self.attribute> is the first argument in a class function identifying its own attributes.

#### Essential Python tools associated with objects.,

<u>Built-in types</u> - Python core boolean, comparators, numeric types, and operations like 1+1, iterator types, and operations. REVIEW recommended!

<u>Python Essential Data structures</u> – lists, tuples, sets, dictionary, looping, more on conditionals. Methods and tips and tricks.

Wk	Focus & Medium	Weekly Topic & Assignment
5	(2 of 3)	Objective = begin working with 5 pillars of python; create data
	Shakespeare Corpus Class Team Coding	folder on c:\drive. Code -> Interpret ->
9- 26 -	09-28-022	<pre>Step 1: change directory, get corpus file path import os  #operating system library</pre>
10- 1	Step 1: libraries #dataframe library	os.getcwd() #command to get workiing directory
	import pandas as pd	<pre>q1&gt; What do bad characters in your paths do? A: cant read data</pre>

```
[2]: runfile('C:/Users/17574/Desktop/.
#numeric library
                                                                    Fall 2022/Python/
import numpy as np
                                         it304_shakes_v0.py', wdir='C:/Users/17574/Desktop
                                                 _Fall 2022/Python')
#visualization library
                                            DNEFFOR: (unicode error) 'unicodeescape' codec can't decode bytes psition 2-3: truncated \UXXXXXXXX escape
import matplotlib.pyplot
                         os.chdir('c:\\Users\\17574\\Desktop\\data') #msft uses two\\
as plt
                         os.getcwd()
                         df0 = pd.DataFrame() #ensure data going into a dataframe
#operating system
                         #raw_data = pd.read_csv("shakes_corpus_v0.csv") #oops doesn't work
import os
                         df0 = pd.read_excel("shakes_corpus_v0.xlsx")
                                                                           #this works!
                         df0.info()
Reading the data
                                        <class 'pandas.core.frame.DataFrame'>
Use conditional
                                        RangeIndex: 37 entries, 0 to 36
                                        Data columns (total 3 columns):
  to loop words
                                           Column Non-Null Count Dtype
➤ Make fun graph
transpose data
                                                                      object
                                                     37 non-null
                                         0
                                           name
                                        1
                                           script 37 non-null
                                                                      object
  between lists,
                                                                      object
                                        2
                                             type
                                                    37 non-null
  dictionary,
                                        memory usage: 1016.0+ bytes
  string, tuple
                          type(df0)
                                                                        #pandas.core.frame.DataFrame
                         df0.head(2)
                                                                name
                                                                             type
                                        0 Alls Well That Ends Well
                                                                           Comedy
                                                     As You Like It ... Comedy
                         q2> What happens when you dont have a cheatsheet and need to
                         convert a dictionary to a list? Python Convert Dictionary To List - Python
                                              A: === ACTION = email brian this answer
                         <u>Guides</u>
                          <=======ACTION
                         mydict = df0.to dict()
                         print(mydict.keys())
                         out[10]: dict_keys(['title', 'script', 'type'])
                         mylist_keys = list(zip(mydict.keys())) #hmm my data columns looks good
                         mylist_keys
                         OUT[10]: [('name',), ('script',), ('type',)]
                         #DANGER Will Robinson this is a megasaurus
                         mylist_values = list(zip(mydict.values())) #holy cow this is huge!
    OUT[10]: tip!
                         mylist_values====> this is huge, make sure you undertand
going forward will
                         #finally break data into more manageable things to do
use python [out] to
                         mydict.get('title') #learn a new function
signify output
                         play names = [mydict.get('title')]
                                            OUT[10]: [{0: 'Alls Well That Ends Well',
                         play names
 #now as a class we
                                                       1: 'As You Like It',
                                                          'The Comedy of Errors',
  will experiment
                         for i in play_names:
  with cheatsheet
                             print(i)
                                                     [{0: 'Alls Well That Ends Well',
                                           Out[27]:
                                                      1: 'As You Like It',
```

Wk	Focus & Medium	Weekly Topic & Assignment
9/19	Overview  Python 101  coding	Orientation to core Python functionality the course will use for system analysis and design projects. The codebook details core data objects, functions, iterators, conditionals, dataframes, and ETL. In short, everything you need to be successful in class and as an entry-level IT professional.
9/24		Your objective is to "re-type" the code and bring class your learnings and questions for any code you do not understand. You are not learning code from scratch, but you need to understand and intuit the mechanics of iterators, if.elif.else conditions, and functions to perform work computational work effectively. I am 99.9% confident everyone can complete this work, and I hope everyone will have fun doing so.
	wk4 Assignment	Good writing is good thinking, and good programming helps make IT work more meaningful and enjoyable.
		The latest version of the codebook, called the zipper, is in the <a href="https://doi.org/bh.github">bh.github</a> . Enjoy the printed codebook handouts but ensure to update and print another copy in the upcoming weeks. The latest copy is always on the class git.  Thank you for thoughtfully working through all codebook examples. Think about what the code is doing inside the computer. Write down anything that doesn't make sense for class discussion.
	Model.4.DFD	Over the next few weeks we will learn the 7 pillars of python to build your representation of an data flow diagram.  Model.4: Data Flow Diagraming <pre>sparx-models</pre> <pre><models< pre=""> <pre>how.to.doc(VG)</pre> <pre>how.to.video</pre> <pre> <models< pre=""> <pre>proses</pre> proses of representing simplified data transactions to help process and stakeholder owners agree on scope and boundaries of a systems analysis and design reengineering effort. Level 0 is the highlevel context. Key tasks are detailed in level 1 indicating storage medium and transactions. Level 2 specifies transactions and their storage.  Level 0 - DFD - Context Diagram</models<></pre></models<></pre>
	<u>Diagram</u>	Customer return of video Customer details payment Customer details payment Customer return of video loan  Level 1  DFD - main sub-processes and data stores  Level 2  DFD - main sub-processes and data stores  Student Grade Report  Customer video loan  Customer video customer details  Payment Customer details  Customer video loan  Customer litem returned loan loan load load load load load load load load

Wk	Focus & Medium	Weekly Topic & Assignment
----	----------------	---------------------------

## 3

#### 9/12

9/17

Focus

Overview

- Perform hands-on activities in Python to learn objectoriented programming(OOP) working with strings, dictionary, tuple, list, set, function, and objects.
- As a team, outline system and code objects to simulate system analysis exercises.
- Code is provided for you to re-type and learn.
- Use cases will grow your confidence.

Tilley details old and new techniques for systems modeling, like business process modeling (BPM) (ch1-2), data flow diagrams (DFD) (ch4), and data and process modeling (ch5). Exercises focus on techniques but with little substantiated in the field outcomes.

Python hands-on OOP work will replicate varying Tilly processes, such as pg 155-163, with Python data objects (strings, list, etc.), building knowledge of what programmers do. It connects you closely to realistic outcomes of systems analysis and design work. And position you to learn quickly any systems anal. method.

A final benefit of the Python OOP work is today's systems analysis, and design do a lot of work extracting and translating information. The result is challenging, but you will know more about it and how not to perform senseless internet searches looking for ideas.approaches to tackle it.

#### Tilley, Ch6: Overview

- The chapter does an excellent job detailing the components with little to no "geometric duds."
- Notice by end of chapter everything you have done to this point is repeated here. Curious!

#### Python Training:

- By Wed you will be provided with customized training to support this work. It will have all that you need.
- Python crash course link below is good to reference and see examples for lists, loops, and similar. Feel free to dig into.
- Real world python is super fun training exercises.

#### Other reference materials

- Matthes, E. (2019), Python Crash Course
- Real world Python FUN training examples
- Matthes, Alien Invasion, Ch12.
  - Note: custom materials being provided replace Matthes chapters 1-11. Good to skim by priority: Ch:9,1,3,6

#### Nothing due / Reading Only!

Class will start off discussing pg 196 ethics case study so please simply have your thoughts organized on that.

## Reading Tilley, Ch6 entire chapter

GEOMETRIC DUDS





BLOCKHEAD

ethics discussion text tilley p196



### 2.2 9/9


Focus / Goal

lecture notes

Reengineering Work: Don't Automate, Obliterate

by Michael Hamn

Michael Hammer acticle



## Assignment

- A. Reading
  - Tilley,Ch5
- B. Install Python

Good luck w install!

**Goal:** wrap-up historical influence of business process reengineering

• <u>lecture notes:</u> BPS's evolution with invention of machine learning and data warehousing. The institutionalized game changer of Amazon's kiva robotics

#### Ch5: data and process modeling

- data flow diagramming uses mostly an agreed upon set of symbols to represent processes, data flows, data stories and entities like transactions or physical items like a deposit ticket and goods.
- the goal is to represent the information to be encoded by database programmers and develop apps that negotiate the transactions.
- this class is less concerned on formality of box symbols but use circles to start and end a process, diamonds for decisions and rectangles for activities.
- pg 153, agreed! try not to cross lines when building.
- pg 155-159 does a nice job representing an actual system we could easily and realistic code for on hands-on python activities.
- Unlike the book are goal is not to "write" about doing this work but actually code it using standard python data objects of lists, strings, dictionaries, tuples, and sets.
- a) Reading: Tilley, ch5, pgs 144-163
- b)Install Python
  - Please watch video (i). The best course of action is installation via anaconda b.c it is engineered to autofix MANY challenges. However, if done wrong, the 1st time may take => 2-3x more work/time to fix. You "do not" have to figure this out yourself so please reach out with any questions.
  - i. 1.3M views on YouTube: <u>Install Anaconda Python</u>, Jupyter Notebook And Spyder on Windows 10 - YouTube
  - ii. good start place = jupyter notebook classic home
  - iii. Jupyter :: Anaconda.org

#### Python cloud

- online\cloud Jupyter Notebook:
  - online alternative works great !
  - https://jupyter.org/try-jupyter/lab/
- JupyterLite JupyterLite 0.1.0-beta.12 documentation

#### 2.1 Overview

Podcast / Video
Run videos at speed
1.25

Focus / Goal

#### Ch2: Overview

- ch2 directs focus to business cases and how to identify a system for analysis. It augments learnings with factors contributing to project success/failure, purpose+ how.to a perform feasibility study, align priorities, and perform an preliminary investigation.
- Section 2.9, "Preliminary Investigation" (p.26), outlines your revolving course focus building skills and techniques in
- Abstraction: Which tool-kit model will help me quickly assess the situation asked of me?
  - Quick assessments illustrate your ability to another party to grok salient factors, exercise skill by presenting a visual or data dashboard, and communicate back to manager or stakeholder.
  - Why should person X trust you? Your responsible for building trust b/c it gets you access to more resources and what you need most, time.
- o Data: What data collection strategy will help me access inputs, outputs, resources, and constraints?
- Situational awareness: After presenting initial response to business owner, what kind of model support, time, and resources do I have? Do I need?
  - ✓ info.Tech resources usually can help get process metrics, source metric data, and any other information to meet your analysis goals.
  - ✓ Data not what you need? Initiate estimation work.
  - ✓ Today, operations often have project planning documents associated with the system workflow you should inspect while applying your abstraction work.
  - ✓ **SWOT.** When in doubt fall back to basics to help assess a situation's status with strengths, weaknesses, opportunities, and threats(tilley.45, krogerus.tschappelerp.12).

Model.2:SWOT

Model.2:SWOT.
Decision.Book

#### Perception & time <philosophy>:




Figure 3. Illustrating how a hierarchy of specious presents and the passage of time may be represented by a sequence of compact dimensions in relative motion. (a) corresponds to  $SP_{3}$ , (c) to  $SP_{3}$ , etc.

link physical space, perceptual space,
and memory

- o the course is not designed to dive deep into perception, time, and points of view. For systems modeling, learn to hone your logic representation skills and figure what you missed.
- o Do individuals experience time similarly? Does time affect perception? Quality of shared information?

# perception... cartoon



Week Focus & Medium Weekly Topic & Assignment

Model.3:
Swimlane Model.3.Swimlane

#### 1.2

IT Order
Harmonization
Example

model.3.swimlane

<bh.github>

<how.to.doc>

<wikipedia>

sorry! in github you have to download to get link to work or use them here

Artemis I
Space Launch System
unmanned Moon
mission



Swimlane
Assignment request
by 9/6 @6ish PM

**Purpose:** use horizontal or vertical gradating color bars to demarcate business lines illustrating system inputs, activities, and decisions connected with arrows.


#### Assignment: Tilley Ch2 + Roughcut Swimlane diagram

- > Swimlanes no longer have notoriety as in 1993, and some IT professionals view them as a hindrance to what they need, that is, codified information.
- ➤ However, swimlanes are super at helping a senior manager or new employees quickly grasp what an organization is doing and how they are doing it.

"""You're the only resource, but you can have and do anything you want to do. Please include,"""

➤ You're the only resource but can have, and do, anything you want to do. Please include,

- √ Square(ish) boxes to represent activities
- ✓ Lines to connect between activities
- ✓ Line arrowheads to show directionality between shapes
- ✓ Diamond(ish) boxes to represent decisions
- ✓ Text in squares + diamonds + on lines to detail happenings
- ✓ Optional: add a numeric index for each box & feel free to annotate "anyway" you like.



Example:

Earth:Launch ↓

Mars: Fuel up -> Open solar flares 3 yrs ↓

Neptune:

Turn into nano-space particulates

❖ Please email a .jpg, pdf however you build it.

File\SaveAs\often allows you select type .pdf

-->'The goal is to be more thoughtful of your logic'<--

Week	Focus & Medium	Weekly Topic & Assignment
	Reading	Tilley, Ch 1. Intro to Systems Analysis (free link)
1.1		• 1 <sup>st</sup> chapter is FREE !, use above link

Awareness & Design - Michael Hammer Podcast / Video What is business https://www.youtube.com/watch?v=9oxM5JV7H50 process re-Business Process Re-engineering explained engineering? https://www.youtube.com/watch?v=v-jAf7L2Uak ■ (10.5min/1.25=8.4min) Run videos at speed IBM Business process Analysis (6.5min/1.25=5.2min) 1.25 https://www.youtube.com/watch?v=1E6II2U1shY Utilize your abstraction instinct while reading because the What is a system? name "EMS" isn't important, but the concepts are. https://www.niu.edu/ems/introduction/definition.html inputs 1) definition is page 1 + 8 more pages using <next topic> 2) The EMS model outputs resources Benefits of EMS 3) constraints 4) Examples of EMS 5) Systems approach 6) Concept diagram <focus and perform abstraction here> 7) Processes, inputs, outputs Example of: inputs, outputs, resources, constraints a. 8) Summary IDEF0 Handout IDEFØ - Function Modeling Method - IDEF - website 2nd example of input, output, res., constraint 0 **Assignment Request** Select a process you love or dislike. Define its input, outputs, for 9/1 resources, and constraints (IORC). Logically what goes into the system is either consumed or comes out. Notate ALL you think of. Then, list 5 to 10 high-level activities performed by the IORC. Use paper and pencil and send me a picture anytime end of the day tomorrow. I am only asking for a max of 15 min to whip up. Please spend more if having fun. Thank you for considering this fast turnaround, as I will use all work submitted to start Friday's Assignment Example lecture. Perform work as a team as desired or convenient. page https://www.niu.edu/ems/introduction/constraints.html Constraints: Filter size, water tank, coffee pot Assignment example Process Inputs: Coffæ, Outputs: water, filter, Model.1:IDEF0 : Make Coffee, used electricity. filter, used coffee Mechanism: User, coffee Feedback: Coffee

#### References