

Hydrology Analysis

Installation

Only necessary to run this cell once to set up local machine

```
install.packages('tidyverse', repos='http://cran.us.r-project.org')
```

```
##  
## The downloaded binary packages are in  
## /var/folders/r_/4w9b5lnx7n542qjy74wfz0hr0000gn/T//RtmpjvP3WE/downloaded_packages
```

Set up Environment

Loads the Tidyverse and imports necessary functions

```
library(tidyverse)
```

```
## -- Attaching packages ----- tidyverse 1.3.1 --
```

```
## v ggplot2 3.3.3      v purrr   0.3.4  
## v tibble  3.1.1      v dplyr  1.0.5  
## v tidyr   1.1.3      v stringr 1.4.0  
## v readr   2.1.2      v forcats 0.5.1
```

```
## -- Conflicts ----- tidyverse_conflicts() --  
## x dplyr::filter() masks stats::filter()  
## x dplyr::lag()     masks stats::lag()
```

```
source('./Rcode/utils.R')
```

```
##  
## Attaching package: 'lubridate'  
  
## The following objects are masked from 'package:base':  
##  
##     date, intersect, setdiff, union
```

Read Data

To run the programs on your desired file, set `inputFile` to the appropriate file path

```
inputFile <- './Data_Raw/MercedHI_Q_T_2022023.txt' # Set to appropriate file  
data <- readUsgsData(inputFile, startDate = ymd('1915-10-01'))
```

```
## Rows: 38755 Columns: 2-- Column specification -----  
## Delimiter: "\t"  
## dbl (1): X12  
## date (1): X3  
## i Use 'spec()' to retrieve the full column specification for this data.  
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.
```

Generate and Analyze Output

There are two cells each R program: the first will generate output and store it in the `./Output/` folder, and the second gives space to produce visualizations of the output

surfwtr.R Generate output

```
source('./Rcode/surfwtr.R')
surfwtrOutput <- surfwtr(data)
summarizeOutput(surfwtrOutput)
```

```
##               mean      stdDev      min      median      max
## waterYear 1968.5000000  30.7435630 1916.0000000 1968.5000000 2021.0000000
## dur       365.2547170   0.4377719  365.0000000  365.0000000  366.0000000
## mdq       353.3120778  163.4815032   84.9175342  329.5944906  876.9132329
## cmt       224.8202139   13.5844564  180.1297975  226.5101810  255.3947903
## frsmq      0.8304872    0.0641086   0.5979763    0.8389947    0.9469093
## # A tibble: 6 x 5
##   waterYear  dur  mdq  cmt frsmq
##   <dbl> <int> <dbl> <dbl> <dbl>
## 1    1916   366  460.  235.  0.860
## 2    1917   365  405.  235.  0.853
## 3    1918   365  334.  243.  0.897
## 4    1919   365  308.  205.  0.824
## 5    1920   366  255.  235.  0.896
## 6    1921   365  396.  224.  0.813
```

```
# Space to visualize surfwtrOutput
```

snwpulse.R Generate output

```
source('./Rcode/snwpulse.R')
snwpulseOutput <- snwpulse(data)
summarizeOutput(snwpulseOutput)
```

```
##               mean      stdDev      min      median      max
## waterYear  1968.5000    30.74356   1916.0000   1968.5000   2021.000
## mdq        507.3037   232.28708   123.0429    478.3146  1235.983
## snwpulse  -34097.7462 19398.92110 -111131.2500 -30359.0792 -4456.488
## dypulse    102.9151   14.25423    70.0000    104.0000   137.000
## # A tibble: 6 x 4
##   waterYear  mdq snwpulse dypulse
##   <dbl> <dbl>   <dbl>   <dbl>
## 1    1916  691.  -42860.    97
## 2    1917  574.  -46141.   112
## 3    1918  483.  -37868.   106
## 4    1919  414.  -29451.   104
## 5    1920  377.  -29746.   116
## 6    1921  565.  -34475.   109
```

```
# Space to visualize snwpulseOutput
```

lwflow.R Generate output

```
source('./Rcode/lwflow.R')
lwflowOutputs <- lwflow(data) # Returns list of tables
invisible(lapply(lwflowOutputs, summarizeOutput))
```

```
##           mean      stdDev      min      median      max
## waterYear 1968.5000  30.74356 1916.00000 1968.5000 2021.0000
## amQ       353.3121 163.48150   84.91753  329.5945  876.9132
## # A tibble: 6 x 2
##   waterYear  amQ
##   <dbl> <dbl>
## 1    1916  460.
## 2    1917  405.
## 3    1918  334.
## 4    1919  308.
## 5    1920  255.
## 6    1921  396.
##           mean      stdDev      min      median      max
## waterYear 1968.50000 30.743563 1916.000000 1968.500000 2021.0000
## m3w       33.97025 32.825692   2.900000   21.166667  159.3333
## m7w       35.03976 33.962962   3.000000   21.500000  165.0000
## m14w      36.54613 36.081029   3.135714   21.378571  164.7857
## m3s       17.29513 20.972600   1.186667    9.426667  151.3333
## m7s       19.22662 23.904462   1.240000   10.290000  170.5714
## m14s      22.30961 26.810415   1.385000   12.249286  175.1429
## m7dw      83.28302 21.982571   61.000000   76.500000  152.0000
## m7ds      359.72642  7.234222  331.000000  364.000000  364.0000
## # A tibble: 6 x 9
##   waterYear  m3w  m7w  m14w  m3s  m7s  m14s  m7dw  m7ds
##   <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1    1916    9   8.74  8.87  18   20.6  28.4    61   356
## 2    1917   26   27   28.2  27.7  31.6  36.4   105   364
## 3    1918  10.7 11.7  12.2  26   27.6  36.4   103   347
## 4    1919   34  34.9  35.3   7    7.29  7.96   126   361
## 5    1920  13.3 11.2  10.8  23.3  23.4  24.5    61   357
## 6    1921  67.3 69.3  70.6  13   14.4  16     69   364
##           mean      stdDev      min      median      max
## exp      0.50000  0.287323 0.009345794  0.500000  0.9906542
## m3w      33.97025 32.825692 2.900000000  21.166667 159.3333333
## m7w      35.03976 33.962962 3.000000000  21.500000 165.0000000
## m14w     36.54613 36.081029 3.135714286  21.378571 164.7857143
## m3s      17.29513 20.972600 1.186666667   9.426667 151.3333333
## m7s      19.22662 23.904462 1.240000000  10.290000 170.5714286
## m14s     22.30961 26.810415 1.385000000  12.249286 175.1428571
## # A tibble: 6 x 7
##   exp  m3w  m7w  m14w  m3s  m7s  m14s
##   <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 0.00935  2.90  3    3.14  1.19  1.24  1.38
## 2 0.0187   4.13  4.40  4.86  1.57  1.90  2.58
```

```
## 3 0.0280 4.23 4.94 4.91 1.77 2.03 2.59
## 4 0.0374 4.88 5.10 5 2.33 2.63 2.98
## 5 0.0467 4.93 5.14 5.36 2.47 2.71 3.08
## 6 0.0561 5 5.33 5.50 2.60 2.72 3.22
##      mean      stdDev      min      median      max
## xxp  0.3062217 0.3393862 0.020000 0.121450 0.95000
## m3w 21.9347409 28.1079826 4.147333 6.780387 102.33333
## m7w 23.2319348 30.6565110 4.476000 6.982052 115.25714
## m14w 24.9434792 34.6168486 4.864143 7.345129 133.71071
## m3s 11.3906927 16.8285757 1.594667 3.456343 62.31167
## m7s 12.8140452 19.2882475 1.918000 3.740108 71.22143
## m14s 15.1748391 23.0126182 2.579571 4.235216 82.99786
## # A tibble: 6 x 7
##      xxp      m3w      m7w      m14w      m3s      m7s      m14s
##    <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1  0.95 102. 115. 134. 62.3 71.2 83.0
## 2  0.9  71.4 74.6 80.4 44.5 51.9 65.1
## 3  0.8  52.9 54.9 57.4 25.3 26.7 30.7
## 4  0.7  42.2 41.7 40.1 17 19.5 22.4
## 5  0.6  30.7 32 34.6 12.3 13.1 15.1
## 6  0.5  21.2 21.5 21.4 9.43 10.3 12.2
```

```
# Space to visualize lwflowOutputs
```

hiflow.R Generate output

```
source('./Rcode/hiflow.R')
hiflowOutputs <- hiflow(data) # Returns list of tables
invisible(lapply(hiflowOutputs, summarizeOutput))
```

```
##      mean      stdDev      min      median      max
## waterYear 1968.5000 30.74356 1916.0000 1968.500 2021.000
## m3        2365.0031 1037.74536 500.6667 2253.333 6016.667
## m7        2099.5418 837.44642 469.8571 2086.429 4167.143
## m10       1979.1019 788.69941 466.5000 1907.000 3836.000
## m14       1870.8497 756.25014 436.6429 1784.286 3672.143
## m3d       231.8396 34.74345 52.0000 237.000 283.000
## m14d      244.5566 16.23170 199.0000 245.000 283.000
## # A tibble: 6 x 7
##      waterYear      m3      m7      m10      m14      m3d      m14d
##    <dbl> <dbl> <dbl> <dbl> <dbl> <int> <int>
## 1  1916 2247. 2180 2130 2088. 256 262
## 2  1917 2797. 2511. 2444 2446. 253 263
## 3  1918 2787. 2670 2586 2409. 256 261
## 4  1919 2660. 2440. 2361. 2133. 241 242
## 5  1920 2330 2039. 1817 1791. 234 243
## 6  1921 2563. 2409. 2271 2004. 255 258
##      mean      stdDev      min      median      max
## exp  0.500 0.287323 9.345794e-03 0.500 0.9906542
## m3 2365.003 1037.745358 5.006667e+02 2253.333 6016.6666667
## m7 2099.542 837.446425 4.698571e+02 2086.429 4167.1428571
## m10 1979.102 788.699406 4.665000e+02 1907.000 3836.0000000
```

```
## m14 1870.850 756.250135 4.366429e+02 1784.286 3672.1428571
## # A tibble: 6 x 5
##   exp    m3    m7   m10   m14
##   <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 0.991 501.  470.  466.  437.
## 2 0.981 835   697.  686.  644.
## 3 0.972 900.  788.  728.  726
## 4 0.963 917.  812.  760.  743.
## 5 0.953 947   821   763.  761.
## 6 0.944 967.  854.  807.  776.
##           mean      stdDev      min      median      max
## xxp      0.3062217  0.3393862  0.0200   0.12145   0.950
## m3 3326.5968944 1429.1417443 954.1167 3724.31217 5142.533
## m7 2814.4638810 1115.1541440 832.6000 3243.94243 3981.943
## m10 2664.9860772 1059.4310570 778.7350 3051.53490 3758.220
## m14 2542.6053381 1021.2499294 766.4679 2940.01882 3591.271
## # A tibble: 6 x 5
##   xxp    m3    m7   m10   m14
##   <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 0.95 954.  833.  779.  766.
## 2 0.9 1123. 991.  951.  886.
## 3 0.8 1430 1307. 1212. 1163.
## 4 0.7 1780. 1561. 1510. 1409.
## 5 0.6 2007. 1839. 1766 1670.
## 6 0.5 2253. 2086. 1907 1784.
```

```
# Space to visualize hiflowOutputs
```

fldur.R Generate output

```
source('./Rcode/fldur.R')
fldurOutput <- fldur(data) %>% ungroup()
summarizeOutput(fldurOutput)
```

```
##           mean      stdDev      min      median      max
## pbs      50.000000  42.757843 0.010000000 50.000000  99.99000
## qfd 1166.215466 1739.821524 1.236154000 100.000000 6329.99400
## dqfd   3.301077   4.924721 0.003499045   0.283059  17.91761
## # A tibble: 6 x 3
##   pbs   qfd  dqfd
##   <dbl> <dbl> <dbl>
## 1 0.01 6330. 17.9
## 2 0.03 4475. 12.7
## 3 0.05 4206. 11.9
## 4 0.1 3873. 11.0
## 5 0.5 3120  8.83
## 6 1 2720  7.70
```

```
# Space to visualize fldurOutput
```