

Platform Amendment — Version 4.8.0

Vermont Health Platform (HTR)

Type: Amendment to Platform Documentation (supplements v4.7.0 and all prior amendments) **Version:** 4.8.0
Date: April 2026 **Classification:** Internal **Scope:** Three areas: (1) System Vitals ticker upgraded from hardcoded static data to a CSV-driven data source with all 14 Vermont hospitals and automatic bed-availability status calculation; (2) global hero section reduction across all interior and marketing pages; (3) HomeSidebar visual redesign — icon badge pattern, border removal, font weight reduction.

Table of Contents

1.

[Summary of Changes](#)
2.

[System Vitals Ticker — CSV Data Source](#)
3.

[Hero Section Reduction](#)
4.

[HomeSidebar Visual Redesign](#)
5.

[Known Issues Register Update](#)


1. Summary of Changes

#	Area	Change	Files Affected
1	System Vitals Ticker	Replaced 3 hardcoded items with CSV-driven source: 8 system vitals + 14 Vermont hospital bed counts	<code>lib/ticker.ts</code> , <code>data/vitals.csv</code> , <code>components/TickerStrip.tsx</code>
2	Bed status colors	Auto-calculated from available/total bed ratio — no manual input	<code>lib/ticker.ts</code>
3	Ticker scroll speed	60s → 180s (vitals), 180s → 300s (news)	<code>components/TickerStrip.tsx</code>
4	Hero sections — interior pages	Replaced with slim ~56px page headers	<code>PillarHub.tsx</code> , <code>operations</code> , <code>research-lab</code> , <code>academy</code> , <code>impact-simulation</code> , <code>states</code>
5	Hero sections — marketing pages	Reduced ~50% in height and headline size	<code>about</code> , <code>framework</code> , <code>methodology</code> , <code>mission</code> , <code>advisory</code> + 11 sub-pages
6	HomeSidebar borders	<code>border-4</code> removed from all L1 section buttons	<code>HomeSidebar.tsx</code>
7	HomeSidebar font weight	<code>font-black</code> → <code>font-semibold</code> / <code>font-medium</code> on section labels	<code>HomeSidebar.tsx</code>
8	HomeSidebar icon badges	New <code>w-7 h-7 rounded-lg</code> colored badge wrapping each section icon	<code>HomeSidebar.tsx</code>

2. System Vitals Ticker — CSV Data Source

2.1 Previous State

`lib/ticker.ts` exported a `DEFAULT_TICKER_DATA` constant — three hardcoded items that never changed:



```
{ label: "VT Health Index", value: "42/100", trend: "-2.4%", status:
"critical" },
{ label: "Hospital Margins", value: "-4.1%", trend: "DOWN", status: "warning"
},
{ label: "Workforce Gap", value: "1,240", trend: "RISING",status: "warning"
},
```

`getCachedTicker()` in `lib/sanity-fetch.ts` and the Sanity `ticker` schema type exist but have never been wired to any call site and remain unused.

2.2 New Data Source: `frontend/data/vitals.csv`

A CSV file is now the primary data source for the System Vitals ticker. The file is read server-side at request time by `getTickerData()` in `lib/ticker.ts`.

Path: `frontend/data/vitals.csv`

To update data: Edit the CSV directly. No code changes required. Changes take effect on the next server restart or Next.js revalidation cycle.

Column schema:

Column	Type	Description
<code>type</code>	<code>vital</code> <code>bed</code>	Determines rendering and status calculation logic
<code>label</code>	string	Display name shown in the scrolling ticker
<code>value</code>	string	The metric value (e.g. <code>47 avail</code> , <code>42/100</code> , <code>-4.1%</code>)
<code>trend</code>	string	Context string. For <code>bed</code> rows: must match pattern of <code>N beds</code> — used for capacity ratio calculation
<code>status</code>	string	For <code>vital</code> rows: manually set (<code>critical/warning/good/neutral</code>). For <code>bed</code> rows: this column is ignored — status is auto-calculated (see §2.4)

2.3 Current Data (22 rows)

System vitals (8 rows, `type=vital`):

Label	Value	Status (manual)
VT Health Index	42/100	critical
Hospital Margins	-4.1%	warning
Workforce Gap	1,240 FTEs	warning
ER Wait Time (VT Avg)	4.2 hrs	warning
ICU Occupancy (VT)	87%	critical
Medicaid Enrollment	22.4%	neutral
30-Day Readmit Rate	14.8%	good
VBC Contract Adoption	38%	good

Vermont hospital bed availability (14 rows, `type=bed`):

Hospital	Total beds	Status basis
UVM Medical Center	562	auto-calculated
Rutland Regional Medical Center	188	auto-calculated

Hospital	Total beds	Status basis
Central Vermont Medical Center	122	auto-calculated
Southwestern Vermont Medical Center	99	auto-calculated
Brattleboro Memorial Hospital	61	auto-calculated
Northwestern Medical Center	70	auto-calculated
Copley Hospital	25	auto-calculated
Gifford Medical Center	24	auto-calculated
Grace Cottage Hospital	19	auto-calculated
Mt. Ascutney Hospital	25	auto-calculated
Northeastern Vermont Regional Hospital	25	auto-calculated
North Country Hospital	25	auto-calculated
Porter Medical Center	25	auto-calculated
Springfield Hospital	35	auto-calculated

2.4 Bed Status Color — Automatic Calculation

Critical design principle: Hospital bed availability status is calculated purely from the available/total capacity ratio. It has no relationship to any other hospital metric — financial health, staffing, quality scores, or anything else. A hospital can be operationally distressed and still have abundant bed capacity, and vice versa.

Thresholds (applied at parse time in `lib/ticker.ts`):

Available bed %	Status	Color
≥ 25% of total	good	Green
10–24% of total	warning	Amber
< 10% of total	critical	Red

How the parser extracts the numbers:

```
value field: "47 avail"    → strip non-numeric → 47
trend field: "of 562 beds" → match /of\s*([\d,]+)/i → 562
ratio:       47 / 562 = 8.4% → below 10% → status = "critical"
```

The `status` column for `bed` rows in the CSV is intentionally left blank to make clear it is not read.

2.5 Vital Status Color — Manual (unchanged behavior)

For `type=vital` rows, the editor types the status directly into the CSV. There is no automatic calculation. This is appropriate for system-level metrics where the significance of a number requires human editorial judgment (e.g. "is 38% VBC adoption 'good' or 'warning' depends on the baseline and trend").

Future improvement: Threshold-based auto-calculation for vitals can be added to `parseCSV()` in `lib/ticker.ts` following the same pattern used for bed rows.

2.6 Data Source Priority

`getTickerData()` in `lib/ticker.ts` tries sources in this order:

- `frontend/data/vitals.csv` — primary (edit this file to update data)
- `TICKER_API_URL` environment variable — optional external API (not currently set)
- `DEFAULT_TICKER_DATA` — hardcoded 3-item fallback if CSV is missing/unreadable

2.7 Real-Time Feed Migration Path

When live ADT (Admission, Discharge, Transfer) data becomes available, replace step 1 in `getTickerData()` with a call to the ADT API endpoint. The `type: "bed"` rows, the ratio-based status calculation, and the `TickerStrip` rendering logic all remain valid — only the data source changes. The CSV can be retained as a fallback.

2.8 TickerStrip Component Changes

File: `frontend/components/TickerStrip.tsx`

Three changes:

- `type` field added to `TickerItem` interface — `type?: "vital" | "bed"`
- Hospital bed items display a  badge before the label, making them visually distinguishable from system vitals as they scroll.
- Click-to-detail modal is context-aware:
 - `vital` items: generic "metric flagged as [status]" text
 - `bed` items: "X available (of Y beds), capacity status flagged [status]" with a note that `data/vitals.csv` is the data source
- Unused `React` import removed (lint warning resolved).


2.9 Scroll Speed Change

The marquee animation duration was increased to accommodate the expanded item count (3 → 22 items) and to keep individual metrics readable as they scroll.

Ticker	Before	After
System Vitals	60s	180s
Live Wire (news headlines)	180s	300s

Duration can be overridden per-instance via the `duration` prop on `<TickerStrip>`.

2.10 Data Flow



3. Hero Section Reduction

3.1 Design Rationale

Full hero banners on interior application pages (pillar hubs, tools, academy, advisory sub-pages) push real content below the fold and add no informational value for users already inside the application. Users navigating to

`/economics` or `/research-lab` via the sidebar already know where they are.

Two different treatments were applied based on page type.

3.2 Interior App Pages — Stripped to Slim Header (~56px)

These pages had their hero sections replaced entirely with a compact page header bar using `py-4`.

Pattern:

```
<section class="[color] text-white py-4 border-b [border-color]">
  <div class="max-w-... mx-auto px-...">
    <span class="text-[10px] font-semibold uppercase tracking-widest [accent-color]">
      [Section label]
    </span>
    <h1 class="text-xl font-bold tracking-tight">[Title]</h1>
    <p class="text-sm [muted-color] mt-0.5 max-w-2xl">[One-line description]
  </p>
</div>
</section>
```

Files changed:

File	Hero before	After
<code>components/templates/PillarHub.tsx</code>	<code>py-16</code> + <code>text-4xl</code> <code>md:text-6xl</code> + tagline + description paragraph + <code>-mt-8</code> overlap on lead story	<code>py-4</code> + <code>text-xl</code> <code>font-bold</code> + tagline only. Removed <code>-mt-8</code> overlap.
<code>app/operations/page.tsx</code>	<code>py-24</code> <code>md:py-32</code> teal section with grid texture + decorative blur orb	<code>py-4</code> teal bar
<code>app/research-lab/page.tsx</code>	<code>py-20</code> dark slate section	<code>py-4</code> dark slate bar
<code>app/academy/page.tsx</code>	<code>py-20</code> dark slate section	<code>py-4</code> dark slate bar
<code>app/impact-simulation/page.tsx</code>	<code>py-20</code> <code>md:py-28</code> dark slate section with decorative blur orb	<code>py-4</code> dark slate bar + coming-soon badge retained inline
<code>app/states/page.tsx</code>	<code>py-16</code> full-width header with stats stacked below	<code>py-4</code> with title left-aligned, stats inline-right in same row

3.3 Marketing / Public Pages — Reduced (~50% shorter)

These pages serve occasional new visitors and benefit from some visual weight, but the original sizes were excessive. Padding and headline sizes were halved; content and messaging were preserved.

Files changed:

File	Padding before	Padding after	Headline before	Headline after
<code>app/about/page.tsx</code>	<code>py-24</code> <code>md:py-32</code>	<code>py-10</code> <code>md:py-14</code>	<code>text-5xl</code> <code>md:text-7xl</code>	<code>text-3xl</code> <code>md:text-5xl</code>
<code>app/about/framework/page.tsx</code>	<code>py-24</code> <code>md:py-32</code>	<code>py-10</code> <code>md:py-14</code>	<code>text-5xl</code> <code>md:text-7xl</code>	<code>text-3xl</code> <code>md:text-5xl</code>

File	Padding before	Padding after	Headline before	Headline after
app/about/methodology/page.tsx	py-20 md:py-28	py-10 md:py-14	text-4xl md:text-6xl	text-3xl md:text-4xl
app/mission/page.tsx	py-20 md:py-28	py-10 md:py-14	(card-based, unchanged)	(card-based, unchanged)
app/advisory/page.tsx	py-28 md:py-36	py-12 md:py-16	text-5xl md:text-7xl	text-3xl md:text-5xl
app/advisory/consulting/page.tsx	py-24	py-8	text-4xl md:text-6xl	text-2xl md:text-3xl
app/advisory/training/page.tsx	py-24	py-8	text-4xl md:text-6xl	text-2xl md:text-3xl
app/advisory/research/page.tsx	py-24	py-8	text-4xl md:text-6xl	text-2xl md:text-3xl
app/advisory/financial-audit/page.tsx	py-24	py-8	text-4xl md:text-6xl	text-2xl md:text-3xl
app/advisory/it-consulting/page.tsx	py-24	py-8	text-4xl md:text-6xl	text-2xl md:text-3xl
app/advisory/independent-review/page.tsx	py-24	py-8	text-4xl md:text-6xl	text-2xl md:text-3xl
app/advisory/capability-assessment/page.tsx	py-24	py-8	text-4xl md:text-6xl	text-2xl md:text-3xl
app/advisory/regulatory/page.tsx	py-24	py-8	text-4xl md:text-6xl	text-2xl md:text-3xl
app/advisory/approach/page.tsx	py-24	py-8	text-4xl md:text-6xl	text-2xl md:text-3xl
app/advisory/services/page.tsx	py-20	py-8	text-4xl md:text-5xl	text-2xl md:text-3xl
app/advisory/contact/page.tsx	py-20	py-8	text-4xl md:text-5xl	text-2xl md:text-3xl

3.4 Pages Not Changed

The following pages were already using compact or card-based headers appropriate for their content and were left untouched:

- `app/vermont-act-167/page.tsx` — card header, provides narrative context appropriate for a state initiative landing page
- `app/california-calaim/page.tsx` — card header with multiple metadata badges
- `app/the-wire/page.tsx` — compact card with live indicator badge
- `app/connect/page.tsx` — compact card
- `app/page.tsx` (home) — home page hero intentionally retained; it is the public marketing landing page

4. HomeSidebar Visual Redesign

4.1 Change Summary

The L1 section buttons in `frontend/components/HomeSidebar.tsx` were restyled from heavy bordered boxes to a lighter icon-badge pattern.

4.2 Border Removal

All L1 section buttons previously used `border-4` (4px solid colored border), producing a heavy, boxed appearance. The border was removed entirely from the button element. The "My Library" direct link was updated from `border-4 border-slate-400` to `border border-slate-300`.

4.3 Font Weight Reduction

Section label text on L1 buttons changed from `font-black` to `font-medium`. The uppercase tracking and size (`text-[11px] uppercase tracking-[0.13em]`) were replaced with `text-[12px] font-medium tracking-wide` — slightly larger but lighter weight.

4.4 Icon Badge Pattern

Each section icon is now wrapped in a small colored rounded square badge rather than being an unstyled bare icon inside a bordered box.

Before:

```
<button class="border-4 [borderAccent] [bg] px-3 py-2.5 rounded-xl ..." >
  <SectionIcon class="w-4 h-4 [headerColor]" />
  <span class="text-[11px] font-black uppercase tracking-[0.13em]
[headerColor]">
    {section.label}
  </span>
</button>
```

After:

```
<button class="px-2 py-2 rounded-xl hover:bg-slate-100 ..." >  {/* no border */}
  <span class="w-7 h-7 rounded-lg [headerBg] flex items-center justify-center
shrink-0">
    <SectionIcon class="w-4 h-4 [headerColor]" />
  </span>
  <span class="text-[12px] font-medium tracking-wide [color]">
    {section.label}
  </span>
</button>
```

Behavior:

- **Closed:** plain row, no background, `hover:bg-slate-100` on pointer-over
- **Open:** soft tinted background matching section's `headerBg` color

4.5 L2 Drawer Rail

The colored left border on open L2 drawers was reduced from `border-l-4` to `border-l-2` to match the lighter overall aesthetic.

4.6 Complete Class Change Reference

Element	Before	After
L1 button border	<code>border-4 \${borderAccent}</code>	removed
L1 button open bg	<code>\${headerBg}</code>	<code>\${headerBg}</code> (unchanged)
L1 button closed bg	<code>\${collapsedBg}</code>	none (hover only)

Element	Before	After
L1 label	text-[11px] font-black uppercase tracking-[0.13em]	text-[12px] font-medium tracking-wide
L1 icon	bare w-4 h-4	inside w-7 h-7 rounded-lg \${headerBg} badge
L2 rail	border-l-4 \${borderAccent}	border-l-2 \${borderAccent}
My Library border	border-4 border-slate-400	border border-slate-300
My Library label	font-black uppercase tracking-[0.13em]	font-semibold uppercase tracking-[0.13em]

5. Known Issues Register Update

No new bugs were introduced in this sprint. The following pre-existing items from the v4.7.0 register remain open (carry-forward):

Carry forward all open items from platform-amendment-v4.7.0.md §13.

Items closed by this sprint: None.

New items opened:

ID	Area	Description	Severity
ISS-2026-04-A	Ticker vitals	type=vital status colors are still manually set in the CSV — no automatic threshold calculation. A hospital's ICU occupancy "critical" is editorial opinion, not a formula.	Low
ISS-2026-04-B	Ticker data	All bed counts in data/vitals.csv are point-in-time values entered manually, not live data. They will drift from reality immediately. Acceptable for demo purposes; must be replaced with ADT feed before any public-facing capacity display.	Medium

This amendment supplements platform-amendment-v4.7.0.md and all prior amendments. Incorporates changes from the April 2026 UI sprint.