

Content Management Guide

Vermont Health Platform (HTR) — v4.2.0 Audience: Editors, content administrators, analysts **Last Updated:** March 2026

Table of Contents

1. Overview

2. Accessing Sanity Studio

3. Content Types Reference

4. Creating & Editing Content

5. The Rich Text Editor (blockContent)

6. Content Workflow & Publishing

7. Pillar Taxonomy

8. AI-Powered Content Generation

9. Webhook & Sync Pipeline

10. Data Content (Hospitals, States)

11. Academy Content Management

12. Daily Widgets & Live Content

13. Slug Conventions

14. Troubleshooting

Overview

All editorial content on the Vermont Health Platform is managed through **Sanity CMS** — a headless content management system with a real-time studio interface. When you publish or update content in Sanity, a webhook automatically triggers the platform's AI indexing pipeline, ensuring that the AI Analyst chatbot always reflects your latest content.

Sanity Project: `fxz10xl7` **Dataset:** `production` **Studio URL:** `https://your-domain.com/studio` (local: `http://localhost:3000/studio`)

Accessing Sanity Studio

Production

Navigate to `https://your-domain.com/studio` and log in with your Sanity account. You must be added as a member of the `fxz10xl7` project with at least Editor role.

Local Development

The studio is embedded in the Next.js app. With the frontend running:

```
http://localhost:3000/studio
```

No separate studio server is required — it runs as a Next.js route.

Studio Structure

The studio organizes content into five sections:

Section	Content Types
Editorial	Posts, Policy Analyses, Case Studies, Analyst Notes, Reports
Academy	Modules, Courses, Webinars, Instructors

Section	Content Types
Data & Intelligence	Daily Insights, Ticker, Glossary, Hospitals, State Profiles
People & Taxonomy	Authors, Categories, Subscribers
Media	Audio

Content Types Reference

Editorial Content

Policy Analysis (policyAnalysis)

The primary content type. In-depth analysis articles organized by the five-pillar framework.

Field	Type	Required	Notes
title	string	Yes	Article headline
slug	slug	Yes	URL path (auto-generated from title)
pillar	select	Yes	One of the 5 pillars (see Pillar Taxonomy)
category	select	Yes	Subcategory within the pillar (20 options)
status	select	No	Active / Proposed / In Committee
impactLevel	select	No	Critical / High / Medium
publishedAt	datetime	No	Defaults to creation time
summary	text	No	Short excerpt shown in article cards
body	blockContent	No	Full rich text article body

Category options by pillar:

- Policy:** Regulation & Legislation, Public Health Mandates, Federal Health Reform, State Innovation, Global & Comparative Policy
- Economics:** Value-Based Care Models, Market Dynamics, Workforce & Labor, Insurance & Coverage, Investment & Funding
- Technology:** AI & Machine Learning, Digital Health & Telemedicine, Interoperability & Data, Security & Privacy, Workflow Automation
- Clinical:** Hospital-at-Home, Precision Medicine, Virtual Care Models, Care Coordination, Population Health
- Equity:** SDOH Integration, Algorithmic Bias, Access Disparity, Rural Health, Community Engagement

Post (post)

General blog articles — less structured than Policy Analysis. Use for news, editorials, and platform updates.

Field	Type	Required	Notes
title	string	Yes	
slug	slug	Yes	
author	reference	No	References an author document
publishedAt	datetime	No	
body	blockContent	No	

Case Study (caseStudy)

Real-world implementation stories and outcomes.

Field	Type	Required	Notes
title	string	Yes	
slug	slug	Yes	
pillar	select	No	Pillar this case study belongs to
clientType	string	No	e.g., "Rural Hospital System", "State Medicaid Agency"
summary	text	No	Short excerpt for cards
metrics	array	No	Key outcome metrics (objects with label/value)
body	blockContent	No	Full case study narrative
mainImage	image	No	Hero image

Report (**report**)

PDF-based impact reports and white papers.

Field	Type	Required	Notes
title	string	Yes	
subtitle	string	No	
publishedAt	date	No	
accessLevel	select	No	Public / Client Only / Enterprise
coverImage	image	No	Report cover thumbnail
file	file	No	PDF upload
summary	text	No	
topics	array	No	String tags

Analyst Note (**analystNote**)

Short editorial notes displayed in "The Signal" sidebar widget on the homepage.

Field	Type	Required	Notes
isActive	boolean	Yes	Only active notes are shown
headline	string	Yes	Max 50 characters
content	portableText	No	Short rich text (bold/emphasis only)
author	string	No	Byline

Usage: Only one analyst note is shown at a time — the most recently updated one with **isActive: true**. Toggle **isActive** off to suppress a note without deleting it.

Academy Content

Academy Module (**academyModule**)

Individual lesson units within a course. Modules are linked in sequence.

Field	Type	Required	Notes
-------	------	----------	-------

Field	Type	Required	Notes
title	string	Yes	Module title
slug	slug	Yes	URL path
courseTitle	string	No	Parent course name (for breadcrumbs)
moduleNumber	number	No	Position within course (e.g., 3)
totalModules	number	No	Total modules in course (e.g., 8)
prevModuleSlug	string	No	Slug of previous module for navigation
nextModuleSlug	string	No	Slug of next module for navigation
pillar	select	No	Pillar alignment
level	select	No	Foundational / Intermediate / Advanced
estimatedReadTime	number	No	Minutes to read
publishedAt	datetime	No	
learningObjectives	array	No	String list of outcomes
summary	text	No	
body	blockContent	No	Full lesson content

Navigation tip: Set `prevModuleSlug` and `nextModuleSlug` to enable the Previous/Next buttons at the bottom of each module page. These are plain slugs (not references), so type them carefully.

Course (`course`)

Container that groups modules into a curriculum.

Field	Type	Required	Notes
title	string	Yes	
slug	slug	Yes	
pillar	select	No	Primary pillar
type	select	No	CERTIFICATION / COURSE / WEBINAR / MASTERCLASS
description	text	No	Short description for course cards
meta	string	No	Metadata tag (e.g., "6 modules · 4 hours")
price	number	No	Leave empty for free courses
instructors	array	No	References to <code>instructor</code> documents
modules	array	No	References to <code>academyModule</code> documents (ordered)
overview	blockContent	No	Full course overview content

Webinar (`webinar`)

Live and recorded events.

Field	Type	Required	Notes
title	string	Yes	
slug	slug	Yes	
pillar	select	Yes	

Field	Type	Required	Notes
description	text	No	
date	datetime	Yes	Event date/time
duration	string	No	e.g., "90 minutes"
registrationLink	url	No	External registration URL
image	image	No	

Instructor (**instructor**)

Academy faculty profiles.

Field	Type	Required	Notes
name	string	Yes	
role	string	No	Title and affiliation
bio	text	No	Short biography
image	image	No	Headshot
tags	array	No	Specialty tags (e.g., "AI in Healthcare", "Medicaid Policy")

Reference Content

Definition (**definition**)

Glossary entries accessible at </glossary>.

Field	Type	Required	Notes
term	string	Yes	The term being defined
description	text	Yes	Plain text definition
pillars	array	No	Tags: Policy, Economics, Technology, Clinical, Equity

Author (**author**)

Article bylines.

Field	Type	Required	Notes
name	string	Yes	
slug	slug	Yes	
image	image	No	Author headshot (with hotspot cropping)
bio	blockContent	No	Short bio

Creating & Editing Content

Creating a New Policy Analysis Article

1. Open Sanity Studio → **Editorial** → **Policy Analysis**
2. Click **+ Create**
3. Fill in required fields:

◦ **Title:** Descriptive headline (e.g., "CMS Releases Final Rule on Prior Authorization")

◦ **Slug:** Click **Generate** to auto-create from title, or type a custom slug

- **Pillar:** Select the most relevant pillar
 - **Category:** Select the most specific subcategory
4. Optional but recommended:
- **Summary:** 1–2 sentences for article cards and search results
 - **Impact Level:** Helps users quickly assess significance
 - **Published At:** Set to control the order content appears in feeds
5. Write the article body in the **Body** field (see [Rich Text Editor](#))
6. Click **Publish**

The webhook fires automatically within seconds of publishing. The AI index rebuild begins in the background (takes 1–5 minutes depending on index size).

Editing Existing Content

1. Navigate to the content type in the studio sidebar
2. Use the search box (top of the list) to find the document by title
3. Make your changes
4. Click **Publish** to push changes live

Sanity auto-saves drafts as you type. The published version is not updated until you explicitly click **Publish**.

Unpublishing Content

To hide content without deleting it:

1. Open the document
2. Click the ▼ arrow next to the Publish button
3. Select **Unpublish**

The content remains in Sanity as a draft and can be re-published later.

The Rich Text Editor (blockContent)

The **body** field uses Sanity's Portable Text editor with a set of custom block types designed for HTR's educational content format.

Text Formatting

Option	Use for
Normal	Standard paragraph text
H2	Section headings
H3	Sub-section headings
H4	Minor sub-headings
Quote	Pull quotes and blockquotes
Highlight	Key definition or callout sentences
Callout	Actionable tips or warnings
Bullet list	Unordered items
Numbered list	Sequential steps

Inline marks: **Bold**, *Italic*, Underline, ~~Strikethrough~~, and hyperlinks.

Custom Educational Blocks

Click the **+** icon in the body editor to insert any of these blocks:

Stat Grid

Display 2–4 statistics side-by-side.

Each stat has:

- value: "47%"
- label: "of rural hospitals"
- context: "reported financial losses in 2025"
- trend: "up" | "down" | "flat"

Real-World Example

Highlight an organization's outcome.

- Organization: "Geisinger Health System"
- Outcome: "Reduced readmissions by 23%"
- Context: "After deploying AI-driven care transitions"
- Source: "NEJM Catalyst, 2025"

Analogy Block

Explain complex healthcare concepts through analogy.

- Concept: "Value-Based Care"
- Analogy: "Like a gym membership where the gym..."
- Bridge: "In healthcare, this means..."

Comparison Table

Old vs. New comparison with multiple rows.

Rows: [

old: "Fee-for-service"	new: "Capitated payment" }
old: "Volume incentives"	new: "Outcome incentives" }

]

Step-by-Step Process

Numbered process explanation.

Steps: [

number: 1	description: "Submit prior authorization request..." }
number: 2	description: "Payer reviews within 72 hours..." }

]

Knowledge Check

Interactive question for Academy modules.

```
- Question: "What does AHEAD stand for?"
- Hint: "It's Vermont's model name..."
- Answer: "All-Payer Health Equity Assurance Demonstration"
```

Key Takeaways

Summary bullets at the end of an article.

```
Points: [
  "CMS now requires 72-hour response for urgent PA requests",
  "Electronic PA systems must be implemented by 2027"
]
```

Common Misconception

Myth vs. Reality block.

```
- Myth: "AI will replace physicians"
- Reality: "AI augments clinical decision-making..."
```

Image

Upload or reference an image with caption and alt text.

Code Block

For displaying JSON, configuration files, or code samples. Language: JSON.

Video

Embed a video by URL with caption.

Audio

Embed audio content with title, URL, and summary.

Content Workflow & Publishing

Draft vs. Published

Every Sanity document has two states:

- **Draft:** Visible only in the studio. Not live on the platform.
- **Published:** Live on the platform and indexed by the AI.

Recommended Workflow

```
Write (Draft) → Internal Review → Edit → Publish → Verify on Platform
```

Content Review Checklist

Before publishing a Policy Analysis article:

- ☐ Pillar is correctly assigned

- ☐ Category is the most specific match
- ☐ Summary is written (used in article cards)
- ☐ Impact Level is set for significant articles
- ☐ Slug is clean (lowercase, hyphens, no special characters)
- ☐ Body uses appropriate headings (H2 for sections, H3 for subsections)
- ☐ Statistics use Stat Grid blocks, not raw text
- ☐ Published At date is correct

Pillar Taxonomy

All editorial content (articles, modules, case studies, webinars) is tagged with exactly **one** primary pillar. This drives filtering throughout the platform.

Pillar	Color	Focus Areas
Policy	Sky Blue	Federal/state legislation, regulation, mandates, feasibility
Economics	Emerald	Value-based care, markets, labor, investment
Technology	Indigo	AI/ML, digital health, security, workflow automation
Clinical	Red/Rose	Hospital-at-home, precision medicine, virtual care
Equity	Amber	SDOH, algorithmic bias, access disparity

Choosing the Right Pillar

When an article spans multiple pillars, choose the **primary lens**:

- An article about AI bias in clinical algorithms → **Equity** (the focus is on bias/disparity, not the technology itself)
- An article about EHR adoption rates → **Technology**
- An article about the financial impact of telehealth → **Economics**
- An article about hospital-at-home regulatory approvals → **Policy** or **Clinical** (choose which angle is primary)

AI-Powered Content Generation

The platform includes a Python script for generating draft articles using Google Gemini 2.0 Flash.

Setup

```
# Requires GOOGLE_API_KEY in your .env file
cd frontend/sanity
pip install google-generativeai python-dotenv
```

Usage

```
python generate_sanity_content.py
```

The script prompts for:

1. **Topic:** The article topic (e.g., "Vermont's AHEAD Model: 2026 Progress Report")
2. **Data points:** Key statistics or facts to include

It generates a Sanity-compatible JSON file in `frontend/sanity/content/{slug}.json`.

Importing Generated Content

Generated JSON files are not automatically imported. To import:

1. Review the generated JSON in `frontend/sanity/content/`
2. Use the Sanity CLI or copy content into the studio manually
3. Review and edit before publishing — AI output requires human review


Prompt Templates

Templates are stored in `frontend/sanity/` as `Prompt_template_*.txt`. Edit these to change the structure or tone of generated articles.

Webhook & Sync Pipeline

When content is published in Sanity, the platform automatically updates its AI search index through a webhook pipeline.

Pipeline Flow



Webhook Configuration in Sanity

To configure or verify the webhook in Sanity:

1. Go to sanity.io/manage → your project
2. Navigate to **API** → **Webhooks**
3. Verify the webhook points to `https://your-domain.com/api/webhooks/sanity`
4. Trigger: `create`, `update`, `delete` on all document types
5. Secret must match `SANITY_WEBHOOK_SECRET` in your environment

Checking Ingest Status

Poll the ingest status endpoint to verify the rebuild completed:

```
GET {PYTHON_BACKEND_URL}/api/ingest/status
```

Response:

```
{
  "status": "completed",
  "queued_at": "2026-03-27T14:32:00Z",
  "started_at": "2026-03-27T14:32:05Z",
  "completed_at": "2026-03-27T14:34:22Z"
}
```

Status values: **queued** → **running** → **completed** | **failed**

Ingest Timing

- **Webhook fires:** Within 1–2 seconds of publishing
- **Index rebuild:** 1–5 minutes depending on total content volume
- **AI reflects new content:** After rebuild completes

If the AI Analyst does not reflect newly published content after 10 minutes, check the ingest status endpoint and the Railway backend logs.

Data Content (Hospitals, States)

Hospital Data (**hospital**)

Used by the 50-State Dashboard and HTR Simulator for hospital-level metrics.

Field	Description
name	Hospital name
stateSlug	Two-letter state code (lowercase, e.g., vt)
city	City name
type	Critical Access / Rural PPS / Urban
totalDischarges	Annual discharge volume
avgLengthOfStay	Average LOS in days
qualityScore	0–100 composite quality score
beds	Licensed bed count
revenue	Annual revenue (USD)
margin	Operating margin percentage
staffingStatus	Critical / Strain / Stable

Updating hospital data: Edit the relevant **hospital** document. The Dashboard reads directly from Sanity via the GROQ API — no index rebuild is needed for dashboard data.

RHT State Profiles (**rhtState**)

Profiles for states participating in the RHT program, displayed on **/connect**.

Field	Description
stateId	Slug-format state identifier (e.g., vermont)
stateName	Full state name
awardAmount	Grant award amount
status	Active / Pending / At Risk

Field	Description
strategicFocus	One-line strategic focus description
description	Full program description
initiatives	Array of initiative objects (name, status, description)
metrics	Array of metric objects (label, status, target)

State Performance Index (statePerformanceIndex)

Powers the state scorecard in the 50-State Dashboard.

Each record contains a performanceScore (0–100) and detailed metrics across all five pillars:

- **Policy:** VBP Adoption, Telehealth Policy, Scope of Practice
- **Economics:** Spending Per Capita, Workforce Adequacy, Insurance Coverage
- **Technology:** HIE Adoption, Broadband Access, EHR Adoption
- **Clinical:** Preventive Care, Readmission Rate, Chronic Disease Control
- **Equity:** Racial Equity Gap, Rural-Urban Gap, SDOH Integration

Each metric has: value, status (Leading/Improving/Stable/At Risk), trend, notes.

Academy Content Management

Course Structure

Course

- └─ Module 1
- └─ Module 2
- └─ Module 3
- ...

Courses reference modules by document ID. Modules are standalone documents that can appear in multiple courses.

Creating a New Course

1. Create all **Academy Modules** first (with slugs, content, and learning objectives)
2. Set moduleNumber, totalModules, prevModuleSlug, nextModuleSlug on each module
3. Create the **Course** document
4. Add modules to the modules array in order (drag to reorder)
5. Add **Instructors** (create instructor documents first if needed)
6. Publish the course

Module Navigation Setup

For a 3-module course on "AI in Healthcare":

Module	moduleNumber	prevModuleSlug	nextModuleSlug
intro-ai-healthcare	1	(empty)	ai-clinical-applications
ai-clinical-applications	2	intro-ai-healthcare	ai-governance-ethics
ai-governance-ethics	3	ai-clinical-applications	(empty)

Personalized Learning Catalog

The Personalized Learning tab in Academy reads courses directly from Sanity via GROQ. To include a course in the personalized learning system:

- Ensure the course has a **pillar** assigned
- Ensure the course has a **type** (COURSE, CERTIFICATION, etc.)
- Ensure **description** is filled in for the recommendation card

The system auto-populates based on user preferences — no special flags required.

Daily Widgets & Live Content

Daily Insight (**dailyInsight**)

Shown in the homepage insight widget.

- Set **isActive: true** on exactly one document at a time
- The platform shows the most recently updated active insight
- **Category options:** QUOTE / CHART / STAT / READ / TRIVIA
- **Content:** Max 120 characters — keep it punchy
- **Link:** Optional URL for "Read more" button

Rotating insights: Create multiple insight documents and toggle **isActive** on the one you want to show. There is no scheduling — you manually activate/deactivate.

Ticker (**ticker**)

The scrolling metrics bar (System Vitals) at the top of the homepage.

Each ticker item has:

- **label:** Metric name (e.g., "Hospital Closures YTD")
- **value:** Current value (e.g., "47")
- **trend:** Direction indicator
- **status:** **good** / **warning** / **critical** / **neutral**

Update ticker values manually as new data becomes available.

Slug Conventions

Slugs are URL path segments. Follow these conventions for consistency:

Rule	Example
Lowercase only	cms-prior-auth-2026 not CMS-Prior-Auth-2026
Hyphens as word separators	value-based-care not value_based_care
No special characters	Avoid & , # , ? , / in slugs
Descriptive but concise	vermont-ahead-model-update not article-12345
Date suffix for recurring content	q1-2026-performance-report
Academy modules include course prefix	ai-healthcare-module-2-clinical-applications

Slugs become permanent URLs once published. Changing a slug after publication will break existing links and search rankings. Avoid slug changes unless necessary, and use redirects if you must change one.

Troubleshooting

Content published but not appearing on platform

1. Check that you clicked **Publish** (not just saved a draft)
2. Wait 1–2 minutes for the CDN cache to clear
3. Hard refresh the browser (**Cmd+Shift+R**)

AI Analyst not reflecting new content

1. Check the ingest status: **GET {PYTHON_BACKEND_URL}/api/ingest/status**
2. If status is **failed**, check Railway backend logs for the error
3. Manually trigger a re-index by calling **POST /api/ingest** with the **INGEST_SECRET** bearer token
4. Confirm the Python backend is running on Railway

Webhook not firing

1. Go to Sanity manage → API → Webhooks
2. Check the webhook delivery log for errors
3. Verify **SANITY_WEBHOOK_SECRET** matches between Sanity and the Next.js environment variables
4. Confirm the webhook URL is correct and the Next.js app is deployed

Module navigation buttons not working

prevModuleSlug and **nextModuleSlug** are plain text fields — they must exactly match the **slug.current** value of the target module. Open both modules and copy-paste the slug values to avoid typos.

Images not displaying

- Ensure images are uploaded directly in the Sanity studio (not external URLs)
- For author/instructor headshots, enable **hotspot** to control cropping focus
- Minimum recommended image dimensions: 1200×630px for article heroes, 400×400px for headshots

Duplicate or conflicting content

If the AI returns duplicate or conflicting answers, there may be duplicate documents in Sanity. Search the studio for the topic and check for two documents with similar titles. Unpublish or delete the older one, then manually trigger a re-index.