

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	TMC_GIT	GENERATION DATE	Oct 15, 2020 11:13:25 AM
AUTHOR	bb, Brahim	Talend Cloud VERSION	7.3.1.20200219_1130

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	TMC_GIT
Language	java

Description	

Description

Properties	Values
Name	Parallelization_tab
Author	bb, Brahim
Version	0.1
Purpose	
Status	
Description	
Creation	Oct 15, 2020 11:09:54 AM
Modification	Oct 15, 2020 11:13:25 AM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false

On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Component List

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tFileOutputDelimited_1	tFileOutputDelimited
tSortRow_1	tSortRow

Components Description

Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
LABEL	Customer	OUTPUT(S)	tSortRow_1

Component Parameters:

Properties Values Unique Name tFileInputDelimited_1 Component Name tFileInputDelimited Version 0.102 (ALPHA) Family File/Input Start true Startable true SUBTREE_START true END_OF_FLOW false Activate true DUMMY false tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\libigia	Component Parameters:	
Component Name tFileInputDelimited Version 0.102 (ALPHA) Family File/Input Start true Startable true SUBTREE_START true END_OF_FLOW false Activate true DUMMY false tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\jacobs.	Properties	Values
Version 0.102 (ALPHA) Family File/Input Start true Startable true SUBTREE_START true END_OF_FLOW false Activate true DUMMY false tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\jacksigned C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\jacksigned	Unique Name	tFileInputDelimited_1
Family File/Input Start true Startable true SUBTREE_START true END_OF_FLOW false Activate true DUMMY false IStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	Component Name	tFileInputDelimited
Start true Startable true SUBTREE_START true END_OF_FLOW false Activate true DUMMY false tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	Version	0.102 (ALPHA)
Startable true SUBTREE_START true END_OF_FLOW false Activate true DUMMY false tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	Family	File/Input
SUBTREE_START true END_OF_FLOW false Activate true DUMMY false tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\\ib\)ie	Start	true
END_OF_FLOW false Activate true DUMMY false tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	Startable	true
Activate true DUMMY false tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	SUBTREE_START	true
DUMMY false tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\\ib\\ja	END_OF_FLOW	false
tStatCatcher Statistics false Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	Activate	true
Help org.talend.help.tFileInputDelimited Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	DUMMY	false
Update components true IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	tStatCatcher Statistics	false
IREPORT_PATH JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	Help	org.talend.help.tFileInputDelimited
JAVA_LIBRARY_PATH C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\ja	Update components	true
	IREPORT_PATH	
Subjob color	JAVA_LIBRARY_PATH	C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
	Subjob color	
Title color	Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	ALTIEH
Schema	Built-In
File name/Stream	"C:/Workspace/Talend Cloud/StudentFiles/TalendCloud/Customers.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	, , , , , , , , , , , , , , , , , , ,
Escape char	ппп
Text enclosure	1111
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	Built-In
Temporary directory	"C:/Talend_DI_7.3.1/Talend-Studio-20200219_1130-V7.3.1/workspace"
Advanced separator (for numbers)	false

Thousands separator	" "
Decimal separator	n n
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=NAME, TRIM=false}, {SCHEMA_COLUMN=LAST_NAME, TRIM=false}, {SCHEMA_COLUMN=EMAIL, TRIM=false}, {SCHEMA_COLUMN=JOB_TITLE, TRIM=false}, {SCHEMA_COLUMN=COMPANY, TRIM=false}, {SCHEMA_COLUMN=CITY, TRIM=false}, {SCHEMA_COLUMN=STATE, TRIM=false}, {SCHEMA_COLUMN=DATE, TRIM=false}, {SCHEMA_COLUMN=CAMPAIGN_ID, TRIM=false}, {SCHEMA_COLUMN=LEAD_SCORE, TRIM=false}, {SCHEMA_COLUMN=CREDITCARDNUMBER, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false
Decode table	[{SCHEMA_COLUMN=ID, DECODE=false}, {SCHEMA_COLUMN=NAME, DECODE=false}, {SCHEMA_COLUMN=LAST_NAME, DECODE=false}, {SCHEMA_COLUMN=EMAIL, DECODE=false}, {SCHEMA_COLUMN=JOB_TITLE, DECODE=false}, {SCHEMA_COLUMN=COMPANY, DECODE=false}, {SCHEMA_COLUMN=CITY, DECODE=false}, {SCHEMA_COLUMN=STATE, DECODE=false}, {SCHEMA_COLUMN=DATE, DECODE=false}, {SCHEMA_COLUMN=COMPAIGN_ID, DECODE=false}, {SCHEMA_COLUMN=CAMPAIGN_ID, DECODE=false}, {SCHEMA_COLUMN=LEAD_SCORE, DECODE=false}, {SCHEMA_COLUMN=CREDITCARDNUMBER, DECODE=false}]
Destination	
Min column number of optimize code	100
Label format	Customer

Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata_customer :

ochema for metadata_customer .						
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	String	7		true	
NAME	false	String	9		true	
LAST_NAME	false	String	9		true	
EMAIL	false	String	28		true	
JOB_TITLE	false	String	36		true	
COMPANY	false	String	12		true	
CITY	false	String	13		true	
STATE	false	String	5		true	
DATE	false	String	14		true	
CAMPAIGN_ID	false	String	18		true	
LEAD_SCORE	false	String	3		true	

CREDITCARDNUMBER	false	String		true	

Original Function Parameters: Component tFileOutputDelimited

•	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tSortRow_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component Parameters						
Properties	Values					
Unique Name	tFileOutputDelimited_1					
Component Name	tFileOutputDelimited					
Version	0.101 (ALPHA)					
Family	File/Output					
Startable	false					
SUBTREE_START	false					
END_OF_FLOW	true					
Activate	true					
DUMMY	false					
tStatCatcher Statistics	false					
Help	org.talend.help.tFileOutputDelimited					
Update components	true					
IREPORT_PATH						
JAVA_LIBRARY_PATH	C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java					

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"C:/Workspace/Data/tmp/out_Parallelize_tab.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	n.u ,
Append	false
Include Header	false
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SV	MHTEH
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	" " ,
Decimal separator	n n -
CSV options	false

Escape char	пин
Text enclosure	нин
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	true
Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata_customer :

Column	Key	Туре	Length	Precision	Nullable	Comment

ID	false	String	7	true	
NAME	false	String	9	true	
LAST_NAME	false	String	9	true	
EMAIL	false	String	28	true	
JOB_TITLE	false	String	36	true	
COMPANY	false	String	12	true	
CITY	false	String	13	true	
STATE	false	String	5	true	
DATE	false	String	14	true	
CAMPAIGN_ID	false	String	18	true	
LEAD_SCORE	false	String	3	true	
CREDITCARDNUMBER	false	String		true	

Original Function Parameters: Component tSortRow

ź	UNIQUE NAME	tSortRow_1	INPUT(S)	tFileInputDelimited_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFileOutputDelimited_1

Component Parameters:

Properties	Values

Unique Name	tSortRow_1
Component Name	tSortRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSortRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In
Criteria	[{COLNAME=DATE, SORT=alpha, ORDER=desc}]

г

Sort on disk	false
Temp data directory path	"C:/Talend_DI_7.3.1/Talend-Studio-20200219_1130-V7.3.1/workspace/temp"
Create temp data directory if does not exist	true
Buffer size of external sort	1000000
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata_customer :

Column	Key		Length	Precision	Nullable	Comment
ID	false	String	7		true	
NAME	false	String	9		true	
LAST_NAME	false	String	9		true	
EMAIL	false	String	28		true	
JOB_TITLE	false	String	36		true	
COMPANY	false	String	12		true	
CITY	false	String	13		true	

STATE	false	String	5	true	
DATE	false	String	14	true	
CAMPAIGN_ID	false	String	18	true	
LEAD_SCORE	false	String	3	true	
CREDITCARDNUMBER	false	String		true	

Original Function Parameters: