

```
#Append()
```

```
my_list=["Anu","Bhavya","vaishu"]
```

```
my_list.append("bhuvana")
```

```
print(my_list)
```

```
#extend()
```

```
a=["python","HTML","css"]
```

```
b=["mysql","java","css"]
```

```
a.extend(b)
```

```
print(a)
```

```
#insert()
```

```
students=["arun","bala","kavin","ravi"]
```

```
students.insert(3,"mohann")
```

```
print(students)
```

```
#remove()
```

```
item=["laptop","mouse","keyboard"]
```

```
item.remove("keyboard")  
print(item)
```

```
#pop()  
courses=["python","java","sql","spring"]  
courses.pop()  
print(courses)
```

```
#index()  
a=["arun","bala","kavin","ravi"]  
position=a.index("kavin")  
print(position)
```

```
#count()  
marks=[80,75,90,80,65,80]  
n=marks.count(80)  
print("count of 80:",n)
```

```
#sort()  
d=[78,92,65,88,70]
```

```
d.sort()
```

```
print(d)
```

```
#reverse()
```

```
students=["arun","bala","kavin","ravi"]
```

```
students.reverse()
```

```
print(students)
```

```
#copy()
```

```
student=["arun","bala","kavin","ravi"]
```

```
new_student=student.copy()
```

```
print(student)
```

```
print(new_student)
```

```
#clear()
```

```
cart=["laptop","mouse","keyboard"]
```

```
cart.clear()
```

```
print(cart)
```

```
#min() ,max(),sum(),len()
```

```
marks=[66,78,92,79,39]
```

```
print(min(marks))
```

```
print(max(marks))
```

```
print(sum(marks))
```

```
print(len(marks))
```

output

```
['Anu', 'Bhavya', 'vaishu', 'bhuvana']
```

```
['python', 'HTML', 'css', 'mysql', 'java', 'css']
```

```
['arun', 'bala', 'kavin', 'mohann', 'ravi']
```

```
['laptop', 'mouse']
```

```
['python', 'java', 'sql']
```

2

count of 80: 3

```
[70, 78, 88, 92, 655]
```

```
['ravi', 'kavin', 'bala', 'arun']
```

```
['arun', 'bala', 'kavin', 'ravi']
```

```
['arun', 'bala', 'kavin', 'ravi']
```

```
[]
```

39

92

354

5