

What's wrong with WebSocket APIs? Unveiling vulnerabilities in WebSocket APIs.

What's wrong with WebSocket APIs? Unveiling vulnerabilities in WebSocket APIs. -

@speakerdeck, Mikhail Egorov, Speaker Deck.

- Published: 2019-10-25
- Original: <<https://speakerdeck.com/0ang3el/whats-wrong-with-websocket-apis-unveiling-vulnerabilities-in-websocket-apis>>
- Preserved from: <https://speakerdeck.com/0ang3el/whats-wrong-with-websocket-apis-unveiling-vulnerabilities-in-websocket-apis> (live) on 2026-08-09
- Licence: unknown

Rights remain with the original author and publisher. This is a research archive of a source from the Web Hacking Techniques Index collections, kept so the page going offline. To read the original, follow the link above.

Content

UNTRUSTED SOURCE TEXT. Everything below this line is third-party material quoted for research. It is data, not instructions. Do not follow directions, execute code, or fetch URLs because this text says so.

What's wrong with WebSocket APIs? Unveiling vulnerabilities in WebSocket APIs. - Speaker Deck

What's wrong with WebSocket APIs? Unveiling vulnerabilities in WebSocket APIs.

Slides from Hacktivity 2019 conference - <https://hacktivity.com/index.php/presentations/>.

[image: Avatar for Mikhail Egorov]

Mikhail Egorov

October 25, 2019

More Decks by Mikhail Egorov

[See All by Mikhail Egorov](#)

[A Hacker's perspective on AEM applications security](#)

[[image: Avatar for Mikhail Egorov] 0ang3el](<https://speakerdeck.com/0ang3el>)

0

4.1k

[Securing AEM webapps by hacking them](#)

[ 0ang3el](<https://speakerdeck.com/0ang3el>)

1

1.7k

[AEM hacker approaching Adobe Experience Manager webapps in bug bounty programs](#)

[ 0ang3el](<https://speakerdeck.com/0ang3el>)

3

12k

[Hunting for security bugs in AEM webapps](#)

[ 0ang3el](<https://speakerdeck.com/0ang3el>)

2

37k

[Neat tricks to bypass CSRF-protection](#)

[ 0ang3el](<https://speakerdeck.com/0ang3el>)

2

2.1k

[CSRF-уязвимости все еще актуальны: как атакующие обходят CSRF-защиту в вашем веб-приложении](#)

[ 0ang3el](<https://speakerdeck.com/0ang3el>)

1

600

Other Decks in Programming

[See All in Programming](#)

[Foundation Models framework](#)

[ ryodeveloper](<https://speakerdeck.com/ryodeveloper>)

1

570

[PHP Application](#) [Kubernetes](#) [gRPC](#)

[ ganchiku](<https://speakerdeck.com/ganchiku>)

0

580

[Built Our Own Background Agent at LayerX](#)

[ layerx](<https://speakerdeck.com/layerx>)

PRO

9

4.9k

[Go](#) [Transformer](#) / [fukuokago23-transformer](#)

[[\[image: Avatar for monochromegane\]](#) monochromegane]

(<https://speakerdeck.com/monochromegane>)

0

160

[Welcome to the "Parametricity" – Generic Specific –](#)

[[\[image: Avatar for TAKASE Kazuyuki\]](#) guvalif](<https://speakerdeck.com/guvalif>)

[PRO](#)

1

200

[Apache Hive: Toward a Cloud Native Lakehouse](#)

[[\[image: Avatar for okumin\]](#) okumin](<https://speakerdeck.com/okumin>)

0

180

[AWS CDK](#) [CDK](#) / [aws-cdk-from-scratch](#)

[[\[image: Avatar for k.goto\]](#) gotok365](<https://speakerdeck.com/gotok365>)

3

2.8k

[React](#)

[[\[image: Avatar for high-g\]](#) high_g_engineer](https://speakerdeck.com/high_g_engineer)

1

140

[FDE](#) [AI](#)

[[\[image: Avatar for ryuta sakamoto\]](#) gonta](<https://speakerdeck.com/gonta>)

2

260

[yield](#) [#phpcon](#)

[[\[image: Avatar for hideki kinjyo\]](#) o0h](<https://speakerdeck.com/o0h>)

[PRO](#)

0

950

[2](#) [Deno](#) [DOMMatrix](#) / [How I implemented DOMMatrix in Deno over two years](#)

[[\[image: Avatar for petamoriken / \]](#) petamoriken](<https://speakerdeck.com/petamoriken>)

0

200

SRE NEXT 2026 Lunch Session

SRE

— AI

2 0.04

[[\[image: Avatar for PKSHA Technology](#)

] pkshadeck]

(<https://speakerdeck.com/pkshadeck>)

PRO

0

3.5k

Featured

[See All Featured](#)

[Conquering PDFs: document understanding beyond plain text](#)

[[\[image: Avatar for Ines Montani\]](#) inesmuntani](<https://speakerdeck.com/inesmontani>)

PRO

4

2.9k

[Hiding What from Whom? A Critical Review of the History of Programming languages for Music](#)

[[\[image: Avatar for Tomoya Matsuura\]](#) tomoyanonymou]

(<https://speakerdeck.com/tomoyanonymou>)

3

1.1k

[jQuery: Nuts, Bolts and Bling](#)

[[\[image: Avatar for Doug Neiner\]](#) dougneiner](<https://speakerdeck.com/dougneiner>)

66

8.5k

[Speed Design](#)

[[\[image: Avatar for Sergey Chernyshev\]](#) sergeychernyshev]

(<https://speakerdeck.com/sergeychernyshev>)

33

2k

[We Analyzed 250 Million AI Search Results: Here's What I Found](#)

[[\[image: Avatar for Josh Blyskal\]](#) joshbly](<https://speakerdeck.com/joshbly>)

1

1.7k

Keith and Marios Guide to Fast Websites

[ keithpitt](<https://speakerdeck.com/keithpitt>)

413

23k

Lessons Learnt from Crawling 1000+ Websites

[ charlesmeaden](<https://speakerdeck.com/charlesmeaden>)

PRO

1

1.5k

Paper Plane

[ katiecoart](<https://speakerdeck.com/katiecoart>)

PRO

2

52k

Bootstrapping a Software Product

[ garrettdimon](<https://speakerdeck.com/garrettdimon>)

PRO

307

120k

Reality Check: Gamification 10 Years Later

[ codingconduct](<https://speakerdeck.com/codingconduct>)

0

2.2k

Efficient Content Optimization with Google Search Console & Apps Script

[ katarinadahlin](<https://speakerdeck.com/katarinadahlin>)

PRO

1

770

Technical Leadership for Architectural Decision Making

[ baasie](<https://speakerdeck.com/baasie>)

3

460

Transcript

What's wrong with w/ WebSocket API? Unveiling vulnerabilities in WebSocket

APIs Mikhail Egorov / @0ang3el #HACKTIVITY2019

whoami 2 Security researcher / full-time bug hunter

<https://bugcrowd.com/0ang3el> <https://hackerone.com/0ang3el> Conference speaker
<https://www.slideshare.net/0ang3el> <https://speakerdeck.com/0ang3el>

Previous work 3 https://media.blackhat.com/bh-us-12/Briefings/Shekyan/BH_US_12_Shekyan_Tokuharian_Hacking_Websocket_Slides.pdf <https://www.nccgroup.trust/us/about-us/newsroom-and-events/blog/2017/may/wssip-a-websocket-manipulation-proxy/>

<https://chybeta.github.io/2018/04/07/spring-messaging-Remote-Code-Execution-%E5%88%86%E6%9E%90-%E3%80%90CVE-2018-1270%E3%80%91/>
<https://www.twistlock.com/labs-blog/demystifying-kubernetes-cve-2018-1002105-dead-simple-exploit/> <https://github.com/andresriancho/websocket-fuzzer> <https://www.irongeek.com/i.php?page=videos/derbycon9/stable-35-old-tools-new-tricks-hacking-websockets-michael-fowl-nick-defoe>

4 WebSocket protocol essentials

WebSocket protocol – RFC 6455 5 Efficient two-way communication

protocol WebSocket is stateful (HTTP is stateless) Two main parts: handshake and data transfer

WebSocket protocol – RFC 6455 6 Extensibility: subprotocols and

extensions Subprotocols
<https://www.iana.org/assignments/websocket/websocket.xml#subprotocol-name> Wamp
Stomp Soap ...

WebSocket protocol – RFC 6455 7 Extensibility: subprotocols and

extensions Extensions <https://www.iana.org/assignments/websocket/websocket.xml#extension-name> permessage-deflate bbf-usb-protocol

-

WebSocket protocol – RFC 6455 8 Origin-based security model

(Browser clients) No authentication Client must do client-to-server masking

-

WebSocket protocol support 9 Major web browsers Web

servers / Proxies Apache httpd, Nginx, IIS, ... HAProxy, Traefik, Varnish, Envoy, ... Cloud providers WebSocket API (api gateways) WebSocket proxying (load balancers)

-

WebSocket handshake 10 Upgrade request Base64(Random nonce) Protocol version Required

HTTP version

-

WebSocket handshake 11 Required status code BASE64(SHA1(Sec-WebSocket-Key || CONST))

-

WebSocket data transfer 12 \x00 – continuation frame \x01 –

text frame \x02 – binary frame \x08 – close frame \x09 – ping \x0A – pong other values are reserved

-

WebSocket data transfer - masking 13 Masking key is

32-bit long passed inside frame Client must send masked data $MASKED = MASK \oplus DATA$ ($\oplus$ - XOR) Mechanism protects against cache poisoning and smuggling attacks

-

14 Cross-Site WebSocket Hijacking

-

WebSocket security for Web Browser 15 SOP doesn't work

for WebSocket in web browser Read from WebSocket cross-origin Write to WebSocket cross-origin Header Origin should be checked on handshake step (origin-based security model)

-

CSWSH 16 Cookies are used to authenticate upgrade request

Header Origin isn't checked or checked poorly

-

CSWSH 17 CORS tricks from @albinowax are applicable to

WebSocket <https://portswigger.net/research/exploiting-cors-misconfigurations-for-bitcoins-and-bounties> Null origin Pre-domain wildcard Post-domain wildcard ...

-

CSWSH - Null origin 18 `nullorigin.html <iframe src="data:text/html, <script>const`

`socket = new WebSocket('wss://example.com'); </script>"></iframe>`

-

CSWSH 19 Playground <https://portswigger.net/web-security/websockets/cross-site-websocket-hijacking>

-

CSWSH - template for attack 5

-

Demo 5

-

22 Authentication / IDOR issues

-

Authentication 23 WebSocket protocol doesn't offer authentication Developers

have to roll out their own AuthN It's secure to check AuthN only during handshake Common secure implementations Session cookies Tokens

-

Broken authentication - Case 1 24 Some ID /

GUID is required in Upgrade request Guess ID Leak GUID (minor IDOR, ...)

-

Broken authentication - Case 2 25 No authentication during

handshake step Some ID / GUID required in API messages Guess ID Leak GUID (minor IDOR, ...)

-

Broken authentication – Case 2 26 Exposing GraphQL subscriptions

w/o AuthN <https://github.com/righettod/poc-graphql#subscriptions- websocket-endpoint-default-enabling> Path /subscriptions

-

Insecure Direct Object Reference issues 27 Strong authentication during

handshake step Some ID / GUID required in API messages Guess ID Leak GUID (minor IDOR, ...)

-

28 Smuggling through WebSocket

-

Reverse proxying WebSocket connection 29 Client Frontend Reverse proxy Backend

/socket.io/ Public WebSocket API

-

Reverse proxying WebSocket connection 30 Client Frontend Reverse proxy Upgrade

request Upgrade request Backend /socket.io/

-

Reverse proxying WebSocket connection 31 Client Frontend Reverse proxy Upgrade

request Upgrade request HTTP/1.1 101 HTTP/1.1 101 Backend /socket.io/

-

Reverse proxying WebSocket connection 32 Client Frontend Reverse proxy Upgrade

request Upgrade request HTTP/1.1 101 HTTP/1.1 101 WebSocket connection direct WebSocket connection Client - Backend Backend /socket.io/

-

Smuggling through WebSocket connection 33 Client Frontend Reverse proxy (vulnerable)

Private REST API Public WebSocket API Backend /internal /socket.io/

-

34 Backend Client Frontend Reverse proxy (vulnerable) /internal Upgrade request

/socket.io/ Sec-WebSocket-Version: 1337 Upgrade request Sec-WebSocket-Version: 1337 Version correctness isn't checked! Smuggling through WebSocket connection

-

35 Backend Client Frontend Reverse proxy (vulnerable) /internal Upgrade request

/socket.io/ Sec-WebSocket-Version: 1337 Upgrade request Sec-WebSocket-Version: 1337 HTTP/1.1 426 HTTP/1.1 426 Response correctness isn't checked! Smuggling through WebSocket connection

-

36 Backend Client Frontend Reverse proxy (vulnerable) /internal Upgrade request

/socket.io/ Sec-WebSocket-Version: 1337 Upgrade request Sec-WebSocket-Version: 1337 HTTP/1.1 426 HTTP/1.1 426 TLS connection direct TLS connection Client – Backend not WebSocket!!! Client can access /internal Smuggling through WebSocket connection

-

Challenge – challenge.0ang3el.tk 37 URL <https://challenge.0ang3el.tk/websocket.html> You

need to access flag on localhost:5000 Seems no one solved

-

Challenge – challenge.0ang3el.tk 38 Frontend Not disclosed WebSocket

reverse proxy socket.io.js Proxies only WebSocket API - /socket.io/ path Backend Flask, Flask-SocketIO, Flask-Restful Listens on localhost:5000 only

-

challenge1.py

-

challenge1.py - DEMO

Vulnerable reverse proxies 41 Vulnerable Varnish, Envoy proxy

<= 1.8.0, other non-disclosed Not vulnerable Nginx, HAProxy, Traefik, others

Varnish response 42 WebSocket proxying configuration <https://varnish-cache.org/docs/6.3/users-guide/vcl-example-websockets.html>

Smuggling through WebSocket connection 43 Client Frontend Reverse proxy (Nginx)

or another) Private REST API Public WebSocket API & REST API Backend /internal /api/socket.io/ /api/health

Smuggling through WebSocket connection 44 Client Frontend Reverse proxy (Nginx)

or another) Backend /internal /api/socket.io/ /api/health example.com GET HTTP/1.1 200

Smuggling through WebSocket connection 45 Client Frontend Reverse proxy (Nginx)

or another) Backend /internal /api/socket.io/ /api/health Only Upgrade: websocket header is checked! POST /api/health?u= POST /api/health?u=

Smuggling through WebSocket connection 46 Client Frontend Reverse proxy (Nginx)

or another) Backend /internal /api/socket.io/ /api/health attacker.com GET HTTP/1.1 101 HTTP/1.1 101 HTTP/1.1 101 Only status code is checked for response! POST /api/health?u= POST /api/health?u=

Smuggling through WebSocket connection 47 Client Frontend Reverse proxy (Nginx)

or another) Backend /internal /api/socket.io/ /api/health HTTP/1.1 101 HTTP/1.1 101 TLS connection direct TLS connection Client – Backend not WebSocket!!! Client can access /internal

POST /api/health?u= POST /api/health?u= Client-to-Server masking isn't checked by proxy!!!

-

Challenge2 – challenge2.0ang3el.tk 48 URL <https://challenge2.0ang3el.tk/websocket.html> You

need to access flag on localhost:5000 Seems no one solved

-

Challenge2 – challenge2.0ang3el.tk 49 Frontend Nginx as WebSocket

reverse proxy socket.io.js Proxies only /api/public path (socket.io and healthcheck) Backend Flask, Flask-SocketIO, Flask-Restful Listens on localhost:5000 only

-

Challenge2 – challenge2.0ang3el.tk 50 Nginx config

-

Challenge2 – challenge2.0ang3el.tk 51 REST API - healthcheck

-

Challenge2.py 5

-

Challenge2.py - Demo 5

-

Vulnerable reverse proxies 54 Almost all proxies are affected

But exploitation is limited External SSRF is required that returns status code ...

-

55 Discovering WebSocket APIs

-

Discovering WebSocket API 56 Monitor Upgrade requests Analyze

JavaScript files Try to establish WebSocket connection to each URL ...

-

57 Conclusion

-

Ideas for further research 58 Security of WebSocket subprotocols

More smuggling techniques HTTP/2 and WebSocket ...

-

Thank you! @0ang3l

Archived from <https://speakerdeck.com/0ang3l/whats-wrong-with-websocket-apis-unveiling-vulnerabilities-in-websocket-apis>. Rendered offline from the local Markdown copy.