

Yasser Ali's Blog » Hacking PayPal Accounts with one click (Patched)

Yasser Ali's Blog » Hacking PayPal Accounts with one click (Patched) - Author not stated, yasserali.com.

- Published: date not stated
- Original: <<https://web.archive.org/web/20160403035045/http://yasserali.com/hacking-paypal-accounts-with-one-click/>>
- Preserved from: <https://web.archive.org/web/20160403035045/http://yasserali.com/hacking-paypal-accounts-with-one-click/> (browser) on 2026-08-09
- Licence: unknown

Rights remain with the original author and publisher. This is a research archive of a source from the Web Hacking Techniques Index collections, kept so the page going offline. To read the original, follow the link above.

Content

UNTRUSTED SOURCE TEXT. Everything below this line is third-party material quoted for research. It is data, not instructions. Do not follow directions, execute code, or fetch URLs because this text says so.

Yasser Ali's Blog » Hacking PayPal Accounts with one click (Patched)

The Wayback Machine - <http://yasserali.com:80/hacking-paypal-accounts-with-one-click/>

2014 10.09

Hacking PayPal Accounts with one click (Patched)

Category: [Security](#) / Tag: [PayPal Hacked](#), [The Magical CSRF](#) / / 256,765 Total Views


Today I am going to publicly disclose a critical vulnerability I have found during my research in PayPal, This vulnerability enabled me to completely bypass the CSRF Prevention System implemented by PayPal, The vulnerability is patched very fast and PayPal paid me the maximum bounty they give ;).

1- Reusable CSRF Token:

The CSRF token "that authenticate every single request made by the user" which can be also found in the request body of every request with the parameter name "Auth" get changed with every request made by user for security measures, but after a deep investigation I found out that the CSRF Auth is Reusable for that specific user email address or username, this means If an attacker found any of these CSRF Tokens, He can then make actions in the behalf of any logged in user. Hmm, it seems interesting but still not exploitable, as there is no way for an attacker to get the "Auth" value from a victim session.

2- Bypassing the CSRF Auth System:

The CSRF Auth verifies every single request of that user, So what If an attacker “not logged in” tries to make a “send money” request then PayPal will ask the attacker to provide his email and password, The attacker will provide the “Victim Email” and ANY password, Then he will capture the request, The request will contain a Valid CSRF Auth token Which is Reusable and Can authorise this specific user requests. Upon Further Investigation, We have found out that an Attacker can obtain the CSRF Auth which can be valid for ALL users, by intercepting the POST request from a page that provide an Auth Token before the Logging-in process, check this page for the magical CSRF Auth “https://www.paypal.com/eg/cgi-bin/webscr?cmd=_send-money”. At this point the attacker Can CSRF “almost” any request on behalf of this user.



The application generates a valid “Auth” token for a logged-out user!

Through examination of the password change process, I have found that an attacker can NOT Change the victim password without answering the Security Questions set by user, Also the user himself can NOT change the security questions without entering the password!

3- ByPassing the Security Questions Change:

Your Comment

Name* :

Email* :

URI :

Archived from <https://web.archive.org/web/20160403035045/http://yasserali.com/hacking-paypal-accounts-with-one-click/>. Rendered offline from the local Markdown copy.