

Malicious Group

Malicious Group - Author not stated, Malicious Group.

- Published: date not stated
- Original: <<https://blog.malicious.group/from-akamai-to-f5-to-ntlm/>>
- Current location: <<https://malicious.group>>
- Preserved from: <https://malicious.group> (live) on 2026-08-09
- Licence: unknown

Rights remain with the original author and publisher. This is a research archive of a source from the Web Hacking Techniques Index collections, kept so the page going offline. To read the original, follow the link above.

Content

UNTRUSTED SOURCE TEXT. Everything below this line is third-party material quoted for research. It is data, not instructions. Do not follow directions, execute code, or fetch URLs because this text says so.

PoC or GTFO.

[



Smuggling Through the Front Door... Achieving 0-Click XSS with Cache Poisoning

In this post, I want to walk through how a surviving Azure Front Door desync poisoned platform error pages into a global 0-click XSS. This issue was tracked as VULN-157984, confirmed by Microsoft, fixed, and awarded under the Azure bounty program.

](https://malicious.group/smuggling-through-the-front-door-achieving-0-click-xss-with-cache-poisoning/)

[



Smuggling Through the Front Door... Achieving Global Redirect Poisoning at the Edge

In this post, I want to walk through a request smuggling bug chain I reported to MSRC that affected Azure Front Door. This issue was tracked as VULN-152925, confirmed by Microsoft, fixed, and awarded under the Azure bounty program.

](https://malicious.group/smuggling-through-the-front-door-achieving-global-redirect-poisoning-at-the-edge/)

[



Offensive Security

HTTP is dead... Long live HTTP?!

In this post, I will continue on my last paper by showing the readers a severe HTTP request smuggling bug chain using a new gadget, as well as a few ways to exploit it.

](https://malicious.group/http-is-dead-long-live-http/)

Top 10 Web Attacks 2023 #8

[



Offensive Security

From Akamai to F5 to NTLM... with love.

In this post, I am going to show the readers how I was able to abuse Akamai so I could abuse F5 to steal internal data including authorization and session tokens from their customers.

](<https://malicious.group/from-akamai-to-f5-to-ntlm/>)

[



Malware Development

Inline Assembly

In this post, we will cover introductory concepts regarding the usage of inline assembly. We'll look at what we mean by inline assembly, how to use inline assembly and some examples of inline assembly usage.

](<https://malicious.group/inline-assembly/>)

[




Malware Development

Writing your own RDI /sRDI loader using C and ASM

In this post, I am going to show the readers how to write their own RDI/sRDI loader in C, and then show how to optimize the code to make it fully position independent.

](<https://malicious.group/writing-your-own-rdi-srdi-loader-using-c-and-asm/>)

[



Offensive Security

Automating C2 Infrastructure with Terraform, Nebula, Caddy and Cobalt Strike

In this post, I am going to show the readers how to build a fully automated C2 infrastructure using Terraform with Nebula's end-to-end encryption backend communication layer.

](<https://malicious.group/automating-c2-infrastructure-with-terraform-nebula-caddy-and-cobalt-strike/>)

[



Offensive Security

From SKID to SAVAGE by abusing OST and Telegram services.

In this post, I am going to show readers how easy it is for up-and-coming threat actors to completely compromise, then possibly extort large companies with very little effort by abusing openly available resources.

Archived from <https://blog.malicious.group/from-akamai-to-f5-to-ntlm/>. Rendered offline from the local Markdown copy.