

Project Design Phase-II
Solution Requirements (Functional & Non-functional)

Date	31 January 2025
Team ID	SWTID-2026-4968
Project Name	Script - controlled ACL - Restrict Record Access Based On Field Value
Maximum Marks	4 Marks

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	Configure Script ACL	Create a record ACL for a table and operation Write the ACL script using the record's field value Add the required roles to the ACL
FR-2	Restrict Record Access	Block access when the field has the restricted value Allow access for authorized roles Show an access-denied message for blocked records
FR-3	Test the ACL	Impersonate a user to check access Verify list and form views Trace decisions using Security Debugging
FR-4	Deploy and Maintain	Capture the ACL in an update set Promote the ACL to other instances Update the ACL when the field, value, or roles change
FR-5	Audit and Monitoring	Log access and denied attempts Review who accessed restricted records

Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	The ACL form and script are simple to configure, and blocked users see a clear access-denied message.
NFR-2	Security	Only users with the security_admin role can create or change ACLs, and restricted records stay hidden from unauthorized users.
NFR-3	Reliability	The ACL script returns a consistent true or false result for every request, including records with empty field values.
NFR-4	Performance	The script uses simple field and role checks so record lists and forms load without noticeable delay.
NFR-5	Availability	The ACL stays active on the instance at all times and works the same after upgrades and promotions.
NFR-6	Scalability	The same ACL pattern can be reused for more tables, fields, and roles as requirements grow.