# Vocabulary fused

| Words | Codes | Binned codes | Bins per code | Tokens in training | Timelines | Median length |
|---|---|---|---|---|---|---|
| 1,115 | 308 | 138 | 10 | 229,390 | 310 | 308 |

## Prefixes

229,390 tokens in training

| Prefix | Name | Lane | Words | Codes | Binned | Training tokens |
|---|---|---|---|---|---|---|
| BOS | Beginning of sequence | | 1 | 1 | | 208 <0.1% |
| AGE | Age | Demographics | 10 | 1 | 1 | 208 <0.1% |
| SEX | Sex | Demographics | 2 | 2 | | 208 <0.1% |
| RACE | Race | Demographics | 4 | 4 | | 208 <0.1% |
| ETHN | Ethnicity | Demographics | 3 | 3 | | 208 <0.1% |
| ADMN | Admission | Encounter | 3 | 3 | | 208 <0.1% |
| XFR-OUT | Transfer out | Encounter | 6 | 6 | | 679 0.3% |
| XFR-IN | Transfer in | Encounter | 6 | 6 | | 679 0.3% |
| MED-CTS | Continuous medication | Medications | 219 | 34 | 33 | 10,770 4.7% |
| MED-INT | Intermittent medication | Medications | 102 | 44 | 30 | 5,068 2.2% |
| LAB-ORD | Lab ordered | Labs | 49 | 49 | | 40,475 18% |
| LAB-RES | Lab result | Labs | 468 | 49 | 49 | 40,475 18% |
| CODE | Code status | Encounter | 4 | 4 | | 112 <0.1% |
| VTL | Vital sign | Vitals | 88 | 9 | 9 | 72,406 32% |
| ASMT | Assessment | Assessments | 74 | 34 | 12 | 24,748 11% |
| RESP | Respiratory support | Organ support | 27 | 15 | 3 | 31,228 14% |
| CRRT | Continuous renal replacement therapy | Organ support | 3 | 1 | 1 | 364 0.2% |
| SOFA | SOFA subscore | Assessments | 24 | 24 | | 391 0.2% |
| DSCG | Discharge | Encounter | 9 | 9 | | 208 <0.1% |
| LABEL | Outcome label | Outcomes | 11 | 11 | | 331 0.1% |
| EOS | End of sequence | | 1 | 1 | | 208 <0.1% |
| UNK | Out of vocabulary | Out of vocabulary | 1 | 1 | | 0 0% |

## Timelines

310 timelines

| Split | Timelines | Tokens | Out of vocabulary | Mean length | Median length | Mean duration | Median duration | First event | Last event |
|---|---|---|---|---|---|---|---|---|---|
| train | 208 | 229,390 | 0 (0%) | 1,103 | 380 | 7 d 16 h | 5 d 7 h | 2110-04-11 20:08:00 UTC | 2166-08-26 19:49:42 UTC |
| tuning | 39 | 28,085 | 33 (0.1%) | 720.1 | 242 | 5 d 17 h | 4 d | 2167-05-03 20:18:00 UTC | 2186-05-10 22:47:11 UTC |
| held_out | 63 | 39,673 | 15 (<0.1%) | 629.7 | 202 | 5 d 2 h | 4 d 3 h | 2177-03-12 11:19:32 UTC | 2201-12-17 18:48:45 UTC |
| **All** | **310** | **297,148** | **48 (<0.1%)** | **958.5** | **308** | **6 d 22 h** | **4 d 21 h** | **2110-04-11 20:08:00 UTC** | **2201-12-17 18:48:45 UTC** |

As tokenize --verbose summarizes them, from tokens_times.parquet; times in UTC.

### All

Tokens per timeline




min 10 · quartiles 98, 308, 951.8 · max 11,610 · mean 958.5 (sd 1,723)


Duration, from first token to last




min 6 h 41 min · quartiles 2 d 15 h, 4 d 21 h, 8 d 16 h · max 44 d 22 h · mean 6 d 22 h (sd 6 d 18 h)

## train

Tokens per timeline




min 10 · quartiles 108.8, 380, 1,134 · max 11,610 · mean 1,103 (sd 1,951)

Duration, from first token to last




min 8 h 5 min · quartiles 2 d 21 h, 5 d 7 h, 9 d 13 h · max 44 d 22 h · mean 7 d 16 h (sd 7 d 11 h)

## tuning

Tokens per timeline




min 10 · quartiles 70, 242, 754 · max 4,053 · mean 720.1 (sd 1,065)

Duration, from first token to last




min 9 h 25 min · quartiles 42 h 15 min, 4 d, 8 d 2 h · max 23 d 3 h · mean 5 d 17 h (sd 5 d 2 h)

## held_out

Tokens per timeline




min 10 · quartiles 47.5, 202, 661 · max 5,914 · mean 629.7 (sd 1,082)

Duration, from first token to last




min 6 h 41 min · quartiles 2 d, 4 d 3 h, 6 d 3 h · max 21 d 4 h · mean 5 d 2 h (sd 4 d 9 h)

## Binned codes

138 binned codes


Training values against the bins learned on them. A bin holds the values from its lower cut point up to, but not including, its upper one.

### AGE//age

Age

208 training values · 54 distinct · min 21 · median 63 · mean 62.0048 · max 91

10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 44 | 17 | 8.2% | 4 AGE//age_Q0 |
| Q1 | 44 to 52 | 23 | 11% | 5 AGE//age_Q1 |
| Q2 | 52 to 55 | 21 | 10% | 6 AGE//age_Q2 |
| Q3 | 55 to 60 | 15 | 7.2% | 7 AGE//age_Q3 |
| Q4 | 60 to 63 | 20 | 9.6% | 8 AGE//age_Q4 |
| Q5 | 63 to 66 | 25 | 12% | 9 AGE//age_Q5 |
| Q6 | 66 to 68 | 18 | 8.7% | 10 AGE//age_Q6 |
| Q7 | 68 to 74 | 26 | 13% | 11 AGE//age_Q7 |
| Q8 | 74 to 80 | 17 | 8.2% | 12 AGE//age_Q8 |
| Q9 | 80 and above | 26 | 13% | 13 AGE//age_Q9 |

### ASMT//braden_activity

Assessment

1,357 training values · 4 distinct · min 1 · median 1 · mean 1.37067 · max 4

2 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 1 | 0 | 0% | |
| Q2 | none, as its cut points tie at 1 | 0 | 0% | |
| Q3 | none, as its cut points tie at 1 | 0 | 0% | |
| Q4 | none, as its cut points tie at 1 | 0 | 0% | |
| Q5 | none, as its cut points tie at 1 | 0 | 0% | |
| Q6 | none, as its cut points tie at 1 | 0 | 0% | |
| Q7 | 1 to 2 | 991 | 73% | 14 ASMT//braden_activity_Q7 |
| Q8 | none, as its cut points tie at 2 | 0 | 0% | |
| Q9 | 2 and above | 366 | 27% | 15 ASMT//braden_activity_Q9 |

### ASMT//braden_friction

Assessment

1,354 training values · 3 distinct · min 1 · median 2 · mean 1.94756 · max 3


3 of 10 bins hold values




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 1 | 0 | 0% | |
| Q2 | 1 to 2 | 275 | 20% | 16 ASMT//braden_friction_Q2 |
| Q3 | none, as its cut points tie at 2 | 0 | 0% | |
| Q4 | none, as its cut points tie at 2 | 0 | 0% | |
| Q5 | none, as its cut points tie at 2 | 0 | 0% | |
| Q6 | none, as its cut points tie at 2 | 0 | 0% | |
| Q7 | none, as its cut points tie at 2 | 0 | 0% | |
| Q8 | 2 to 3 | 875 | 65% | 17 ASMT//braden_friction_Q8 |
| Q9 | 3 and above | 204 | 15% | 18 ASMT//braden_friction_Q9 |

## ASMT//braden_mobility

Assessment





1,357 training values · 4 distinct · min 1 · median 2 · mean 2.38836 · max 4
3 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2 | 120 | 8.8% | 19 ASMT//braden_mobility_Q0 |
| Q1 | none, as its cut points tie at 2 | 0 | 0% | |
| Q2 | none, as its cut points tie at 2 | 0 | 0% | |
| Q3 | none, as its cut points tie at 2 | 0 | 0% | |
| Q4 | none, as its cut points tie at 2 | 0 | 0% | |
| Q5 | 2 to 3 | 640 | 47% | 20 ASMT//braden_mobility_Q5 |
| Q6 | none, as its cut points tie at 3 | 0 | 0% | |
| Q7 | none, as its cut points tie at 3 | 0 | 0% | |
| Q8 | none, as its cut points tie at 3 | 0 | 0% | |
| Q9 | 3 and above | 597 | 44% | 21 ASMT//braden_mobility_Q9 |

## ASMT//braden_moisture

Assessment





1,357 training values · 4 distinct · min 1 · median 3 · mean 3.26529 · max 4
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2 | 8 | 0.6% | 22 ASMT//braden_moisture_Q0 |
| Q1 | 2 to 3 | 141 | 10% | 23 ASMT//braden_moisture_Q1 |
| Q2 | none, as its cut points tie at 3 | 0 | 0% | |
| Q3 | none, as its cut points tie at 3 | 0 | 0% | |
| Q4 | none, as its cut points tie at 3 | 0 | 0% | |
| Q5 | none, as its cut points tie at 3 | 0 | 0% | |
| Q6 | 3 to 4 | 691 | 51% | 24 ASMT//braden_moisture_Q6 |
| Q7 | none, as its cut points tie at 4 | 0 | 0% | |
| Q8 | none, as its cut points tie at 4 | 0 | 0% | |
| Q9 | 4 and above | 517 | 38% | 25 ASMT//braden_moisture_Q9 |

## ASMT//braden_nutrition

Assessment





1,354 training values · 4 distinct · min 1 · median 2 · mean 2.18242 · max 4
3 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 1 to 2 | 223 | 16% | 26 ASMT//braden_nutrition_Q1 |
| Q2 | none, as its cut points tie at 2 | 0 | 0% | |
| Q3 | none, as its cut points tie at 2 | 0 | 0% | |
| Q4 | none, as its cut points tie at 2 | 0 | 0% | |
| Q5 | none, as its cut points tie at 2 | 0 | 0% | |
| Q6 | 2 to 3 | 686 | 51% | 27 ASMT//braden_nutrition_Q6 |
| Q7 | none, as its cut points tie at 3 | 0 | 0% | |
| Q8 | none, as its cut points tie at 3 | 0 | 0% | |
| Q9 | 3 and above | 445 | 33% | 28 ASMT//braden_nutrition_Q9 |

## ASMT//braden_sensory

Assessment





1,360 training values · 4 distinct · min 1 · median 3 · mean 2.84191 · max 4
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2 | 78 | 5.7% | 29 ASMT//braden_sensory_Q0 |
| Q1 | none, as its cut points tie at 2 | 0 | 0% | |
| Q2 | none, as its cut points tie at 2 | 0 | 0% | |
| Q3 | 2 to 3 | 393 | 29% | 30 ASMT//braden_sensory_Q3 |
| Q4 | none, as its cut points tie at 3 | 0 | 0% | |
| Q5 | none, as its cut points tie at 3 | 0 | 0% | |
| Q6 | none, as its cut points tie at 3 | 0 | 0% | |
| Q7 | 3 to 4 | 555 | 41% | 31 ASMT//braden_sensory_Q7 |
| Q8 | none, as its cut points tie at 4 | 0 | 0% | |
| Q9 | 4 and above | 334 | 25% | 32 ASMT//braden_sensory_Q9 |

## ASMT//braden_total

Assessment





1,353 training values · 17 distinct · min 6 · median 14 · mean 13.9926 · max 23
8 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 11 | 126 | 9.3% | 33 ASMT//braden_total_Q0 |
| Q1 | 11 to 12 | 140 | 10% | 34 ASMT//braden_total_Q1 |
| Q2 | none, as its cut points tie at 12 | 0 | 0% | |
| Q3 | 12 to 13 | 169 | 12% | 35 ASMT//braden_total_Q3 |
| Q4 | 13 to 14 | 190 | 14% | 36 ASMT//braden_total_Q4 |
| Q5 | none, as its cut points tie at 14 | 0 | 0% | |
| Q6 | 14 to 15 | 189 | 14% | 37 ASMT//braden_total_Q6 |
| Q7 | 15 to 16 | 167 | 12% | 38 ASMT//braden_total_Q7 |
| Q8 | 16 to 18 | 205 | 15% | 39 ASMT//braden_total_Q8 |
| Q9 | 18 and above | 167 | 12% | 40 ASMT//braden_total_Q9 |

## ASMT//gcs_eye

Assessment





2,586 training values · 4 distinct · min 1 · median 4 · mean 3.32985 · max 4
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2 | 258 | 10.0% | 61 ASMT//gcs_eye_Q0 |
| Q1 | 2 to 3 | 139 | 5.4% | 62 ASMT//gcs_eye_Q1 |
| Q2 | none, as its cut points tie at 3 | 0 | 0% | |
| Q3 | none, as its cut points tie at 3 | 0 | 0% | |
| Q4 | 3 to 4 | 681 | 26% | 63 ASMT//gcs_eye_Q4 |
| Q5 | none, as its cut points tie at 4 | 0 | 0% | |
| Q6 | none, as its cut points tie at 4 | 0 | 0% | |
| Q7 | none, as its cut points tie at 4 | 0 | 0% | |
| Q8 | none, as its cut points tie at 4 | 0 | 0% | |
| Q9 | 4 and above | 1,508 | 58% | 64 ASMT//gcs_eye_Q9 |

## ASMT//gcs_motor

Assessment




2,583 training values · 5 distinct · min 1 · median 6 · mean 5.40805 · max 6
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 4 | 195 | 7.5% | 66 ASMT//gcs_motor_Q0 |
| Q1 | 4 to 5 | 129 | 5.0% | 67 ASMT//gcs_motor_Q1 |
| Q2 | 5 to 6 | 312 | 12% | 68 ASMT//gcs_motor_Q2 |
| Q3 | none, as its cut points tie at 6 | 0 | 0% | |
| Q4 | none, as its cut points tie at 6 | 0 | 0% | |
| Q5 | none, as its cut points tie at 6 | 0 | 0% | |
| Q6 | none, as its cut points tie at 6 | 0 | 0% | |
| Q7 | none, as its cut points tie at 6 | 0 | 0% | |
| Q8 | none, as its cut points tie at 6 | 0 | 0% | |
| Q9 | 6 and above | 1,947 | 75% | 69 ASMT//gcs_motor_Q9 |

## ASMT//gcs_total

Assessment





2,587 training values · 13 distinct · min 3 · median 15 · mean 14.3572 · max 15
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 13 | 197 | 7.6% | 70 ASMT//gcs_total_Q0 |
| Q1 | 13 to 14 | 169 | 6.5% | 71 ASMT//gcs_total_Q1 |
| Q2 | 14 to 15 | 304 | 12% | 72 ASMT//gcs_total_Q2 |
| Q3 | none, as its cut points tie at 15 | 0 | 0% | |
| Q4 | none, as its cut points tie at 15 | 0 | 0% | |
| Q5 | none, as its cut points tie at 15 | 0 | 0% | |
| Q6 | none, as its cut points tie at 15 | 0 | 0% | |
| Q7 | none, as its cut points tie at 15 | 0 | 0% | |
| Q8 | none, as its cut points tie at 15 | 0 | 0% | |
| Q9 | 15 and above | 1,917 | 74% | 73 ASMT//gcs_total_Q9 |

## ASMT//gcs_verbal

Assessment





2,584 training values · 6 distinct · min 0 · median 4 · mean 2.78406 · max 5
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 2 | 1,019 | 39% | 75 ASMT//gcs_verbal_Q3 |
| Q4 | 2 to 4 | 127 | 4.9% | 76 ASMT//gcs_verbal_Q4 |
| Q5 | 4 to 5 | 366 | 14% | 77 ASMT//gcs_verbal_Q5 |
| Q6 | none, as its cut points tie at 5 | 0 | 0% | |
| Q7 | none, as its cut points tie at 5 | 0 | 0% | |
| Q8 | none, as its cut points tie at 5 | 0 | 0% | |
| Q9 | 5 and above | 1,072 | 41% | 78 ASMT//gcs_verbal_Q9 |

## ASMT//rass

Assessment





2,269 training values · 10 distinct · min -5 · median 0 · mean -0.756721 · max 4
6 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below -3 | 159 | 7.0% | 79 ASMT//rass_Q0 |
| Q1 | -3 to -2 | 131 | 5.8% | 80 ASMT//rass_Q1 |
| Q2 | -2 to -1 | 230 | 10% | 81 ASMT//rass_Q2 |
| Q3 | none, as its cut points tie at -1 | 0 | 0% | |
| Q4 | -1 to 0 | 522 | 23% | 82 ASMT//rass_Q4 |
| Q5 | none, as its cut points tie at 0 | 0 | 0% | |
| Q6 | none, as its cut points tie at 0 | 0 | 0% | |
| Q7 | none, as its cut points tie at 0 | 0 | 0% | |
| Q8 | 0 to 1 | 945 | 42% | 83 ASMT//rass_Q8 |
| Q9 | 1 and above | 282 | 12% | 84 ASMT//rass_Q9 |

## CRRT//cvvhdf

Continuous renal replacement therapy





360 training values · 3 distinct · min 7,200 · median 12,000 · mean 11,115 · max 15,000
2 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 7,200 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 7,200 to 12,000 | 67 | 19% | 94 CRRT//cvvhdf_Q1 |
| Q2 | none, as its cut points tie at 12,0… | 0 | 0% | |
| Q3 | none, as its cut points tie at 12,0… | 0 | 0% | |
| Q4 | none, as its cut points tie at 12,0… | 0 | 0% | |
| Q5 | none, as its cut points tie at 12,0… | 0 | 0% | |
| Q6 | none, as its cut points tie at 12,0… | 0 | 0% | |
| Q7 | none, as its cut points tie at 12,0… | 0 | 0% | |
| Q8 | none, as its cut points tie at 12,0… | 0 | 0% | |
| Q9 | 12,000 and above | 293 | 81% | 95 CRRT//cvvhdf_Q9 |

## LAB-RES//albumin

Lab result





359 training values · 34 distinct · min 1.7 · median 3.2 · mean 3.17242 · max 5.1
10 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2.3 | 35 | 9.7% | 158 LAB-RES//albumin_Q0 |
| Q1 | 2.3 to 2.5 | 37 | 10% | 159 LAB-RES//albumin_Q1 |
| Q2 | 2.5 to 2.7 | 28 | 7.8% | 160 LAB-RES//albumin_Q2 |
| Q3 | 2.7 to 3 | 41 | 11% | 161 LAB-RES//albumin_Q3 |
| Q4 | 3 to 3.2 | 36 | 10% | 162 LAB-RES//albumin_Q4 |
| Q5 | 3.2 to 3.4 | 18 | 5.0% | 163 LAB-RES//albumin_Q5 |
| Q6 | 3.4 to 3.6 | 48 | 13% | 164 LAB-RES//albumin_Q6 |
| Q7 | 3.6 to 3.7 | 25 | 7.0% | 165 LAB-RES//albumin_Q7 |
| Q8 | 3.7 to 4.1 | 50 | 14% | 166 LAB-RES//albumin_Q8 |
| Q9 | 4.1 and above | 41 | 11% | 167 LAB-RES//albumin_Q9 |

## LAB-RES//alkaline_phosphatase

Lab result

764 training values · 241 distinct · min 28 · median 94.5 · mean 129.056 · max 590
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 54 | 73 | 9.6% | 168 LAB-RES//alkaline_phosphatase_Q0 |
| Q1 | 54 to 63 | 72 | 9.4% | 169 LAB-RES//alkaline_phosphatase_Q1 |
| Q2 | 63 to 71 | 80 | 10% | 170 LAB-RES//alkaline_phosphatase_Q2 |
| Q3 | 71 to 83 | 77 | 10% | 171 LAB-RES//alkaline_phosphatase_Q3 |
| Q4 | 83 to 95 | 80 | 10% | 172 LAB-RES//alkaline_phosphatase_Q4 |
| Q5 | 95 to 106 | 72 | 9.4% | 173 LAB-RES//alkaline_phosphatase_Q5 |
| Q6 | 106 to 121 | 77 | 10% | 174 LAB-RES//alkaline_phosphatase_Q6 |
| Q7 | 121 to 163 | 78 | 10% | 175 LAB-RES//alkaline_phosphatase_Q7 |
| Q8 | 163 to 286 | 78 | 10% | 176 LAB-RES//alkaline_phosphatase_Q8 |
| Q9 | 286 and above | 77 | 10% | 177 LAB-RES//alkaline_phosphatase_Q9 |

## LAB-RES//alt

Lab result

768 training values · 175 distinct · min 2 · median 27 · mean 122.411 · max 8,010
10 of 10 bins hold values · 4 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 7 | 39 | 5.1% | 178 LAB-RES//alt_Q0 |
| Q1 | 7 to 12 | 114 | 15% | 179 LAB-RES//alt_Q1 |
| Q2 | 12 to 16 | 75 | 9.8% | 180 LAB-RES//alt_Q2 |
| Q3 | 16 to 20 | 67 | 8.7% | 181 LAB-RES//alt_Q3 |
| Q4 | 20 to 27 | 86 | 11% | 182 LAB-RES//alt_Q4 |
| Q5 | 27 to 35 | 72 | 9.4% | 183 LAB-RES//alt_Q5 |
| Q6 | 35 to 45 | 80 | 10% | 184 LAB-RES//alt_Q6 |
| Q7 | 45 to 64 | 81 | 11% | 185 LAB-RES//alt_Q7 |
| Q8 | 64 to 125 | 76 | 9.9% | 186 LAB-RES//alt_Q8 |
| Q9 | 125 and above | 78 | 10% | 187 LAB-RES//alt_Q9 |

## LAB-RES//ast

Lab result

768 training values · 190 distinct · min 9 · median 41 · mean 148.84 · max 13,060
10 of 10 bins hold values · 4 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 15 | 76 | 9.9% | 188 LAB-RES//ast_Q0 |
| Q1 | 15 to 19 | 67 | 8.7% | 189 LAB-RES//ast_Q1 |
| Q2 | 19 to 26 | 82 | 11% | 190 LAB-RES//ast_Q2 |
| Q3 | 26 to 34 | 82 | 11% | 191 LAB-RES//ast_Q3 |
| Q4 | 34 to 41 | 64 | 8.3% | 192 LAB-RES//ast_Q4 |
| Q5 | 41 to 49 | 83 | 11% | 193 LAB-RES//ast_Q5 |
| Q6 | 49 to 63 | 83 | 11% | 194 LAB-RES//ast_Q6 |
| Q7 | 63 to 92 | 77 | 10% | 195 LAB-RES//ast_Q7 |
| Q8 | 92 to 139 | 76 | 9.9% | 196 LAB-RES//ast_Q8 |
| Q9 | 139 and above | 78 | 10% | 197 LAB-RES//ast_Q9 |

## LAB-RES//basophils_absolute

Lab result

229 training values · 40 distinct · min 0 · median 0 · mean 0.186463 · max 6.36
5 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | none, as its cut points tie at 0 | 0 | 0% | |
| Q5 | 0 to 0.01 | 131 | 57% | 199 LAB-RES//basophils_absolute_Q5 |
| Q6 | 0.01 to 0.03 | 28 | 12% | 200 LAB-RES//basophils_absolute_Q6 |
| Q7 | 0.03 to 0.08 | 23 | 10% | 201 LAB-RES//basophils_absolute_Q7 |
| Q8 | 0.08 to 0.21 | 21 | 9.2% | 202 LAB-RES//basophils_absolute_Q8 |
| Q9 | 0.21 and above | 26 | 11% | 203 LAB-RES//basophils_absolute_Q9 |

## LAB-RES//basophils_percent

Lab result

380 training values · 25 distinct · min 0 · median 0.1 · mean 0.708947 · max 14
6 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 0.1 | 179 | 47% | 205 LAB-RES//basophils_percent_Q4 |
| Q5 | 0.1 to 0.2 | 21 | 5.5% | 206 LAB-RES//basophils_percent_Q5 |
| Q6 | 0.2 to 0.4 | 58 | 15% | 207 LAB-RES//basophils_percent_Q6 |
| Q7 | 0.4 to 0.7 | 42 | 11% | 208 LAB-RES//basophils_percent_Q7 |
| Q8 | 0.7 to 2 | 40 | 11% | 209 LAB-RES//basophils_percent_Q8 |
| Q9 | 2 and above | 40 | 11% | 210 LAB-RES//basophils_percent_Q9 |

## LAB-RES//bicarbonate

Lab result

1,989 training values · 40 distinct · min 5 · median 24 · mean 24.3469 · max 46
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 18 | 162 | 8.1% | 211 LAB-RES//bicarbonate_Q0 |
| Q1 | 18 to 20 | 159 | 8.0% | 212 LAB-RES//bicarbonate_Q1 |
| Q2 | 20 to 22 | 212 | 11% | 213 LAB-RES//bicarbonate_Q2 |
| Q3 | 22 to 23 | 129 | 6.5% | 214 LAB-RES//bicarbonate_Q3 |
| Q4 | 23 to 24 | 178 | 8.9% | 215 LAB-RES//bicarbonate_Q4 |
| Q5 | 24 to 26 | 346 | 17% | 216 LAB-RES//bicarbonate_Q5 |
| Q6 | 26 to 27 | 177 | 8.9% | 217 LAB-RES//bicarbonate_Q6 |
| Q7 | 27 to 28 | 135 | 6.8% | 218 LAB-RES//bicarbonate_Q7 |
| Q8 | 28 to 30 | 232 | 12% | 219 LAB-RES//bicarbonate_Q8 |
| Q9 | 30 and above | 259 | 13% | 220 LAB-RES//bicarbonate_Q9 |

## LAB-RES//bilirubin_conjugated

Lab result

34 training values · 25 distinct · min 0.1 · median 2.05 · mean 4.38235 · max 26.4
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.2 | 2 | 5.9% | 221 LAB-RES//bilirubin_conjugated_Q0 |
| Q1 | 0.2 to 0.5 | 4 | 12% | 222 LAB-RES//bilirubin_conjugated_Q1 |
| Q2 | 0.5 to 0.8 | 4 | 12% | 223 LAB-RES//bilirubin_conjugated_Q2 |
| Q3 | 0.8 to 1.5 | 3 | 8.8% | 224 LAB-RES//bilirubin_conjugated_Q3 |
| Q4 | 1.5 to 2.1 | 4 | 12% | 225 LAB-RES//bilirubin_conjugated_Q4 |
| Q5 | 2.1 to 3 | 3 | 8.8% | 226 LAB-RES//bilirubin_conjugated_Q5 |
| Q6 | 3 to 3.2 | 3 | 8.8% | 227 LAB-RES//bilirubin_conjugated_Q6 |
| Q7 | 3.2 to 5.5 | 3 | 8.8% | 228 LAB-RES//bilirubin_conjugated_Q7 |
| Q8 | 5.5 to 15.8 | 4 | 12% | 229 LAB-RES//bilirubin_conjugated_Q8 |
| Q9 | 15.8 and above | 4 | 12% | 230 LAB-RES//bilirubin_conjugated_Q9 |

## LAB-RES//bilirubin_total

Lab result

783 training values · 100 distinct · min 0.1 · median 0.6 · mean 2.07663 · max 35.9
10 of 10 bins hold values · 4 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.2 | 7 | 0.9% | 231 LAB-RES//bilirubin_total_Q0 |
| Q1 | 0.2 to 0.3 | 113 | 14% | 232 LAB-RES//bilirubin_total_Q1 |
| Q2 | 0.3 to 0.4 | 89 | 11% | 233 LAB-RES//bilirubin_total_Q2 |
| Q3 | 0.4 to 0.5 | 84 | 11% | 234 LAB-RES//bilirubin_total_Q3 |
| Q4 | 0.5 to 0.6 | 69 | 8.8% | 235 LAB-RES//bilirubin_total_Q4 |
| Q5 | 0.6 to 0.9 | 96 | 12% | 236 LAB-RES//bilirubin_total_Q5 |
| Q6 | 0.9 to 1.3 | 76 | 9.7% | 237 LAB-RES//bilirubin_total_Q6 |
| Q7 | 1.3 to 2 | 89 | 11% | 238 LAB-RES//bilirubin_total_Q7 |
| Q8 | 2 to 3.9 | 81 | 10% | 239 LAB-RES//bilirubin_total_Q8 |
| Q9 | 3.9 and above | 79 | 10% | 240 LAB-RES//bilirubin_total_Q9 |

## LAB-RES//bilirubin_unconjugated

Lab result

29 training values · 21 distinct · min 0 · median 1.2 · mean 2.93448 · max 11.3
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.1 | 1 | 3.4% | 241 LAB-RES//bilirubin_unconjugated_… |
| Q1 | 0.1 to 0.4 | 5 | 17% | 242 LAB-RES//bilirubin_unconjugated_… |
| Q2 | 0.4 to 0.7 | 2 | 6.9% | 243 LAB-RES//bilirubin_unconjugated_… |
| Q3 | 0.7 to 1 | 3 | 10% | 244 LAB-RES//bilirubin_unconjugated_… |
| Q4 | 1 to 1.2 | 3 | 10% | 245 LAB-RES//bilirubin_unconjugated_… |
| Q5 | 1.2 to 1.7 | 3 | 10% | 246 LAB-RES//bilirubin_unconjugated_… |
| Q6 | 1.7 to 2.8 | 3 | 10% | 247 LAB-RES//bilirubin_unconjugated_… |
| Q7 | 2.8 to 5.9 | 2 | 6.9% | 248 LAB-RES//bilirubin_unconjugated_… |
| Q8 | 5.9 to 8.8 | 3 | 10% | 249 LAB-RES//bilirubin_unconjugated_… |
| Q9 | 8.8 and above | 4 | 14% | 250 LAB-RES//bilirubin_unconjugated_… |

## LAB-RES//bun

Lab result

1,981 training values · 131 distinct · min 1 · median 18 · mean 27.0899 · max 205
10 of 10 bins hold values · 9 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 7 | 164 | 8.3% | 251 LAB-RES//bun_Q0 |
| Q1 | 7 to 10 | 178 | 9.0% | 252 LAB-RES//bun_Q1 |
| Q2 | 10 to 13 | 209 | 11% | 253 LAB-RES//bun_Q2 |
| Q3 | 13 to 15 | 194 | 9.8% | 254 LAB-RES//bun_Q3 |
| Q4 | 15 to 18 | 229 | 12% | 255 LAB-RES//bun_Q4 |
| Q5 | 18 to 22 | 206 | 10% | 256 LAB-RES//bun_Q5 |
| Q6 | 22 to 28 | 201 | 10% | 257 LAB-RES//bun_Q6 |
| Q7 | 28 to 38 | 192 | 9.7% | 258 LAB-RES//bun_Q7 |
| Q8 | 38 to 63 | 209 | 11% | 259 LAB-RES//bun_Q8 |
| Q9 | 63 and above | 199 | 10% | 260 LAB-RES//bun_Q9 |

## LAB-RES//calcium_ionized

Lab result

454 training values · 58 distinct · min 2.8 · median 4.48 · mean 4.49189 · max 5.68
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 4.04 | 44 | 9.7% | 261 LAB-RES//calcium_ionized_Q0 |
| Q1 | 4.04 to 4.2 | 36 | 7.9% | 262 LAB-RES//calcium_ionized_Q1 |
| Q2 | 4.2 to 4.36 | 56 | 12% | 263 LAB-RES//calcium_ionized_Q2 |
| Q3 | 4.36 to 4.44 | 43 | 9.5% | 264 LAB-RES//calcium_ionized_Q3 |
| Q4 | 4.44 to 4.48 | 23 | 5.1% | 265 LAB-RES//calcium_ionized_Q4 |
| Q5 | 4.48 to 4.6 | 69 | 15% | 266 LAB-RES//calcium_ionized_Q5 |
| Q6 | 4.6 to 4.68 | 44 | 9.7% | 267 LAB-RES//calcium_ionized_Q6 |
| Q7 | 4.68 to 4.76 | 33 | 7.3% | 268 LAB-RES//calcium_ionized_Q7 |
| Q8 | 4.76 to 4.92 | 56 | 12% | 269 LAB-RES//calcium_ionized_Q8 |
| Q9 | 4.92 and above | 50 | 11% | 270 LAB-RES//calcium_ionized_Q9 |

## LAB-RES//calcium_total

Lab result

1,817 training values · 54 distinct · min 2.7 · median 8.4 · mean 8.471 · max 12.1
10 of 10 bins hold values · 5 below, 9 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 7.6 | 167 | 9.2% | 271 LAB-RES//calcium_total_Q0 |
| Q1 | 7.6 to 7.9 | 180 | 9.9% | 272 LAB-RES//calcium_total_Q1 |
| Q2 | 7.9 to 8.1 | 169 | 9.3% | 273 LAB-RES//calcium_total_Q2 |
| Q3 | 8.1 to 8.2 | 99 | 5.4% | 274 LAB-RES//calcium_total_Q3 |
| Q4 | 8.2 to 8.4 | 224 | 12% | 275 LAB-RES//calcium_total_Q4 |
| Q5 | 8.4 to 8.6 | 195 | 11% | 276 LAB-RES//calcium_total_Q5 |
| Q6 | 8.6 to 8.8 | 196 | 11% | 277 LAB-RES//calcium_total_Q6 |
| Q7 | 8.8 to 9 | 162 | 8.9% | 278 LAB-RES//calcium_total_Q7 |
| Q8 | 9 to 9.4 | 233 | 13% | 279 LAB-RES//calcium_total_Q8 |
| Q9 | 9.4 and above | 192 | 11% | 280 LAB-RES//calcium_total_Q9 |

## LAB-RES//chloride

Lab result

2,141 training values · 46 distinct · min 82 · median 102 · mean 101.869 · max 136
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 94 | 209 | 9.8% | 281 LAB-RES//chloride_Q0 |
| Q1 | 94 to 97 | 193 | 9.0% | 282 LAB-RES//chloride_Q1 |
| Q2 | 97 to 99 | 188 | 8.8% | 283 LAB-RES//chloride_Q2 |
| Q3 | 99 to 101 | 249 | 12% | 284 LAB-RES//chloride_Q3 |
| Q4 | 101 to 102 | 149 | 7.0% | 285 LAB-RES//chloride_Q4 |
| Q5 | 102 to 103 | 149 | 7.0% | 286 LAB-RES//chloride_Q5 |
| Q6 | 103 to 105 | 325 | 15% | 287 LAB-RES//chloride_Q6 |
| Q7 | 105 to 107 | 244 | 11% | 288 LAB-RES//chloride_Q7 |
| Q8 | 107 to 110 | 197 | 9.2% | 289 LAB-RES//chloride_Q8 |
| Q9 | 110 and above | 238 | 11% | 290 LAB-RES//chloride_Q9 |

## LAB-RES//creatinine

Lab result

2,001 training values · 87 distinct · min 0.2 · median 1 · mean 1.52049 · max 13.7
10 of 10 bins hold values · 10 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.5 | 120 | 6.0% | 291 LAB-RES//creatinine_Q0 |
| Q1 | 0.5 to 0.6 | 112 | 5.6% | 292 LAB-RES//creatinine_Q1 |
| Q2 | 0.6 to 0.8 | 346 | 17% | 293 LAB-RES//creatinine_Q2 |
| Q3 | 0.8 to 0.9 | 168 | 8.4% | 294 LAB-RES//creatinine_Q3 |
| Q4 | 0.9 to 1 | 170 | 8.5% | 295 LAB-RES//creatinine_Q4 |
| Q5 | 1 to 1.2 | 269 | 13% | 296 LAB-RES//creatinine_Q5 |
| Q6 | 1.2 to 1.4 | 157 | 7.8% | 297 LAB-RES//creatinine_Q6 |
| Q7 | 1.4 to 2 | 248 | 12% | 298 LAB-RES//creatinine_Q7 |
| Q8 | 2 to 3 | 202 | 10% | 299 LAB-RES//creatinine_Q8 |
| Q9 | 3 and above | 209 | 10% | 300 LAB-RES//creatinine_Q9 |

## LAB-RES//crp

Lab result

11 training values · 11 distinct · min 0.4 · median 85.4 · mean 89.4364 · max 327.1
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2.4 | 1 | 9.1% | 302 LAB-RES//crp_Q0 |
| Q1 | 2.4 to 7 | 1 | 9.1% | 303 LAB-RES//crp_Q1 |
| Q2 | 7 to 16 | 1 | 9.1% | 304 LAB-RES//crp_Q2 |
| Q3 | 16 to 38.5 | 1 | 9.1% | 305 LAB-RES//crp_Q3 |
| Q4 | 38.5 to 85.4 | 1 | 9.1% | 306 LAB-RES//crp_Q4 |
| Q5 | 85.4 to 97.9 | 1 | 9.1% | 307 LAB-RES//crp_Q5 |
| Q6 | 97.9 to 113.6 | 1 | 9.1% | 308 LAB-RES//crp_Q6 |
| Q7 | 113.6 to 139.3 | 1 | 9.1% | 309 LAB-RES//crp_Q7 |
| Q8 | 139.3 to 156.2 | 1 | 9.1% | 310 LAB-RES//crp_Q8 |
| Q9 | 156.2 and above | 2 | 18% | 311 LAB-RES//crp_Q9 |

## LAB-RES//eosinophils_absolute

Lab result

229 training values · 64 distinct · min 0 · median 0.06 · mean 0.293886 · max 9.5
6 of 10 bins hold values · 2 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 0.06 | 112 | 49% | 313 LAB-RES//eosinophils_absolute_Q4 |
| Q5 | 0.06 to 0.14 | 25 | 11% | 314 LAB-RES//eosinophils_absolute_Q5 |
| Q6 | 0.14 to 0.21 | 23 | 10% | 315 LAB-RES//eosinophils_absolute_Q6 |
| Q7 | 0.21 to 0.28 | 20 | 8.7% | 316 LAB-RES//eosinophils_absolute_Q7 |
| Q8 | 0.28 to 0.5 | 25 | 11% | 317 LAB-RES//eosinophils_absolute_Q8 |
| Q9 | 0.5 and above | 24 | 10% | 318 LAB-RES//eosinophils_absolute_Q9 |

## LAB-RES//eosinophils_percent

Lab result

381 training values · 65 distinct · min 0 · median 1 · mean 1.89685 · max 18
7 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 0.3 | 143 | 38% | 320 LAB-RES//eosinophils_percent_Q3 |
| Q4 | 0.3 to 1 | 35 | 9.2% | 321 LAB-RES//eosinophils_percent_Q4 |
| Q5 | 1 to 1.4 | 47 | 12% | 322 LAB-RES//eosinophils_percent_Q5 |
| Q6 | 1.4 to 2 | 13 | 3.4% | 323 LAB-RES//eosinophils_percent_Q6 |
| Q7 | 2 to 3 | 55 | 14% | 324 LAB-RES//eosinophils_percent_Q7 |
| Q8 | 3 to 5 | 47 | 12% | 325 LAB-RES//eosinophils_percent_Q8 |
| Q9 | 5 and above | 41 | 11% | 326 LAB-RES//eosinophils_percent_Q9 |

## LAB-RES//esr

Lab result

1 training values · 1 distinct · min 2 · median 2 · mean 2 · max 2
1 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 2 | 0 | 0% | |
| Q2 | none, as its cut points tie at 2 | 0 | 0% | |
| Q3 | none, as its cut points tie at 2 | 0 | 0% | |
| Q4 | none, as its cut points tie at 2 | 0 | 0% | |
| Q5 | none, as its cut points tie at 2 | 0 | 0% | |
| Q6 | none, as its cut points tie at 2 | 0 | 0% | |
| Q7 | none, as its cut points tie at 2 | 0 | 0% | |
| Q8 | none, as its cut points tie at 2 | 0 | 0% | |
| Q9 | 2 and above | 1 | 100% | 327 LAB-RES//esr_Q9 |

## LAB-RES//ferritin

Lab result

35 training values · 33 distinct · min 56 · median 529 · mean 1,809.74 · max 33,546
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 90 | 3 | 8.6% | 328 LAB-RES//ferritin_Q0 |
| Q1 | 90 to 299 | 4 | 11% | 329 LAB-RES//ferritin_Q1 |
| Q2 | 299 to 382 | 2 | 5.7% | 330 LAB-RES//ferritin_Q2 |
| Q3 | 382 to 459 | 5 | 14% | 331 LAB-RES//ferritin_Q3 |
| Q4 | 459 to 529 | 3 | 8.6% | 332 LAB-RES//ferritin_Q4 |
| Q5 | 529 to 698 | 3 | 8.6% | 333 LAB-RES//ferritin_Q5 |
| Q6 | 698 to 1,108 | 4 | 11% | 334 LAB-RES//ferritin_Q6 |
| Q7 | 1,108 to 1,256 | 3 | 8.6% | 335 LAB-RES//ferritin_Q7 |
| Q8 | 1,256 to 2,632 | 4 | 11% | 336 LAB-RES//ferritin_Q8 |
| Q9 | 2,632 and above | 4 | 11% | 337 LAB-RES//ferritin_Q9 |

## LAB-RES//glucose_serum

Lab result


2,202 training values · 308 distinct · min 29 · median 127 · mean 148.469 · max 942
10 of 10 bins hold values · 11 above the range drawn




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 87 | 215 | 9.8% | 338 LAB-RES//glucose_serum_Q0 |
| Q1 | 87 to 98 | 205 | 9.3% | 339 LAB-RES//glucose_serum_Q1 |
| Q2 | 98 to 107 | 226 | 10% | 340 LAB-RES//glucose_serum_Q2 |
| Q3 | 107 to 117 | 219 | 9.9% | 341 LAB-RES//glucose_serum_Q3 |
| Q4 | 117 to 127 | 232 | 11% | 342 LAB-RES//glucose_serum_Q4 |
| Q5 | 127 to 140 | 210 | 9.5% | 343 LAB-RES//glucose_serum_Q5 |
| Q6 | 140 to 159 | 224 | 10% | 344 LAB-RES//glucose_serum_Q6 |
| Q7 | 159 to 192 | 230 | 10% | 345 LAB-RES//glucose_serum_Q7 |
| Q8 | 192 to 239 | 216 | 9.8% | 346 LAB-RES//glucose_serum_Q8 |
| Q9 | 239 and above | 225 | 10% | 347 LAB-RES//glucose_serum_Q9 |

## LAB-RES//hemoglobin

Lab result





1,960 training values · 108 distinct · min 3.3 · median 9.05 · mean 9.40617 · max 16.9
10 of 10 bins hold values · 9 below the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 7.4 | 187 | 9.5% | 349 LAB-RES//hemoglobin_Q0 |
| Q1 | 7.4 to 7.8 | 171 | 8.7% | 350 LAB-RES//hemoglobin_Q1 |
| Q2 | 7.8 to 8.2 | 200 | 10% | 351 LAB-RES//hemoglobin_Q2 |
| Q3 | 8.2 to 8.6 | 202 | 10% | 352 LAB-RES//hemoglobin_Q3 |
| Q4 | 8.6 to 9.1 | 220 | 11% | 353 LAB-RES//hemoglobin_Q4 |
| Q5 | 9.1 to 9.5 | 151 | 7.7% | 354 LAB-RES//hemoglobin_Q5 |
| Q6 | 9.5 to 10.1 | 224 | 11% | 355 LAB-RES//hemoglobin_Q6 |
| Q7 | 10.1 to 10.8 | 207 | 11% | 356 LAB-RES//hemoglobin_Q7 |
| Q8 | 10.8 to 12 | 187 | 9.5% | 357 LAB-RES//hemoglobin_Q8 |
| Q9 | 12 and above | 211 | 11% | 358 LAB-RES//hemoglobin_Q9 |

## LAB-RES//inr

Lab result





1,085 training values · 48 distinct · min 0.9 · median 1.3 · mean 1.53651 · max 9.6
8 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1.1 | 80 | 7.4% | 360 LAB-RES//inr_Q0 |
| Q1 | none, as its cut points tie at 1.1 | 0 | 0% | |
| Q2 | 1.1 to 1.2 | 194 | 18% | 361 LAB-RES//inr_Q2 |
| Q3 | none, as its cut points tie at 1.2 | 0 | 0% | |
| Q4 | 1.2 to 1.3 | 167 | 15% | 362 LAB-RES//inr_Q4 |
| Q5 | 1.3 to 1.4 | 151 | 14% | 363 LAB-RES//inr_Q5 |
| Q6 | 1.4 to 1.5 | 109 | 10% | 364 LAB-RES//inr_Q6 |
| Q7 | 1.5 to 1.7 | 127 | 12% | 365 LAB-RES//inr_Q7 |
| Q8 | 1.7 to 2.1 | 130 | 12% | 366 LAB-RES//inr_Q8 |
| Q9 | 2.1 and above | 127 | 12% | 367 LAB-RES//inr_Q9 |

## LAB-RES//lactate

Lab result





545 training values · 80 distinct · min 0.5 · median 1.9 · mean 2.5945 · max 13.2
10 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1 | 41 | 7.5% | 368 LAB-RES//lactate_Q0 |
| Q1 | 1 to 1.3 | 57 | 10% | 369 LAB-RES//lactate_Q1 |
| Q2 | 1.3 to 1.5 | 48 | 8.8% | 370 LAB-RES//lactate_Q2 |
| Q3 | 1.5 to 1.7 | 62 | 11% | 371 LAB-RES//lactate_Q3 |
| Q4 | 1.7 to 1.9 | 54 | 9.9% | 372 LAB-RES//lactate_Q4 |
| Q5 | 1.9 to 2.3 | 60 | 11% | 373 LAB-RES//lactate_Q5 |
| Q6 | 2.3 to 2.6 | 51 | 9.4% | 374 LAB-RES//lactate_Q6 |
| Q7 | 2.6 to 3.1 | 51 | 9.4% | 375 LAB-RES//lactate_Q7 |
| Q8 | 3.1 to 4.6 | 65 | 12% | 376 LAB-RES//lactate_Q8 |
| Q9 | 4.6 and above | 56 | 10% | 377 LAB-RES//lactate_Q9 |

## LAB-RES//ldh

Lab result





456 training values · 324 distinct · min 99 · median 259 · mean 871.138 · max 16,200
10 of 10 bins hold values · 3 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 157 | 46 | 10% | 378 LAB-RES//ldh_Q0 |
| Q1 | 157 to 187 | 45 | 9.9% | 379 LAB-RES//ldh_Q1 |
| Q2 | 187 to 216 | 46 | 10% | 380 LAB-RES//ldh_Q2 |
| Q3 | 216 to 235 | 45 | 9.9% | 381 LAB-RES//ldh_Q3 |
| Q4 | 235 to 260 | 46 | 10% | 382 LAB-RES//ldh_Q4 |
| Q5 | 260 to 339 | 45 | 9.9% | 383 LAB-RES//ldh_Q5 |
| Q6 | 339 to 576 | 46 | 10% | 384 LAB-RES//ldh_Q6 |
| Q7 | 576 to 1,000 | 45 | 9.9% | 385 LAB-RES//ldh_Q7 |
| Q8 | 1,000 to 1,861 | 46 | 10% | 386 LAB-RES//ldh_Q8 |
| Q9 | 1,861 and above | 46 | 10% | 387 LAB-RES//ldh_Q9 |

## LAB-RES//lymphocytes_absolute

Lab result

229 training values · 190 distinct · min 0.02 · median 2.32 · mean 4.74341 · max 57.41
10 of 10 bins hold values · 2 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.38 | 23 | 10% | 389 LAB-RES//lymphocytes_absolute_Q0 |
| Q1 | 0.38 to 0.5 | 21 | 9.2% | 390 LAB-RES//lymphocytes_absolute_Q1 |
| Q2 | 0.5 to 0.79 | 24 | 10% | 391 LAB-RES//lymphocytes_absolute_Q2 |
| Q3 | 0.79 to 1.27 | 23 | 10% | 392 LAB-RES//lymphocytes_absolute_Q3 |
| Q4 | 1.27 to 2.32 | 22 | 9.6% | 393 LAB-RES//lymphocytes_absolute_Q4 |
| Q5 | 2.32 to 4.26 | 24 | 10% | 394 LAB-RES//lymphocytes_absolute_Q5 |
| Q6 | 4.26 to 5.91 | 23 | 10% | 395 LAB-RES//lymphocytes_absolute_Q6 |
| Q7 | 5.91 to 7.74 | 21 | 9.2% | 396 LAB-RES//lymphocytes_absolute_Q7 |
| Q8 | 7.74 to 10.75 | 24 | 10% | 397 LAB-RES//lymphocytes_absolute_Q8 |
| Q9 | 10.75 and above | 24 | 10% | 398 LAB-RES//lymphocytes_absolute_Q9 |

## LAB-RES//lymphocytes_percent

Lab result

381 training values · 180 distinct · min 1 · median 18 · mean 30.2331 · max 100
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 4 | 29 | 7.6% | 400 LAB-RES//lymphocytes_percent_Q0 |
| Q1 | 4 to 7 | 47 | 12% | 401 LAB-RES//lymphocytes_percent_Q1 |
| Q2 | 7 to 10.7 | 36 | 9.4% | 402 LAB-RES//lymphocytes_percent_Q2 |
| Q3 | 10.7 to 14 | 37 | 9.7% | 403 LAB-RES//lymphocytes_percent_Q3 |
| Q4 | 14 to 18 | 39 | 10% | 404 LAB-RES//lymphocytes_percent_Q4 |
| Q5 | 18 to 26.8 | 40 | 10% | 405 LAB-RES//lymphocytes_percent_Q5 |
| Q6 | 26.8 to 44 | 35 | 9.2% | 406 LAB-RES//lymphocytes_percent_Q6 |
| Q7 | 44 to 56 | 41 | 11% | 407 LAB-RES//lymphocytes_percent_Q7 |
| Q8 | 56 to 70 | 38 | 10.0% | 408 LAB-RES//lymphocytes_percent_Q8 |
| Q9 | 70 and above | 39 | 10% | 409 LAB-RES//lymphocytes_percent_Q9 |

## LAB-RES//magnesium

Lab result

1,909 training values · 27 distinct · min 0.9 · median 2 · mean 2.03704 · max 10
8 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1.7 | 142 | 7.4% | 410 LAB-RES//magnesium_Q0 |
| Q1 | 1.7 to 1.8 | 125 | 6.5% | 411 LAB-RES//magnesium_Q1 |
| Q2 | 1.8 to 1.9 | 236 | 12% | 412 LAB-RES//magnesium_Q2 |
| Q3 | 1.9 to 2 | 254 | 13% | 413 LAB-RES//magnesium_Q3 |
| Q4 | none, as its cut points tie at 2 | 0 | 0% | |
| Q5 | 2 to 2.1 | 309 | 16% | 414 LAB-RES//magnesium_Q5 |
| Q6 | none, as its cut points tie at 2.1 | 0 | 0% | |
| Q7 | 2.1 to 2.2 | 276 | 14% | 415 LAB-RES//magnesium_Q7 |
| Q8 | 2.2 to 2.4 | 336 | 18% | 416 LAB-RES//magnesium_Q8 |
| Q9 | 2.4 and above | 231 | 12% | 417 LAB-RES//magnesium_Q9 |

## LAB-RES//monocytes_absolute

Lab result

229 training values · 135 distinct · min 0 · median 0.74 · mean 2.09886 · max 58.43
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.01 | 23 | 10% | 419 LAB-RES//monocytes_absolute_Q0 |
| Q1 | 0.01 to 0.14 | 23 | 10% | 420 LAB-RES//monocytes_absolute_Q1 |
| Q2 | 0.14 to 0.41 | 21 | 9.2% | 421 LAB-RES//monocytes_absolute_Q2 |
| Q3 | 0.41 to 0.55 | 23 | 10% | 422 LAB-RES//monocytes_absolute_Q3 |
| Q4 | 0.55 to 0.74 | 24 | 10% | 423 LAB-RES//monocytes_absolute_Q4 |
| Q5 | 0.74 to 0.89 | 23 | 10% | 424 LAB-RES//monocytes_absolute_Q5 |
| Q6 | 0.89 to 1.1 | 23 | 10% | 425 LAB-RES//monocytes_absolute_Q6 |
| Q7 | 1.1 to 1.31 | 21 | 9.2% | 426 LAB-RES//monocytes_absolute_Q7 |
| Q8 | 1.31 to 2.14 | 24 | 10% | 427 LAB-RES//monocytes_absolute_Q8 |
| Q9 | 2.14 and above | 24 | 10% | 428 LAB-RES//monocytes_absolute_Q9 |

## LAB-RES//monocytes_percent

Lab result

381 training values · 119 distinct · min 0 · median 5 · mean 7.85459 · max 69
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1 | 36 | 9.4% | 430 LAB-RES//monocytes_percent_Q0 |
| Q1 | 1 to 2.1 | 40 | 10% | 431 LAB-RES//monocytes_percent_Q1 |
| Q2 | 2.1 to 3.1 | 38 | 10.0% | 432 LAB-RES//monocytes_percent_Q2 |
| Q3 | 3.1 to 4.6 | 38 | 10.0% | 433 LAB-RES//monocytes_percent_Q3 |
| Q4 | 4.6 to 5 | 6 | 1.6% | 434 LAB-RES//monocytes_percent_Q4 |
| Q5 | 5 to 6.8 | 69 | 18% | 435 LAB-RES//monocytes_percent_Q5 |
| Q6 | 6.8 to 8.5 | 38 | 10.0% | 436 LAB-RES//monocytes_percent_Q6 |
| Q7 | 8.5 to 10.5 | 39 | 10% | 437 LAB-RES//monocytes_percent_Q7 |
| Q8 | 10.5 to 15 | 36 | 9.4% | 438 LAB-RES//monocytes_percent_Q8 |
| Q9 | 15 and above | 41 | 11% | 439 LAB-RES//monocytes_percent_Q9 |

## LAB-RES//neutrophils_absolute

Lab result

229 training values · 202 distinct · min 0 · median 5.66 · mean 9.70629 · max 97.52
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.15 | 22 | 9.6% | 441 LAB-RES//neutrophils_absolute_Q0 |
| Q1 | 0.15 to 1.86 | 24 | 10% | 442 LAB-RES//neutrophils_absolute_Q1 |
| Q2 | 1.86 to 3.26 | 22 | 9.6% | 443 LAB-RES//neutrophils_absolute_Q2 |
| Q3 | 3.26 to 4.33 | 23 | 10% | 444 LAB-RES//neutrophils_absolute_Q3 |
| Q4 | 4.33 to 5.66 | 23 | 10% | 445 LAB-RES//neutrophils_absolute_Q4 |
| Q5 | 5.66 to 6.99 | 23 | 10% | 446 LAB-RES//neutrophils_absolute_Q5 |
| Q6 | 6.99 to 8.45 | 23 | 10% | 447 LAB-RES//neutrophils_absolute_Q6 |
| Q7 | 8.45 to 10.49 | 22 | 9.6% | 448 LAB-RES//neutrophils_absolute_Q7 |
| Q8 | 10.49 to 22.15 | 23 | 10% | 449 LAB-RES//neutrophils_absolute_Q8 |
| Q9 | 22.15 and above | 24 | 10% | 450 LAB-RES//neutrophils_absolute_Q9 |

## LAB-RES//neutrophils_percent

Lab result

381 training values · 190 distinct · min 0 · median 60.5 · mean 53.7549 · max 94.5
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 12 | 36 | 9.4% | 452 LAB-RES//neutrophils_percent_Q0 |
| Q1 | 12 to 28 | 40 | 10% | 453 LAB-RES//neutrophils_percent_Q1 |
| Q2 | 28 to 40 | 38 | 10.0% | 454 LAB-RES//neutrophils_percent_Q2 |
| Q3 | 40 to 48.8 | 38 | 10.0% | 455 LAB-RES//neutrophils_percent_Q3 |
| Q4 | 48.8 to 60.5 | 38 | 10.0% | 456 LAB-RES//neutrophils_percent_Q4 |
| Q5 | 60.5 to 67 | 37 | 9.7% | 457 LAB-RES//neutrophils_percent_Q5 |
| Q6 | 67 to 73 | 39 | 10% | 458 LAB-RES//neutrophils_percent_Q6 |
| Q7 | 73 to 79.3 | 38 | 10.0% | 459 LAB-RES//neutrophils_percent_Q7 |
| Q8 | 79.3 to 85.4 | 38 | 10.0% | 460 LAB-RES//neutrophils_percent_Q8 |
| Q9 | 85.4 and above | 39 | 10% | 461 LAB-RES//neutrophils_percent_Q9 |

## LAB-RES//pco2_arterial

Lab result

755 training values · 60 distinct · min 17 · median 38 · mean 39.9603 · max 112
10 of 10 bins hold values · 4 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 30 | 65 | 8.6% | 462 LAB-RES//pco2_arterial_Q0 |
| Q1 | 30 to 33 | 72 | 9.5% | 463 LAB-RES//pco2_arterial_Q1 |
| Q2 | 33 to 35 | 63 | 8.3% | 464 LAB-RES//pco2_arterial_Q2 |
| Q3 | 35 to 37 | 85 | 11% | 465 LAB-RES//pco2_arterial_Q3 |
| Q4 | 37 to 38 | 49 | 6.5% | 466 LAB-RES//pco2_arterial_Q4 |
| Q5 | 38 to 41 | 116 | 15% | 467 LAB-RES//pco2_arterial_Q5 |
| Q6 | 41 to 43 | 73 | 9.7% | 468 LAB-RES//pco2_arterial_Q6 |
| Q7 | 43 to 46 | 68 | 9.0% | 469 LAB-RES//pco2_arterial_Q7 |
| Q8 | 46 to 51 | 78 | 10% | 470 LAB-RES//pco2_arterial_Q8 |
| Q9 | 51 and above | 86 | 11% | 471 LAB-RES//pco2_arterial_Q9 |

## LAB-RES//pco2_venous

Lab result

92 training values · 30 distinct · min 20 · median 36 · mean 37.1739 · max 112
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 29 | 8 | 8.7% | 472 LAB-RES//pco2_venous_Q0 |
| Q1 | 29 to 31 | 8 | 8.7% | 473 LAB-RES//pco2_venous_Q1 |
| Q2 | 31 to 33 | 9 | 9.8% | 474 LAB-RES//pco2_venous_Q2 |
| Q3 | 33 to 34 | 3 | 3.3% | 475 LAB-RES//pco2_venous_Q3 |
| Q4 | 34 to 36 | 17 | 18% | 476 LAB-RES//pco2_venous_Q4 |
| Q5 | 36 to 37 | 7 | 7.6% | 477 LAB-RES//pco2_venous_Q5 |
| Q6 | 37 to 38 | 11 | 12% | 478 LAB-RES//pco2_venous_Q6 |
| Q7 | 38 to 42 | 10 | 11% | 479 LAB-RES//pco2_venous_Q7 |
| Q8 | 42 to 46 | 8 | 8.7% | 480 LAB-RES//pco2_venous_Q8 |
| Q9 | 46 and above | 11 | 12% | 481 LAB-RES//pco2_venous_Q9 |

## LAB-RES//ph_arterial

Lab result

812 training values · 54 distinct · min 6.93 · median 7.38 · mean 7.36861 · max 7.57
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 7.27 | 81 | 10.0% | 482 LAB-RES//ph_arterial_Q0 |
| Q1 | 7.27 to 7.31 | 75 | 9.2% | 483 LAB-RES//ph_arterial_Q1 |
| Q2 | 7.31 to 7.34 | 79 | 9.7% | 484 LAB-RES//ph_arterial_Q2 |
| Q3 | 7.34 to 7.36 | 66 | 8.1% | 485 LAB-RES//ph_arterial_Q3 |
| Q4 | 7.36 to 7.38 | 93 | 11% | 486 LAB-RES//ph_arterial_Q4 |
| Q5 | 7.38 to 7.4 | 86 | 11% | 487 LAB-RES//ph_arterial_Q5 |
| Q6 | 7.4 to 7.42 | 86 | 11% | 488 LAB-RES//ph_arterial_Q6 |
| Q7 | 7.42 to 7.44 | 70 | 8.6% | 489 LAB-RES//ph_arterial_Q7 |
| Q8 | 7.44 to 7.46 | 65 | 8.0% | 490 LAB-RES//ph_arterial_Q8 |
| Q9 | 7.46 and above | 111 | 14% | 491 LAB-RES//ph_arterial_Q9 |

## LAB-RES//ph_venous

Lab result

120 training values · 34 distinct · min 7.11 · median 7.37 · mean 7.36217 · max 7.54
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 7.28 | 12 | 10% | 492 LAB-RES//ph_venous_Q0 |
| Q1 | 7.28 to 7.32 | 9 | 7.5% | 493 LAB-RES//ph_venous_Q1 |
| Q2 | 7.32 to 7.34 | 13 | 11% | 494 LAB-RES//ph_venous_Q2 |
| Q3 | 7.34 to 7.36 | 12 | 10% | 495 LAB-RES//ph_venous_Q3 |
| Q4 | 7.36 to 7.37 | 10 | 8.3% | 496 LAB-RES//ph_venous_Q4 |
| Q5 | 7.37 to 7.38 | 10 | 8.3% | 497 LAB-RES//ph_venous_Q5 |
| Q6 | 7.38 to 7.4 | 15 | 13% | 498 LAB-RES//ph_venous_Q6 |
| Q7 | 7.4 to 7.42 | 12 | 10% | 499 LAB-RES//ph_venous_Q7 |
| Q8 | 7.42 to 7.44 | 10 | 8.3% | 500 LAB-RES//ph_venous_Q8 |
| Q9 | 7.44 and above | 17 | 14% | 501 LAB-RES//ph_venous_Q9 |

## LAB-RES//phosphate

Lab result


1,823 training values · 93 distinct · min 0.7 · median 3.4 · mean 3.60757 · max 13
10 of 10 bins hold values · 9 above the range drawn




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2.2 | 175 | 9.6% | 502 LAB-RES//phosphate_Q0 |
| Q1 | 2.2 to 2.6 | 156 | 8.6% | 503 LAB-RES//phosphate_Q1 |
| Q2 | 2.6 to 2.9 | 181 | 9.9% | 504 LAB-RES//phosphate_Q2 |
| Q3 | 2.9 to 3.2 | 212 | 12% | 505 LAB-RES//phosphate_Q3 |
| Q4 | 3.2 to 3.4 | 163 | 8.9% | 506 LAB-RES//phosphate_Q4 |
| Q5 | 3.4 to 3.6 | 144 | 7.9% | 507 LAB-RES//phosphate_Q5 |
| Q6 | 3.6 to 3.9 | 197 | 11% | 508 LAB-RES//phosphate_Q6 |
| Q7 | 3.9 to 4.4 | 222 | 12% | 509 LAB-RES//phosphate_Q7 |
| Q8 | 4.4 to 5.1 | 189 | 10% | 510 LAB-RES//phosphate_Q8 |
| Q9 | 5.1 and above | 184 | 10% | 511 LAB-RES//phosphate_Q9 |

## LAB-RES//platelet_count

Lab result





1,883 training values · 469 distinct · min 6 · median 158 · mean 185.402 · max 905
10 of 10 bins hold values · 9 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 40 | 186 | 9.9% | 513 LAB-RES//platelet_count_Q0 |
| Q1 | 40 to 76 | 190 | 10% | 514 LAB-RES//platelet_count_Q1 |
| Q2 | 76 to 108 | 188 | 10.0% | 515 LAB-RES//platelet_count_Q2 |
| Q3 | 108 to 135 | 182 | 9.7% | 516 LAB-RES//platelet_count_Q3 |
| Q4 | 135 to 158 | 189 | 10% | 517 LAB-RES//platelet_count_Q4 |
| Q5 | 158 to 189 | 193 | 10% | 518 LAB-RES//platelet_count_Q5 |
| Q6 | 189 to 229 | 180 | 9.6% | 519 LAB-RES//platelet_count_Q6 |
| Q7 | 229 to 282 | 198 | 11% | 520 LAB-RES//platelet_count_Q7 |
| Q8 | 282 to 348 | 186 | 9.9% | 521 LAB-RES//platelet_count_Q8 |
| Q9 | 348 and above | 191 | 10% | 522 LAB-RES//platelet_count_Q9 |

## LAB-RES//po2_arterial

Lab result





753 training values · 242 distinct · min 14 · median 99 · mean 130.197 · max 594
10 of 10 bins hold values · 4 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 46 | 71 | 9.4% | 523 LAB-RES//po2_arterial_Q0 |
| Q1 | 46 to 62 | 78 | 10% | 524 LAB-RES//po2_arterial_Q1 |
| Q2 | 62 to 80 | 77 | 10% | 525 LAB-RES//po2_arterial_Q2 |
| Q3 | 80 to 90 | 70 | 9.3% | 526 LAB-RES//po2_arterial_Q3 |
| Q4 | 90 to 99 | 71 | 9.4% | 527 LAB-RES//po2_arterial_Q4 |
| Q5 | 99 to 111 | 81 | 11% | 528 LAB-RES//po2_arterial_Q5 |
| Q6 | 111 to 129 | 78 | 10% | 529 LAB-RES//po2_arterial_Q6 |
| Q7 | 129 to 165 | 76 | 10% | 530 LAB-RES//po2_arterial_Q7 |
| Q8 | 165 to 305 | 75 | 10.0% | 531 LAB-RES//po2_arterial_Q8 |
| Q9 | 305 and above | 76 | 10% | 532 LAB-RES//po2_arterial_Q9 |

## LAB-RES//potassium

Lab result





2,364 training values · 46 distinct · min 2.2 · median 4.1 · mean 4.1478 · max 8.3
10 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 3.5 | 226 | 9.6% | 534 LAB-RES//potassium_Q0 |
| Q1 | 3.5 to 3.7 | 208 | 8.8% | 535 LAB-RES//potassium_Q1 |
| Q2 | 3.7 to 3.8 | 159 | 6.7% | 536 LAB-RES//potassium_Q2 |
| Q3 | 3.8 to 4 | 347 | 15% | 537 LAB-RES//potassium_Q3 |
| Q4 | 4 to 4.1 | 177 | 7.5% | 538 LAB-RES//potassium_Q4 |
| Q5 | 4.1 to 4.2 | 166 | 7.0% | 539 LAB-RES//potassium_Q5 |
| Q6 | 4.2 to 4.4 | 346 | 15% | 540 LAB-RES//potassium_Q6 |
| Q7 | 4.4 to 4.6 | 232 | 9.8% | 541 LAB-RES//potassium_Q7 |
| Q8 | 4.6 to 4.9 | 226 | 9.6% | 542 LAB-RES//potassium_Q8 |
| Q9 | 4.9 and above | 277 | 12% | 543 LAB-RES//potassium_Q9 |

## LAB-RES//pt

Lab result





1,085 training values · 223 distinct · min 9.6 · median 14.4 · mean 16.7757 · max 94.3
10 of 10 bins hold values · 6 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 11.6 | 99 | 9.1% | 545 LAB-RES//pt_Q0 |
| Q1 | 11.6 to 12.2 | 109 | 10% | 546 LAB-RES//pt_Q1 |
| Q2 | 12.2 to 12.9 | 114 | 11% | 547 LAB-RES//pt_Q2 |
| Q3 | 12.9 to 13.6 | 106 | 9.8% | 548 LAB-RES//pt_Q3 |
| Q4 | 13.6 to 14.4 | 113 | 10% | 549 LAB-RES//pt_Q4 |
| Q5 | 14.4 to 15.3 | 107 | 9.9% | 550 LAB-RES//pt_Q5 |
| Q6 | 15.3 to 16.7 | 110 | 10% | 551 LAB-RES//pt_Q6 |
| Q7 | 16.7 to 19 | 106 | 9.8% | 552 LAB-RES//pt_Q7 |
| Q8 | 19 to 23.4 | 112 | 10% | 553 LAB-RES//pt_Q8 |
| Q9 | 23.4 and above | 109 | 10% | 554 LAB-RES//pt_Q9 |

## LAB-RES//ptt

Lab result

1,120 training values · 461 distinct · min 19 · median 34.8 · mean 44.732 · max 150
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 26.4 | 111 | 9.9% | 556 LAB-RES//ptt_Q0 |
| Q1 | 26.4 to 28 | 110 | 9.8% | 557 LAB-RES//ptt_Q1 |
| Q2 | 28 to 29.7 | 112 | 10% | 558 LAB-RES//ptt_Q2 |
| Q3 | 29.7 to 31.6 | 112 | 10% | 559 LAB-RES//ptt_Q3 |
| Q4 | 31.6 to 34.8 | 114 | 10% | 560 LAB-RES//ptt_Q4 |
| Q5 | 34.8 to 38.7 | 112 | 10% | 561 LAB-RES//ptt_Q5 |
| Q6 | 38.7 to 45.2 | 111 | 9.9% | 562 LAB-RES//ptt_Q6 |
| Q7 | 45.2 to 57.6 | 112 | 10% | 563 LAB-RES//ptt_Q7 |
| Q8 | 57.6 to 74.6 | 113 | 10% | 564 LAB-RES//ptt_Q8 |
| Q9 | 74.6 and above | 113 | 10% | 565 LAB-RES//ptt_Q9 |

## LAB-RES//so2_arterial

Lab result

141 training values · 37 distinct · min 33 · median 95 · mean 87.844 · max 99
9 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 68 | 14 | 9.9% | 566 LAB-RES//so2_arterial_Q0 |
| Q1 | 68 to 75 | 13 | 9.2% | 567 LAB-RES//so2_arterial_Q1 |
| Q2 | 75 to 88 | 15 | 11% | 568 LAB-RES//so2_arterial_Q2 |
| Q3 | 88 to 94 | 9 | 6.4% | 569 LAB-RES//so2_arterial_Q3 |
| Q4 | 94 to 95 | 10 | 7.1% | 570 LAB-RES//so2_arterial_Q4 |
| Q5 | 95 to 96 | 11 | 7.8% | 571 LAB-RES//so2_arterial_Q5 |
| Q6 | 96 to 97 | 17 | 12% | 572 LAB-RES//so2_arterial_Q6 |
| Q7 | 97 to 98 | 14 | 9.9% | 573 LAB-RES//so2_arterial_Q7 |
| Q8 | none, as its cut points tie at 98 | 0 | 0% | |
| Q9 | 98 and above | 38 | 27% | 574 LAB-RES//so2_arterial_Q9 |

## LAB-RES//so2_central_venous

Lab result

7 training values · 7 distinct · min 37 · median 70 · mean 66.8571 · max 83
6 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 63 | 1 | 14% | 575 LAB-RES//so2_central_venous_Q0 |
| Q1 | none, as its cut points tie at 63 | 0 | 0% | |
| Q2 | 63 to 69 | 1 | 14% | 576 LAB-RES//so2_central_venous_Q2 |
| Q3 | none, as its cut points tie at 69 | 0 | 0% | |
| Q4 | 69 to 70 | 1 | 14% | 577 LAB-RES//so2_central_venous_Q4 |
| Q5 | 70 to 72 | 1 | 14% | 578 LAB-RES//so2_central_venous_Q5 |
| Q6 | none, as its cut points tie at 72 | 0 | 0% | |
| Q7 | 72 to 74 | 1 | 14% | 579 LAB-RES//so2_central_venous_Q7 |
| Q8 | none, as its cut points tie at 74 | 0 | 0% | |
| Q9 | 74 and above | 2 | 29% | 580 LAB-RES//so2_central_venous_Q9 |

## LAB-RES//so2_mixed_venous

Lab result

79 training values · 25 distinct · min 53 · median 70 · mean 69.1139 · max 91
9 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 60 | 7 | 8.9% | 581 LAB-RES//so2_mixed_venous_Q0 |
| Q1 | 60 to 63 | 9 | 11% | 582 LAB-RES//so2_mixed_venous_Q1 |
| Q2 | 63 to 64 | 3 | 3.8% | 583 LAB-RES//so2_mixed_venous_Q2 |
| Q3 | 64 to 68 | 12 | 15% | 584 LAB-RES//so2_mixed_venous_Q3 |
| Q4 | 68 to 70 | 8 | 10% | 585 LAB-RES//so2_mixed_venous_Q4 |
| Q5 | 70 to 71 | 6 | 7.6% | 586 LAB-RES//so2_mixed_venous_Q5 |
| Q6 | 71 to 74 | 10 | 13% | 587 LAB-RES//so2_mixed_venous_Q6 |
| Q7 | none, as its cut points tie at 74 | 0 | 0% | |
| Q8 | 74 to 77 | 15 | 19% | 588 LAB-RES//so2_mixed_venous_Q8 |
| Q9 | 77 and above | 9 | 11% | 589 LAB-RES//so2_mixed_venous_Q9 |

## LAB-RES//sodium

Lab result

2,190 training values · 45 distinct · min 119 · median 137 · mean 137.431 · max 168
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 130 | 170 | 7.8% | 590 LAB-RES//sodium_Q0 |
| Q1 | 130 to 133 | 174 | 7.9% | 591 LAB-RES//sodium_Q1 |
| Q2 | 133 to 135 | 254 | 12% | 592 LAB-RES//sodium_Q2 |
| Q3 | 135 to 136 | 161 | 7.4% | 593 LAB-RES//sodium_Q3 |
| Q4 | 136 to 137 | 203 | 9.3% | 594 LAB-RES//sodium_Q4 |
| Q5 | 137 to 139 | 345 | 16% | 595 LAB-RES//sodium_Q5 |
| Q6 | 139 to 140 | 196 | 8.9% | 596 LAB-RES//sodium_Q6 |
| Q7 | 140 to 142 | 246 | 11% | 597 LAB-RES//sodium_Q7 |
| Q8 | 142 to 144 | 170 | 7.8% | 598 LAB-RES//sodium_Q8 |
| Q9 | 144 and above | 271 | 12% | 599 LAB-RES//sodium_Q9 |

## LAB-RES//total_protein

Lab result

23 training values · 18 distinct · min 4 · median 5.6 · mean 5.64783 · max 7.2
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 4.4 | 2 | 8.7% | 600 LAB-RES//total_protein_Q0 |
| Q1 | 4.4 to 4.7 | 2 | 8.7% | 601 LAB-RES//total_protein_Q1 |
| Q2 | 4.7 to 5.4 | 3 | 13% | 602 LAB-RES//total_protein_Q2 |
| Q3 | 5.4 to 5.5 | 1 | 4.3% | 603 LAB-RES//total_protein_Q3 |
| Q4 | 5.5 to 5.6 | 2 | 8.7% | 604 LAB-RES//total_protein_Q4 |
| Q5 | 5.6 to 5.9 | 3 | 13% | 605 LAB-RES//total_protein_Q5 |
| Q6 | 5.9 to 6 | 1 | 4.3% | 606 LAB-RES//total_protein_Q6 |
| Q7 | 6 to 6.3 | 4 | 17% | 607 LAB-RES//total_protein_Q7 |
| Q8 | 6.3 to 6.8 | 1 | 4.3% | 608 LAB-RES//total_protein_Q8 |
| Q9 | 6.8 and above | 4 | 17% | 609 LAB-RES//total_protein_Q9 |

## LAB-RES//troponin_t

Lab result

152 training values · 35 distinct · min 10 · median 10 · mean 293.75 · max 7,310
5 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 10 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 10 | 0 | 0% | |
| Q2 | none, as its cut points tie at 10 | 0 | 0% | |
| Q3 | none, as its cut points tie at 10 | 0 | 0% | |
| Q4 | none, as its cut points tie at 10 | 0 | 0% | |
| Q5 | 10 to 20 | 84 | 55% | 610 LAB-RES//troponin_t_Q5 |
| Q6 | 20 to 50 | 21 | 14% | 611 LAB-RES//troponin_t_Q6 |
| Q7 | 50 to 90 | 13 | 8.6% | 612 LAB-RES//troponin_t_Q7 |
| Q8 | 90 to 680 | 18 | 12% | 613 LAB-RES//troponin_t_Q8 |
| Q9 | 680 and above | 16 | 11% | 614 LAB-RES//troponin_t_Q9 |

## LAB-RES//wbc

Lab result


1,840 training values · 357 distinct · min 0.1 · median 9.3 · mean 13.2505 · max 182.6
10 of 10 bins hold values · 9 above the range drawn




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 4.1 | 179 | 9.7% | 616 LAB-RES//wbc_Q0 |
| Q1 | 4.1 to 5.9 | 187 | 10% | 617 LAB-RES//wbc_Q1 |
| Q2 | 5.9 to 7.2 | 185 | 10% | 618 LAB-RES//wbc_Q2 |
| Q3 | 7.2 to 8.2 | 165 | 9.0% | 619 LAB-RES//wbc_Q3 |
| Q4 | 8.2 to 9.3 | 199 | 11% | 620 LAB-RES//wbc_Q4 |
| Q5 | 9.3 to 10.6 | 177 | 9.6% | 621 LAB-RES//wbc_Q5 |
| Q6 | 10.6 to 12.4 | 191 | 10% | 622 LAB-RES//wbc_Q6 |
| Q7 | 12.4 to 15.2 | 188 | 10% | 623 LAB-RES//wbc_Q7 |
| Q8 | 15.2 to 21.1 | 181 | 9.8% | 624 LAB-RES//wbc_Q8 |
| Q9 | 21.1 and above | 188 | 10% | 625 LAB-RES//wbc_Q9 |

## MED-CTS//acetaminophen

Continuous medication





18 training values · 2 distinct · min 0 · median 33.3333 · mean 33.3333 · max 66.6667
2 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 66.67 | 9 | 50% | 637 MED-CTS//acetaminophen_Q4 |
| Q5 | none, as its cut points tie at 66.67 | 0 | 0% | |
| Q6 | none, as its cut points tie at 66.67 | 0 | 0% | |
| Q7 | none, as its cut points tie at 66.67 | 0 | 0% | |
| Q8 | none, as its cut points tie at 66.67 | 0 | 0% | |
| Q9 | 66.67 and above | 9 | 50% | 638 MED-CTS//acetaminophen_Q9 |

## MED-CTS//albumin_infusion

Continuous medication





192 training values · 13 distinct · min 0 · median 49.9615 · mean 157.98 · max 1,000
6 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 99.92 | 96 | 50% | 639 MED-CTS//albumin_infusion_Q4 |
| Q5 | 99.92 to 100 | 1 | 0.5% | 640 MED-CTS//albumin_infusion_Q5 |
| Q6 | 100 to 200 | 30 | 16% | 641 MED-CTS//albumin_infusion_Q6 |
| Q7 | 200 to 300 | 26 | 14% | 642 MED-CTS//albumin_infusion_Q7 |
| Q8 | 300 to 500 | 9 | 4.7% | 643 MED-CTS//albumin_infusion_Q8 |
| Q9 | 500 and above | 30 | 16% | 644 MED-CTS//albumin_infusion_Q9 |

## MED-CTS//alteplase

Continuous medication





2 training values · 2 distinct · min 0 · median 22.5 · mean 22.5 · max 45
2 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 45 | 1 | 50% | 645 MED-CTS//alteplase_Q4 |
| Q5 | none, as its cut points tie at 45 | 0 | 0% | |
| Q6 | none, as its cut points tie at 45 | 0 | 0% | |
| Q7 | none, as its cut points tie at 45 | 0 | 0% | |
| Q8 | none, as its cut points tie at 45 | 0 | 0% | |
| Q9 | 45 and above | 1 | 50% | 646 MED-CTS//alteplase_Q9 |

## MED-CTS//amiodarone

Continuous medication





94 training values · 25 distinct · min 0 · median 0.5 · mean 0.359417 · max 2.0202
5 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 0.5 | 46 | 49% | 647 MED-CTS//amiodarone_Q4 |
| Q5 | none, as its cut points tie at 0.5 | 0 | 0% | |
| Q6 | 0.5 to 0.5001 | 19 | 20% | 648 MED-CTS//amiodarone_Q6 |
| Q7 | 0.5001 to 0.5033 | 9 | 9.6% | 649 MED-CTS//amiodarone_Q7 |
| Q8 | 0.5033 to 1 | 6 | 6.4% | 650 MED-CTS//amiodarone_Q8 |
| Q9 | 1 and above | 14 | 15% | 651 MED-CTS//amiodarone_Q9 |

## MED-CTS//bumetanide

Continuous medication

4 training values · 3 distinct · min 0 · median 0.25 · mean 0.250105 · max 0.500418
3 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 0.5 | 2 | 50% | 652 MED-CTS//bumetanide_Q4 |
| Q5 | none, as its cut points tie at 0.5 | 0 | 0% | |
| Q6 | none, as its cut points tie at 0.5 | 0 | 0% | |
| Q7 | none, as its cut points tie at 0.5 | 0 | 0% | |
| Q8 | 0.5 to 0.5004 | 1 | 25% | 653 MED-CTS//bumetanide_Q8 |
| Q9 | 0.5004 and above | 1 | 25% | 654 MED-CTS//bumetanide_Q9 |

## MED-CTS//dexmedetomidine

Continuous medication

300 training values · 178 distinct · min 0 · median 0.498236 · mean 0.51961 · max 2.45663
7 of 10 bins hold values · 1 above the range drawn




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 0.2395 | 120 | 40% | 655 MED-CTS//dexmedetomidine_Q3 |
| Q4 | 0.2395 to 0.499 | 30 | 10% | 656 MED-CTS//dexmedetomidine_Q4 |
| Q5 | 0.499 to 0.6025 | 27 | 9.0% | 657 MED-CTS//dexmedetomidine_Q5 |
| Q6 | 0.6025 to 0.8011 | 32 | 11% | 658 MED-CTS//dexmedetomidine_Q6 |
| Q7 | 0.8011 to 0.999 | 30 | 10% | 659 MED-CTS//dexmedetomidine_Q7 |
| Q8 | 0.999 to 1.206 | 30 | 10% | 660 MED-CTS//dexmedetomidine_Q8 |
| Q9 | 1.206 and above | 31 | 10% | 661 MED-CTS//dexmedetomidine_Q9 |

## MED-CTS//dextrose

Continuous medication

1,761 training values · 996 distinct · min 0 · median 9.51615 · mean 22.2098 · max 1,000
8 of 10 bins hold values · 7 above the range drawn




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | 0 to 1.998 | 528 | 30% | 663 MED-CTS//dextrose_Q2 |
| Q3 | 1.998 to 6 | 176 | 10.0% | 664 MED-CTS//dextrose_Q3 |
| Q4 | 6 to 9.516 | 176 | 10.0% | 665 MED-CTS//dextrose_Q4 |
| Q5 | 9.516 to 14.96 | 176 | 10.0% | 666 MED-CTS//dextrose_Q5 |
| Q6 | 14.96 to 22.71 | 176 | 10.0% | 667 MED-CTS//dextrose_Q6 |
| Q7 | 22.71 to 34.58 | 176 | 10.0% | 668 MED-CTS//dextrose_Q7 |
| Q8 | 34.58 to 52.7 | 176 | 10.0% | 669 MED-CTS//dextrose_Q8 |
| Q9 | 52.7 and above | 177 | 10% | 670 MED-CTS//dextrose_Q9 |

## MED-CTS//dextrose_in_water_d5w

Continuous medication


1,761 training values · 996 distinct · min 0 · median 9.51615 · mean 22.2098 · max 1,000
8 of 10 bins hold values · 7 above the range drawn




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | 0 to 1.998 | 528 | 30% | 671 MED-CTS//dextrose_in_water_d5w_Q2 |
| Q3 | 1.998 to 6 | 176 | 10.0% | 672 MED-CTS//dextrose_in_water_d5w_Q3 |
| Q4 | 6 to 9.516 | 176 | 10.0% | 673 MED-CTS//dextrose_in_water_d5w_Q4 |
| Q5 | 9.516 to 14.96 | 176 | 10.0% | 674 MED-CTS//dextrose_in_water_d5w_Q5 |
| Q6 | 14.96 to 22.71 | 176 | 10.0% | 675 MED-CTS//dextrose_in_water_d5w_Q6 |
| Q7 | 22.71 to 34.58 | 176 | 10.0% | 676 MED-CTS//dextrose_in_water_d5w_Q7 |
| Q8 | 34.58 to 52.7 | 176 | 10.0% | 677 MED-CTS//dextrose_in_water_d5w_Q8 |
| Q9 | 52.7 and above | 177 | 10% | 678 MED-CTS//dextrose_in_water_d5w_Q9 |

## MED-CTS//diltiazem

Continuous medication





42 training values · 24 distinct · min 0 · median 6.40692 · mean 7.14962 · max 15.1822
7 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 5 | 14 | 33% | 679 MED-CTS//diltiazem_Q3 |
| Q4 | 5 to 7.503 | 7 | 17% | 680 MED-CTS//diltiazem_Q4 |
| Q5 | 7.503 to 9.993 | 4 | 9.5% | 681 MED-CTS//diltiazem_Q5 |
| Q6 | 9.993 to 10.02 | 4 | 9.5% | 682 MED-CTS//diltiazem_Q6 |
| Q7 | 10.02 to 15 | 4 | 9.5% | 683 MED-CTS//diltiazem_Q7 |
| Q8 | 15 to 15.04 | 4 | 9.5% | 684 MED-CTS//diltiazem_Q8 |
| Q9 | 15.04 and above | 5 | 12% | 685 MED-CTS//diltiazem_Q9 |

## MED-CTS//dobutamine

Continuous medication





19 training values · 18 distinct · min 0 · median 5.99005 · mean 5.50142 · max 11.9856
10 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1.997 | 2 | 11% | 686 MED-CTS//dobutamine_Q0 |
| Q1 | 1.997 to 2.5 | 2 | 11% | 687 MED-CTS//dobutamine_Q1 |
| Q2 | 2.5 to 2.999 | 1 | 5.3% | 688 MED-CTS//dobutamine_Q2 |
| Q3 | 2.999 to 3.997 | 2 | 11% | 689 MED-CTS//dobutamine_Q3 |
| Q4 | 3.997 to 5.99 | 2 | 11% | 690 MED-CTS//dobutamine_Q4 |
| Q5 | 5.99 to 6.114 | 2 | 11% | 691 MED-CTS//dobutamine_Q5 |
| Q6 | 6.114 to 7.994 | 2 | 11% | 692 MED-CTS//dobutamine_Q6 |
| Q7 | 7.994 to 7.996 | 1 | 5.3% | 693 MED-CTS//dobutamine_Q7 |
| Q8 | 7.996 to 9.981 | 2 | 11% | 694 MED-CTS//dobutamine_Q8 |
| Q9 | 9.981 and above | 3 | 16% | 695 MED-CTS//dobutamine_Q9 |

## MED-CTS//dopamine

Continuous medication





18 training values · 15 distinct · min 0 · median 2.7494 · mean 2.44438 · max 5.00125
8 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | 0 to 2 | 5 | 28% | 696 MED-CTS//dopamine_Q2 |
| Q3 | 2 to 2 | 2 | 11% | 697 MED-CTS//dopamine_Q3 |
| Q4 | 2 to 2.999 | 2 | 11% | 698 MED-CTS//dopamine_Q4 |
| Q5 | 2.999 to 3 | 1 | 5.6% | 699 MED-CTS//dopamine_Q5 |
| Q6 | 3 to 3.001 | 2 | 11% | 700 MED-CTS//dopamine_Q6 |
| Q7 | 3.001 to 4 | 2 | 11% | 701 MED-CTS//dopamine_Q7 |
| Q8 | 4 to 4 | 1 | 5.6% | 702 MED-CTS//dopamine_Q8 |
| Q9 | 4 and above | 3 | 17% | 703 MED-CTS//dopamine_Q9 |

## MED-CTS//epinephrine

Continuous medication





40 training values · 33 distinct · min 0 · median 0.0310214 · mean 0.0379232 · max 0.124872
9 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 0 to 0.01017 | 8 | 20% | 704 MED-CTS//epinephrine_Q1 |
| Q2 | 0.01017 to 0.01626 | 4 | 10% | 705 MED-CTS//epinephrine_Q2 |
| Q3 | 0.01626 to 0.02627 | 4 | 10% | 706 MED-CTS//epinephrine_Q3 |
| Q4 | 0.02627 to 0.03227 | 4 | 10% | 707 MED-CTS//epinephrine_Q4 |
| Q5 | 0.03227 to 0.03974 | 3 | 7.5% | 708 MED-CTS//epinephrine_Q5 |
| Q6 | 0.03974 to 0.04973 | 4 | 10% | 709 MED-CTS//epinephrine_Q6 |
| Q7 | 0.04973 to 0.05969 | 4 | 10% | 710 MED-CTS//epinephrine_Q7 |
| Q8 | 0.05969 to 0.08001 | 4 | 10% | 711 MED-CTS//epinephrine_Q8 |
| Q9 | 0.08001 and above | 5 | 13% | 712 MED-CTS//epinephrine_Q9 |

## MED-CTS//esmolol

Continuous medication

58 training values · 37 distinct · min 0 · median 25.1004 · mean 35.7266 · max 200.647
7 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 25.01 | 23 | 40% | 713 MED-CTS//esmolol_Q3 |
| Q4 | 25.01 to 25.1 | 5 | 8.6% | 714 MED-CTS//esmolol_Q4 |
| Q5 | 25.1 to 25.28 | 6 | 10% | 715 MED-CTS//esmolol_Q5 |
| Q6 | 25.28 to 50.08 | 6 | 10% | 716 MED-CTS//esmolol_Q6 |
| Q7 | 50.08 to 50.39 | 6 | 10% | 717 MED-CTS//esmolol_Q7 |
| Q8 | 50.39 to 100.1 | 5 | 8.6% | 718 MED-CTS//esmolol_Q8 |
| Q9 | 100.1 and above | 7 | 12% | 719 MED-CTS//esmolol_Q9 |

## MED-CTS//fentanyl

Continuous medication

416 training values · 221 distinct · min 0 · median 50.0515 · mean 253.567 · max 75,000
8 of 10 bins hold values · 2 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | 0 to 25 | 124 | 30% | 720 MED-CTS//fentanyl_Q2 |
| Q3 | 25 to 50 | 41 | 9.9% | 721 MED-CTS//fentanyl_Q3 |
| Q4 | 50 to 50.05 | 43 | 10% | 722 MED-CTS//fentanyl_Q4 |
| Q5 | 50.05 to 75 | 41 | 9.9% | 723 MED-CTS//fentanyl_Q5 |
| Q6 | 75 to 100.1 | 42 | 10% | 724 MED-CTS//fentanyl_Q6 |
| Q7 | 100.1 to 149.9 | 41 | 9.9% | 725 MED-CTS//fentanyl_Q7 |
| Q8 | 149.9 to 200.3 | 42 | 10% | 726 MED-CTS//fentanyl_Q8 |
| Q9 | 200.3 and above | 42 | 10% | 727 MED-CTS//fentanyl_Q9 |

## MED-CTS//furosemide

Continuous medication

64 training values · 34 distinct · min 0 · median 4.00351 · mean 7.39439 · max 31.0559
7 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 3.004 | 25 | 39% | 728 MED-CTS//furosemide_Q3 |
| Q4 | 3.004 to 4.007 | 7 | 11% | 729 MED-CTS//furosemide_Q4 |
| Q5 | 4.007 to 5 | 3 | 4.7% | 730 MED-CTS//furosemide_Q5 |
| Q6 | 5 to 9.988 | 9 | 14% | 731 MED-CTS//furosemide_Q6 |
| Q7 | 9.988 to 12 | 6 | 9.4% | 732 MED-CTS//furosemide_Q7 |
| Q8 | 12 to 24.92 | 7 | 11% | 733 MED-CTS//furosemide_Q8 |
| Q9 | 24.92 and above | 7 | 11% | 734 MED-CTS//furosemide_Q9 |

## MED-CTS//heparin

Continuous medication

180 training values · 93 distinct · min 0 · median 600 · mean 671.505 · max 4,120.88
7 of 10 bins hold values · 1 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 444.1 | 72 | 40% | 735 MED-CTS//heparin_Q3 |
| Q4 | 444.1 to 600 | 17 | 9.4% | 736 MED-CTS//heparin_Q4 |
| Q5 | 600 to 804.8 | 18 | 10% | 737 MED-CTS//heparin_Q5 |
| Q6 | 804.8 to 1,000 | 18 | 10% | 738 MED-CTS//heparin_Q6 |
| Q7 | 1,000 to 1,392 | 18 | 10% | 739 MED-CTS//heparin_Q7 |
| Q8 | 1,392 to 1,650 | 18 | 10% | 740 MED-CTS//heparin_Q8 |
| Q9 | 1,650 and above | 19 | 11% | 741 MED-CTS//heparin_Q9 |

## MED-CTS//hydromorphone

Continuous medication

7 training values · 5 distinct · min 0 · median 0.5 · mean 0.463982 · max 0.999209
4 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 0.5 | 3 | 43% | 742 MED-CTS//hydromorphone_Q4 |
| Q5 | 0.5 to 0.75 | 1 | 14% | 743 MED-CTS//hydromorphone_Q5 |
| Q6 | none, as its cut points tie at 0.75 | 0 | 0% | |
| Q7 | 0.75 to 0.9987 | 1 | 14% | 744 MED-CTS//hydromorphone_Q7 |
| Q8 | none, as its cut points tie at 0.99... | 0 | 0% | |
| Q9 | 0.9987 and above | 2 | 29% | 745 MED-CTS//hydromorphone_Q9 |

## MED-CTS//insulin

Continuous medication

316 training values · 226 distinct · min 0 · median 3 · mean 4.31613 · max 44.46
9 of 10 bins hold values · 2 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 0 to 1 | 60 | 19% | 746 MED-CTS//insulin_Q1 |
| Q2 | 1 to 1.912 | 35 | 11% | 747 MED-CTS//insulin_Q2 |
| Q3 | 1.912 to 2.002 | 31 | 9.8% | 748 MED-CTS//insulin_Q3 |
| Q4 | 2.002 to 3 | 26 | 8.2% | 749 MED-CTS//insulin_Q4 |
| Q5 | 3 to 3.999 | 37 | 12% | 750 MED-CTS//insulin_Q5 |
| Q6 | 3.999 to 5 | 32 | 10% | 751 MED-CTS//insulin_Q6 |
| Q7 | 5 to 5.634 | 31 | 9.8% | 752 MED-CTS//insulin_Q7 |
| Q8 | 5.634 to 8.007 | 32 | 10% | 753 MED-CTS//insulin_Q8 |
| Q9 | 8.007 and above | 32 | 10% | 754 MED-CTS//insulin_Q9 |

## MED-CTS//labetalol

Continuous medication

8 training values · 7 distinct · min 0 · median 0.599785 · mean 0.553329 · max 1.02358
6 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | 0 to 0.4989 | 2 | 25% | 755 MED-CTS//labetalol_Q2 |
| Q3 | 0.4989 to 0.5 | 1 | 13% | 756 MED-CTS//labetalol_Q3 |
| Q4 | 0.5 to 0.6996 | 1 | 13% | 757 MED-CTS//labetalol_Q4 |
| Q5 | none, as its cut points tie at 0.69... | 0 | 0% | |
| Q6 | 0.6996 to 0.7 | 1 | 13% | 758 MED-CTS//labetalol_Q6 |
| Q7 | 0.7 to 1.005 | 1 | 13% | 759 MED-CTS//labetalol_Q7 |
| Q8 | none, as its cut points tie at 1.005 | 0 | 0% | |
| Q9 | 1.005 and above | 2 | 25% | 760 MED-CTS//labetalol_Q9 |

## MED-CTS//magnesium

Continuous medication


2 training values · 2 distinct · min 0 · median 1 · mean 1 · max 2
2 of 10 bins hold values




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 2 | 1 | 50% | 761 MED-CTS//magnesium_Q4 |
| Q5 | none, as its cut points tie at 2 | 0 | 0% | |
| Q6 | none, as its cut points tie at 2 | 0 | 0% | |
| Q7 | none, as its cut points tie at 2 | 0 | 0% | |
| Q8 | none, as its cut points tie at 2 | 0 | 0% | |
| Q9 | 2 and above | 1 | 50% | 762 MED-CTS//magnesium_Q9 |

## MED-CTS//midazolam

Continuous medication





91 training values · 58 distinct · min 0 · median 1.99999 · mean 2.46304 · max 8.54701
9 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 0 to 0.25 | 18 | 20% | 763 MED-CTS//midazolam_Q1 |
| Q2 | 0.25 to 0.9998 | 9 | 9.9% | 764 MED-CTS//midazolam_Q2 |
| Q3 | 0.9998 to 1.499 | 9 | 9.9% | 765 MED-CTS//midazolam_Q3 |
| Q4 | 1.499 to 2 | 9 | 9.9% | 766 MED-CTS//midazolam_Q4 |
| Q5 | 2 to 2.255 | 9 | 9.9% | 767 MED-CTS//midazolam_Q5 |
| Q6 | 2.255 to 3.188 | 9 | 9.9% | 768 MED-CTS//midazolam_Q6 |
| Q7 | 3.188 to 4.258 | 9 | 9.9% | 769 MED-CTS//midazolam_Q7 |
| Q8 | 4.258 to 6.024 | 9 | 9.9% | 770 MED-CTS//midazolam_Q8 |
| Q9 | 6.024 and above | 10 | 11% | 771 MED-CTS//midazolam_Q9 |

## MED-CTS//milrinone

Continuous medication





15 training values · 13 distinct · min 0 · median 0.14994 · mean 0.169177 · max 0.5003
9 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 0 to 0.09996 | 3 | 20% | 772 MED-CTS//milrinone_Q1 |
| Q2 | 0.09996 to 0.1008 | 1 | 6.7% | 773 MED-CTS//milrinone_Q2 |
| Q3 | 0.1008 to 0.13 | 2 | 13% | 774 MED-CTS//milrinone_Q3 |
| Q4 | 0.13 to 0.1499 | 1 | 6.7% | 775 MED-CTS//milrinone_Q4 |
| Q5 | 0.1499 to 0.15 | 1 | 6.7% | 776 MED-CTS//milrinone_Q5 |
| Q6 | 0.15 to 0.2 | 2 | 13% | 777 MED-CTS//milrinone_Q6 |
| Q7 | 0.2 to 0.2503 | 1 | 6.7% | 778 MED-CTS//milrinone_Q7 |
| Q8 | 0.2503 to 0.4004 | 2 | 13% | 779 MED-CTS//milrinone_Q8 |
| Q9 | 0.4004 and above | 2 | 13% | 780 MED-CTS//milrinone_Q9 |

## MED-CTS//morphine

Continuous medication





9 training values · 5 distinct · min 0 · median 2 · mean 3.11177 · max 8.00589
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 2 | 3 | 33% | 781 MED-CTS//morphine_Q3 |
| Q4 | none, as its cut points tie at 2 | 0 | 0% | |
| Q5 | 2 to 4 | 2 | 22% | 782 MED-CTS//morphine_Q5 |
| Q6 | 4 to 6 | 1 | 11% | 783 MED-CTS//morphine_Q6 |
| Q7 | none, as its cut points tie at 6 | 0 | 0% | |
| Q8 | none, as its cut points tie at 6 | 0 | 0% | |
| Q9 | 6 and above | 3 | 33% | 784 MED-CTS//morphine_Q9 |

## MED-CTS//nicardipine

Continuous medication





84 training values · 60 distinct · min 0 · median 0.998654 · mean 0.922029 · max 2.99902
8 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | 0 to 0.4995 | 25 | 30% | 785 MED-CTS//nicardipine_Q2 |
| Q3 | 0.4995 to 0.5015 | 8 | 9.5% | 786 MED-CTS//nicardipine_Q3 |
| Q4 | 0.5015 to 0.9988 | 9 | 11% | 787 MED-CTS//nicardipine_Q4 |
| Q5 | 0.9988 to 1 | 7 | 8.3% | 788 MED-CTS//nicardipine_Q5 |
| Q6 | 1 to 1.2 | 9 | 11% | 789 MED-CTS//nicardipine_Q6 |
| Q7 | 1.2 to 1.5 | 8 | 9.5% | 790 MED-CTS//nicardipine_Q7 |
| Q8 | 1.5 to 2.004 | 9 | 11% | 791 MED-CTS//nicardipine_Q8 |
| Q9 | 2.004 and above | 9 | 11% | 792 MED-CTS//nicardipine_Q9 |

## MED-CTS//nitroglycerin

Continuous medication





131 training values · 100 distinct · min 0 · median 0.808348 · mean 1.05617 · max 4.03602
9 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 0 to 0.2999 | 26 | 20% | 793 MED-CTS//nitroglycerin_Q1 |
| Q2 | 0.2999 to 0.5 | 12 | 9.2% | 794 MED-CTS//nitroglycerin_Q2 |
| Q3 | 0.5 to 0.5002 | 14 | 11% | 795 MED-CTS//nitroglycerin_Q3 |
| Q4 | 0.5002 to 0.8083 | 13 | 9.9% | 796 MED-CTS//nitroglycerin_Q4 |
| Q5 | 0.8083 to 1 | 13 | 9.9% | 797 MED-CTS//nitroglycerin_Q5 |
| Q6 | 1 to 1.2 | 13 | 9.9% | 798 MED-CTS//nitroglycerin_Q6 |
| Q7 | 1.2 to 1.998 | 13 | 9.9% | 799 MED-CTS//nitroglycerin_Q7 |
| Q8 | 1.998 to 2.002 | 13 | 9.9% | 800 MED-CTS//nitroglycerin_Q8 |
| Q9 | 2.002 and above | 14 | 11% | 801 MED-CTS//nitroglycerin_Q9 |

## MED-CTS//norepinephrine

Continuous medication





826 training values · 641 distinct · min 0 · median 0.0999945 · mean 0.154553 · max 7.25904
9 of 10 bins hold values · 2 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 0 to 0.01 | 165 | 20% | 802 MED-CTS//norepinephrine_Q1 |
| Q2 | 0.01 to 0.04002 | 83 | 10% | 803 MED-CTS//norepinephrine_Q2 |
| Q3 | 0.04002 to 0.06024 | 82 | 9.9% | 804 MED-CTS//norepinephrine_Q3 |
| Q4 | 0.06024 to 0.1 | 83 | 10% | 805 MED-CTS//norepinephrine_Q4 |
| Q5 | 0.1 to 0.1508 | 82 | 9.9% | 806 MED-CTS//norepinephrine_Q5 |
| Q6 | 0.1508 to 0.202 | 83 | 10% | 807 MED-CTS//norepinephrine_Q6 |
| Q7 | 0.202 to 0.2566 | 82 | 9.9% | 808 MED-CTS//norepinephrine_Q7 |
| Q8 | 0.2566 to 0.3651 | 83 | 10% | 809 MED-CTS//norepinephrine_Q8 |
| Q9 | 0.3651 and above | 83 | 10% | 810 MED-CTS//norepinephrine_Q9 |

## MED-CTS//octreotide

Continuous medication





30 training values · 11 distinct · min 0 · median 7.5 · mean 23.8808 · max 50.6757
6 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 10 | 15 | 50% | 811 MED-CTS//octreotide_Q4 |
| Q5 | 10 to 49.99 | 2 | 6.7% | 812 MED-CTS//octreotide_Q5 |
| Q6 | 49.99 to 50 | 1 | 3.3% | 813 MED-CTS//octreotide_Q6 |
| Q7 | 50 to 50 | 4 | 13% | 814 MED-CTS//octreotide_Q7 |
| Q8 | 50 to 50.02 | 4 | 13% | 815 MED-CTS//octreotide_Q8 |
| Q9 | 50.02 and above | 4 | 13% | 816 MED-CTS//octreotide_Q9 |

## MED-CTS//pantoprazole

Continuous medication





27 training values · 10 distinct · min 0 · median 7.99716 · mean 4.22957 · max 10
5 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 7.997 | 13 | 48% | 817 MED-CTS//pantoprazole_Q4 |
| Q5 | 7.997 to 8 | 2 | 7.4% | 818 MED-CTS//pantoprazole_Q5 |
| Q6 | none, as its cut points tie at 8 | 0 | 0% | |
| Q7 | 8 to 8.003 | 6 | 22% | 819 MED-CTS//pantoprazole_Q7 |
| Q8 | 8.003 to 8.054 | 2 | 7.4% | 820 MED-CTS//pantoprazole_Q8 |
| Q9 | 8.054 and above | 4 | 15% | 821 MED-CTS//pantoprazole_Q9 |

## MED-CTS//phenylephrine

Continuous medication





656 training values · 495 distinct · min 0 · median 0.801096 · mean 1.06538 · max 10.1593
9 of 10 bins hold values · 4 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 0 to 0.2 | 131 | 20% | 822 MED-CTS//phenylephrine_Q1 |
| Q2 | 0.2 to 0.4995 | 66 | 10% | 823 MED-CTS//phenylephrine_Q2 |
| Q3 | 0.4995 to 0.6 | 65 | 9.9% | 824 MED-CTS//phenylephrine_Q3 |
| Q4 | 0.6 to 0.8012 | 66 | 10% | 825 MED-CTS//phenylephrine_Q4 |
| Q5 | 0.8012 to 1.001 | 63 | 9.6% | 826 MED-CTS//phenylephrine_Q5 |
| Q6 | 1.001 to 1.311 | 67 | 10% | 827 MED-CTS//phenylephrine_Q6 |
| Q7 | 1.311 to 1.7 | 66 | 10% | 828 MED-CTS//phenylephrine_Q7 |
| Q8 | 1.7 to 2.39 | 66 | 10% | 829 MED-CTS//phenylephrine_Q8 |
| Q9 | 2.39 and above | 66 | 10% | 830 MED-CTS//phenylephrine_Q9 |

## MED-CTS//propofol

Continuous medication




700 training values · 424 distinct · min 0 · median 19.8032 · mean 22.3927 · max 446.429
7 of 10 bins hold values · 3 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 10.01 | 279 | 40% | 831 MED-CTS//propofol_Q3 |
| Q4 | 10.01 to 19.8 | 71 | 10% | 832 MED-CTS//propofol_Q4 |
| Q5 | 19.8 to 22.26 | 69 | 9.9% | 833 MED-CTS//propofol_Q5 |
| Q6 | 22.26 to 30 | 69 | 9.9% | 834 MED-CTS//propofol_Q6 |
| Q7 | 30 to 39.98 | 71 | 10% | 835 MED-CTS//propofol_Q7 |
| Q8 | 39.98 to 50.16 | 70 | 10% | 836 MED-CTS//propofol_Q8 |
| Q9 | 50.16 and above | 71 | 10% | 837 MED-CTS//propofol_Q9 |

## MED-CTS//sodium_chloride

Continuous medication





2,731 training values · 1,306 distinct · min 0 · median 5.00334 · mean 29.3698 · max 1,350
7 of 10 bins hold values · 14 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | 0 to 3.001 | 1,092 | 40% | 839 MED-CTS//sodium_chloride_Q3 |
| Q4 | 3.001 to 5.003 | 273 | 10.0% | 840 MED-CTS//sodium_chloride_Q4 |
| Q5 | 5.003 to 10 | 252 | 9.2% | 841 MED-CTS//sodium_chloride_Q5 |
| Q6 | 10 to 17.45 | 294 | 11% | 842 MED-CTS//sodium_chloride_Q6 |
| Q7 | 17.45 to 28.96 | 273 | 10.0% | 843 MED-CTS//sodium_chloride_Q7 |
| Q8 | 28.96 to 61.42 | 273 | 10.0% | 844 MED-CTS//sodium_chloride_Q8 |
| Q9 | 61.42 and above | 274 | 10% | 845 MED-CTS//sodium_chloride_Q9 |

## MED-CTS//tpn

Continuous medication




49 training values · 24 distinct · min 0 · median 20 · mean 34.9377 · max 100.167
6 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 20 | 24 | 49% | 846 MED-CTS//tpn_Q4 |
| Q5 | 20 to 50.25 | 5 | 10% | 847 MED-CTS//tpn_Q5 |
| Q6 | 50.25 to 65.01 | 5 | 10% | 848 MED-CTS//tpn_Q6 |
| Q7 | 65.01 to 75 | 4 | 8.2% | 849 MED-CTS//tpn_Q7 |
| Q8 | 75 to 83.33 | 4 | 8.2% | 850 MED-CTS//tpn_Q8 |
| Q9 | 83.33 and above | 7 | 14% | 851 MED-CTS//tpn_Q9 |

## MED-CTS//vasopressin

Continuous medication





61 training values · 9 distinct · min 0 · median 1.2 · mean 1.20088 · max 2.43902
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0 | 0 | 0% | |
| Q3 | none, as its cut points tie at 0 | 0 | 0% | |
| Q4 | 0 to 1.2 | 29 | 48% | 852 MED-CTS//vasopressin_Q4 |
| Q5 | 1.2 to 2.4 | 3 | 4.9% | 853 MED-CTS//vasopressin_Q5 |
| Q6 | none, as its cut points tie at 2.4 | 0 | 0% | |
| Q7 | none, as its cut points tie at 2.4 | 0 | 0% | |
| Q8 | 2.4 to 2.4 | 18 | 30% | 854 MED-CTS//vasopressin_Q8 |
| Q9 | 2.4 and above | 11 | 18% | 855 MED-CTS//vasopressin_Q9 |

## MED-INT//acetaminophen

Intermittent medication





126 training values · 2 distinct · min 500 · median 1,000 · mean 984.127 · max 1,000
2 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1,000 | 4 | 3.2% | 856 MED-INT//acetaminophen_Q0 |
| Q1 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q2 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q3 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q4 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q5 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q6 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q7 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q8 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q9 | 1,000 and above | 122 | 97% | 857 MED-INT//acetaminophen_Q9 |

## MED-INT//amiodarone

Intermittent medication





17 training values · 1 distinct · min 150 · median 150 · mean 150 · max 150
1 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 150 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 150 | 0 | 0% | |
| Q2 | none, as its cut points tie at 150 | 0 | 0% | |
| Q3 | none, as its cut points tie at 150 | 0 | 0% | |
| Q4 | none, as its cut points tie at 150 | 0 | 0% | |
| Q5 | none, as its cut points tie at 150 | 0 | 0% | |
| Q6 | none, as its cut points tie at 150 | 0 | 0% | |
| Q7 | none, as its cut points tie at 150 | 0 | 0% | |
| Q8 | none, as its cut points tie at 150 | 0 | 0% | |
| Q9 | 150 and above | 17 | 100% | 859 MED-INT//amiodarone_Q9 |

## MED-INT//azithromycin

Intermittent medication





4 training values · 2 distinct · min 250 · median 500 · mean 437.5 · max 500
2 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 250 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 250 to 500 | 1 | 25% | 863 MED-INT//azithromycin_Q1 |
| Q2 | none, as its cut points tie at 500 | 0 | 0% | |
| Q3 | none, as its cut points tie at 500 | 0 | 0% | |
| Q4 | none, as its cut points tie at 500 | 0 | 0% | |
| Q5 | none, as its cut points tie at 500 | 0 | 0% | |
| Q6 | none, as its cut points tie at 500 | 0 | 0% | |
| Q7 | none, as its cut points tie at 500 | 0 | 0% | |
| Q8 | none, as its cut points tie at 500 | 0 | 0% | |
| Q9 | 500 and above | 3 | 75% | 864 MED-INT//azithromycin_Q9 |

## MED-INT//bumetanide

Intermittent medication





1 training values · 1 distinct · min 4 · median 4 · mean 4 · max 4
1 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 4 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 4 | 0 | 0% | |
| Q2 | none, as its cut points tie at 4 | 0 | 0% | |
| Q3 | none, as its cut points tie at 4 | 0 | 0% | |
| Q4 | none, as its cut points tie at 4 | 0 | 0% | |
| Q5 | none, as its cut points tie at 4 | 0 | 0% | |
| Q6 | none, as its cut points tie at 4 | 0 | 0% | |
| Q7 | none, as its cut points tie at 4 | 0 | 0% | |
| Q8 | none, as its cut points tie at 4 | 0 | 0% | |
| Q9 | 4 and above | 1 | 100% | `866 MED-INT//bumetanide_Q9` |

## MED-INT//cefazolin

Intermittent medication





3 training values · 1 distinct · min 2,000 · median 2,000 · mean 2,000 · max 2,000
1 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2,000 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q2 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q3 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q4 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q5 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q6 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q7 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q8 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q9 | 2,000 and above | 3 | 100% | `868 MED-INT//cefazolin_Q9` |

## MED-INT//cefepime

Intermittent medication





2 training values · 1 distinct · min 2,000 · median 2,000 · mean 2,000 · max 2,000
1 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2,000 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q2 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q3 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q4 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q5 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q6 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q7 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q8 | none, as its cut points tie at 2,000 | 0 | 0% | |
| Q9 | 2,000 and above | 2 | 100% | `870 MED-INT//cefepime_Q9` |

## MED-INT//ceftazidime

Intermittent medication





2 training values · 1 distinct · min 1,000 · median 1,000 · mean 1,000 · max 1,000
1 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1,000 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q2 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q3 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q4 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q5 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q6 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q7 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q8 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q9 | 1,000 and above | 2 | 100% | `872 MED-INT//ceftazidime_Q9` |

## MED-INT//ciprofloxacin

Intermittent medication

2 training values · 1 distinct · min 400 · median 400 · mean 400 · max 400
1 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 400 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 400 | 0 | 0% | |
| Q2 | none, as its cut points tie at 400 | 0 | 0% | |
| Q3 | none, as its cut points tie at 400 | 0 | 0% | |
| Q4 | none, as its cut points tie at 400 | 0 | 0% | |
| Q5 | none, as its cut points tie at 400 | 0 | 0% | |
| Q6 | none, as its cut points tie at 400 | 0 | 0% | |
| Q7 | none, as its cut points tie at 400 | 0 | 0% | |
| Q8 | none, as its cut points tie at 400 | 0 | 0% | |
| Q9 | 400 and above | 2 | 100% | 875 MED-INT//ciprofloxacin_Q9 |

## MED-INT//dextrose

Intermittent medication

625 training values · 13 distinct · min 4 · median 100 · mean 136.026 · max 500
4 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 50 | 19 | 3.0% | 877 MED-INT//dextrose_Q0 |
| Q1 | 50 to 100 | 105 | 17% | 878 MED-INT//dextrose_Q1 |
| Q2 | none, as its cut points tie at 100 | 0 | 0% | |
| Q3 | none, as its cut points tie at 100 | 0 | 0% | |
| Q4 | none, as its cut points tie at 100 | 0 | 0% | |
| Q5 | none, as its cut points tie at 100 | 0 | 0% | |
| Q6 | 100 to 200 | 285 | 46% | 879 MED-INT//dextrose_Q6 |
| Q7 | none, as its cut points tie at 200 | 0 | 0% | |
| Q8 | none, as its cut points tie at 200 | 0 | 0% | |
| Q9 | 200 and above | 216 | 35% | 880 MED-INT//dextrose_Q9 |

## MED-INT//dextrose_in_water_d5w

Intermittent medication

603 training values · 12 distinct · min 4 · median 100 · mean 139.91 · max 500
5 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 50 | 1 | 0.2% | 881 MED-INT//dextrose_in_water_d5w_Q0 |
| Q1 | 50 to 100 | 101 | 17% | 882 MED-INT//dextrose_in_water_d5w_Q1 |
| Q2 | none, as its cut points tie at 100 | 0 | 0% | |
| Q3 | none, as its cut points tie at 100 | 0 | 0% | |
| Q4 | none, as its cut points tie at 100 | 0 | 0% | |
| Q5 | 100 to 135 | 259 | 43% | 883 MED-INT//dextrose_in_water_d5w_Q5 |
| Q6 | 135 to 200 | 26 | 4.3% | 884 MED-INT//dextrose_in_water_d5w_Q6 |
| Q7 | none, as its cut points tie at 200 | 0 | 0% | |
| Q8 | none, as its cut points tie at 200 | 0 | 0% | |
| Q9 | 200 and above | 216 | 36% | 885 MED-INT//dextrose_in_water_d5w_Q9 |

## MED-INT//diazepam

Intermittent medication


5 training values · 1 distinct · min 5 · median 5 · mean 5 · max 5
1 of 10 bins hold values




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 5 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 5 | 0 | 0% | |
| Q2 | none, as its cut points tie at 5 | 0 | 0% | |
| Q3 | none, as its cut points tie at 5 | 0 | 0% | |
| Q4 | none, as its cut points tie at 5 | 0 | 0% | |
| Q5 | none, as its cut points tie at 5 | 0 | 0% | |
| Q6 | none, as its cut points tie at 5 | 0 | 0% | |
| Q7 | none, as its cut points tie at 5 | 0 | 0% | |
| Q8 | none, as its cut points tie at 5 | 0 | 0% | |
| Q9 | 5 and above | 5 | 100% | 886 MED-INT//diazepam_Q9 |

## MED-INT//diltiazem

Intermittent medication





5 training values · 3 distinct · min 5 · median 10 · mean 12 · max 25
3 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 5 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | 5 to 10 | 1 | 20% | 887 MED-INT//diltiazem_Q1 |
| Q2 | none, as its cut points tie at 10 | 0 | 0% | |
| Q3 | none, as its cut points tie at 10 | 0 | 0% | |
| Q4 | none, as its cut points tie at 10 | 0 | 0% | |
| Q5 | none, as its cut points tie at 10 | 0 | 0% | |
| Q6 | none, as its cut points tie at 10 | 0 | 0% | |
| Q7 | none, as its cut points tie at 10 | 0 | 0% | |
| Q8 | 10 to 25 | 3 | 60% | 888 MED-INT//diltiazem_Q8 |
| Q9 | 25 and above | 1 | 20% | 889 MED-INT//diltiazem_Q9 |

## MED-INT//erythromycin

Intermittent medication




7 training values · 1 distinct · min 250 · median 250 · mean 250 · max 250
1 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 250 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 250 | 0 | 0% | |
| Q2 | none, as its cut points tie at 250 | 0 | 0% | |
| Q3 | none, as its cut points tie at 250 | 0 | 0% | |
| Q4 | none, as its cut points tie at 250 | 0 | 0% | |
| Q5 | none, as its cut points tie at 250 | 0 | 0% | |
| Q6 | none, as its cut points tie at 250 | 0 | 0% | |
| Q7 | none, as its cut points tie at 250 | 0 | 0% | |
| Q8 | none, as its cut points tie at 250 | 0 | 0% | |
| Q9 | 250 and above | 7 | 100% | 891 MED-INT//erythromycin_Q9 |

## MED-INT//fentanyl

Intermittent medication





451 training values · 10 distinct · min 12.5 · median 50 · mean 50.745 · max 1,250
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 25 | 4 | 0.9% | 893 MED-INT//fentanyl_Q0 |
| Q1 | none, as its cut points tie at 25 | 0 | 0% | |
| Q2 | none, as its cut points tie at 25 | 0 | 0% | |
| Q3 | 25 to 50 | 149 | 33% | 894 MED-INT//fentanyl_Q3 |
| Q4 | none, as its cut points tie at 50 | 0 | 0% | |
| Q5 | none, as its cut points tie at 50 | 0 | 0% | |
| Q6 | none, as its cut points tie at 50 | 0 | 0% | |
| Q7 | none, as its cut points tie at 50 | 0 | 0% | |
| Q8 | 50 to 100 | 245 | 54% | 895 MED-INT//fentanyl_Q8 |
| Q9 | 100 and above | 53 | 12% | 896 MED-INT//fentanyl_Q9 |

## MED-INT//furosemide

Intermittent medication





132 training values · 8 distinct · min 5 · median 20 · mean 34.2045 · max 200
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 20 | 12 | 9.1% | 898 MED-INT//furosemide_Q0 |
| Q1 | none, as its cut points tie at 20 | 0 | 0% | |
| Q2 | none, as its cut points tie at 20 | 0 | 0% | |
| Q3 | none, as its cut points tie at 20 | 0 | 0% | |
| Q4 | none, as its cut points tie at 20 | 0 | 0% | |
| Q5 | 20 to 40 | 61 | 46% | 899 MED-INT//furosemide_Q5 |
| Q6 | none, as its cut points tie at 40 | 0 | 0% | |
| Q7 | none, as its cut points tie at 40 | 0 | 0% | |
| Q8 | 40 to 60 | 44 | 33% | 900 MED-INT//furosemide_Q8 |
| Q9 | 60 and above | 15 | 11% | 901 MED-INT//furosemide_Q9 |

## MED-INT//heparin

Intermittent medication





15 training values · 7 distinct · min 0 · median 1,000 · mean 1,733.33 · max 7,000
5 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 1,000 | 1 | 6.7% | 903 MED-INT//heparin_Q0 |
| Q1 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q2 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q3 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q4 | none, as its cut points tie at 1,000 | 0 | 0% | |
| Q5 | 1,000 to 1,300 | 7 | 47% | 904 MED-INT//heparin_Q5 |
| Q6 | 1,300 to 1,700 | 1 | 6.7% | 905 MED-INT//heparin_Q6 |
| Q7 | none, as its cut points tie at 1,700 | 0 | 0% | |
| Q8 | 1,700 to 3,800 | 4 | 27% | 906 MED-INT//heparin_Q8 |
| Q9 | 3,800 and above | 2 | 13% | 907 MED-INT//heparin_Q9 |

## MED-INT//hydromorphone

Intermittent medication





171 training values · 8 distinct · min 0.12 · median 0.5 · mean 0.641754 · max 2
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.25 | 7 | 4.1% | 908 MED-INT//hydromorphone_Q0 |
| Q1 | none, as its cut points tie at 0.25 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0.25 | 0 | 0% | |
| Q3 | 0.25 to 0.5 | 50 | 29% | 909 MED-INT//hydromorphone_Q3 |
| Q4 | none, as its cut points tie at 0.5 | 0 | 0% | |
| Q5 | none, as its cut points tie at 0.5 | 0 | 0% | |
| Q6 | 0.5 to 1 | 62 | 36% | 910 MED-INT//hydromorphone_Q6 |
| Q7 | none, as its cut points tie at 1 | 0 | 0% | |
| Q8 | none, as its cut points tie at 1 | 0 | 0% | |
| Q9 | 1 and above | 52 | 30% | 911 MED-INT//hydromorphone_Q9 |

## MED-INT//insulin

Intermittent medication





510 training values · 25 distinct · min 0 · median 4 · mean 6.9902 · max 80
8 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2 | 34 | 6.7% | 912 MED-INT//insulin_Q0 |
| Q1 | none, as its cut points tie at 2 | 0 | 0% | |
| Q2 | 2 to 3 | 118 | 23% | 913 MED-INT//insulin_Q2 |
| Q3 | 3 to 4 | 29 | 5.7% | 914 MED-INT//insulin_Q3 |
| Q4 | none, as its cut points tie at 4 | 0 | 0% | |
| Q5 | 4 to 6 | 89 | 17% | 915 MED-INT//insulin_Q5 |
| Q6 | 6 to 8 | 77 | 15% | 916 MED-INT//insulin_Q6 |
| Q7 | 8 to 10 | 37 | 7.3% | 917 MED-INT//insulin_Q7 |
| Q8 | 10 to 14 | 72 | 14% | 918 MED-INT//insulin_Q8 |
| Q9 | 14 and above | 54 | 11% | 919 MED-INT//insulin_Q9 |

## MED-INT//labetalol

Intermittent medication





7 training values · 3 distinct · min 5 · median 10 · mean 10 · max 20
2 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 5 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 5 | 0 | 0% | |
| Q2 | 5 to 10 | 2 | 29% | 920 MED-INT//labetalol_Q2 |
| Q3 | none, as its cut points tie at 10 | 0 | 0% | |
| Q4 | none, as its cut points tie at 10 | 0 | 0% | |
| Q5 | none, as its cut points tie at 10 | 0 | 0% | |
| Q6 | none, as its cut points tie at 10 | 0 | 0% | |
| Q7 | none, as its cut points tie at 10 | 0 | 0% | |
| Q8 | none, as its cut points tie at 10 | 0 | 0% | |
| Q9 | 10 and above | 5 | 71% | 921 MED-INT//labetalol_Q9 |

## MED-INT//levofloxacin

Intermittent medication





1 training values · 1 distinct · min 750 · median 750 · mean 750 · max 750
1 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 750 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 750 | 0 | 0% | |
| Q2 | none, as its cut points tie at 750 | 0 | 0% | |
| Q3 | none, as its cut points tie at 750 | 0 | 0% | |
| Q4 | none, as its cut points tie at 750 | 0 | 0% | |
| Q5 | none, as its cut points tie at 750 | 0 | 0% | |
| Q6 | none, as its cut points tie at 750 | 0 | 0% | |
| Q7 | none, as its cut points tie at 750 | 0 | 0% | |
| Q8 | none, as its cut points tie at 750 | 0 | 0% | |
| Q9 | 750 and above | 1 | 100% | 923 MED-INT//levofloxacin_Q9 |

## MED-INT//lidocaine

Intermittent medication





2 training values · 1 distinct · min 50 · median 50 · mean 50 · max 50
1 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 50 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 50 | 0 | 0% | |
| Q2 | none, as its cut points tie at 50 | 0 | 0% | |
| Q3 | none, as its cut points tie at 50 | 0 | 0% | |
| Q4 | none, as its cut points tie at 50 | 0 | 0% | |
| Q5 | none, as its cut points tie at 50 | 0 | 0% | |
| Q6 | none, as its cut points tie at 50 | 0 | 0% | |
| Q7 | none, as its cut points tie at 50 | 0 | 0% | |
| Q8 | none, as its cut points tie at 50 | 0 | 0% | |
| Q9 | 50 and above | 2 | 100% | 924 MED-INT//lidocaine_Q9 |

## MED-INT//lorazepam

Intermittent medication




114 training values · 5 distinct · min 0.25 · median 1 · mean 1.4057 · max 3
5 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.5 | 1 | 0.9% | 925 MED-INT//lorazepam_Q0 |
| Q1 | 0.5 to 1 | 16 | 14% | 926 MED-INT//lorazepam_Q1 |
| Q2 | none, as its cut points tie at 1 | 0 | 0% | |
| Q3 | none, as its cut points tie at 1 | 0 | 0% | |
| Q4 | none, as its cut points tie at 1 | 0 | 0% | |
| Q5 | none, as its cut points tie at 1 | 0 | 0% | |
| Q6 | 1 to 2 | 58 | 51% | 927 MED-INT//lorazepam_Q6 |
| Q7 | none, as its cut points tie at 2 | 0 | 0% | |
| Q8 | 2 to 3 | 23 | 20% | 928 MED-INT//lorazepam_Q8 |
| Q9 | 3 and above | 16 | 14% | 929 MED-INT//lorazepam_Q9 |

## MED-INT//magnesium

Intermittent medication





131 training values · 3 distinct · min 1.92 · median 2 · mean 2.01466 · max 4
2 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2 | 1 | 0.8% | 931 MED-INT//magnesium_Q0 |
| Q1 | none, as its cut points tie at 2 | 0 | 0% | |
| Q2 | none, as its cut points tie at 2 | 0 | 0% | |
| Q3 | none, as its cut points tie at 2 | 0 | 0% | |
| Q4 | none, as its cut points tie at 2 | 0 | 0% | |
| Q5 | none, as its cut points tie at 2 | 0 | 0% | |
| Q6 | none, as its cut points tie at 2 | 0 | 0% | |
| Q7 | none, as its cut points tie at 2 | 0 | 0% | |
| Q8 | none, as its cut points tie at 2 | 0 | 0% | |
| Q9 | 2 and above | 130 | 99% | 932 MED-INT//magnesium_Q9 |

## MED-INT//metronidazole

Intermittent medication





3 training values · 1 distinct · min 500 · median 500 · mean 500 · max 500
1 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 500 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 500 | 0 | 0% | |
| Q2 | none, as its cut points tie at 500 | 0 | 0% | |
| Q3 | none, as its cut points tie at 500 | 0 | 0% | |
| Q4 | none, as its cut points tie at 500 | 0 | 0% | |
| Q5 | none, as its cut points tie at 500 | 0 | 0% | |
| Q6 | none, as its cut points tie at 500 | 0 | 0% | |
| Q7 | none, as its cut points tie at 500 | 0 | 0% | |
| Q8 | none, as its cut points tie at 500 | 0 | 0% | |
| Q9 | 500 and above | 3 | 100% | 935 MED-INT//metronidazole_Q9 |

## MED-INT//midazolam

Intermittent medication





117 training values · 5 distinct · min 0.5 · median 1 · mean 0.931624 · max 4
2 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 0.5 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 0.5 | 0 | 0% | |
| Q2 | none, as its cut points tie at 0.5 | 0 | 0% | |
| Q3 | 0.5 to 1 | 42 | 36% | 937 MED-INT//midazolam_Q3 |
| Q4 | none, as its cut points tie at 1 | 0 | 0% | |
| Q5 | none, as its cut points tie at 1 | 0 | 0% | |
| Q6 | none, as its cut points tie at 1 | 0 | 0% | |
| Q7 | none, as its cut points tie at 1 | 0 | 0% | |
| Q8 | none, as its cut points tie at 1 | 0 | 0% | |
| Q9 | 1 and above | 75 | 64% | 938 MED-INT//midazolam_Q9 |

## MED-INT//morphine

Intermittent medication




108 training values · 7 distinct · min 0.5 · median 2 · mean 2.48426 · max 7.8
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 2 | 8 | 7.4% | 939 MED-INT//morphine_Q0 |
| Q1 | none, as its cut points tie at 2 | 0 | 0% | |
| Q2 | none, as its cut points tie at 2 | 0 | 0% | |
| Q3 | none, as its cut points tie at 2 | 0 | 0% | |
| Q4 | none, as its cut points tie at 2 | 0 | 0% | |
| Q5 | 2 to 2.5 | 54 | 50% | 940 MED-INT//morphine_Q5 |
| Q6 | none, as its cut points tie at 2.5 | 0 | 0% | |
| Q7 | none, as its cut points tie at 2.5 | 0 | 0% | |
| Q8 | 2.5 to 4 | 30 | 28% | 941 MED-INT//morphine_Q8 |
| Q9 | 4 and above | 16 | 15% | 942 MED-INT//morphine_Q9 |

## MED-INT//propofol

Intermittent medication





136 training values · 5 distinct · min 10 · median 10 · mean 12.5 · max 100
2 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 10 | 0 | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 10 | 0 | 0% | |
| Q2 | none, as its cut points tie at 10 | 0 | 0% | |
| Q3 | none, as its cut points tie at 10 | 0 | 0% | |
| Q4 | none, as its cut points tie at 10 | 0 | 0% | |
| Q5 | none, as its cut points tie at 10 | 0 | 0% | |
| Q6 | none, as its cut points tie at 10 | 0 | 0% | |
| Q7 | none, as its cut points tie at 10 | 0 | 0% | |
| Q8 | 10 to 20 | 113 | 83% | 945 MED-INT//propofol_Q8 |
| Q9 | 20 and above | 23 | 17% | 946 MED-INT//propofol_Q9 |

## MED-INT//sodium_bicarbonate

Intermittent medication

8 training values · 1 distinct · min 50 · median 50 · mean 50 · max 50
1 of 10 bins hold values




| Bin | Range | Training values | Share | | Words |
|---|---|---|---|---|---|
| Q0 | below 50 | 0 | | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 50 | 0 | | 0% | |
| Q2 | none, as its cut points tie at 50 | 0 | | 0% | |
| Q3 | none, as its cut points tie at 50 | 0 | | 0% | |
| Q4 | none, as its cut points tie at 50 | 0 | | 0% | |
| Q5 | none, as its cut points tie at 50 | 0 | | 0% | |
| Q6 | none, as its cut points tie at 50 | 0 | | 0% | |
| Q7 | none, as its cut points tie at 50 | 0 | | 0% | |
| Q8 | none, as its cut points tie at 50 | 0 | | 0% | |
| Q9 | 50 and above | 8 | | 100% | 947 MED-INT//sodium_bicarbonate_Q9 |

## MED-INT//sodium_chloride

Intermittent medication

391 training values · 15 distinct · min 0.5 · median 100 · mean 226.781 · max 2,000
6 of 10 bins hold values





| Bin | Range | Training values | Share | | Words |
|---|---|---|---|---|---|
| Q0 | below 50 | 2 | | 0.5% | 948 MED-INT//sodium_chloride_Q0 |
| Q1 | 50 to 100 | 43 | | 11% | 949 MED-INT//sodium_chloride_Q1 |
| Q2 | none, as its cut points tie at 100 | 0 | | 0% | |
| Q3 | none, as its cut points tie at 100 | 0 | | 0% | |
| Q4 | none, as its cut points tie at 100 | 0 | | 0% | |
| Q5 | none, as its cut points tie at 100 | 0 | | 0% | |
| Q6 | 100 to 200 | 216 | | 55% | 950 MED-INT//sodium_chloride_Q6 |
| Q7 | 200 to 300 | 49 | | 13% | 951 MED-INT//sodium_chloride_Q7 |
| Q8 | 300 to 500 | 5 | | 1.3% | 952 MED-INT//sodium_chloride_Q8 |
| Q9 | 500 and above | 76 | | 19% | 953 MED-INT//sodium_chloride_Q9 |

## MED-INT//vancomycin

Intermittent medication

1 training values · 1 distinct · min 750 · median 750 · mean 750 · max 750
1 of 10 bins hold values





| Bin | Range | Training values | Share | | Words |
|---|---|---|---|---|---|
| Q0 | below 750 | 0 | | 0% | not in the vocabulary, so UNK |
| Q1 | none, as its cut points tie at 750 | 0 | | 0% | |
| Q2 | none, as its cut points tie at 750 | 0 | | 0% | |
| Q3 | none, as its cut points tie at 750 | 0 | | 0% | |
| Q4 | none, as its cut points tie at 750 | 0 | | 0% | |
| Q5 | none, as its cut points tie at 750 | 0 | | 0% | |
| Q6 | none, as its cut points tie at 750 | 0 | | 0% | |
| Q7 | none, as its cut points tie at 750 | 0 | | 0% | |
| Q8 | none, as its cut points tie at 750 | 0 | | 0% | |
| Q9 | 750 and above | 1 | | 100% | 956 MED-INT//vancomycin_Q9 |

## RESP//fio2_set

Respiratory support


7,903 training values · 13 distinct · min 0.21 · median 0.4 · mean 0.460046 · max 1
5 of 10 bins hold values




| Bin | Range | Training values | Share | | Words |
|---|---|---|---|---|---|
| Q0 | below 0.35 | 788 | | 10.0% | 964 RESP//fio2_set_Q0 |
| Q1 | 0.35 to 0.4 | 757 | | 9.6% | 965 RESP//fio2_set_Q1 |
| Q2 | none, as its cut points tie at 0.4 | 0 | | 0% | |
| Q3 | none, as its cut points tie at 0.4 | 0 | | 0% | |
| Q4 | none, as its cut points tie at 0.4 | 0 | | 0% | |
| Q5 | none, as its cut points tie at 0.4 | 0 | | 0% | |
| Q6 | 0.4 to 0.5 | 3,582 | | 45% | 966 RESP//fio2_set_Q6 |
| Q7 | none, as its cut points tie at 0.5 | 0 | | 0% | |
| Q8 | 0.5 to 0.7 | 1,915 | | 24% | 967 RESP//fio2_set_Q8 |
| Q9 | 0.7 and above | 861 | | 11% | 968 RESP//fio2_set_Q9 |

## RESP//peep_set

Respiratory support





5,260 training values · 10 distinct · min 0 · median 5 · mean 6.5576 · max 22
4 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 5 | 329 | 6.3% | 974 RESP//peep_set_Q0 |
| Q1 | none, as its cut points tie at 5 | 0 | 0% | |
| Q2 | none, as its cut points tie at 5 | 0 | 0% | |
| Q3 | none, as its cut points tie at 5 | 0 | 0% | |
| Q4 | none, as its cut points tie at 5 | 0 | 0% | |
| Q5 | 5 to 8 | 2,794 | 53% | 975 RESP//peep_set_Q5 |
| Q6 | none, as its cut points tie at 8 | 0 | 0% | |
| Q7 | 8 to 10 | 962 | 18% | 976 RESP//peep_set_Q7 |
| Q8 | none, as its cut points tie at 10 | 0 | 0% | |
| Q9 | 10 and above | 1,175 | 22% | 977 RESP//peep_set_Q9 |

## RESP//tidal_volume_set

Respiratory support





2,617 training values · 18 distinct · min 0 · median 450 · mean 457.343 · max 550
6 of 10 bins hold values

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 370 | 239 | 9.1% | 982 RESP//tidal_volume_set_Q0 |
| Q1 | 370 to 430 | 215 | 8.2% | 983 RESP//tidal_volume_set_Q1 |
| Q2 | 430 to 450 | 296 | 11% | 984 RESP//tidal_volume_set_Q2 |
| Q3 | none, as its cut points tie at 450 | 0 | 0% | |
| Q4 | none, as its cut points tie at 450 | 0 | 0% | |
| Q5 | none, as its cut points tie at 450 | 0 | 0% | |
| Q6 | 450 to 500 | 1,034 | 40% | 985 RESP//tidal_volume_set_Q6 |
| Q7 | none, as its cut points tie at 500 | 0 | 0% | |
| Q8 | 500 to 550 | 562 | 21% | 986 RESP//tidal_volume_set_Q8 |
| Q9 | 550 and above | 271 | 10% | 987 RESP//tidal_volume_set_Q9 |

## VTL//dbp

Vital sign





11,659 training values · 121 distinct · min 17 · median 59 · mean 59.972 · max 166
10 of 10 bins hold values · 54 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 46 | 1,028 | 8.8% | 1015 VTL//dbp_Q0 |
| Q1 | 46 to 50 | 1,026 | 8.8% | 1016 VTL//dbp_Q1 |
| Q2 | 50 to 53 | 1,108 | 9.5% | 1017 VTL//dbp_Q2 |
| Q3 | 53 to 56 | 1,277 | 11% | 1018 VTL//dbp_Q3 |
| Q4 | 56 to 59 | 1,292 | 11% | 1019 VTL//dbp_Q4 |
| Q5 | 59 to 62 | 1,214 | 10% | 1020 VTL//dbp_Q5 |
| Q6 | 62 to 65 | 1,168 | 10% | 1021 VTL//dbp_Q6 |
| Q7 | 65 to 69 | 1,171 | 10% | 1022 VTL//dbp_Q7 |
| Q8 | 69 to 75 | 1,138 | 9.8% | 1023 VTL//dbp_Q8 |
| Q9 | 75 and above | 1,237 | 11% | 1024 VTL//dbp_Q9 |

## VTL//heart_rate

Vital sign





11,294 training values · 131 distinct · min 0 · median 89 · mean 89.8954 · max 174
10 of 10 bins hold values · 49 below, 51 above the range drawn

| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 67 | 1,052 | 9.3% | 1025 VTL//heart_rate_Q0 |
| Q1 | 67 to 75 | 1,179 | 10% | 1026 VTL//heart_rate_Q1 |
| Q2 | 75 to 80 | 1,020 | 9.0% | 1027 VTL//heart_rate_Q2 |
| Q3 | 80 to 84 | 1,102 | 9.8% | 1028 VTL//heart_rate_Q3 |
| Q4 | 84 to 89 | 1,239 | 11% | 1029 VTL//heart_rate_Q4 |
| Q5 | 89 to 94 | 1,098 | 9.7% | 1030 VTL//heart_rate_Q5 |
| Q6 | 94 to 100 | 1,176 | 10% | 1031 VTL//heart_rate_Q6 |
| Q7 | 100 to 105 | 1,038 | 9.2% | 1032 VTL//heart_rate_Q7 |
| Q8 | 105 to 113 | 1,159 | 10% | 1033 VTL//heart_rate_Q8 |
| Q9 | 113 and above | 1,231 | 11% | 1034 VTL//heart_rate_Q9 |

## VTL//height_cm

Vital sign

53 training values · 18 distinct · min 61 · median 170 · mean 166.642 · max 188
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 150 | 3 | 5.7% | 1035 VTL//height_cm_Q0 |
| Q1 | 150 to 160 | 7 | 13% | 1036 VTL//height_cm_Q1 |
| Q2 | 160 to 165 | 6 | 11% | 1037 VTL//height_cm_Q2 |
| Q3 | 165 to 168 | 2 | 3.8% | 1038 VTL//height_cm_Q3 |
| Q4 | 168 to 170 | 4 | 7.5% | 1039 VTL//height_cm_Q4 |
| Q5 | 170 to 173 | 6 | 11% | 1040 VTL//height_cm_Q5 |
| Q6 | 173 to 178 | 8 | 15% | 1041 VTL//height_cm_Q6 |
| Q7 | 178 to 180 | 4 | 7.5% | 1042 VTL//height_cm_Q7 |
| Q8 | 180 to 185 | 7 | 13% | 1043 VTL//height_cm_Q8 |
| Q9 | 185 and above | 6 | 11% | 1044 VTL//height_cm_Q9 |

## VTL//map

Vital sign

11,668 training values · 152 distinct · min -19 · median 73 · mean 75.0459 · max 801
10 of 10 bins hold values · 47 below, 57 above the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 60 | 1,141 | 9.8% | 1045 VTL//map_Q0 |
| Q1 | 60 to 64 | 921 | 7.9% | 1046 VTL//map_Q1 |
| Q2 | 64 to 68 | 1,376 | 12% | 1047 VTL//map_Q2 |
| Q3 | 68 to 71 | 1,200 | 10% | 1048 VTL//map_Q3 |
| Q4 | 71 to 73 | 825 | 7.1% | 1049 VTL//map_Q4 |
| Q5 | 73 to 77 | 1,516 | 13% | 1050 VTL//map_Q5 |
| Q6 | 77 to 80 | 992 | 8.5% | 1051 VTL//map_Q6 |
| Q7 | 80 to 85 | 1,304 | 11% | 1052 VTL//map_Q7 |
| Q8 | 85 to 92 | 1,209 | 10% | 1053 VTL//map_Q8 |
| Q9 | 92 and above | 1,184 | 10% | 1054 VTL//map_Q9 |

## VTL//respiratory_rate

Vital sign

11,259 training values · 46 distinct · min 0 · median 19 · mean 19.7604 · max 58
10 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 13 | 817 | 7.3% | 1055 VTL//respiratory_rate_Q0 |
| Q1 | 13 to 15 | 896 | 8.0% | 1056 VTL//respiratory_rate_Q1 |
| Q2 | 15 to 17 | 1,554 | 14% | 1057 VTL//respiratory_rate_Q2 |
| Q3 | 17 to 18 | 742 | 6.6% | 1058 VTL//respiratory_rate_Q3 |
| Q4 | 18 to 19 | 899 | 8.0% | 1059 VTL//respiratory_rate_Q4 |
| Q5 | 19 to 21 | 1,678 | 15% | 1060 VTL//respiratory_rate_Q5 |
| Q6 | 21 to 22 | 706 | 6.3% | 1061 VTL//respiratory_rate_Q6 |
| Q7 | 22 to 24 | 1,354 | 12% | 1062 VTL//respiratory_rate_Q7 |
| Q8 | 24 to 27 | 1,439 | 13% | 1063 VTL//respiratory_rate_Q8 |
| Q9 | 27 and above | 1,174 | 10% | 1064 VTL//respiratory_rate_Q9 |

## VTL//sbp

Vital sign

11,662 training values · 148 distinct · min 25 · median 111 · mean 113.119 · max 207
10 of 10 bins hold values · 48 below, 38 above the range drawn




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 90 | 1,151 | 9.9% | 1065 VTL//sbp_Q0 |
| Q1 | 90 to 96 | 1,113 | 9.5% | 1066 VTL//sbp_Q1 |
| Q2 | 96 to 101 | 1,140 | 9.8% | 1067 VTL//sbp_Q2 |
| Q3 | 101 to 106 | 1,159 | 9.9% | 1068 VTL//sbp_Q3 |
| Q4 | 106 to 111 | 1,130 | 9.7% | 1069 VTL//sbp_Q4 |
| Q5 | 111 to 116 | 1,112 | 9.5% | 1070 VTL//sbp_Q5 |
| Q6 | 116 to 122 | 1,148 | 9.8% | 1071 VTL//sbp_Q6 |
| Q7 | 122 to 130 | 1,331 | 11% | 1072 VTL//sbp_Q7 |
| Q8 | 130 to 141 | 1,176 | 10% | 1073 VTL//sbp_Q8 |
| Q9 | 141 and above | 1,202 | 10% | 1074 VTL//sbp_Q9 |

## VTL//spo2

Vital sign

10,950 training values · 34 distinct · min 47 · median 97 · mean 96.9564 · max 100
8 of 10 bins hold values





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 94 | 990 | 9.0% | `1075 VTL//spo2_Q0` |
| Q1 | 94 to 95 | 760 | 6.9% | `1076 VTL//spo2_Q1` |
| Q2 | 95 to 96 | 1,185 | 11% | `1077 VTL//spo2_Q2` |
| Q3 | 96 to 97 | 1,396 | 13% | `1078 VTL//spo2_Q3` |
| Q4 | none, as its cut points tie at 97 | 0 | 0% | |
| Q5 | 97 to 98 | 1,483 | 14% | `1079 VTL//spo2_Q5` |
| Q6 | 98 to 99 | 1,447 | 13% | `1080 VTL//spo2_Q6` |
| Q7 | 99 to 100 | 1,299 | 12% | `1081 VTL//spo2_Q7` |
| Q8 | none, as its cut points tie at 100 | 0 | 0% | |
| Q9 | 100 and above | 2,390 | 22% | `1082 VTL//spo2_Q9` |

## VTL//temp_c

Vital sign

3,074 training values · 56 distinct · min 31.1 · median 36.9 · mean 36.9463 · max 39.9
10 of 10 bins hold values · 5 below the range drawn





| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 36.3 | 230 | 7.5% | `1083 VTL//temp_c_Q0` |
| Q1 | 36.3 to 36.5 | 299 | 9.7% | `1084 VTL//temp_c_Q1` |
| Q2 | 36.5 to 36.7 | 346 | 11% | `1085 VTL//temp_c_Q2` |
| Q3 | 36.7 to 36.8 | 312 | 10% | `1086 VTL//temp_c_Q3` |
| Q4 | 36.8 to 36.9 | 317 | 10% | `1087 VTL//temp_c_Q4` |
| Q5 | 36.9 to 37 | 321 | 10% | `1088 VTL//temp_c_Q5` |
| Q6 | 37 to 37.1 | 160 | 5.2% | `1089 VTL//temp_c_Q6` |
| Q7 | 37.1 to 37.3 | 354 | 12% | `1090 VTL//temp_c_Q7` |
| Q8 | 37.3 to 37.8 | 404 | 13% | `1091 VTL//temp_c_Q8` |
| Q9 | 37.8 and above | 331 | 11% | `1092 VTL//temp_c_Q9` |

## VTL//weight_kg

Vital sign

787 training values · 301 distinct · min 0 · median 86.9 · mean 86.6682 · max 164
10 of 10 bins hold values · 1 below the range drawn




| Bin | Range | Training values | Share | Words |
|---|---|---|---|---|
| Q0 | below 58 | 71 | 9.0% | `1093 VTL//weight_kg_Q0` |
| Q1 | 58 to 70.8 | 86 | 11% | `1094 VTL//weight_kg_Q1` |
| Q2 | 70.8 to 77.4 | 79 | 10% | `1095 VTL//weight_kg_Q2` |
| Q3 | 77.4 to 83.3 | 76 | 9.7% | `1096 VTL//weight_kg_Q3` |
| Q4 | 83.3 to 86.9 | 48 | 6.1% | `1097 VTL//weight_kg_Q4` |
| Q5 | 86.9 to 88.6 | 99 | 13% | `1098 VTL//weight_kg_Q5` |
| Q6 | 88.6 to 97.5 | 91 | 12% | `1099 VTL//weight_kg_Q6` |
| Q7 | 97.5 to 102.4 | 67 | 8.5% | `1100 VTL//weight_kg_Q7` |
| Q8 | 102.4 to 109.9 | 90 | 11% | `1101 VTL//weight_kg_Q8` |
| Q9 | 109.9 and above | 80 | 10% | `1102 VTL//weight_kg_Q9` |

## Words

1,115 words

63 seen once in training, 287 fewer than 10 times.

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 0 | UNK | Out of vocabulary | | | |
| 1 | ADMN//direct | Encounter | | | 12 |
| 2 | ADMN//ed | Encounter | | | 172 |
| 3 | ADMN//elective | Encounter | | | 24 |
| 4 | AGE//age_Q0 | Demographics | Q0 | | 17 |
| 5 | AGE//age_Q1 | Demographics | Q1 | | 23 |
| 6 | AGE//age_Q2 | Demographics | Q2 | | 21 |
| 7 | AGE//age_Q3 | Demographics | Q3 | | 15 |
| 8 | AGE//age_Q4 | Demographics | Q4 | | 20 |
| 9 | AGE//age_Q5 | Demographics | Q5 | | 25 |
| 10 | AGE//age_Q6 | Demographics | Q6 | | 18 |
| 11 | AGE//age_Q7 | Demographics | Q7 | | 26 |
| 12 | AGE//age_Q8 | Demographics | Q8 | | 17 |
| 13 | AGE//age_Q9 | Demographics | Q9 | | 26 |
| 14 | ASMT//braden_activity_Q7 | Assessments | Q7 | | 991 |
| 15 | ASMT//braden_activity_Q9 | Assessments | Q9 | | 366 |
| 16 | ASMT//braden_friction_Q2 | Assessments | Q2 | | 275 |
| 17 | ASMT//braden_friction_Q8 | Assessments | Q8 | | 875 |
| 18 | ASMT//braden_friction_Q9 | Assessments | Q9 | | 204 |
| 19 | ASMT//braden_mobility_Q0 | Assessments | Q0 | | 120 |
| 20 | ASMT//braden_mobility_Q5 | Assessments | Q5 | | 640 |
| 21 | ASMT//braden_mobility_Q9 | Assessments | Q9 | | 597 |
| 22 | ASMT//braden_moisture_Q0 | Assessments | Q0 | | 8 |
| 23 | ASMT//braden_moisture_Q1 | Assessments | Q1 | | 141 |
| 24 | ASMT//braden_moisture_Q6 | Assessments | Q6 | | 691 |
| 25 | ASMT//braden_moisture_Q9 | Assessments | Q9 | | 517 |
| 26 | ASMT//braden_nutrition_Q1 | Assessments | Q1 | | 223 |
| 27 | ASMT//braden_nutrition_Q6 | Assessments | Q6 | | 686 |
| 28 | ASMT//braden_nutrition_Q9 | Assessments | Q9 | | 445 |
| 29 | ASMT//braden_sensory_Q0 | Assessments | Q0 | | 78 |
| 30 | ASMT//braden_sensory_Q3 | Assessments | Q3 | | 393 |
| 31 | ASMT//braden_sensory_Q7 | Assessments | Q7 | | 555 |
| 32 | ASMT//braden_sensory_Q9 | Assessments | Q9 | | 334 |
| 33 | ASMT//braden_total_Q0 | Assessments | Q0 | | 126 |
| 34 | ASMT//braden_total_Q1 | Assessments | Q1 | | 140 |
| 35 | ASMT//braden_total_Q3 | Assessments | Q3 | | 169 |
| 36 | ASMT//braden_total_Q4 | Assessments | Q4 | | 190 |
| 37 | ASMT//braden_total_Q6 | Assessments | Q6 | | 189 |
| 38 | ASMT//braden_total_Q7 | Assessments | Q7 | | 167 |
| 39 | ASMT//braden_total_Q8 | Assessments | Q8 | | 205 |
| 40 | ASMT//braden_total_Q9 | Assessments | Q9 | | 167 |
| 41 | ASMT//cam_inattention_language_barrier | Assessments | | | 2 |
| 42 | ASMT//cam_inattention_no | Assessments | | | 90 |
| 43 | ASMT//cam_inattention_no_(less_than_3_errors_-_stop_-_not_delirious) | Assessments | | | 3 |
| 44 | ASMT//cam_inattention_preexisting_advanced_dementia | Assessments | | | 3 |
| 45 | ASMT//cam_inattention_unable_to_assess | Assessments | | | 13 |
| 46 | ASMT//cam_inattention_yes | Assessments | | | 319 |
| 47 | ASMT//cam_inattention_yes_(3_or_more_errors,_then_continue) | Assessments | | | 2 |
| 48 | ASMT//cam_loc_no | Assessments | | | 53 |
| 49 | ASMT//cam_loc_yes | Assessments | | | 269 |
| 50 | ASMT//cam_mental_no | Assessments | | | 407 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 51 | ASMT//cam_mental_no_(stop_-_not_delirious) | Assessments | | | 9 |
| 52 | ASMT//cam_mental_unable_to_assess | Assessments | | | 26 |
| 53 | ASMT//cam_mental_yes | Assessments | | | 433 |
| 54 | ASMT//cam_mental_yes_(continue) | Assessments | | | 5 |
| 55 | ASMT//cam_thinking_no | Assessments | | | 47 |
| 56 | ASMT//cam_thinking_unable_to_assess | Assessments | | | 4 |
| 57 | ASMT//cam_thinking_yes | Assessments | | | 28 |
| 58 | ASMT//cam_total_no | Assessments | | | 515 |
| 59 | ASMT//cam_total_yes | Assessments | | | 295 |
| 60 | ASMT//gcs_eye | Assessments | | | 1 |
| 61 | ASMT//gcs_eye_Q0 | Assessments | Q0 | | 258 |
| 62 | ASMT//gcs_eye_Q1 | Assessments | Q1 | | 139 |
| 63 | ASMT//gcs_eye_Q4 | Assessments | Q4 | | 681 |
| 64 | ASMT//gcs_eye_Q9 | Assessments | Q9 | | 1,508 |
| 65 | ASMT//gcs_motor | Assessments | | | 4 |
| 66 | ASMT//gcs_motor_Q0 | Assessments | Q0 | | 195 |
| 67 | ASMT//gcs_motor_Q1 | Assessments | Q1 | | 129 |
| 68 | ASMT//gcs_motor_Q2 | Assessments | Q2 | | 312 |
| 69 | ASMT//gcs_motor_Q9 | Assessments | Q9 | | 1,947 |
| 70 | ASMT//gcs_total_Q0 | Assessments | Q0 | | 197 |
| 71 | ASMT//gcs_total_Q1 | Assessments | Q1 | | 169 |
| 72 | ASMT//gcs_total_Q2 | Assessments | Q2 | | 304 |
| 73 | ASMT//gcs_total_Q9 | Assessments | Q9 | | 1,917 |
| 74 | ASMT//gcs_verbal | Assessments | | | 3 |
| 75 | ASMT//gcs_verbal_Q3 | Assessments | Q3 | | 1,019 |
| 76 | ASMT//gcs_verbal_Q4 | Assessments | Q4 | | 127 |
| 77 | ASMT//gcs_verbal_Q5 | Assessments | Q5 | | 366 |
| 78 | ASMT//gcs_verbal_Q9 | Assessments | Q9 | | 1,072 |
| 79 | ASMT//rass_Q0 | Assessments | Q0 | | 159 |
| 80 | ASMT//rass_Q1 | Assessments | Q1 | | 131 |
| 81 | ASMT//rass_Q2 | Assessments | Q2 | | 230 |
| 82 | ASMT//rass_Q4 | Assessments | Q4 | | 522 |
| 83 | ASMT//rass_Q8 | Assessments | Q8 | | 945 |
| 84 | ASMT//rass_Q9 | Assessments | Q9 | | 282 |
| 85 | ASMT//sbt_delivery_pass_fail_fail | Assessments | | | 13 |
| 86 | ASMT//sbt_delivery_pass_fail_pass | Assessments | | | 59 |
| 87 | ASMT//sbt_fail_reason | Assessments | | | 44 |
| 88 | BOS | | | | 208 |
| 89 | CODE//and | Encounter | | | 1 |
| 90 | CODE//dnr | Encounter | | | 3 |
| 91 | CODE//dnr/dni | Encounter | | | 1 |
| 92 | CODE//full | Encounter | | | 107 |
| 93 | CRRT//cvvhdf | Organ support | | | 4 |
| 94 | CRRT//cvvhdf_Q1 | Organ support | Q1 | | 67 |
| 95 | CRRT//cvvhdf_Q9 | Organ support | Q9 | | 293 |
| 96 | DSCG//acute_care_hospital | Encounter | | | 1 |
| 97 | DSCG//acute_inpatient_rehab_facility | Encounter | | | 11 |
| 98 | DSCG//against_medical_advice_(ama) | Encounter | | | 5 |
| 99 | DSCG//expired | Encounter | | | 11 |
| 100 | DSCG//home | Encounter | | | 110 |
| 101 | DSCG//hospice | Encounter | | | 5 |
| 102 | DSCG//long_term_care_hospital_(ltach) | Encounter | | | 7 |
| 103 | DSCG//missing | Encounter | | | 31 |
| 104 | DSCG//skilled_nursing_facility_(snf) | Encounter | | | 27 |
| 105 | EOS | | | | 208 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 106 | ETHN//hispanic | Demographics | | | 4 |
| 107 | ETHN//non-hispanic | Demographics | | | 187 |
| 108 | ETHN//unknown | Demographics | | | 17 |
| 109 | LAB-ORD//albumin | Labs | | | 359 |
| 110 | LAB-ORD//alkaline_phosphatase | Labs | | | 764 |
| 111 | LAB-ORD//alt | Labs | | | 768 |
| 112 | LAB-ORD//ast | Labs | | | 768 |
| 113 | LAB-ORD//basophils_absolute | Labs | | | 233 |
| 114 | LAB-ORD//basophils_percent | Labs | | | 385 |
| 115 | LAB-ORD//bicarbonate | Labs | | | 1,989 |
| 116 | LAB-ORD//bilirubin_conjugated | Labs | | | 34 |
| 117 | LAB-ORD//bilirubin_total | Labs | | | 783 |
| 118 | LAB-ORD//bilirubin_unconjugated | Labs | | | 29 |
| 119 | LAB-ORD//bun | Labs | | | 1,981 |
| 120 | LAB-ORD//calcium_ionized | Labs | | | 454 |
| 121 | LAB-ORD//calcium_total | Labs | | | 1,817 |
| 122 | LAB-ORD//chloride | Labs | | | 2,141 |
| 123 | LAB-ORD//creatinine | Labs | | | 2,001 |
| 124 | LAB-ORD//crp | Labs | | | 12 |
| 125 | LAB-ORD//eosinophils_absolute | Labs | | | 233 |
| 126 | LAB-ORD//eosinophils_percent | Labs | | | 385 |
| 127 | LAB-ORD//esr | Labs | | | 1 |
| 128 | LAB-ORD//ferritin | Labs | | | 35 |
| 129 | LAB-ORD//glucose_serum | Labs | | | 2,202 |
| 130 | LAB-ORD//hemoglobin | Labs | | | 1,963 |
| 131 | LAB-ORD//inr | Labs | | | 1,096 |
| 132 | LAB-ORD//lactate | Labs | | | 545 |
| 133 | LAB-ORD//ldh | Labs | | | 456 |
| 134 | LAB-ORD//lymphocytes_absolute | Labs | | | 233 |
| 135 | LAB-ORD//lymphocytes_percent | Labs | | | 385 |
| 136 | LAB-ORD//magnesium | Labs | | | 1,909 |
| 137 | LAB-ORD//monocytes_absolute | Labs | | | 233 |
| 138 | LAB-ORD//monocytes_percent | Labs | | | 385 |
| 139 | LAB-ORD//neutrophils_absolute | Labs | | | 233 |
| 140 | LAB-ORD//neutrophils_percent | Labs | | | 385 |
| 141 | LAB-ORD//pco2_arterial | Labs | | | 755 |
| 142 | LAB-ORD//pco2_venous | Labs | | | 92 |
| 143 | LAB-ORD//ph_arterial | Labs | | | 812 |
| 144 | LAB-ORD//ph_venous | Labs | | | 120 |
| 145 | LAB-ORD//phosphate | Labs | | | 1,823 |
| 146 | LAB-ORD//platelet_count | Labs | | | 1,893 |
| 147 | LAB-ORD//po2_arterial | Labs | | | 753 |
| 148 | LAB-ORD//potassium | Labs | | | 2,367 |
| 149 | LAB-ORD//pt | Labs | | | 1,096 |
| 150 | LAB-ORD//ptt | Labs | | | 1,133 |
| 151 | LAB-ORD//so2_arterial | Labs | | | 141 |
| 152 | LAB-ORD//so2_central_venous | Labs | | | 7 |
| 153 | LAB-ORD//so2_mixed_venous | Labs | | | 79 |
| 154 | LAB-ORD//sodium | Labs | | | 2,190 |
| 155 | LAB-ORD//total_protein | Labs | | | 23 |
| 156 | LAB-ORD//troponin_t | Labs | | | 152 |
| 157 | LAB-ORD//wbc | Labs | | | 1,842 |
| 158 | LAB-RES//albumin_Q0 | Labs | Q0 | | 35 |
| 159 | LAB-RES//albumin_Q1 | Labs | Q1 | | 37 |
| 160 | LAB-RES//albumin_Q2 | Labs | Q2 | | 28 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 161 | LAB-RES//albumin_Q3 | Labs | Q3 | | 41 |
| 162 | LAB-RES//albumin_Q4 | Labs | Q4 | | 36 |
| 163 | LAB-RES//albumin_Q5 | Labs | Q5 | | 18 |
| 164 | LAB-RES//albumin_Q6 | Labs | Q6 | | 48 |
| 165 | LAB-RES//albumin_Q7 | Labs | Q7 | | 25 |
| 166 | LAB-RES//albumin_Q8 | Labs | Q8 | | 50 |
| 167 | LAB-RES//albumin_Q9 | Labs | Q9 | | 41 |
| 168 | LAB-RES//alkaline_phosphatase_Q0 | Labs | Q0 | | 73 |
| 169 | LAB-RES//alkaline_phosphatase_Q1 | Labs | Q1 | | 72 |
| 170 | LAB-RES//alkaline_phosphatase_Q2 | Labs | Q2 | | 80 |
| 171 | LAB-RES//alkaline_phosphatase_Q3 | Labs | Q3 | | 77 |
| 172 | LAB-RES//alkaline_phosphatase_Q4 | Labs | Q4 | | 80 |
| 173 | LAB-RES//alkaline_phosphatase_Q5 | Labs | Q5 | | 72 |
| 174 | LAB-RES//alkaline_phosphatase_Q6 | Labs | Q6 | | 77 |
| 175 | LAB-RES//alkaline_phosphatase_Q7 | Labs | Q7 | | 78 |
| 176 | LAB-RES//alkaline_phosphatase_Q8 | Labs | Q8 | | 78 |
| 177 | LAB-RES//alkaline_phosphatase_Q9 | Labs | Q9 | | 77 |
| 178 | LAB-RES//alt_Q0 | Labs | Q0 | | 39 |
| 179 | LAB-RES//alt_Q1 | Labs | Q1 | | 114 |
| 180 | LAB-RES//alt_Q2 | Labs | Q2 | | 75 |
| 181 | LAB-RES//alt_Q3 | Labs | Q3 | | 67 |
| 182 | LAB-RES//alt_Q4 | Labs | Q4 | | 86 |
| 183 | LAB-RES//alt_Q5 | Labs | Q5 | | 72 |
| 184 | LAB-RES//alt_Q6 | Labs | Q6 | | 80 |
| 185 | LAB-RES//alt_Q7 | Labs | Q7 | | 81 |
| 186 | LAB-RES//alt_Q8 | Labs | Q8 | | 76 |
| 187 | LAB-RES//alt_Q9 | Labs | Q9 | | 78 |
| 188 | LAB-RES//ast_Q0 | Labs | Q0 | | 76 |
| 189 | LAB-RES//ast_Q1 | Labs | Q1 | | 67 |
| 190 | LAB-RES//ast_Q2 | Labs | Q2 | | 82 |
| 191 | LAB-RES//ast_Q3 | Labs | Q3 | | 82 |
| 192 | LAB-RES//ast_Q4 | Labs | Q4 | | 64 |
| 193 | LAB-RES//ast_Q5 | Labs | Q5 | | 83 |
| 194 | LAB-RES//ast_Q6 | Labs | Q6 | | 83 |
| 195 | LAB-RES//ast_Q7 | Labs | Q7 | | 77 |
| 196 | LAB-RES//ast_Q8 | Labs | Q8 | | 76 |
| 197 | LAB-RES//ast_Q9 | Labs | Q9 | | 78 |
| 198 | LAB-RES//basophils_absolute | Labs | | | 4 |
| 199 | LAB-RES//basophils_absolute_Q5 | Labs | Q5 | | 131 |
| 200 | LAB-RES//basophils_absolute_Q6 | Labs | Q6 | | 28 |
| 201 | LAB-RES//basophils_absolute_Q7 | Labs | Q7 | | 23 |
| 202 | LAB-RES//basophils_absolute_Q8 | Labs | Q8 | | 21 |
| 203 | LAB-RES//basophils_absolute_Q9 | Labs | Q9 | | 26 |
| 204 | LAB-RES//basophils_percent | Labs | | | 5 |
| 205 | LAB-RES//basophils_percent_Q4 | Labs | Q4 | | 179 |
| 206 | LAB-RES//basophils_percent_Q5 | Labs | Q5 | | 21 |
| 207 | LAB-RES//basophils_percent_Q6 | Labs | Q6 | | 58 |
| 208 | LAB-RES//basophils_percent_Q7 | Labs | Q7 | | 42 |
| 209 | LAB-RES//basophils_percent_Q8 | Labs | Q8 | | 40 |
| 210 | LAB-RES//basophils_percent_Q9 | Labs | Q9 | | 40 |
| 211 | LAB-RES//bicarbonate_Q0 | Labs | Q0 | | 162 |
| 212 | LAB-RES//bicarbonate_Q1 | Labs | Q1 | | 159 |
| 213 | LAB-RES//bicarbonate_Q2 | Labs | Q2 | | 212 |
| 214 | LAB-RES//bicarbonate_Q3 | Labs | Q3 | | 129 |
| 215 | LAB-RES//bicarbonate_Q4 | Labs | Q4 | | 178 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 216 | LAB-RES//bicarbonate_Q5 | Labs | Q5 | | 346 |
| 217 | LAB-RES//bicarbonate_Q6 | Labs | Q6 | | 177 |
| 218 | LAB-RES//bicarbonate_Q7 | Labs | Q7 | | 135 |
| 219 | LAB-RES//bicarbonate_Q8 | Labs | Q8 | | 232 |
| 220 | LAB-RES//bicarbonate_Q9 | Labs | Q9 | | 259 |
| 221 | LAB-RES//bilirubin_conjugated_Q0 | Labs | Q0 | | 2 |
| 222 | LAB-RES//bilirubin_conjugated_Q1 | Labs | Q1 | | 4 |
| 223 | LAB-RES//bilirubin_conjugated_Q2 | Labs | Q2 | | 4 |
| 224 | LAB-RES//bilirubin_conjugated_Q3 | Labs | Q3 | | 3 |
| 225 | LAB-RES//bilirubin_conjugated_Q4 | Labs | Q4 | | 4 |
| 226 | LAB-RES//bilirubin_conjugated_Q5 | Labs | Q5 | | 3 |
| 227 | LAB-RES//bilirubin_conjugated_Q6 | Labs | Q6 | | 3 |
| 228 | LAB-RES//bilirubin_conjugated_Q7 | Labs | Q7 | | 3 |
| 229 | LAB-RES//bilirubin_conjugated_Q8 | Labs | Q8 | | 4 |
| 230 | LAB-RES//bilirubin_conjugated_Q9 | Labs | Q9 | | 4 |
| 231 | LAB-RES//bilirubin_total_Q0 | Labs | Q0 | | 7 |
| 232 | LAB-RES//bilirubin_total_Q1 | Labs | Q1 | | 113 |
| 233 | LAB-RES//bilirubin_total_Q2 | Labs | Q2 | | 89 |
| 234 | LAB-RES//bilirubin_total_Q3 | Labs | Q3 | | 84 |
| 235 | LAB-RES//bilirubin_total_Q4 | Labs | Q4 | | 69 |
| 236 | LAB-RES//bilirubin_total_Q5 | Labs | Q5 | | 96 |
| 237 | LAB-RES//bilirubin_total_Q6 | Labs | Q6 | | 76 |
| 238 | LAB-RES//bilirubin_total_Q7 | Labs | Q7 | | 89 |
| 239 | LAB-RES//bilirubin_total_Q8 | Labs | Q8 | | 81 |
| 240 | LAB-RES//bilirubin_total_Q9 | Labs | Q9 | | 79 |
| 241 | LAB-RES//bilirubin_unconjugated_Q0 | Labs | Q0 | | 1 |
| 242 | LAB-RES//bilirubin_unconjugated_Q1 | Labs | Q1 | | 5 |
| 243 | LAB-RES//bilirubin_unconjugated_Q2 | Labs | Q2 | | 2 |
| 244 | LAB-RES//bilirubin_unconjugated_Q3 | Labs | Q3 | | 3 |
| 245 | LAB-RES//bilirubin_unconjugated_Q4 | Labs | Q4 | | 3 |
| 246 | LAB-RES//bilirubin_unconjugated_Q5 | Labs | Q5 | | 3 |
| 247 | LAB-RES//bilirubin_unconjugated_Q6 | Labs | Q6 | | 3 |
| 248 | LAB-RES//bilirubin_unconjugated_Q7 | Labs | Q7 | | 2 |
| 249 | LAB-RES//bilirubin_unconjugated_Q8 | Labs | Q8 | | 3 |
| 250 | LAB-RES//bilirubin_unconjugated_Q9 | Labs | Q9 | | 4 |
| 251 | LAB-RES//bun_Q0 | Labs | Q0 | | 164 |
| 252 | LAB-RES//bun_Q1 | Labs | Q1 | | 178 |
| 253 | LAB-RES//bun_Q2 | Labs | Q2 | | 209 |
| 254 | LAB-RES//bun_Q3 | Labs | Q3 | | 194 |
| 255 | LAB-RES//bun_Q4 | Labs | Q4 | | 229 |
| 256 | LAB-RES//bun_Q5 | Labs | Q5 | | 206 |
| 257 | LAB-RES//bun_Q6 | Labs | Q6 | | 201 |
| 258 | LAB-RES//bun_Q7 | Labs | Q7 | | 192 |
| 259 | LAB-RES//bun_Q8 | Labs | Q8 | | 209 |
| 260 | LAB-RES//bun_Q9 | Labs | Q9 | | 199 |
| 261 | LAB-RES//calcium_ionized_Q0 | Labs | Q0 | | 44 |
| 262 | LAB-RES//calcium_ionized_Q1 | Labs | Q1 | | 36 |
| 263 | LAB-RES//calcium_ionized_Q2 | Labs | Q2 | | 56 |
| 264 | LAB-RES//calcium_ionized_Q3 | Labs | Q3 | | 43 |
| 265 | LAB-RES//calcium_ionized_Q4 | Labs | Q4 | | 23 |
| 266 | LAB-RES//calcium_ionized_Q5 | Labs | Q5 | | 69 |
| 267 | LAB-RES//calcium_ionized_Q6 | Labs | Q6 | | 44 |
| 268 | LAB-RES//calcium_ionized_Q7 | Labs | Q7 | | 33 |
| 269 | LAB-RES//calcium_ionized_Q8 | Labs | Q8 | | 56 |
| 270 | LAB-RES//calcium_ionized_Q9 | Labs | Q9 | | 50 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 271 | LAB-RES//calcium_total_Q0 | Labs | Q0 | | 167 |
| 272 | LAB-RES//calcium_total_Q1 | Labs | Q1 | | 180 |
| 273 | LAB-RES//calcium_total_Q2 | Labs | Q2 | | 169 |
| 274 | LAB-RES//calcium_total_Q3 | Labs | Q3 | | 99 |
| 275 | LAB-RES//calcium_total_Q4 | Labs | Q4 | | 224 |
| 276 | LAB-RES//calcium_total_Q5 | Labs | Q5 | | 195 |
| 277 | LAB-RES//calcium_total_Q6 | Labs | Q6 | | 196 |
| 278 | LAB-RES//calcium_total_Q7 | Labs | Q7 | | 162 |
| 279 | LAB-RES//calcium_total_Q8 | Labs | Q8 | | 233 |
| 280 | LAB-RES//calcium_total_Q9 | Labs | Q9 | | 192 |
| 281 | LAB-RES//chloride_Q0 | Labs | Q0 | | 209 |
| 282 | LAB-RES//chloride_Q1 | Labs | Q1 | | 193 |
| 283 | LAB-RES//chloride_Q2 | Labs | Q2 | | 188 |
| 284 | LAB-RES//chloride_Q3 | Labs | Q3 | | 249 |
| 285 | LAB-RES//chloride_Q4 | Labs | Q4 | | 149 |
| 286 | LAB-RES//chloride_Q5 | Labs | Q5 | | 149 |
| 287 | LAB-RES//chloride_Q6 | Labs | Q6 | | 325 |
| 288 | LAB-RES//chloride_Q7 | Labs | Q7 | | 244 |
| 289 | LAB-RES//chloride_Q8 | Labs | Q8 | | 197 |
| 290 | LAB-RES//chloride_Q9 | Labs | Q9 | | 238 |
| 291 | LAB-RES//creatinine_Q0 | Labs | Q0 | | 120 |
| 292 | LAB-RES//creatinine_Q1 | Labs | Q1 | | 112 |
| 293 | LAB-RES//creatinine_Q2 | Labs | Q2 | | 346 |
| 294 | LAB-RES//creatinine_Q3 | Labs | Q3 | | 168 |
| 295 | LAB-RES//creatinine_Q4 | Labs | Q4 | | 170 |
| 296 | LAB-RES//creatinine_Q5 | Labs | Q5 | | 269 |
| 297 | LAB-RES//creatinine_Q6 | Labs | Q6 | | 157 |
| 298 | LAB-RES//creatinine_Q7 | Labs | Q7 | | 248 |
| 299 | LAB-RES//creatinine_Q8 | Labs | Q8 | | 202 |
| 300 | LAB-RES//creatinine_Q9 | Labs | Q9 | | 209 |
| 301 | LAB-RES//crp | Labs | | | 1 |
| 302 | LAB-RES//crp_Q0 | Labs | Q0 | | 1 |
| 303 | LAB-RES//crp_Q1 | Labs | Q1 | | 1 |
| 304 | LAB-RES//crp_Q2 | Labs | Q2 | | 1 |
| 305 | LAB-RES//crp_Q3 | Labs | Q3 | | 1 |
| 306 | LAB-RES//crp_Q4 | Labs | Q4 | | 1 |
| 307 | LAB-RES//crp_Q5 | Labs | Q5 | | 1 |
| 308 | LAB-RES//crp_Q6 | Labs | Q6 | | 1 |
| 309 | LAB-RES//crp_Q7 | Labs | Q7 | | 1 |
| 310 | LAB-RES//crp_Q8 | Labs | Q8 | | 1 |
| 311 | LAB-RES//crp_Q9 | Labs | Q9 | | 2 |
| 312 | LAB-RES//eosinophils_absolute | Labs | | | 4 |
| 313 | LAB-RES//eosinophils_absolute_Q4 | Labs | Q4 | | 112 |
| 314 | LAB-RES//eosinophils_absolute_Q5 | Labs | Q5 | | 25 |
| 315 | LAB-RES//eosinophils_absolute_Q6 | Labs | Q6 | | 23 |
| 316 | LAB-RES//eosinophils_absolute_Q7 | Labs | Q7 | | 20 |
| 317 | LAB-RES//eosinophils_absolute_Q8 | Labs | Q8 | | 25 |
| 318 | LAB-RES//eosinophils_absolute_Q9 | Labs | Q9 | | 24 |
| 319 | LAB-RES//eosinophils_percent | Labs | | | 4 |
| 320 | LAB-RES//eosinophils_percent_Q3 | Labs | Q3 | | 143 |
| 321 | LAB-RES//eosinophils_percent_Q4 | Labs | Q4 | | 35 |
| 322 | LAB-RES//eosinophils_percent_Q5 | Labs | Q5 | | 47 |
| 323 | LAB-RES//eosinophils_percent_Q6 | Labs | Q6 | | 13 |
| 324 | LAB-RES//eosinophils_percent_Q7 | Labs | Q7 | | 55 |
| 325 | LAB-RES//eosinophils_percent_Q8 | Labs | Q8 | | 47 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 326 | LAB-RES//eosinophils_percent_Q9 | Labs | Q9 | | 41 |
| 327 | LAB-RES//esr_Q9 | Labs | Q9 | | 1 |
| 328 | LAB-RES//ferritin_Q0 | Labs | Q0 | | 3 |
| 329 | LAB-RES//ferritin_Q1 | Labs | Q1 | | 4 |
| 330 | LAB-RES//ferritin_Q2 | Labs | Q2 | | 2 |
| 331 | LAB-RES//ferritin_Q3 | Labs | Q3 | | 5 |
| 332 | LAB-RES//ferritin_Q4 | Labs | Q4 | | 3 |
| 333 | LAB-RES//ferritin_Q5 | Labs | Q5 | | 3 |
| 334 | LAB-RES//ferritin_Q6 | Labs | Q6 | | 4 |
| 335 | LAB-RES//ferritin_Q7 | Labs | Q7 | | 3 |
| 336 | LAB-RES//ferritin_Q8 | Labs | Q8 | | 4 |
| 337 | LAB-RES//ferritin_Q9 | Labs | Q9 | | 4 |
| 338 | LAB-RES//glucose_serum_Q0 | Labs | Q0 | | 215 |
| 339 | LAB-RES//glucose_serum_Q1 | Labs | Q1 | | 205 |
| 340 | LAB-RES//glucose_serum_Q2 | Labs | Q2 | | 226 |
| 341 | LAB-RES//glucose_serum_Q3 | Labs | Q3 | | 219 |
| 342 | LAB-RES//glucose_serum_Q4 | Labs | Q4 | | 232 |
| 343 | LAB-RES//glucose_serum_Q5 | Labs | Q5 | | 210 |
| 344 | LAB-RES//glucose_serum_Q6 | Labs | Q6 | | 224 |
| 345 | LAB-RES//glucose_serum_Q7 | Labs | Q7 | | 230 |
| 346 | LAB-RES//glucose_serum_Q8 | Labs | Q8 | | 216 |
| 347 | LAB-RES//glucose_serum_Q9 | Labs | Q9 | | 225 |
| 348 | LAB-RES//hemoglobin | Labs | | | 3 |
| 349 | LAB-RES//hemoglobin_Q0 | Labs | Q0 | | 187 |
| 350 | LAB-RES//hemoglobin_Q1 | Labs | Q1 | | 171 |
| 351 | LAB-RES//hemoglobin_Q2 | Labs | Q2 | | 200 |
| 352 | LAB-RES//hemoglobin_Q3 | Labs | Q3 | | 202 |
| 353 | LAB-RES//hemoglobin_Q4 | Labs | Q4 | | 220 |
| 354 | LAB-RES//hemoglobin_Q5 | Labs | Q5 | | 151 |
| 355 | LAB-RES//hemoglobin_Q6 | Labs | Q6 | | 224 |
| 356 | LAB-RES//hemoglobin_Q7 | Labs | Q7 | | 207 |
| 357 | LAB-RES//hemoglobin_Q8 | Labs | Q8 | | 187 |
| 358 | LAB-RES//hemoglobin_Q9 | Labs | Q9 | | 211 |
| 359 | LAB-RES//inr | Labs | | | 11 |
| 360 | LAB-RES//inr_Q0 | Labs | Q0 | | 80 |
| 361 | LAB-RES//inr_Q2 | Labs | Q2 | | 194 |
| 362 | LAB-RES//inr_Q4 | Labs | Q4 | | 167 |
| 363 | LAB-RES//inr_Q5 | Labs | Q5 | | 151 |
| 364 | LAB-RES//inr_Q6 | Labs | Q6 | | 109 |
| 365 | LAB-RES//inr_Q7 | Labs | Q7 | | 127 |
| 366 | LAB-RES//inr_Q8 | Labs | Q8 | | 130 |
| 367 | LAB-RES//inr_Q9 | Labs | Q9 | | 127 |
| 368 | LAB-RES//lactate_Q0 | Labs | Q0 | | 41 |
| 369 | LAB-RES//lactate_Q1 | Labs | Q1 | | 57 |
| 370 | LAB-RES//lactate_Q2 | Labs | Q2 | | 48 |
| 371 | LAB-RES//lactate_Q3 | Labs | Q3 | | 62 |
| 372 | LAB-RES//lactate_Q4 | Labs | Q4 | | 54 |
| 373 | LAB-RES//lactate_Q5 | Labs | Q5 | | 60 |
| 374 | LAB-RES//lactate_Q6 | Labs | Q6 | | 51 |
| 375 | LAB-RES//lactate_Q7 | Labs | Q7 | | 51 |
| 376 | LAB-RES//lactate_Q8 | Labs | Q8 | | 65 |
| 377 | LAB-RES//lactate_Q9 | Labs | Q9 | | 56 |
| 378 | LAB-RES//ldh_Q0 | Labs | Q0 | | 46 |
| 379 | LAB-RES//ldh_Q1 | Labs | Q1 | | 45 |
| 380 | LAB-RES//ldh_Q2 | Labs | Q2 | | 46 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 381 | LAB-RES//ldh_Q3 | Labs | Q3 | | 45 |
| 382 | LAB-RES//ldh_Q4 | Labs | Q4 | | 46 |
| 383 | LAB-RES//ldh_Q5 | Labs | Q5 | | 45 |
| 384 | LAB-RES//ldh_Q6 | Labs | Q6 | | 46 |
| 385 | LAB-RES//ldh_Q7 | Labs | Q7 | | 45 |
| 386 | LAB-RES//ldh_Q8 | Labs | Q8 | | 46 |
| 387 | LAB-RES//ldh_Q9 | Labs | Q9 | | 46 |
| 388 | LAB-RES//lymphocytes_absolute | Labs | | | 4 |
| 389 | LAB-RES//lymphocytes_absolute_Q0 | Labs | Q0 | | 23 |
| 390 | LAB-RES//lymphocytes_absolute_Q1 | Labs | Q1 | | 21 |
| 391 | LAB-RES//lymphocytes_absolute_Q2 | Labs | Q2 | | 24 |
| 392 | LAB-RES//lymphocytes_absolute_Q3 | Labs | Q3 | | 23 |
| 393 | LAB-RES//lymphocytes_absolute_Q4 | Labs | Q4 | | 22 |
| 394 | LAB-RES//lymphocytes_absolute_Q5 | Labs | Q5 | | 24 |
| 395 | LAB-RES//lymphocytes_absolute_Q6 | Labs | Q6 | | 23 |
| 396 | LAB-RES//lymphocytes_absolute_Q7 | Labs | Q7 | | 21 |
| 397 | LAB-RES//lymphocytes_absolute_Q8 | Labs | Q8 | | 24 |
| 398 | LAB-RES//lymphocytes_absolute_Q9 | Labs | Q9 | | 24 |
| 399 | LAB-RES//lymphocytes_percent | Labs | | | 4 |
| 400 | LAB-RES//lymphocytes_percent_Q0 | Labs | Q0 | | 29 |
| 401 | LAB-RES//lymphocytes_percent_Q1 | Labs | Q1 | | 47 |
| 402 | LAB-RES//lymphocytes_percent_Q2 | Labs | Q2 | | 36 |
| 403 | LAB-RES//lymphocytes_percent_Q3 | Labs | Q3 | | 37 |
| 404 | LAB-RES//lymphocytes_percent_Q4 | Labs | Q4 | | 39 |
| 405 | LAB-RES//lymphocytes_percent_Q5 | Labs | Q5 | | 40 |
| 406 | LAB-RES//lymphocytes_percent_Q6 | Labs | Q6 | | 35 |
| 407 | LAB-RES//lymphocytes_percent_Q7 | Labs | Q7 | | 41 |
| 408 | LAB-RES//lymphocytes_percent_Q8 | Labs | Q8 | | 38 |
| 409 | LAB-RES//lymphocytes_percent_Q9 | Labs | Q9 | | 39 |
| 410 | LAB-RES//magnesium_Q0 | Labs | Q0 | | 142 |
| 411 | LAB-RES//magnesium_Q1 | Labs | Q1 | | 125 |
| 412 | LAB-RES//magnesium_Q2 | Labs | Q2 | | 236 |
| 413 | LAB-RES//magnesium_Q3 | Labs | Q3 | | 254 |
| 414 | LAB-RES//magnesium_Q5 | Labs | Q5 | | 309 |
| 415 | LAB-RES//magnesium_Q7 | Labs | Q7 | | 276 |
| 416 | LAB-RES//magnesium_Q8 | Labs | Q8 | | 336 |
| 417 | LAB-RES//magnesium_Q9 | Labs | Q9 | | 231 |
| 418 | LAB-RES//monocytes_absolute | Labs | | | 4 |
| 419 | LAB-RES//monocytes_absolute_Q0 | Labs | Q0 | | 23 |
| 420 | LAB-RES//monocytes_absolute_Q1 | Labs | Q1 | | 23 |
| 421 | LAB-RES//monocytes_absolute_Q2 | Labs | Q2 | | 21 |
| 422 | LAB-RES//monocytes_absolute_Q3 | Labs | Q3 | | 23 |
| 423 | LAB-RES//monocytes_absolute_Q4 | Labs | Q4 | | 24 |
| 424 | LAB-RES//monocytes_absolute_Q5 | Labs | Q5 | | 23 |
| 425 | LAB-RES//monocytes_absolute_Q6 | Labs | Q6 | | 23 |
| 426 | LAB-RES//monocytes_absolute_Q7 | Labs | Q7 | | 21 |
| 427 | LAB-RES//monocytes_absolute_Q8 | Labs | Q8 | | 24 |
| 428 | LAB-RES//monocytes_absolute_Q9 | Labs | Q9 | | 24 |
| 429 | LAB-RES//monocytes_percent | Labs | | | 4 |
| 430 | LAB-RES//monocytes_percent_Q0 | Labs | Q0 | | 36 |
| 431 | LAB-RES//monocytes_percent_Q1 | Labs | Q1 | | 40 |
| 432 | LAB-RES//monocytes_percent_Q2 | Labs | Q2 | | 38 |
| 433 | LAB-RES//monocytes_percent_Q3 | Labs | Q3 | | 38 |
| 434 | LAB-RES//monocytes_percent_Q4 | Labs | Q4 | | 6 |
| 435 | LAB-RES//monocytes_percent_Q5 | Labs | Q5 | | 69 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 436 | LAB-RES//monocytes_percent_Q6 | Labs | Q6 | | 38 |
| 437 | LAB-RES//monocytes_percent_Q7 | Labs | Q7 | | 39 |
| 438 | LAB-RES//monocytes_percent_Q8 | Labs | Q8 | | 36 |
| 439 | LAB-RES//monocytes_percent_Q9 | Labs | Q9 | | 41 |
| 440 | LAB-RES//neutrophils_absolute | Labs | | | 4 |
| 441 | LAB-RES//neutrophils_absolute_Q0 | Labs | Q0 | | 22 |
| 442 | LAB-RES//neutrophils_absolute_Q1 | Labs | Q1 | | 24 |
| 443 | LAB-RES//neutrophils_absolute_Q2 | Labs | Q2 | | 22 |
| 444 | LAB-RES//neutrophils_absolute_Q3 | Labs | Q3 | | 23 |
| 445 | LAB-RES//neutrophils_absolute_Q4 | Labs | Q4 | | 23 |
| 446 | LAB-RES//neutrophils_absolute_Q5 | Labs | Q5 | | 23 |
| 447 | LAB-RES//neutrophils_absolute_Q6 | Labs | Q6 | | 23 |
| 448 | LAB-RES//neutrophils_absolute_Q7 | Labs | Q7 | | 22 |
| 449 | LAB-RES//neutrophils_absolute_Q8 | Labs | Q8 | | 23 |
| 450 | LAB-RES//neutrophils_absolute_Q9 | Labs | Q9 | | 24 |
| 451 | LAB-RES//neutrophils_percent | Labs | | | 4 |
| 452 | LAB-RES//neutrophils_percent_Q0 | Labs | Q0 | | 36 |
| 453 | LAB-RES//neutrophils_percent_Q1 | Labs | Q1 | | 40 |
| 454 | LAB-RES//neutrophils_percent_Q2 | Labs | Q2 | | 38 |
| 455 | LAB-RES//neutrophils_percent_Q3 | Labs | Q3 | | 38 |
| 456 | LAB-RES//neutrophils_percent_Q4 | Labs | Q4 | | 38 |
| 457 | LAB-RES//neutrophils_percent_Q5 | Labs | Q5 | | 37 |
| 458 | LAB-RES//neutrophils_percent_Q6 | Labs | Q6 | | 39 |
| 459 | LAB-RES//neutrophils_percent_Q7 | Labs | Q7 | | 38 |
| 460 | LAB-RES//neutrophils_percent_Q8 | Labs | Q8 | | 38 |
| 461 | LAB-RES//neutrophils_percent_Q9 | Labs | Q9 | | 39 |
| 462 | LAB-RES//pco2_arterial_Q0 | Labs | Q0 | | 65 |
| 463 | LAB-RES//pco2_arterial_Q1 | Labs | Q1 | | 72 |
| 464 | LAB-RES//pco2_arterial_Q2 | Labs | Q2 | | 63 |
| 465 | LAB-RES//pco2_arterial_Q3 | Labs | Q3 | | 85 |
| 466 | LAB-RES//pco2_arterial_Q4 | Labs | Q4 | | 49 |
| 467 | LAB-RES//pco2_arterial_Q5 | Labs | Q5 | | 116 |
| 468 | LAB-RES//pco2_arterial_Q6 | Labs | Q6 | | 73 |
| 469 | LAB-RES//pco2_arterial_Q7 | Labs | Q7 | | 68 |
| 470 | LAB-RES//pco2_arterial_Q8 | Labs | Q8 | | 78 |
| 471 | LAB-RES//pco2_arterial_Q9 | Labs | Q9 | | 86 |
| 472 | LAB-RES//pco2_venous_Q0 | Labs | Q0 | | 8 |
| 473 | LAB-RES//pco2_venous_Q1 | Labs | Q1 | | 8 |
| 474 | LAB-RES//pco2_venous_Q2 | Labs | Q2 | | 9 |
| 475 | LAB-RES//pco2_venous_Q3 | Labs | Q3 | | 3 |
| 476 | LAB-RES//pco2_venous_Q4 | Labs | Q4 | | 17 |
| 477 | LAB-RES//pco2_venous_Q5 | Labs | Q5 | | 7 |
| 478 | LAB-RES//pco2_venous_Q6 | Labs | Q6 | | 11 |
| 479 | LAB-RES//pco2_venous_Q7 | Labs | Q7 | | 10 |
| 480 | LAB-RES//pco2_venous_Q8 | Labs | Q8 | | 8 |
| 481 | LAB-RES//pco2_venous_Q9 | Labs | Q9 | | 11 |
| 482 | LAB-RES//ph_arterial_Q0 | Labs | Q0 | | 81 |
| 483 | LAB-RES//ph_arterial_Q1 | Labs | Q1 | | 75 |
| 484 | LAB-RES//ph_arterial_Q2 | Labs | Q2 | | 79 |
| 485 | LAB-RES//ph_arterial_Q3 | Labs | Q3 | | 66 |
| 486 | LAB-RES//ph_arterial_Q4 | Labs | Q4 | | 93 |
| 487 | LAB-RES//ph_arterial_Q5 | Labs | Q5 | | 86 |
| 488 | LAB-RES//ph_arterial_Q6 | Labs | Q6 | | 86 |
| 489 | LAB-RES//ph_arterial_Q7 | Labs | Q7 | | 70 |
| 490 | LAB-RES//ph_arterial_Q8 | Labs | Q8 | | 65 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 491 | LAB-RES//ph_arterial_Q9 | Labs | Q9 | | 111 |
| 492 | LAB-RES//ph_venous_Q0 | Labs | Q0 | | 12 |
| 493 | LAB-RES//ph_venous_Q1 | Labs | Q1 | | 9 |
| 494 | LAB-RES//ph_venous_Q2 | Labs | Q2 | | 13 |
| 495 | LAB-RES//ph_venous_Q3 | Labs | Q3 | | 12 |
| 496 | LAB-RES//ph_venous_Q4 | Labs | Q4 | | 10 |
| 497 | LAB-RES//ph_venous_Q5 | Labs | Q5 | | 10 |
| 498 | LAB-RES//ph_venous_Q6 | Labs | Q6 | | 15 |
| 499 | LAB-RES//ph_venous_Q7 | Labs | Q7 | | 12 |
| 500 | LAB-RES//ph_venous_Q8 | Labs | Q8 | | 10 |
| 501 | LAB-RES//ph_venous_Q9 | Labs | Q9 | | 17 |
| 502 | LAB-RES//phosphate_Q0 | Labs | Q0 | | 175 |
| 503 | LAB-RES//phosphate_Q1 | Labs | Q1 | | 156 |
| 504 | LAB-RES//phosphate_Q2 | Labs | Q2 | | 181 |
| 505 | LAB-RES//phosphate_Q3 | Labs | Q3 | | 212 |
| 506 | LAB-RES//phosphate_Q4 | Labs | Q4 | | 163 |
| 507 | LAB-RES//phosphate_Q5 | Labs | Q5 | | 144 |
| 508 | LAB-RES//phosphate_Q6 | Labs | Q6 | | 197 |
| 509 | LAB-RES//phosphate_Q7 | Labs | Q7 | | 222 |
| 510 | LAB-RES//phosphate_Q8 | Labs | Q8 | | 189 |
| 511 | LAB-RES//phosphate_Q9 | Labs | Q9 | | 184 |
| 512 | LAB-RES//platelet_count | Labs | | | 10 |
| 513 | LAB-RES//platelet_count_Q0 | Labs | Q0 | | 186 |
| 514 | LAB-RES//platelet_count_Q1 | Labs | Q1 | | 190 |
| 515 | LAB-RES//platelet_count_Q2 | Labs | Q2 | | 188 |
| 516 | LAB-RES//platelet_count_Q3 | Labs | Q3 | | 182 |
| 517 | LAB-RES//platelet_count_Q4 | Labs | Q4 | | 189 |
| 518 | LAB-RES//platelet_count_Q5 | Labs | Q5 | | 193 |
| 519 | LAB-RES//platelet_count_Q6 | Labs | Q6 | | 180 |
| 520 | LAB-RES//platelet_count_Q7 | Labs | Q7 | | 198 |
| 521 | LAB-RES//platelet_count_Q8 | Labs | Q8 | | 186 |
| 522 | LAB-RES//platelet_count_Q9 | Labs | Q9 | | 191 |
| 523 | LAB-RES//po2_arterial_Q0 | Labs | Q0 | | 71 |
| 524 | LAB-RES//po2_arterial_Q1 | Labs | Q1 | | 78 |
| 525 | LAB-RES//po2_arterial_Q2 | Labs | Q2 | | 77 |
| 526 | LAB-RES//po2_arterial_Q3 | Labs | Q3 | | 70 |
| 527 | LAB-RES//po2_arterial_Q4 | Labs | Q4 | | 71 |
| 528 | LAB-RES//po2_arterial_Q5 | Labs | Q5 | | 81 |
| 529 | LAB-RES//po2_arterial_Q6 | Labs | Q6 | | 78 |
| 530 | LAB-RES//po2_arterial_Q7 | Labs | Q7 | | 76 |
| 531 | LAB-RES//po2_arterial_Q8 | Labs | Q8 | | 75 |
| 532 | LAB-RES//po2_arterial_Q9 | Labs | Q9 | | 76 |
| 533 | LAB-RES//potassium | Labs | | | 3 |
| 534 | LAB-RES//potassium_Q0 | Labs | Q0 | | 226 |
| 535 | LAB-RES//potassium_Q1 | Labs | Q1 | | 208 |
| 536 | LAB-RES//potassium_Q2 | Labs | Q2 | | 159 |
| 537 | LAB-RES//potassium_Q3 | Labs | Q3 | | 347 |
| 538 | LAB-RES//potassium_Q4 | Labs | Q4 | | 177 |
| 539 | LAB-RES//potassium_Q5 | Labs | Q5 | | 166 |
| 540 | LAB-RES//potassium_Q6 | Labs | Q6 | | 346 |
| 541 | LAB-RES//potassium_Q7 | Labs | Q7 | | 232 |
| 542 | LAB-RES//potassium_Q8 | Labs | Q8 | | 226 |
| 543 | LAB-RES//potassium_Q9 | Labs | Q9 | | 277 |
| 544 | LAB-RES//pt | Labs | | | 11 |
| 545 | LAB-RES//pt_Q0 | Labs | Q0 | | 99 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 546 | LAB-RES//pt_Q1 | Labs | Q1 | | 109 |
| 547 | LAB-RES//pt_Q2 | Labs | Q2 | | 114 |
| 548 | LAB-RES//pt_Q3 | Labs | Q3 | | 106 |
| 549 | LAB-RES//pt_Q4 | Labs | Q4 | | 113 |
| 550 | LAB-RES//pt_Q5 | Labs | Q5 | | 107 |
| 551 | LAB-RES//pt_Q6 | Labs | Q6 | | 110 |
| 552 | LAB-RES//pt_Q7 | Labs | Q7 | | 106 |
| 553 | LAB-RES//pt_Q8 | Labs | Q8 | | 112 |
| 554 | LAB-RES//pt_Q9 | Labs | Q9 | | 109 |
| 555 | LAB-RES//ptt | Labs | | | 13 |
| 556 | LAB-RES//ptt_Q0 | Labs | Q0 | | 111 |
| 557 | LAB-RES//ptt_Q1 | Labs | Q1 | | 110 |
| 558 | LAB-RES//ptt_Q2 | Labs | Q2 | | 112 |
| 559 | LAB-RES//ptt_Q3 | Labs | Q3 | | 112 |
| 560 | LAB-RES//ptt_Q4 | Labs | Q4 | | 114 |
| 561 | LAB-RES//ptt_Q5 | Labs | Q5 | | 112 |
| 562 | LAB-RES//ptt_Q6 | Labs | Q6 | | 111 |
| 563 | LAB-RES//ptt_Q7 | Labs | Q7 | | 112 |
| 564 | LAB-RES//ptt_Q8 | Labs | Q8 | | 113 |
| 565 | LAB-RES//ptt_Q9 | Labs | Q9 | | 113 |
| 566 | LAB-RES//so2_arterial_Q0 | Labs | Q0 | | 14 |
| 567 | LAB-RES//so2_arterial_Q1 | Labs | Q1 | | 13 |
| 568 | LAB-RES//so2_arterial_Q2 | Labs | Q2 | | 15 |
| 569 | LAB-RES//so2_arterial_Q3 | Labs | Q3 | | 9 |
| 570 | LAB-RES//so2_arterial_Q4 | Labs | Q4 | | 10 |
| 571 | LAB-RES//so2_arterial_Q5 | Labs | Q5 | | 11 |
| 572 | LAB-RES//so2_arterial_Q6 | Labs | Q6 | | 17 |
| 573 | LAB-RES//so2_arterial_Q7 | Labs | Q7 | | 14 |
| 574 | LAB-RES//so2_arterial_Q9 | Labs | Q9 | | 38 |
| 575 | LAB-RES//so2_central_venous_Q0 | Labs | Q0 | | 1 |
| 576 | LAB-RES//so2_central_venous_Q2 | Labs | Q2 | | 1 |
| 577 | LAB-RES//so2_central_venous_Q4 | Labs | Q4 | | 1 |
| 578 | LAB-RES//so2_central_venous_Q5 | Labs | Q5 | | 1 |
| 579 | LAB-RES//so2_central_venous_Q7 | Labs | Q7 | | 1 |
| 580 | LAB-RES//so2_central_venous_Q9 | Labs | Q9 | | 2 |
| 581 | LAB-RES//so2_mixed_venous_Q0 | Labs | Q0 | | 7 |
| 582 | LAB-RES//so2_mixed_venous_Q1 | Labs | Q1 | | 9 |
| 583 | LAB-RES//so2_mixed_venous_Q2 | Labs | Q2 | | 3 |
| 584 | LAB-RES//so2_mixed_venous_Q3 | Labs | Q3 | | 12 |
| 585 | LAB-RES//so2_mixed_venous_Q4 | Labs | Q4 | | 8 |
| 586 | LAB-RES//so2_mixed_venous_Q5 | Labs | Q5 | | 6 |
| 587 | LAB-RES//so2_mixed_venous_Q6 | Labs | Q6 | | 10 |
| 588 | LAB-RES//so2_mixed_venous_Q8 | Labs | Q8 | | 15 |
| 589 | LAB-RES//so2_mixed_venous_Q9 | Labs | Q9 | | 9 |
| 590 | LAB-RES//sodium_Q0 | Labs | Q0 | | 170 |
| 591 | LAB-RES//sodium_Q1 | Labs | Q1 | | 174 |
| 592 | LAB-RES//sodium_Q2 | Labs | Q2 | | 254 |
| 593 | LAB-RES//sodium_Q3 | Labs | Q3 | | 161 |
| 594 | LAB-RES//sodium_Q4 | Labs | Q4 | | 203 |
| 595 | LAB-RES//sodium_Q5 | Labs | Q5 | | 345 |
| 596 | LAB-RES//sodium_Q6 | Labs | Q6 | | 196 |
| 597 | LAB-RES//sodium_Q7 | Labs | Q7 | | 246 |
| 598 | LAB-RES//sodium_Q8 | Labs | Q8 | | 170 |
| 599 | LAB-RES//sodium_Q9 | Labs | Q9 | | 271 |
| 600 | LAB-RES//total_protein_Q0 | Labs | Q0 | | 2 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 601 | LAB-RES//total_protein_Q1 | Labs | Q1 | | 2 |
| 602 | LAB-RES//total_protein_Q2 | Labs | Q2 | | 3 |
| 603 | LAB-RES//total_protein_Q3 | Labs | Q3 | | 1 |
| 604 | LAB-RES//total_protein_Q4 | Labs | Q4 | | 2 |
| 605 | LAB-RES//total_protein_Q5 | Labs | Q5 | | 3 |
| 606 | LAB-RES//total_protein_Q6 | Labs | Q6 | | 1 |
| 607 | LAB-RES//total_protein_Q7 | Labs | Q7 | | 4 |
| 608 | LAB-RES//total_protein_Q8 | Labs | Q8 | | 1 |
| 609 | LAB-RES//total_protein_Q9 | Labs | Q9 | | 4 |
| 610 | LAB-RES//troponin_t_Q5 | Labs | Q5 | | 84 |
| 611 | LAB-RES//troponin_t_Q6 | Labs | Q6 | | 21 |
| 612 | LAB-RES//troponin_t_Q7 | Labs | Q7 | | 13 |
| 613 | LAB-RES//troponin_t_Q8 | Labs | Q8 | | 18 |
| 614 | LAB-RES//troponin_t_Q9 | Labs | Q9 | | 16 |
| 615 | LAB-RES//wbc | Labs | | | 2 |
| 616 | LAB-RES//wbc_Q0 | Labs | Q0 | | 179 |
| 617 | LAB-RES//wbc_Q1 | Labs | Q1 | | 187 |
| 618 | LAB-RES//wbc_Q2 | Labs | Q2 | | 185 |
| 619 | LAB-RES//wbc_Q3 | Labs | Q3 | | 165 |
| 620 | LAB-RES//wbc_Q4 | Labs | Q4 | | 199 |
| 621 | LAB-RES//wbc_Q5 | Labs | Q5 | | 177 |
| 622 | LAB-RES//wbc_Q6 | Labs | Q6 | | 191 |
| 623 | LAB-RES//wbc_Q7 | Labs | Q7 | | 188 |
| 624 | LAB-RES//wbc_Q8 | Labs | Q8 | | 181 |
| 625 | LAB-RES//wbc_Q9 | Labs | Q9 | | 188 |
| 626 | LABEL//anemia_init | Outcomes | | | 36 |
| 627 | LABEL//crrt_init | Outcomes | | | 4 |
| 628 | LABEL//hyperk_init | Outcomes | | | 4 |
| 629 | LABEL//hyperna_init | Outcomes | | | 2 |
| 630 | LABEL//hypertension_init | Outcomes | | | 26 |
| 631 | LABEL//hypok_init | Outcomes | | | 2 |
| 632 | LABEL//hypona_init | Outcomes | | | 2 |
| 633 | LABEL//hypotension_init | Outcomes | | | 74 |
| 634 | LABEL//pressor_init | Outcomes | | | 36 |
| 635 | LABEL//sepsis_onset | Outcomes | | | 122 |
| 636 | LABEL//tachy_init | Outcomes | | | 23 |
| 637 | MED-CTS//acetaminophen_Q4 | Medications | Q4 | | 9 |
| 638 | MED-CTS//acetaminophen_Q9 | Medications | Q9 | | 9 |
| 639 | MED-CTS//albumin_infusion_Q4 | Medications | Q4 | | 96 |
| 640 | MED-CTS//albumin_infusion_Q5 | Medications | Q5 | | 1 |
| 641 | MED-CTS//albumin_infusion_Q6 | Medications | Q6 | | 30 |
| 642 | MED-CTS//albumin_infusion_Q7 | Medications | Q7 | | 26 |
| 643 | MED-CTS//albumin_infusion_Q8 | Medications | Q8 | | 9 |
| 644 | MED-CTS//albumin_infusion_Q9 | Medications | Q9 | | 30 |
| 645 | MED-CTS//alteplase_Q4 | Medications | Q4 | | 1 |
| 646 | MED-CTS//alteplase_Q9 | Medications | Q9 | | 1 |
| 647 | MED-CTS//amiodarone_Q4 | Medications | Q4 | | 46 |
| 648 | MED-CTS//amiodarone_Q6 | Medications | Q6 | | 19 |
| 649 | MED-CTS//amiodarone_Q7 | Medications | Q7 | | 9 |
| 650 | MED-CTS//amiodarone_Q8 | Medications | Q8 | | 6 |
| 651 | MED-CTS//amiodarone_Q9 | Medications | Q9 | | 14 |
| 652 | MED-CTS//bumetanide_Q4 | Medications | Q4 | | 2 |
| 653 | MED-CTS//bumetanide_Q8 | Medications | Q8 | | 1 |
| 654 | MED-CTS//bumetanide_Q9 | Medications | Q9 | | 1 |
| 655 | MED-CTS//dexmedetomidine_Q3 | Medications | Q3 | | 120 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 656 | MED-CTS//dexmedetomidine_Q4 | Medications | Q4 | | 30 |
| 657 | MED-CTS//dexmedetomidine_Q5 | Medications | Q5 | | 27 |
| 658 | MED-CTS//dexmedetomidine_Q6 | Medications | Q6 | | 32 |
| 659 | MED-CTS//dexmedetomidine_Q7 | Medications | Q7 | | 30 |
| 660 | MED-CTS//dexmedetomidine_Q8 | Medications | Q8 | | 30 |
| 661 | MED-CTS//dexmedetomidine_Q9 | Medications | Q9 | | 31 |
| 662 | MED-CTS//dextrose | Medications | | | 6 |
| 663 | MED-CTS//dextrose_Q2 | Medications | Q2 | | 528 |
| 664 | MED-CTS//dextrose_Q3 | Medications | Q3 | | 176 |
| 665 | MED-CTS//dextrose_Q4 | Medications | Q4 | | 176 |
| 666 | MED-CTS//dextrose_Q5 | Medications | Q5 | | 176 |
| 667 | MED-CTS//dextrose_Q6 | Medications | Q6 | | 176 |
| 668 | MED-CTS//dextrose_Q7 | Medications | Q7 | | 176 |
| 669 | MED-CTS//dextrose_Q8 | Medications | Q8 | | 176 |
| 670 | MED-CTS//dextrose_Q9 | Medications | Q9 | | 177 |
| 671 | MED-CTS//dextrose_in_water_d5w_Q2 | Medications | Q2 | | 528 |
| 672 | MED-CTS//dextrose_in_water_d5w_Q3 | Medications | Q3 | | 176 |
| 673 | MED-CTS//dextrose_in_water_d5w_Q4 | Medications | Q4 | | 176 |
| 674 | MED-CTS//dextrose_in_water_d5w_Q5 | Medications | Q5 | | 176 |
| 675 | MED-CTS//dextrose_in_water_d5w_Q6 | Medications | Q6 | | 176 |
| 676 | MED-CTS//dextrose_in_water_d5w_Q7 | Medications | Q7 | | 176 |
| 677 | MED-CTS//dextrose_in_water_d5w_Q8 | Medications | Q8 | | 176 |
| 678 | MED-CTS//dextrose_in_water_d5w_Q9 | Medications | Q9 | | 177 |
| 679 | MED-CTS//diltiazem_Q3 | Medications | Q3 | | 14 |
| 680 | MED-CTS//diltiazem_Q4 | Medications | Q4 | | 7 |
| 681 | MED-CTS//diltiazem_Q5 | Medications | Q5 | | 4 |
| 682 | MED-CTS//diltiazem_Q6 | Medications | Q6 | | 4 |
| 683 | MED-CTS//diltiazem_Q7 | Medications | Q7 | | 4 |
| 684 | MED-CTS//diltiazem_Q8 | Medications | Q8 | | 4 |
| 685 | MED-CTS//diltiazem_Q9 | Medications | Q9 | | 5 |
| 686 | MED-CTS//dobutamine_Q0 | Medications | Q0 | | 2 |
| 687 | MED-CTS//dobutamine_Q1 | Medications | Q1 | | 2 |
| 688 | MED-CTS//dobutamine_Q2 | Medications | Q2 | | 1 |
| 689 | MED-CTS//dobutamine_Q3 | Medications | Q3 | | 2 |
| 690 | MED-CTS//dobutamine_Q4 | Medications | Q4 | | 2 |
| 691 | MED-CTS//dobutamine_Q5 | Medications | Q5 | | 2 |
| 692 | MED-CTS//dobutamine_Q6 | Medications | Q6 | | 2 |
| 693 | MED-CTS//dobutamine_Q7 | Medications | Q7 | | 1 |
| 694 | MED-CTS//dobutamine_Q8 | Medications | Q8 | | 2 |
| 695 | MED-CTS//dobutamine_Q9 | Medications | Q9 | | 3 |
| 696 | MED-CTS//dopamine_Q2 | Medications | Q2 | | 5 |
| 697 | MED-CTS//dopamine_Q3 | Medications | Q3 | | 2 |
| 698 | MED-CTS//dopamine_Q4 | Medications | Q4 | | 2 |
| 699 | MED-CTS//dopamine_Q5 | Medications | Q5 | | 1 |
| 700 | MED-CTS//dopamine_Q6 | Medications | Q6 | | 2 |
| 701 | MED-CTS//dopamine_Q7 | Medications | Q7 | | 2 |
| 702 | MED-CTS//dopamine_Q8 | Medications | Q8 | | 1 |
| 703 | MED-CTS//dopamine_Q9 | Medications | Q9 | | 3 |
| 704 | MED-CTS//epinephrine_Q1 | Medications | Q1 | | 8 |
| 705 | MED-CTS//epinephrine_Q2 | Medications | Q2 | | 4 |
| 706 | MED-CTS//epinephrine_Q3 | Medications | Q3 | | 4 |
| 707 | MED-CTS//epinephrine_Q4 | Medications | Q4 | | 4 |
| 708 | MED-CTS//epinephrine_Q5 | Medications | Q5 | | 3 |
| 709 | MED-CTS//epinephrine_Q6 | Medications | Q6 | | 4 |
| 710 | MED-CTS//epinephrine_Q7 | Medications | Q7 | | 4 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 711 | MED-CTS//epinephrine_Q8 | Medications | Q8 | | 4 |
| 712 | MED-CTS//epinephrine_Q9 | Medications | Q9 | | 5 |
| 713 | MED-CTS//esmolol_Q3 | Medications | Q3 | | 23 |
| 714 | MED-CTS//esmolol_Q4 | Medications | Q4 | | 5 |
| 715 | MED-CTS//esmolol_Q5 | Medications | Q5 | | 6 |
| 716 | MED-CTS//esmolol_Q6 | Medications | Q6 | | 6 |
| 717 | MED-CTS//esmolol_Q7 | Medications | Q7 | | 6 |
| 718 | MED-CTS//esmolol_Q8 | Medications | Q8 | | 5 |
| 719 | MED-CTS//esmolol_Q9 | Medications | Q9 | | 7 |
| 720 | MED-CTS//fentanyl_Q2 | Medications | Q2 | | 124 |
| 721 | MED-CTS//fentanyl_Q3 | Medications | Q3 | | 41 |
| 722 | MED-CTS//fentanyl_Q4 | Medications | Q4 | | 43 |
| 723 | MED-CTS//fentanyl_Q5 | Medications | Q5 | | 41 |
| 724 | MED-CTS//fentanyl_Q6 | Medications | Q6 | | 42 |
| 725 | MED-CTS//fentanyl_Q7 | Medications | Q7 | | 41 |
| 726 | MED-CTS//fentanyl_Q8 | Medications | Q8 | | 42 |
| 727 | MED-CTS//fentanyl_Q9 | Medications | Q9 | | 42 |
| 728 | MED-CTS//furosemide_Q3 | Medications | Q3 | | 25 |
| 729 | MED-CTS//furosemide_Q4 | Medications | Q4 | | 7 |
| 730 | MED-CTS//furosemide_Q5 | Medications | Q5 | | 3 |
| 731 | MED-CTS//furosemide_Q6 | Medications | Q6 | | 9 |
| 732 | MED-CTS//furosemide_Q7 | Medications | Q7 | | 6 |
| 733 | MED-CTS//furosemide_Q8 | Medications | Q8 | | 7 |
| 734 | MED-CTS//furosemide_Q9 | Medications | Q9 | | 7 |
| 735 | MED-CTS//heparin_Q3 | Medications | Q3 | | 72 |
| 736 | MED-CTS//heparin_Q4 | Medications | Q4 | | 17 |
| 737 | MED-CTS//heparin_Q5 | Medications | Q5 | | 18 |
| 738 | MED-CTS//heparin_Q6 | Medications | Q6 | | 18 |
| 739 | MED-CTS//heparin_Q7 | Medications | Q7 | | 18 |
| 740 | MED-CTS//heparin_Q8 | Medications | Q8 | | 18 |
| 741 | MED-CTS//heparin_Q9 | Medications | Q9 | | 19 |
| 742 | MED-CTS//hydromorphone_Q4 | Medications | Q4 | | 3 |
| 743 | MED-CTS//hydromorphone_Q5 | Medications | Q5 | | 1 |
| 744 | MED-CTS//hydromorphone_Q7 | Medications | Q7 | | 1 |
| 745 | MED-CTS//hydromorphone_Q9 | Medications | Q9 | | 2 |
| 746 | MED-CTS//insulin_Q1 | Medications | Q1 | | 60 |
| 747 | MED-CTS//insulin_Q2 | Medications | Q2 | | 35 |
| 748 | MED-CTS//insulin_Q3 | Medications | Q3 | | 31 |
| 749 | MED-CTS//insulin_Q4 | Medications | Q4 | | 26 |
| 750 | MED-CTS//insulin_Q5 | Medications | Q5 | | 37 |
| 751 | MED-CTS//insulin_Q6 | Medications | Q6 | | 32 |
| 752 | MED-CTS//insulin_Q7 | Medications | Q7 | | 31 |
| 753 | MED-CTS//insulin_Q8 | Medications | Q8 | | 32 |
| 754 | MED-CTS//insulin_Q9 | Medications | Q9 | | 32 |
| 755 | MED-CTS//labetalol_Q2 | Medications | Q2 | | 2 |
| 756 | MED-CTS//labetalol_Q3 | Medications | Q3 | | 1 |
| 757 | MED-CTS//labetalol_Q4 | Medications | Q4 | | 1 |
| 758 | MED-CTS//labetalol_Q6 | Medications | Q6 | | 1 |
| 759 | MED-CTS//labetalol_Q7 | Medications | Q7 | | 1 |
| 760 | MED-CTS//labetalol_Q9 | Medications | Q9 | | 2 |
| 761 | MED-CTS//magnesium_Q4 | Medications | Q4 | | 1 |
| 762 | MED-CTS//magnesium_Q9 | Medications | Q9 | | 1 |
| 763 | MED-CTS//midazolam_Q1 | Medications | Q1 | | 18 |
| 764 | MED-CTS//midazolam_Q2 | Medications | Q2 | | 9 |
| 765 | MED-CTS//midazolam_Q3 | Medications | Q3 | | 9 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 766 | MED-CTS//midazolam_Q4 | Medications | Q4 | | 9 |
| 767 | MED-CTS//midazolam_Q5 | Medications | Q5 | | 9 |
| 768 | MED-CTS//midazolam_Q6 | Medications | Q6 | | 9 |
| 769 | MED-CTS//midazolam_Q7 | Medications | Q7 | | 9 |
| 770 | MED-CTS//midazolam_Q8 | Medications | Q8 | | 9 |
| 771 | MED-CTS//midazolam_Q9 | Medications | Q9 | | 10 |
| 772 | MED-CTS//milrinone_Q1 | Medications | Q1 | | 3 |
| 773 | MED-CTS//milrinone_Q2 | Medications | Q2 | | 1 |
| 774 | MED-CTS//milrinone_Q3 | Medications | Q3 | | 2 |
| 775 | MED-CTS//milrinone_Q4 | Medications | Q4 | | 1 |
| 776 | MED-CTS//milrinone_Q5 | Medications | Q5 | | 1 |
| 777 | MED-CTS//milrinone_Q6 | Medications | Q6 | | 2 |
| 778 | MED-CTS//milrinone_Q7 | Medications | Q7 | | 1 |
| 779 | MED-CTS//milrinone_Q8 | Medications | Q8 | | 2 |
| 780 | MED-CTS//milrinone_Q9 | Medications | Q9 | | 2 |
| 781 | MED-CTS//morphine_Q3 | Medications | Q3 | | 3 |
| 782 | MED-CTS//morphine_Q5 | Medications | Q5 | | 2 |
| 783 | MED-CTS//morphine_Q6 | Medications | Q6 | | 1 |
| 784 | MED-CTS//morphine_Q9 | Medications | Q9 | | 3 |
| 785 | MED-CTS//nicardipine_Q2 | Medications | Q2 | | 25 |
| 786 | MED-CTS//nicardipine_Q3 | Medications | Q3 | | 8 |
| 787 | MED-CTS//nicardipine_Q4 | Medications | Q4 | | 9 |
| 788 | MED-CTS//nicardipine_Q5 | Medications | Q5 | | 7 |
| 789 | MED-CTS//nicardipine_Q6 | Medications | Q6 | | 9 |
| 790 | MED-CTS//nicardipine_Q7 | Medications | Q7 | | 8 |
| 791 | MED-CTS//nicardipine_Q8 | Medications | Q8 | | 9 |
| 792 | MED-CTS//nicardipine_Q9 | Medications | Q9 | | 9 |
| 793 | MED-CTS//nitroglycerin_Q1 | Medications | Q1 | | 26 |
| 794 | MED-CTS//nitroglycerin_Q2 | Medications | Q2 | | 12 |
| 795 | MED-CTS//nitroglycerin_Q3 | Medications | Q3 | | 14 |
| 796 | MED-CTS//nitroglycerin_Q4 | Medications | Q4 | | 13 |
| 797 | MED-CTS//nitroglycerin_Q5 | Medications | Q5 | | 13 |
| 798 | MED-CTS//nitroglycerin_Q6 | Medications | Q6 | | 13 |
| 799 | MED-CTS//nitroglycerin_Q7 | Medications | Q7 | | 13 |
| 800 | MED-CTS//nitroglycerin_Q8 | Medications | Q8 | | 13 |
| 801 | MED-CTS//nitroglycerin_Q9 | Medications | Q9 | | 14 |
| 802 | MED-CTS//norepinephrine_Q1 | Medications | Q1 | | 165 |
| 803 | MED-CTS//norepinephrine_Q2 | Medications | Q2 | | 83 |
| 804 | MED-CTS//norepinephrine_Q3 | Medications | Q3 | | 82 |
| 805 | MED-CTS//norepinephrine_Q4 | Medications | Q4 | | 83 |
| 806 | MED-CTS//norepinephrine_Q5 | Medications | Q5 | | 82 |
| 807 | MED-CTS//norepinephrine_Q6 | Medications | Q6 | | 83 |
| 808 | MED-CTS//norepinephrine_Q7 | Medications | Q7 | | 82 |
| 809 | MED-CTS//norepinephrine_Q8 | Medications | Q8 | | 83 |
| 810 | MED-CTS//norepinephrine_Q9 | Medications | Q9 | | 83 |
| 811 | MED-CTS//octreotide_Q4 | Medications | Q4 | | 15 |
| 812 | MED-CTS//octreotide_Q5 | Medications | Q5 | | 2 |
| 813 | MED-CTS//octreotide_Q6 | Medications | Q6 | | 1 |
| 814 | MED-CTS//octreotide_Q7 | Medications | Q7 | | 4 |
| 815 | MED-CTS//octreotide_Q8 | Medications | Q8 | | 4 |
| 816 | MED-CTS//octreotide_Q9 | Medications | Q9 | | 4 |
| 817 | MED-CTS//pantoprazole_Q4 | Medications | Q4 | | 13 |
| 818 | MED-CTS//pantoprazole_Q5 | Medications | Q5 | | 2 |
| 819 | MED-CTS//pantoprazole_Q7 | Medications | Q7 | | 6 |
| 820 | MED-CTS//pantoprazole_Q8 | Medications | Q8 | | 2 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 821 | MED-CTS//pantoprazole_Q9 | Medications | Q9 | | 4 |
| 822 | MED-CTS//phenylephrine_Q1 | Medications | Q1 | | 131 |
| 823 | MED-CTS//phenylephrine_Q2 | Medications | Q2 | | 66 |
| 824 | MED-CTS//phenylephrine_Q3 | Medications | Q3 | | 65 |
| 825 | MED-CTS//phenylephrine_Q4 | Medications | Q4 | | 66 |
| 826 | MED-CTS//phenylephrine_Q5 | Medications | Q5 | | 63 |
| 827 | MED-CTS//phenylephrine_Q6 | Medications | Q6 | | 67 |
| 828 | MED-CTS//phenylephrine_Q7 | Medications | Q7 | | 66 |
| 829 | MED-CTS//phenylephrine_Q8 | Medications | Q8 | | 66 |
| 830 | MED-CTS//phenylephrine_Q9 | Medications | Q9 | | 66 |
| 831 | MED-CTS//propofol_Q3 | Medications | Q3 | | 279 |
| 832 | MED-CTS//propofol_Q4 | Medications | Q4 | | 71 |
| 833 | MED-CTS//propofol_Q5 | Medications | Q5 | | 69 |
| 834 | MED-CTS//propofol_Q6 | Medications | Q6 | | 69 |
| 835 | MED-CTS//propofol_Q7 | Medications | Q7 | | 71 |
| 836 | MED-CTS//propofol_Q8 | Medications | Q8 | | 70 |
| 837 | MED-CTS//propofol_Q9 | Medications | Q9 | | 71 |
| 838 | MED-CTS//sodium_bicarbonate | Medications | | | 52 |
| 839 | MED-CTS//sodium_chloride_Q3 | Medications | Q3 | | 1,092 |
| 840 | MED-CTS//sodium_chloride_Q4 | Medications | Q4 | | 273 |
| 841 | MED-CTS//sodium_chloride_Q5 | Medications | Q5 | | 252 |
| 842 | MED-CTS//sodium_chloride_Q6 | Medications | Q6 | | 294 |
| 843 | MED-CTS//sodium_chloride_Q7 | Medications | Q7 | | 273 |
| 844 | MED-CTS//sodium_chloride_Q8 | Medications | Q8 | | 273 |
| 845 | MED-CTS//sodium_chloride_Q9 | Medications | Q9 | | 274 |
| 846 | MED-CTS//tpn_Q4 | Medications | Q4 | | 24 |
| 847 | MED-CTS//tpn_Q5 | Medications | Q5 | | 5 |
| 848 | MED-CTS//tpn_Q6 | Medications | Q6 | | 5 |
| 849 | MED-CTS//tpn_Q7 | Medications | Q7 | | 4 |
| 850 | MED-CTS//tpn_Q8 | Medications | Q8 | | 4 |
| 851 | MED-CTS//tpn_Q9 | Medications | Q9 | | 7 |
| 852 | MED-CTS//vasopressin_Q4 | Medications | Q4 | | 29 |
| 853 | MED-CTS//vasopressin_Q5 | Medications | Q5 | | 3 |
| 854 | MED-CTS//vasopressin_Q8 | Medications | Q8 | | 18 |
| 855 | MED-CTS//vasopressin_Q9 | Medications | Q9 | | 11 |
| 856 | MED-INT//acetaminophen_Q0 | Medications | Q0 | | 4 |
| 857 | MED-INT//acetaminophen_Q9 | Medications | Q9 | | 122 |
| 858 | MED-INT//acyclovir | Medications | | | 9 |
| 859 | MED-INT//amiodarone_Q9 | Medications | Q9 | | 17 |
| 860 | MED-INT//ampicillin | Medications | | | 11 |
| 861 | MED-INT//ampicillin_sulbactam | Medications | | | 13 |
| 862 | MED-INT//azithromycin | Medications | | | 7 |
| 863 | MED-INT//azithromycin_Q1 | Medications | Q1 | | 1 |
| 864 | MED-INT//azithromycin_Q9 | Medications | Q9 | | 3 |
| 865 | MED-INT//aztreonam | Medications | | | 1 |
| 866 | MED-INT//bumetanide_Q9 | Medications | Q9 | | 1 |
| 867 | MED-INT//cefazolin | Medications | | | 57 |
| 868 | MED-INT//cefazolin_Q9 | Medications | Q9 | | 3 |
| 869 | MED-INT//cefepime | Medications | | | 110 |
| 870 | MED-INT//cefepime_Q9 | Medications | Q9 | | 2 |
| 871 | MED-INT//ceftazidime | Medications | | | 5 |
| 872 | MED-INT//ceftazidime_Q9 | Medications | Q9 | | 2 |
| 873 | MED-INT//ceftriaxone | Medications | | | 25 |
| 874 | MED-INT//ciprofloxacin | Medications | | | 19 |
| 875 | MED-INT//ciprofloxacin_Q9 | Medications | Q9 | | 2 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 876 | MED-INT//clindamycin | Medications | | | 1 |
| 877 | MED-INT//dextrose_Q0 | Medications | Q0 | | 19 |
| 878 | MED-INT//dextrose_Q1 | Medications | Q1 | | 105 |
| 879 | MED-INT//dextrose_Q6 | Medications | Q6 | | 285 |
| 880 | MED-INT//dextrose_Q9 | Medications | Q9 | | 216 |
| 881 | MED-INT//dextrose_in_water_d5w_Q0 | Medications | Q0 | | 1 |
| 882 | MED-INT//dextrose_in_water_d5w_Q1 | Medications | Q1 | | 101 |
| 883 | MED-INT//dextrose_in_water_d5w_Q5 | Medications | Q5 | | 259 |
| 884 | MED-INT//dextrose_in_water_d5w_Q6 | Medications | Q6 | | 26 |
| 885 | MED-INT//dextrose_in_water_d5w_Q9 | Medications | Q9 | | 216 |
| 886 | MED-INT//diazepam_Q9 | Medications | Q9 | | 5 |
| 887 | MED-INT//diltiazem_Q1 | Medications | Q1 | | 1 |
| 888 | MED-INT//diltiazem_Q8 | Medications | Q8 | | 3 |
| 889 | MED-INT//diltiazem_Q9 | Medications | Q9 | | 1 |
| 890 | MED-INT//erythromycin | Medications | | | 8 |
| 891 | MED-INT//erythromycin_Q9 | Medications | Q9 | | 7 |
| 892 | MED-INT//esomeprazole | Medications | | | 1 |
| 893 | MED-INT//fentanyl_Q0 | Medications | Q0 | | 4 |
| 894 | MED-INT//fentanyl_Q3 | Medications | Q3 | | 149 |
| 895 | MED-INT//fentanyl_Q8 | Medications | Q8 | | 245 |
| 896 | MED-INT//fentanyl_Q9 | Medications | Q9 | | 53 |
| 897 | MED-INT//fluconazole | Medications | | | 9 |
| 898 | MED-INT//furosemide_Q0 | Medications | Q0 | | 12 |
| 899 | MED-INT//furosemide_Q5 | Medications | Q5 | | 61 |
| 900 | MED-INT//furosemide_Q8 | Medications | Q8 | | 44 |
| 901 | MED-INT//furosemide_Q9 | Medications | Q9 | | 15 |
| 902 | MED-INT//heparin | Medications | | | 341 |
| 903 | MED-INT//heparin_Q0 | Medications | Q0 | | 1 |
| 904 | MED-INT//heparin_Q5 | Medications | Q5 | | 7 |
| 905 | MED-INT//heparin_Q6 | Medications | Q6 | | 1 |
| 906 | MED-INT//heparin_Q8 | Medications | Q8 | | 4 |
| 907 | MED-INT//heparin_Q9 | Medications | Q9 | | 2 |
| 908 | MED-INT//hydromorphone_Q0 | Medications | Q0 | | 7 |
| 909 | MED-INT//hydromorphone_Q3 | Medications | Q3 | | 50 |
| 910 | MED-INT//hydromorphone_Q6 | Medications | Q6 | | 62 |
| 911 | MED-INT//hydromorphone_Q9 | Medications | Q9 | | 52 |
| 912 | MED-INT//insulin_Q0 | Medications | Q0 | | 34 |
| 913 | MED-INT//insulin_Q2 | Medications | Q2 | | 118 |
| 914 | MED-INT//insulin_Q3 | Medications | Q3 | | 29 |
| 915 | MED-INT//insulin_Q5 | Medications | Q5 | | 89 |
| 916 | MED-INT//insulin_Q6 | Medications | Q6 | | 77 |
| 917 | MED-INT//insulin_Q7 | Medications | Q7 | | 37 |
| 918 | MED-INT//insulin_Q8 | Medications | Q8 | | 72 |
| 919 | MED-INT//insulin_Q9 | Medications | Q9 | | 54 |
| 920 | MED-INT//labetalol_Q2 | Medications | Q2 | | 2 |
| 921 | MED-INT//labetalol_Q9 | Medications | Q9 | | 5 |
| 922 | MED-INT//levofloxacin | Medications | | | 18 |
| 923 | MED-INT//levofloxacin_Q9 | Medications | Q9 | | 1 |
| 924 | MED-INT//lidocaine_Q9 | Medications | Q9 | | 2 |
| 925 | MED-INT//lorazepam_Q0 | Medications | Q0 | | 1 |
| 926 | MED-INT//lorazepam_Q1 | Medications | Q1 | | 16 |
| 927 | MED-INT//lorazepam_Q6 | Medications | Q6 | | 58 |
| 928 | MED-INT//lorazepam_Q8 | Medications | Q8 | | 23 |
| 929 | MED-INT//lorazepam_Q9 | Medications | Q9 | | 16 |
| 930 | MED-INT//magnesium | Medications | | | 94 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 931 | MED-INT//magnesium_Q0 | Medications | Q0 | | 1 |
| 932 | MED-INT//magnesium_Q9 | Medications | Q9 | | 130 |
| 933 | MED-INT//meropenem | Medications | | | 61 |
| 934 | MED-INT//metronidazole | Medications | | | 126 |
| 935 | MED-INT//metronidazole_Q9 | Medications | Q9 | | 3 |
| 936 | MED-INT//micafungin | Medications | | | 15 |
| 937 | MED-INT//midazolam_Q3 | Medications | Q3 | | 42 |
| 938 | MED-INT//midazolam_Q9 | Medications | Q9 | | 75 |
| 939 | MED-INT//morphine_Q0 | Medications | Q0 | | 8 |
| 940 | MED-INT//morphine_Q5 | Medications | Q5 | | 54 |
| 941 | MED-INT//morphine_Q8 | Medications | Q8 | | 30 |
| 942 | MED-INT//morphine_Q9 | Medications | Q9 | | 16 |
| 943 | MED-INT//pantoprazole | Medications | | | 69 |
| 944 | MED-INT//piperacillin_tazobactam | Medications | | | 90 |
| 945 | MED-INT//propofol_Q8 | Medications | Q8 | | 113 |
| 946 | MED-INT//propofol_Q9 | Medications | Q9 | | 23 |
| 947 | MED-INT//sodium_bicarbonate_Q9 | Medications | Q9 | | 8 |
| 948 | MED-INT//sodium_chloride_Q0 | Medications | Q0 | | 2 |
| 949 | MED-INT//sodium_chloride_Q1 | Medications | Q1 | | 43 |
| 950 | MED-INT//sodium_chloride_Q6 | Medications | Q6 | | 216 |
| 951 | MED-INT//sodium_chloride_Q7 | Medications | Q7 | | 49 |
| 952 | MED-INT//sodium_chloride_Q8 | Medications | Q8 | | 5 |
| 953 | MED-INT//sodium_chloride_Q9 | Medications | Q9 | | 76 |
| 954 | MED-INT//tobramycin | Medications | | | 2 |
| 955 | MED-INT//vancomycin | Medications | | | 265 |
| 956 | MED-INT//vancomycin_Q9 | Medications | Q9 | | 1 |
| 957 | MED-INT//voriconazole | Medications | | | 11 |
| 958 | RACE//black_or_african_american | Demographics | | | 40 |
| 959 | RACE//other | Demographics | | | 5 |
| 960 | RACE//unknown | Demographics | | | 16 |
| 961 | RACE//white | Demographics | | | 147 |
| 962 | RESP//assist_control-volume_control | Organ support | | | 1,855 |
| 963 | RESP//face_mask | Organ support | | | 1,155 |
| 964 | RESP//fio2_set_Q0 | Organ support | Q0 | | 788 |
| 965 | RESP//fio2_set_Q1 | Organ support | Q1 | | 757 |
| 966 | RESP//fio2_set_Q6 | Organ support | Q6 | | 3,582 |
| 967 | RESP//fio2_set_Q8 | Organ support | Q8 | | 1,915 |
| 968 | RESP//fio2_set_Q9 | Organ support | Q9 | | 861 |
| 969 | RESP//high_flow_nc | Organ support | | | 284 |
| 970 | RESP//imv | Organ support | | | 5,070 |
| 971 | RESP//nasal_cannula | Organ support | | | 3,707 |
| 972 | RESP//nippv | Organ support | | | 74 |
| 973 | RESP//other | Organ support | | | 89 |
| 974 | RESP//peep_set_Q0 | Organ support | Q0 | | 329 |
| 975 | RESP//peep_set_Q5 | Organ support | Q5 | | 2,794 |
| 976 | RESP//peep_set_Q7 | Organ support | Q7 | | 962 |
| 977 | RESP//peep_set_Q9 | Organ support | Q9 | | 1,175 |
| 978 | RESP//pressure-regulated_volume_control | Organ support | | | 714 |
| 979 | RESP//pressure_control | Organ support | | | 81 |
| 980 | RESP//pressure_support/cpap | Organ support | | | 2,318 |
| 981 | RESP//simv | Organ support | | | 55 |
| 982 | RESP//tidal_volume_set_Q0 | Organ support | Q0 | | 239 |
| 983 | RESP//tidal_volume_set_Q1 | Organ support | Q1 | | 215 |
| 984 | RESP//tidal_volume_set_Q2 | Organ support | Q2 | | 296 |
| 985 | RESP//tidal_volume_set_Q6 | Organ support | Q6 | | 1,034 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 986 | RESP//tidal_volume_set_Q8 | Organ support | Q8 | | 562 |
| 987 | RESP//tidal_volume_set_Q9 | Organ support | Q9 | | 271 |
| 988 | RESP//volume_support | Organ support | | | 46 |
| 989 | SEX//female | Demographics | | | 109 |
| 990 | SEX//male | Demographics | | | 99 |
| 991 | SOFA//cns-1 | Assessments | | | 24 |
| 992 | SOFA//cns-2 | Assessments | | | 11 |
| 993 | SOFA//cns-3 | Assessments | | | 11 |
| 994 | SOFA//cns-4 | Assessments | | | 10 |
| 995 | SOFA//coag-1 | Assessments | | | 52 |
| 996 | SOFA//coag-2 | Assessments | | | 25 |
| 997 | SOFA//coag-3 | Assessments | | | 12 |
| 998 | SOFA//coag-4 | Assessments | | | 5 |
| 999 | SOFA//cv-1 | Assessments | | | 59 |
| 1,000 | SOFA//cv-2 | Assessments | | | 1 |
| 1,001 | SOFA//cv-3 | Assessments | | | 5 |
| 1,002 | SOFA//cv-4 | Assessments | | | 18 |
| 1,003 | SOFA//liver-1 | Assessments | | | 13 |
| 1,004 | SOFA//liver-2 | Assessments | | | 19 |
| 1,005 | SOFA//liver-3 | Assessments | | | 3 |
| 1,006 | SOFA//liver-4 | Assessments | | | 3 |
| 1,007 | SOFA//renal-1 | Assessments | | | 30 |
| 1,008 | SOFA//renal-2 | Assessments | | | 21 |
| 1,009 | SOFA//renal-3 | Assessments | | | 6 |
| 1,010 | SOFA//renal-4 | Assessments | | | 19 |
| 1,011 | SOFA//resp-1 | Assessments | | | 2 |
| 1,012 | SOFA//resp-2 | Assessments | | | 3 |
| 1,013 | SOFA//resp-3 | Assessments | | | 7 |
| 1,014 | SOFA//resp-4 | Assessments | | | 32 |
| 1,015 | VTL//dbp_Q0 | Vitals | Q0 | | 1,028 |
| 1,016 | VTL//dbp_Q1 | Vitals | Q1 | | 1,026 |
| 1,017 | VTL//dbp_Q2 | Vitals | Q2 | | 1,108 |
| 1,018 | VTL//dbp_Q3 | Vitals | Q3 | | 1,277 |
| 1,019 | VTL//dbp_Q4 | Vitals | Q4 | | 1,292 |
| 1,020 | VTL//dbp_Q5 | Vitals | Q5 | | 1,214 |
| 1,021 | VTL//dbp_Q6 | Vitals | Q6 | | 1,168 |
| 1,022 | VTL//dbp_Q7 | Vitals | Q7 | | 1,171 |
| 1,023 | VTL//dbp_Q8 | Vitals | Q8 | | 1,138 |
| 1,024 | VTL//dbp_Q9 | Vitals | Q9 | | 1,237 |
| 1,025 | VTL//heart_rate_Q0 | Vitals | Q0 | | 1,052 |
| 1,026 | VTL//heart_rate_Q1 | Vitals | Q1 | | 1,179 |
| 1,027 | VTL//heart_rate_Q2 | Vitals | Q2 | | 1,020 |
| 1,028 | VTL//heart_rate_Q3 | Vitals | Q3 | | 1,102 |
| 1,029 | VTL//heart_rate_Q4 | Vitals | Q4 | | 1,239 |
| 1,030 | VTL//heart_rate_Q5 | Vitals | Q5 | | 1,098 |
| 1,031 | VTL//heart_rate_Q6 | Vitals | Q6 | | 1,176 |
| 1,032 | VTL//heart_rate_Q7 | Vitals | Q7 | | 1,038 |
| 1,033 | VTL//heart_rate_Q8 | Vitals | Q8 | | 1,159 |
| 1,034 | VTL//heart_rate_Q9 | Vitals | Q9 | | 1,231 |
| 1,035 | VTL//height_cm_Q0 | Vitals | Q0 | | 3 |
| 1,036 | VTL//height_cm_Q1 | Vitals | Q1 | | 7 |
| 1,037 | VTL//height_cm_Q2 | Vitals | Q2 | | 6 |
| 1,038 | VTL//height_cm_Q3 | Vitals | Q3 | | 2 |
| 1,039 | VTL//height_cm_Q4 | Vitals | Q4 | | 4 |
| 1,040 | VTL//height_cm_Q5 | Vitals | Q5 | | 6 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 1,041 | VTL//height_cm_Q6 | Vitals | Q6 | | 8 |
| 1,042 | VTL//height_cm_Q7 | Vitals | Q7 | | 4 |
| 1,043 | VTL//height_cm_Q8 | Vitals | Q8 | | 7 |
| 1,044 | VTL//height_cm_Q9 | Vitals | Q9 | | 6 |
| 1,045 | VTL//map_Q0 | Vitals | Q0 | | 1,141 |
| 1,046 | VTL//map_Q1 | Vitals | Q1 | | 921 |
| 1,047 | VTL//map_Q2 | Vitals | Q2 | | 1,376 |
| 1,048 | VTL//map_Q3 | Vitals | Q3 | | 1,200 |
| 1,049 | VTL//map_Q4 | Vitals | Q4 | | 825 |
| 1,050 | VTL//map_Q5 | Vitals | Q5 | | 1,516 |
| 1,051 | VTL//map_Q6 | Vitals | Q6 | | 992 |
| 1,052 | VTL//map_Q7 | Vitals | Q7 | | 1,304 |
| 1,053 | VTL//map_Q8 | Vitals | Q8 | | 1,209 |
| 1,054 | VTL//map_Q9 | Vitals | Q9 | | 1,184 |
| 1,055 | VTL//respiratory_rate_Q0 | Vitals | Q0 | | 817 |
| 1,056 | VTL//respiratory_rate_Q1 | Vitals | Q1 | | 896 |
| 1,057 | VTL//respiratory_rate_Q2 | Vitals | Q2 | | 1,554 |
| 1,058 | VTL//respiratory_rate_Q3 | Vitals | Q3 | | 742 |
| 1,059 | VTL//respiratory_rate_Q4 | Vitals | Q4 | | 899 |
| 1,060 | VTL//respiratory_rate_Q5 | Vitals | Q5 | | 1,678 |
| 1,061 | VTL//respiratory_rate_Q6 | Vitals | Q6 | | 706 |
| 1,062 | VTL//respiratory_rate_Q7 | Vitals | Q7 | | 1,354 |
| 1,063 | VTL//respiratory_rate_Q8 | Vitals | Q8 | | 1,439 |
| 1,064 | VTL//respiratory_rate_Q9 | Vitals | Q9 | | 1,174 |
| 1,065 | VTL//sbp_Q0 | Vitals | Q0 | | 1,151 |
| 1,066 | VTL//sbp_Q1 | Vitals | Q1 | | 1,113 |
| 1,067 | VTL//sbp_Q2 | Vitals | Q2 | | 1,140 |
| 1,068 | VTL//sbp_Q3 | Vitals | Q3 | | 1,159 |
| 1,069 | VTL//sbp_Q4 | Vitals | Q4 | | 1,130 |
| 1,070 | VTL//sbp_Q5 | Vitals | Q5 | | 1,112 |
| 1,071 | VTL//sbp_Q6 | Vitals | Q6 | | 1,148 |
| 1,072 | VTL//sbp_Q7 | Vitals | Q7 | | 1,331 |
| 1,073 | VTL//sbp_Q8 | Vitals | Q8 | | 1,176 |
| 1,074 | VTL//sbp_Q9 | Vitals | Q9 | | 1,202 |
| 1,075 | VTL//spo2_Q0 | Vitals | Q0 | | 990 |
| 1,076 | VTL//spo2_Q1 | Vitals | Q1 | | 760 |
| 1,077 | VTL//spo2_Q2 | Vitals | Q2 | | 1,185 |
| 1,078 | VTL//spo2_Q3 | Vitals | Q3 | | 1,396 |
| 1,079 | VTL//spo2_Q5 | Vitals | Q5 | | 1,483 |
| 1,080 | VTL//spo2_Q6 | Vitals | Q6 | | 1,447 |
| 1,081 | VTL//spo2_Q7 | Vitals | Q7 | | 1,299 |
| 1,082 | VTL//spo2_Q9 | Vitals | Q9 | | 2,390 |
| 1,083 | VTL//temp_c_Q0 | Vitals | Q0 | | 230 |
| 1,084 | VTL//temp_c_Q1 | Vitals | Q1 | | 299 |
| 1,085 | VTL//temp_c_Q2 | Vitals | Q2 | | 346 |
| 1,086 | VTL//temp_c_Q3 | Vitals | Q3 | | 312 |
| 1,087 | VTL//temp_c_Q4 | Vitals | Q4 | | 317 |
| 1,088 | VTL//temp_c_Q5 | Vitals | Q5 | | 321 |
| 1,089 | VTL//temp_c_Q6 | Vitals | Q6 | | 160 |
| 1,090 | VTL//temp_c_Q7 | Vitals | Q7 | | 354 |
| 1,091 | VTL//temp_c_Q8 | Vitals | Q8 | | 404 |
| 1,092 | VTL//temp_c_Q9 | Vitals | Q9 | | 331 |
| 1,093 | VTL//weight_kg_Q0 | Vitals | Q0 | | 71 |
| 1,094 | VTL//weight_kg_Q1 | Vitals | Q1 | | 86 |
| 1,095 | VTL//weight_kg_Q2 | Vitals | Q2 | | 79 |

| Token | Word | Lane | Bin | Text | Training count |
|---|---|---|---|---|---|
| 1,096 | VTL//weight_kg_Q3 | Vitals | Q3 | | 76 |
| 1,097 | VTL//weight_kg_Q4 | Vitals | Q4 | | 48 |
| 1,098 | VTL//weight_kg_Q5 | Vitals | Q5 | | 99 |
| 1,099 | VTL//weight_kg_Q6 | Vitals | Q6 | | 91 |
| 1,100 | VTL//weight_kg_Q7 | Vitals | Q7 | | 67 |
| 1,101 | VTL//weight_kg_Q8 | Vitals | Q8 | | 90 |
| 1,102 | VTL//weight_kg_Q9 | Vitals | Q9 | | 80 |
| 1,103 | XFR-IN//ed | Encounter | | | 154 |
| 1,104 | XFR-IN//icu | Encounter | | | 128 |
| 1,105 | XFR-IN//other | Encounter | | | 32 |
| 1,106 | XFR-IN//procedural | Encounter | | | 20 |
| 1,107 | XFR-IN//stepdown | Encounter | | | 35 |
| 1,108 | XFR-IN//ward | Encounter | | | 310 |
| 1,109 | XFR-OUT//ed | Encounter | | | 154 |
| 1,110 | XFR-OUT//icu | Encounter | | | 128 |
| 1,111 | XFR-OUT//other | Encounter | | | 32 |
| 1,112 | XFR-OUT//procedural | Encounter | | | 20 |
| 1,113 | XFR-OUT//stepdown | Encounter | | | 35 |
| 1,114 | XFR-OUT//ward | Encounter | | | 310 |

## Tokenizer config

as saved in tokenizer.yaml

Learned
**on this directory's training split**

Created
**2026-10-27T15:19:00-05:00**

By cocoa
**26.10.4**

| | |
|---|---|
| n_bins | 10 |
| fused | true |
| include_numeric_values | false |
| min_training_ct | 0 |
| include_hours_to_end_time | false |
| shuffle_rows | false |
| ordering | BOS, TIME, CLCK, AGE, SEX, RACE, ETHN, ADMN, XFR-OUT, XFR-IN, MED-CTS, MED-INT, LAB-ORD, LAB-RES, CODE, VTL, ASMT, RESP, POSN, CRRT, SOFA, DSCG, LABEL, EOS |
| insert_spacers | false |
| spacers | 5m-15m: 5, 15m-1h: 15, 1h-2h: 60, 2h-6h: 120, 6h-12h: 360, 12h-1d: 720, 1d-3d: 1440, 3d-1w: 4320, 1w-2w: 10080, 2w-1mt: 20160, 1mt-3mt: 43200, 3mt-6mt: 131490, 6mt+: 262980 |
| insert_clocks | false |
| clocks | 00, 04, 08, 12, 16, 20 |