

LUXSYNC

WHERE LUXURY LIVES INTELLIGENTLY

THE ROI — OF — SMART LIVING

COMMERCIAL
OFFICES



A LUXSYNC GUIDE
SMARTER LIVING. MEASURABLE VALUE.

Commercial Offices



For office owners, workplace leaders, facilities teams, and property managers

An intelligent office should do more than add devices. It should reduce avoidable operating effort, support comfortable workdays, improve visibility across the property, and create a more responsive environment without adding technology friction.

The Office ROI Case

Value area	What to measure	Relevant LuxSync capabilities
Energy management	Lighting and HVAC use during occupied and unoccupied hours	Lighting & Ambience, Climate Intelligence, Energy Intelligence, Away
Facilities efficiency	Time spent on repetitive checks, resets, and routine adjustments	Property Pulse, Effortless Departure, scheduled routines
Water and property awareness	Leak events, response time, affected area, avoidable downtime	Water Watch, compatible sensors and shut-off products
Space readiness	Time required to prepare meeting, reception, and shared spaces	Welcome, Entertain, lighting and climate scenes
Workplace experience	Comfort requests, environment-related tickets, employee feedback	Climate, lighting, shades, ambience, accessible controls
Multi-location oversight	Site visits, after-hours exceptions, visibility gaps	Property Pulse, remote status, standardized routines

Build the Baseline

Use at least 30-90 days of available operating data before comparing outcomes:

- monthly electricity and climate costs;
- normal business hours and after-hours usage;
- facilities labor spent on repeatable environmental tasks;
- comfort and environment-related tickets;
- water incidents, response times, and downtime;
- number of sites, floors, rooms, and shared spaces;
- existing SmartThings, Matter, lighting, climate, access, and network infrastructure.

Office ROI Worksheet

Input	Your value / unit	Reference method
Annual verified lighting/climate savings	_____ \$	Baseline cost minus measured post-launch cost, normalized for weather and occupancy
Annual facilities time recovered	_____ \$	Verified hours avoided × loaded hourly labor cost
Annual avoided site-visit cost	_____ \$	Avoided trips × fully loaded cost per trip
Risk-adjusted water/property value	_____ \$	Event probability × attributable avoidable cost; keep separate from guaranteed savings
Annual recurring platform/service cost	_____ \$	Subtract from benefits
Initial equipment/setup investment	_____ \$	Use validated proposal data

Reference method – enter and review values manually. Automated calculations are not included in this edition.

Annual net benefit = verified savings + recovered labor + risk-adjusted value - recurring cost

Simple ROI = annual net benefit / initial investment × 100

Payback months = initial investment / (annual net benefit / 12)

Start With a Measurable Pilot

Choose one floor, department, or site where the baseline is clear. Prioritize two or three outcomes, such as after-hours lighting, climate scheduling, and leak awareness. Run the pilot long enough to account for operating and weather variation, then compare normalized results before expanding.

What a LuxSync Office Blueprint Can Include

- current-state technology and compatibility review;
- outcome-based LuxSync Experiences;
- recommended foundation and capability categories;
- Essential Intelligence, Elevated Living, and Complete LuxSync Experience paths;
- phased rollout by room, floor, or location;
- measurement plan and owner for each ROI metric.

Important Boundaries

Results depend on building systems, occupancy, climate, tariffs, operating practices, device compatibility, and adoption. LuxSync does not guarantee savings or operational outcomes. Access, security-related, and property-awareness technology does not replace code-required systems, professional monitoring, or emergency services.

Next step: Find My LuxSync Solution or request an office consultation at info@luxsync.net.

Your measurement log

Record observations before and after a change. Use comparable periods, consistent units, and your own measured data. Keep estimates and scenario values clearly labeled.

Property / project: _____

Period: _____ Recorded by: _____

Phase: Baseline / Pilot / Follow-up

Record your observations

Value area	Measurement / unit	Notes / evidence
Energy management	_____ _____	_____ _____
Facilities efficiency	_____ _____	_____ _____
Water and property awareness	_____ _____	_____ _____
Space readiness	_____ _____	_____ _____
Workplace experience	_____ _____	_____ _____
Multi-location oversight	_____ _____	_____ _____

Context: occupancy, weather, schedule, or equipment changes

Compare two periods

Copy recorded values side by side. This worksheet makes no automatic ROI, savings, or payback calculation. Explain differences in context before drawing conclusions.

Period A: _____ Period B: _____

Value area	Period A / unit	Period B / unit
Energy management	_____	_____
Facilities efficiency	_____	_____
Water and property awareness	_____	_____
Space readiness	_____	_____
Workplace experience	_____	_____
Multi-location oversight	_____	_____

What changed? What needs another measurement?

Continue online

Open this guide in the LuxSync ROI Guide Library to keep an editable worksheet, save measurement periods, and compare your recorded observations in your account.

Where Luxury Lives Intelligently