

Model complexity and model choice for animal movement models

Ben Bolker, McMaster University

Departments of Mathematics & Statistics and Biology

Guelph Biomathematics & Biostatistics Symposium

9 June 2016

Outline

- 1 Animal movement
- 2 Florida panthers
- 3 Hidden Markov models
- 4 Basic analysis (vdK et al.)
- 5 Incorporating diurnal variation
- 6 Broader issues/outlook

Acknowledgements

[People](#) Michael Li, Madelon van de Kerk, Dave Onorato

[Support](#) NSERC Discovery grant

To do

- pix!
- general REFS: Turchin, Morales et al, Langrock ... ?

Animal movement: data

- observations:
 - e.g. mass mark-recapture, longitudinal density, direct observation, telemetry (VHF, GPS)
- most methods provide a sequence of times and locations for each individual
- summaries:
 - home range
 - (convex hull, kernel density estimate, etc.)
 - root-mean-squared displacement
 - step length and turning angle
- covariates:
 - e.g. habitat map, individual characteristics (sex, age, weight ...)

Animal movement: questions

- simple description
- how do animals' movements change as a function of their (internal or external) environment?
what does that tell us about their biology?
- how might animals' distributions, etc. change when conditions (density, habitat, ...) change?


Biological/conservation issues

- Florida panther: *Felix ...*
- severely reduced habitat, endangered
- small, isolated population
- currently recovering

- abc

Panther movement data

- panthers tracked, captured
- GPS collars
- 18 males (13 male, 5 female, 1-15 years old)
- 3200 panther days, hourly/bihourly; 49000 locations
- ?? per panther




example movement tracks

FIXME: picture here! (animation?? map background??)

Hidden Markov models


- finite mixture model with temporal dependence
- discrete time steps
- discrete latent state; *transition matrix*
- observations from *emission distributions*
(continuous or discrete, univariate or multivariate)




Hidden Markov models (cont.)

- *forward-backward algorithm* for estimating parameters
- *Viterbi algorithm* for estimating most probable state sequences
- depmixS4 package (Visser and Speekenbrink, 2010) (also moveHMM (Michelot et al., 2016), move.HMM (Augustine, 2016))

State distributions




Parameter estimates



Transition parameters

picture/table here of transition parameters (network diagram??)

Diurnal variation



what can we conclude so far?

good news

- basic biology: males move faster, farther
- three states are identifiable, sensible
- ...

bad news

- diurnal variation in Viterbi results - but it's not in the model!
- estimates of model complexity are too high

what can we conclude so far?


good news

- basic biology: males move faster, farther
- three states are identifiable, sensible
- ...

bad news

- diurnal variation in Viterbi results - but it's not in the model!
- estimates of model complexity are too high

Model complexity



Broadening the model

Attempting to fix these problems:

- extend the model to allow covariates
- specifically, allow for diurnal variation
 - simplify model (log-Normal step length only)
 - *fixed* state-specific emissions parameters (step length mean and std dev)
 - time-varying transition parameters
 - also try *finite mixture models* (independent occupancy)
- how much does this help?

Temporal models

figure showing alternative temporal models

Comparison

Figure 1 from paper

Goodness of fit

Figure 2 from paper

Temporal patterns

Figures 3 (and 4?) from paper

Model complexity

Figure showing BIC plots for all cats tried

Animal movement
○○

Panthers
○○○○

HMM
○○

Basic analysis
○○○○○○

Diurnal model
○○○○○○●

Broader issues/outlook
○○○

References

Model complexity

Simulation results

Big data and small models

- simple model families +
model misspecification →
overparameterization

Animal movement
○○

Panthers
○○○○

HMM
○○

Basic analysis
○○○○○○

Diurnal model
○○○○○○○

Broader issues/outlook
○○●

References

an aside on AIC vs BIC

Tools needed

- cross-validation (Wenger and Olden, 2012)
- diagnostic plots
- score tests?

References

Wenger, S.J. and Olden, J.D., 2012. *Methods in Ecology and Evolution*, 3(2):260–267. ISSN 2041210X.
doi:10.1111/j.2041-210X.2011.00170.x.