

Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.

Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.02, theta = 0; I0 = 1



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.


Conditional persistence probability
Boundary-layer-independent leading order; rho = 0.02, theta = 1; I0 = 1
K = 1000
K = 3000
K = 10000
K = 30000
Persistence probability, conditional on not fizzling
1.00
0.75
0.50
0.25
0.00
0.05
0.10
0.20
0.50
1
2
5
$R_0 - 1$ (log scale)
Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.

Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.05, theta = 0; I0 = 1



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.

Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.05, theta = 0.5; I0 = 1



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.

Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.10, theta = 0; I0 = 1



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.

Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.10, theta = 1; I0 = 1



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.

Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.01, theta = 0.5; I0 = 1



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.

Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.01, theta = 1; I0 = 1



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.