Exact-Kendall B with first-order entry   rho = 0.02

$$B = -\log(P_{burn})\ ,\ B = K y_{BL} \log(1 + 1/\mathrm{cal}(I))$$

$$E_{abs} = \left|B_K^{(1)} - B_{ref}\right|\ ,\ E_{rel} = \frac{\left|B_K^{(1)} - B_{ref}\right|}{\left|B_{ref}\right|}$$





Exact-Kendall B with first-order entry   rho = 0.04

$$B = -\log(P_{burn})\ ,\ B = K y_{BL} \log(1 + 1/\mathrm{cal}(I))$$

$$E_{abs} = \left|B_K^{(1)} - B_{ref}\right|\ ,\ E_{rel} = \frac{\left|B_K^{(1)} - B_{ref}\right|}{\left|B_{ref}\right|}$$





Exact-Kendall B with first-order entry   rho = 0.06

$$B = -\log(P_{burn}) \;,\; B = K y_{BL} \log\left(1 + 1/\mathrm{cal}(I)\right)$$

$$E_{abs} = \left|B_K^{(1)} - B_{ref}\right| \;,\; E_{rel} = \frac{\left|B_K^{(1)} - B_{ref}\right|}{\left|B_{ref}\right|}$$





Exact-Kendall B with first-order entry   rho = 0.08

$$B = -\log(P_{burn}) \;,\; B = K y_{BL} \log(1 + 1/\mathrm{cal}(I))$$

$$E_{abs} = \left|B_K^{(1)} - B_{ref}\right| \;,\; E_{rel} = \frac{\left|B_K^{(1)} - B_{ref}\right|}{\left|B_{ref}\right|}$$





Exact-Kendall B with first-order entry   rho = 0.10

$$B = -\log(P_{burn}) \;,\; B = K y_{BL} \log(1 + 1/\mathrm{cal}(I))$$

$$E_{abs} = \left|B_K^{(1)} - B_{ref}\right| \;,\; E_{rel} = \frac{\left|B_K^{(1)} - B_{ref}\right|}{\left|B_{ref}\right|}$$