# Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.01, theta = 0; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

# Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.01, theta = 0.5; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

# Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.01, theta = 1; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

# Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.02, theta = 0; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

## Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.05, theta = 0; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

# Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.05, theta = 0.5; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

# Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.05, theta = 1; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

# Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.10, theta = 0; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

## Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.10, theta = 1; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

## Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.01, theta = 0.5; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

# Conditional persistence probability

Boundary-layer-independent leading order; rho = 0.01, theta = 1; I0 = 1; logit scale




Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions.
Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.