



Unconditional persistence probability

Full 2D ODE; $\psi = 0.5$, $\rho = 0.01$, $\theta = 0$; $I_0 = 1$



Unconditional persistence probability


Full 2D ODE; $\psi = 0.5$, $\rho = 0.01$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: direct finite-horizon Kendall quadrature. Purple: closed physical-trough saddle formula.

Unconditional persistence probability


Full 2D ODE; $\psi = 0.5$, $\rho = 0.01$, $\theta = 1$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: direct finite-horizon Kendall quadrature. Purple: closed physical-trough saddle formula.


Unconditional persistence probability

Full 2D ODE; $\psi = 0.5$, $\rho = 0.02$, $\theta = 0$; $I_0 = 1$



Unconditional persistence probability


Full 2D ODE; $\psi = 0.5$, $\rho = 0.02$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: direct finite-horizon Kendall quadrature. Purple: closed physical-trough saddle formula.

Unconditional persistence probability


Full 2D ODE; $\psi = 0.5$, $\rho = 0.02$, $\theta = 1$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: direct finite-horizon Kendall quadrature. Purple: closed physical-trough saddle formula.


Unconditional persistence probability

Full 2D ODE; $\psi = 0.5$, $\rho = 0.05$, $\theta = 0$; $I_0 = 1$



Unconditional persistence probability


Full 2D ODE; $\psi = 0.5$, $\rho = 0.05$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: direct finite-horizon Kendall quadrature. Purple: closed physical-trough saddle formula.

Unconditional persistence probability


Full 2D ODE; $\psi = 0.5$, $\rho = 0.05$, $\theta = 1$; $I_0 = 1$



Blue points and grey bars: re-used CTMC estimates and 95% Wilson intervals. Green: direct finite-horizon Kendall quadrature. Purple: closed physical-trough saddle formula.


Unconditional persistence probability

Full 2D ODE; $\psi = 0.5$, $\rho = 0.10$, $\theta = 0$; $I_0 = 1$



Unconditional persistence probability

Full 2D ODE; $\psi = 0.5$, $\rho = 0.10$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: direct finite-horizon Kendall quadrature. Purple: closed physical-trough saddle formula.

Unconditional persistence probability

Full 2D ODE; $\psi = 0.5$, $\rho = 0.10$, $\theta = 1$; $I_0 = 1$

