


Unconditional persistence probability

Full 2D ODE; $\psi = 1$, $\rho = 0.01$, $\theta = 0$; $I_0 = 1$




Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.

Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability

Full 2D ODE; $\psi = 1$, $\rho = 0.01$, $\theta = 0.5$; $I_0 = 1$




Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.

Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability


Full 2D ODE; $\psi = 1$, $\rho = 0.01$, $\theta = 1$; $I_0 = 1$



Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.
Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability

Full 2D ODE; $\psi = 1$, $\rho = 0.02$, $\theta = 0$; $I_0 = 1$




Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.

Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability

Full 2D ODE; $\psi = 1$, $\rho = 0.02$, $\theta = 0.5$; $I_0 = 1$




Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.

Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability


Full 2D ODE; $\psi = 1$, $\rho = 0.02$, $\theta = 1$; $I_0 = 1$



Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.
Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability

Full 2D ODE; $\psi = 1$, $\rho = 0.05$, $\theta = 0$; $I_0 = 1$




Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.

Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability

Full 2D ODE; $\psi = 1$, $\rho = 0.05$, $\theta = 0.5$; $I_0 = 1$




— Numerical finite-horizon Kendall — Closed trough saddle

Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.

Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability


Full 2D ODE; $\psi = 1$, $\rho = 0.05$, $\theta = 1$; $I_0 = 1$



Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.
Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability

Full 2D ODE; $\psi = 1$, $\rho = 0.10$, $\theta = 0$; $I_0 = 1$




Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.

Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability

Full 2D ODE; $\psi = 1$, $\rho = 0.10$, $\theta = 0.5$; $I_0 = 1$




Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.

Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.

Unconditional persistence probability

Full 2D ODE; $\psi = 1$, $\rho = 0.10$, $\theta = 1$; $I_0 = 1$



Blue points and grey bars: new CTMC estimates and 95% Wilson intervals.
Green: direct finite-horizon Kendall quadrature; purple: closed trough-saddle formula. Curves stop where the finite-horizon interval does not exist.