


Conditional persistence probability


Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.01$, $\theta = 0$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.

Conditional persistence probability

Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.01$, $\theta = 0.5$; $I_0 = 1$




Low-prevalence action Finite-prevalence Kendall trough

Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.

Conditional persistence probability

Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.01$, $\theta = 1$; $l_0 = 1$




Low-prevalence action Finite-prevalence Kendall trough

Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.

Conditional persistence probability


Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.02$, $\theta = 0$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.

Conditional persistence probability


Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.02$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.

Conditional persistence probability

Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.02$, $\theta = 1$; $l_0 = 1$




Low-prevalence action Finite-prevalence trough

Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.


Conditional persistence probability

Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.05$, $\theta = 0$; $l_0 = 1$



Conditional persistence probability


Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.05$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: re-used CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.

Conditional persistence probability


Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.05$, $\theta = 1$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.

Conditional persistence probability


Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.10$, $\theta = 0$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.

Conditional persistence probability


Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.10$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.

Conditional persistence probability

Nonlinear-tail and trough comparison; $\psi = 0.5$, $\rho = 0.10$, $\theta = 1$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: action/Laplace; purple: finite-prevalence Kendall trough. Curves stop where the regular-outer descending initialization is unavailable.