


Conditional persistence probability


Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.01$, $\theta = 0$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability


Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.01$, $\theta = 0.5$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability


Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.01$, $\theta = 1$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability


Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.02$, $\theta = 0$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability


Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.02$, $\theta = 0.5$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability


Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.02$, $\theta = 1$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability

Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.05$, $\theta = 0$; $I_0 = 1$




Leading nonlinear tail Next Laplace correction Finite-prevalence trough

Blue points and grey bars: re-used CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot c_L)$ correction; purple: finite-prevalence trough.

Conditional persistence probability


Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.05$, $\theta = 0.5$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability


Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.05$, $\theta = 1$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability

Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.10$, $\theta = 0$; $l_0 = 1$




Leading nonlinear tail Next Laplace correction Finite-prevalence trough

Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability


Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.10$, $\theta = 0.5$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot cL)$ correction; purple: finite-prevalence trough.

Conditional persistence probability

Nonlinear-tail comparison; $\psi = 0.5$, $\rho = 0.10$, $\theta = 1$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals. Green: leading nonlinear tail; orange: $\exp(-\rho \cdot c_L)$ correction; purple: finite-prevalence trough.