


Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.01$, $\theta = 0$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.

Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.01$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.

Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.01$, $\theta = 1$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.

Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.02$, $\theta = 0$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.


Conditional persistence probability

Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.02$, $\theta = 0.5$; $I_0 = 1$



Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.02$, $\theta = 1$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.

Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.05$, $\theta = 0$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.

Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.05$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.

Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.05$, $\theta = 1$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.

Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.10$, $\theta = 0$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.

Conditional persistence probability


Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.10$, $\theta = 0.5$; $I_0 = 1$



Blue points and grey bars: re-used CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.

Conditional persistence probability

Nonlinear-tail action amplitude; $\psi = 0.5$, $\rho = 0.10$, $\theta = 1$; $l_0 = 1$



Blue points and grey bars: reused CTMC estimates and 95% Wilson intervals; green: nonlinear-tail Laplace prediction. Curves stop where no admissible descending-tail initialization exists.