


Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.01$, $\theta = 0$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.01$, $\theta = 0.5$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.01$, $\theta = 1$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.02$, $\theta = 0$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.02$, $\theta = 0.5$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.02$, $\theta = 1$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.05$, $\theta = 0$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.05$, $\theta = 0.5$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.05$, $\theta = 1$; $I_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; rho = 0.10, theta = 0; l0 = 1; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; rho = 0.10, theta = 0.5; l0 = 1; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.10$, $\theta = 1$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.01$, $\theta = 0$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability


Boundary-layer-independent leading order; $\rho = 0.01$, $\theta = 0.5$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.

Conditional persistence probability

Boundary-layer-independent leading order; $\rho = 0.01$, $\theta = 1$; $l_0 = 1$; logit scale



Blue points and grey bars are the existing stochastic estimates and 95% Wilson intervals; the green curve is BI. BI remains defined through old NO_ENTRY regions. Values at or beyond 0.001 and 0.999 are displayed at those clipping limits; no points are dropped.