


# Cleveland's hierarchy

## Cleveland's Graphical Features Hierarchy

### **Best information transfer**



### **Worst information transfer**

Source: Presentation Graphics, Leland Wilkinson, SPSS Inc & Northwestern University  
Revised 16Feb2010 tldw

<http://sfew.websitetoolbox.com/post/clevelands-graphical-features-hierarchy-4598555>

# Outline

## Scales

- Anchors

- Transformations

Exploring data

Bivariate data

# Scales

- ▶ The top of the hierarchy involves putting things on scales

# Scales

- ▶ The top of the hierarchy involves putting things on scales
- ▶ But what scale do we use?

# Scales

- ▶ The top of the hierarchy involves putting things on scales
- ▶ But what scale do we use?
  - ▶ Are our data anchored to zero?

# Scales

- ▶ The top of the hierarchy involves putting things on scales
- ▶ But what scale do we use?
  - ▶ Are our data anchored to zero?
    - ▶ If so, are we interested in differences or ratios?

# Scales

- ▶ The top of the hierarchy involves putting things on scales
- ▶ But what scale do we use?
  - ▶ Are our data anchored to zero?
    - ▶ If so, are we interested in differences or ratios?
  - ▶ Are they anchored somewhere else?

# Scales

- ▶ The top of the hierarchy involves putting things on scales
- ▶ But what scale do we use?
  - ▶ Are our data anchored to zero?
    - ▶ If so, are we interested in differences or ratios?
  - ▶ Are they anchored somewhere else?



# Outline

## Scales


- Anchors

- Transformations


Exploring data

Bivariate data


# Golem bait call




# Global climate




# Global climate



# Global climate



# Global climate



# Climate lessons

- ▶ Choosing an anchor is a scientific decision

# Climate lessons


- ▶ Choosing an anchor is a scientific decision
- ▶ Remember: graphic design is communication




# Climate lessons

- ▶ Choosing an anchor is a scientific decision
- ▶ Remember: graphic design is communication


# Magazine circulation (advertisement)




## Magazine circulation (absolute amount)



# Magazine circulation (trend)



## Area and volume



*How to Lie with Statistics*

# Advertisement lessons

- ▶ Use area to indicate fair comparisons

# Advertisement lessons

- ▶ Use area to indicate fair comparisons
  - ▶ On a physical scale

# Advertisement lessons

- ▶ Use area to indicate fair comparisons
  - ▶ On a physical scale
- ▶ Areas that can be compared linearly should be preferred



# Advertisement lessons

- ▶ Use area to indicate fair comparisons
  - ▶ On a physical scale
- ▶ Areas that can be compared linearly should be preferred
  - ▶ Depends on importance of feature

# Advertisement lessons

- ▶ Use area to indicate fair comparisons
  - ▶ On a physical scale
- ▶ Areas that can be compared linearly should be preferred
  - ▶ Depends on importance of feature
- ▶ Avoid using (or hinting at) volume

# Advertisement lessons

- ▶ Use area to indicate fair comparisons
  - ▶ On a physical scale
- ▶ Areas that can be compared linearly should be preferred
  - ▶ Depends on importance of feature
- ▶ Avoid using (or hinting at) volume

# Outline

## Scales

Anchors

Transformations

Exploring data

Bivariate data

# Physical quantities

- ▶ 1 is to 10 as 10 is to what?

# Physical quantities

▶ 1 is to 10 as 10 is to what?

▶ \*

# Physical quantities

- ▶ 1 is to 10 as 10 is to what?
  - ▶ \* If you said 19, you are thinking on a linear scale

# Physical quantities

- ▶ 1 is to 10 as 10 is to what?
  - ▶ \* If you said 19, you are thinking on a linear scale
  - ▶ \*



# Physical quantities

- ▶ 1 is to 10 as 10 is to what?
  - ▶ \* If you said 19, you are thinking on a linear scale
  - ▶ \* If you said 100, you are thinking on a log scale

# Physical quantities

- ▶ 1 is to 10 as 10 is to what?
  - ▶ \* If you said 19, you are thinking on a linear scale
  - ▶ \* If you said 100, you are thinking on a log scale
- ▶ The log scale is often good for physical quantities:



# Physical quantities

- ▶ 1 is to 10 as 10 is to what?
  - ▶ \* If you said 19, you are thinking on a linear scale
  - ▶ \* If you said 100, you are thinking on a log scale
- ▶ The log scale is often good for physical quantities:
  - ▶ When zero means zero



# Physical quantities

- ▶ 1 is to 10 as 10 is to what?
  - ▶ \* If you said 19, you are thinking on a linear scale
  - ▶ \* If you said 100, you are thinking on a log scale
- ▶ The log scale is often good for physical quantities:
  - ▶ When zero means zero

# Log vs. linear



# Making room



# Data shape

- ▶ There are a lot of different ways to show data shape

# Data shape

- ▶ There are a lot of different ways to show data shape
- ▶ Choices will depend on your data set:



# Data shape

- ▶ There are a lot of different ways to show data shape
- ▶ Choices will depend on your data set:
  - ▶ Overall size

# Data shape

- ▶ There are a lot of different ways to show data shape
- ▶ Choices will depend on your data set:
  - ▶ Overall size
  - ▶ Number of replicates



# Data shape

- ▶ There are a lot of different ways to show data shape
- ▶ Choices will depend on your data set:
  - ▶ Overall size
  - ▶ Number of replicates
  - ▶ Number of levels, predictor variables, etc.



# Data shape

- ▶ There are a lot of different ways to show data shape
- ▶ Choices will depend on your data set:
  - ▶ Overall size
  - ▶ Number of replicates
  - ▶ Number of levels, predictor variables, etc.

# Different scales



# More detail



# Orchard lessons

- ▶ Choices about log vs. linear scale are scientific choices

# Orchard lessons

- ▶ Choices about log vs. linear scale are scientific choices
  - ▶ Neither is more valid, or closer to the data



# Orchard lessons

- ▶ Choices about log vs. linear scale are scientific choices
  - ▶ Neither is more valid, or closer to the data
- ▶ You can also make choices about

# Orchard lessons

- ▶ Choices about log vs. linear scale are scientific choices
  - ▶ Neither is more valid, or closer to the data
- ▶ You can also make choices about
  - ▶ sending a simple message

# Orchard lessons

- ▶ Choices about log vs. linear scale are scientific choices
  - ▶ Neither is more valid, or closer to the data
- ▶ You can also make choices about
  - ▶ sending a simple message
  - ▶ providing more information about shape

# Orchard lessons

- ▶ Choices about log vs. linear scale are scientific choices
  - ▶ Neither is more valid, or closer to the data
- ▶ You can also make choices about
  - ▶ sending a simple message
  - ▶ providing more information about shape
- ▶ Log scales are almost never physical

# Orchard lessons

- ▶ Choices about log vs. linear scale are scientific choices
  - ▶ Neither is more valid, or closer to the data
- ▶ You can also make choices about
  - ▶ sending a simple message
  - ▶ providing more information about shape
- ▶ Log scales are almost never physical
  - ▶ Don't mislead with area information on a log scale

# Orchard lessons

- ▶ Choices about log vs. linear scale are scientific choices
  - ▶ Neither is more valid, or closer to the data
- ▶ You can also make choices about
  - ▶ sending a simple message
  - ▶ providing more information about shape
- ▶ Log scales are almost never physical
  - ▶ Don't mislead with area information on a log scale

# Probabilities

► 1% is to 2% as 50% is to what?

# Probabilities

▶ 1% is to 2% as 50% is to what?

▶ \*



# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small

# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \*

# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \* 100% is way too large

# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \* 100% is way too large
- ▶ The natural distance to use on a probability scale is log odds

# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \* 100% is way too large
- ▶ The natural distance to use on a probability scale is log odds
  - ▶ \*

# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \* 100% is way too large
- ▶ The natural distance to use on a probability scale is log odds
  - ▶ \* 1% is to 2% as 50% is to 67%

# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \* 100% is way too large
- ▶ The natural distance to use on a probability scale is log odds
  - ▶ \* 1% is to 2% as 50% is to 67%
  - ▶ \*

# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \* 100% is way too large
- ▶ The natural distance to use on a probability scale is log odds
  - ▶ \* 1% is to 2% as 50% is to 67%
  - ▶ \* ...as 2% is to 4%



# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \* 100% is way too large
- ▶ The natural distance to use on a probability scale is log odds
  - ▶ \* 1% is to 2% as 50% is to 67%
  - ▶ \* ... as 2% is to 4%
  - ▶ \*

# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \* 100% is way too large
- ▶ The natural distance to use on a probability scale is log odds
  - ▶ \* 1% is to 2% as 50% is to 67%
  - ▶ \* ... as 2% is to 4%
  - ▶ \* ... as 98% is to 99%

# Probabilities

- ▶ 1% is to 2% as 50% is to what?
  - ▶ \* 51% is way too small
  - ▶ \* 100% is way too large
- ▶ The natural distance to use on a probability scale is log odds
  - ▶ \* 1% is to 2% as 50% is to 67%
  - ▶ \* ... as 2% is to 4%
  - ▶ \* ... as 98% is to 99%

# Odds

- ▶ Odds are a ratio between the probability of something and the probability of its opposite:

# Odds

- ▶ Odds are a ratio between the probability of something and the probability of its opposite:
  - ▶  $o = p/(1 - p)$

# Odds

- ▶ Odds are a ratio between the probability of something and the probability of its opposite:
  - ▶  $o = p/(1 - p)$
- ▶ Log odds give a natural distance on probability space

# Odds

- ▶ Odds are a ratio between the probability of something and the probability of its opposite:
  - ▶  $o = p/(1 - p)$
- ▶ Log odds give a natural distance on probability space

# Extreme values

- ▶ Our transformations take extreme values to infinity.



# Extreme values

- ▶ Our transformations take extreme values to infinity.
- ▶ Use link functions

# Extreme values

- ▶ Our transformations take extreme values to infinity.
- ▶ Use link functions
  - ▶ this is like using estimated values instead of observed

# Extreme values

- ▶ Our transformations take extreme values to infinity.
- ▶ Use link functions
  - ▶ this is like using estimated values instead of observed
    - ▶ rarely infinite

# Extreme values

- ▶ Our transformations take extreme values to infinity.
- ▶ Use link functions
  - ▶ this is like using estimated values instead of observed
    - ▶ rarely infinite
    - ▶ matches analysis

# Extreme values

- ▶ Our transformations take extreme values to infinity.
- ▶ Use link functions
  - ▶ this is like using estimated values instead of observed
    - ▶ rarely infinite
    - ▶ matches analysis
- ▶ Extend the scale (e.g., use  $\log(1 + x)$  instead of  $\log(x)$ )

# Extreme values

- ▶ Our transformations take extreme values to infinity.
- ▶ Use link functions
  - ▶ this is like using estimated values instead of observed
    - ▶ rarely infinite
    - ▶ matches analysis
- ▶ Extend the scale (e.g., use  $\log(1 + x)$  instead of  $\log(x)$ )
  - ▶ This usually involves arbitrary choices

# Extreme values

- ▶ Our transformations take extreme values to infinity.
- ▶ Use link functions
  - ▶ this is like using estimated values instead of observed
    - ▶ rarely infinite
    - ▶ matches analysis
- ▶ Extend the scale (e.g., use  $\log(1 + x)$  instead of  $\log(x)$ )
  - ▶ This usually involves arbitrary choices
  - ▶ Should often be *avoided* for analysis

# Extreme values

- ▶ Our transformations take extreme values to infinity.
- ▶ Use link functions
  - ▶ this is like using estimated values instead of observed
    - ▶ rarely infinite
    - ▶ matches analysis
- ▶ Extend the scale (e.g., use  $\log(1 + x)$  instead of  $\log(x)$ )
  - ▶ This usually involves arbitrary choices
  - ▶ Should often be *avoided* for analysis
  - ▶ But can be good for visualization



# Extreme values

- ▶ Our transformations take extreme values to infinity.
- ▶ Use link functions
  - ▶ this is like using estimated values instead of observed
    - ▶ rarely infinite
    - ▶ matches analysis
- ▶ Extend the scale (e.g., use  $\log(1 + x)$  instead of  $\log(x)$ )
  - ▶ This usually involves arbitrary choices
  - ▶ Should often be *avoided* for analysis
  - ▶ But can be good for visualization

# Outline

## Scales

- Anchors

- Transformations

## Exploring data

## Bivariate data

# Rote analysis vs. snooping



# Spurious correlations

There's a whole website about this

# What can you do?

The best you can

- ▶ Identify scientific questions

# What can you do?

The best you can

- ▶ Identify scientific questions
- ▶ Distinguish between exploratory and confirmatory analysis

# What can you do?

The best you can

- ▶ Identify scientific questions
- ▶ Distinguish between exploratory and confirmatory analysis
- ▶ Pre-register studies when possible

# What can you do?

The best you can

- ▶ Identify scientific questions
- ▶ Distinguish between exploratory and confirmatory analysis
- ▶ Pre-register studies when possible
- ▶ Keep an exploration and analysis journal



# What can you do?

The best you can


- ▶ Identify scientific questions
- ▶ Distinguish between exploratory and confirmatory analysis
- ▶ Pre-register studies when possible
- ▶ Keep an exploration and analysis journal
- ▶ Explore predictors and responses separately at first

# What can you do?


The best you can

- ▶ Identify scientific questions
- ▶ Distinguish between exploratory and confirmatory analysis
- ▶ Pre-register studies when possible
- ▶ Keep an exploration and analysis journal
- ▶ Explore predictors and responses separately at first


## Bike example




## Standard errors




## Standard errors




# Standard deviations



# Data shape




# Data shape







# Data shape



# Data shape



# Data shape and weight



# Log scales

► In general:

# Log scales

- ▶ In general:
  - ▶ If your logged data span  $< 3$  decades, use human-readable numbers (e.g., 10-5000 kilotons per hectare)

# Log scales

- ▶ In general:
  - ▶ If your logged data span  $< 3$  decades, use human-readable numbers (e.g., 10-5000 kilotons per hectare)
  - ▶ If not, just embrace “logs” (log10 particles per ul is from 3–8)

# Log scales

- ▶ In general:
  - ▶ If your logged data span  $< 3$  decades, use human-readable numbers (e.g., 10-5000 kilotons per hectare)
  - ▶ If not, just embrace “logs” (log<sub>10</sub> particles per ul is from 3–8)
    - ▶ But remember these are not physical values

# Log scales

- ▶ In general:
  - ▶ If your logged data span  $< 3$  decades, use human-readable numbers (e.g., 10-5000 kilotons per hectare)
  - ▶ If not, just embrace “logs” (log<sub>10</sub> particles per ul is from 3–8)
    - ▶ But remember these are not physical values
- ▶ I love natural logs, but not as axis values



# Log scales

- ▶ In general:
  - ▶ If your logged data span  $< 3$  decades, use human-readable numbers (e.g., 10-5000 kilotons per hectare)
  - ▶ If not, just embrace “logs” (log<sub>10</sub> particles per ul is from 3–8)
    - ▶ But remember these are not physical values
- ▶ I love natural logs, but not as axis values

# Outline

## Scales


- Anchors

- Transformations


## Exploring data

## Bivariate data

# Smoking data



# Smoking data



# Scatter plots

- ▶ Depending on how many data points you have, scatter plots may indicate relationships clearly

# Scatter plots

- ▶ Depending on how many data points you have, scatter plots may indicate relationships clearly
- ▶ They can often be improved with trend interpolations

# Scatter plots


- ▶ Depending on how many data points you have, scatter plots may indicate relationships clearly
- ▶ They can often be improved with trend interpolations
  - ▶ Interpolations may be particularly good for discrete responses (count or true-false)

# Scatter plots


- ▶ Depending on how many data points you have, scatter plots may indicate relationships clearly
- ▶ They can often be improved with trend interpolations
  - ▶ Interpolations may be particularly good for discrete responses (count or true-false)




# Scatter plot




## Seeing the density better




## Seeing the density worse




Use area in a principled way!




## A loess trend line



## Two loess trend lines



# Many loess trend lines



# Density plots

## ► Contours



# Density plots

## ► Contours

- use `_density_2d()` to fit a two-dimensional kernel to the density

# Density plots

- ▶ Contours

- ▶ use `_density_2d()` to fit a two-dimensional kernel to the density

- ▶ hexes

# Density plots

- ▶ Contours

- ▶ use `_density_2d()` to fit a two-dimensional kernel to the density

- ▶ hexes

- ▶ use `geom_hex` to plot densities using hexes

# Density plots

- ▶ Contours

- ▶ use `_density_2d()` to fit a two-dimensional kernel to the density

- ▶ hexes

- ▶ use `geom_hex` to plot densities using hexes
  - ▶ this can also be done using rectangles for data with more discrete values

# Density plots


- ▶ Contours

- ▶ use `_density_2d()` to fit a two-dimensional kernel to the density


- ▶ hexes

- ▶ use `geom_hex` to plot densities using hexes
  - ▶ this can also be done using rectangles for data with more discrete values


# Contours



# Contours




# Hexes





# Hexes



# Color principles

- ▶ Use clear gradients

# Color principles

- ▶ Use clear gradients
- ▶ If zero has a physical meaning (like density), go in just one direction

# Color principles

- ▶ Use clear gradients
- ▶ If zero has a physical meaning (like density), go in just one direction
  - ▶ e.g., white to blue, white to red

# Color principles

- ▶ Use clear gradients
- ▶ If zero has a physical meaning (like density), go in just one direction
  - ▶ e.g., white to blue, white to red
  - ▶ If the map contrasts with a background, zero should match the background

# Color principles

- ▶ Use clear gradients
- ▶ If zero has a physical meaning (like density), go in just one direction
  - ▶ e.g., white to blue, white to red
  - ▶ If the map contrasts with a background, zero should match the background
- ▶ If there's a natural *middle*, you can use blue to white to red, or something similar

# Color principles

- ▶ Use clear gradients
- ▶ If zero has a physical meaning (like density), go in just one direction
  - ▶ e.g., white to blue, white to red
  - ▶ If the map contrasts with a background, zero should match the background
- ▶ If there's a natural *middle*, you can use blue to white to red, or something similar

# Principles

- ▶ Graphs tell stories better than tables do



# Principles

- ▶ Graphs tell stories better than tables do
  - ▶ Use graphs to illustrate comparisons

# Principles

- ▶ Graphs tell stories better than tables do
  - ▶ Use graphs to illustrate comparisons
  - ▶ Be careful about *units*

# Principles

- ▶ Graphs tell stories better than tables do
  - ▶ Use graphs to illustrate comparisons
  - ▶ Be careful about *units*
- ▶ Distinguish between (scientific) variables and (statistical) parameters


# Principles

- ▶ Graphs tell stories better than tables do
  - ▶ Use graphs to illustrate comparisons
  - ▶ Be careful about *units*
- ▶ Distinguish between (scientific) variables and (statistical) parameters
- ▶ Show data when you can do it without obscuring the key patterns


# Principles

- ▶ Graphs tell stories better than tables do
  - ▶ Use graphs to illustrate comparisons
  - ▶ Be careful about *units*
- ▶ Distinguish between (scientific) variables and (statistical) parameters
- ▶ Show data when you can do it without obscuring the key patterns

# Choosing what to show



# Choosing what to show



# Avoiding choices

- ▶ Provide users with alternatives



# Avoiding choices

- ▶ Provide users with alternatives
  - ▶ Supplementary material for the curious

# Avoiding choices

- ▶ Provide users with alternatives
  - ▶ Supplementary material for the curious
- ▶ Avoid choices by providing more information

# Avoiding choices

- ▶ Provide users with alternatives
  - ▶ Supplementary material for the curious
- ▶ Avoid choices by providing more information
  - ▶ Use more than one figure

# Avoiding choices

- ▶ Provide users with alternatives
  - ▶ Supplementary material for the curious
- ▶ Avoid choices by providing more information
  - ▶ Use more than one figure
  - ▶ Or dynamic features in figures

# Avoiding choices

- ▶ Provide users with alternatives
  - ▶ Supplementary material for the curious
- ▶ Avoid choices by providing more information
  - ▶ Use more than one figure
  - ▶ Or dynamic features in figures

# Conclusions

- ▶ Give thought to your goals

# Conclusions

- ▶ Give thought to your goals
- ▶ Give thought to your decisions

# Conclusions

- ▶ Give thought to your goals
- ▶ Give thought to your decisions
- ▶ Be conscious when you are withholding information



# Conclusions

- ▶ Give thought to your goals
- ▶ Give thought to your decisions
- ▶ Be conscious when you are withholding information
  - ▶ Be willing to use more than one picture

# Conclusions

- ▶ Give thought to your goals
- ▶ Give thought to your decisions
- ▶ Be conscious when you are withholding information
  - ▶ Be willing to use more than one picture
  - ▶ Use dynamic features to give access to detail

# Conclusions

- ▶ Give thought to your goals
- ▶ Give thought to your decisions
- ▶ Be conscious when you are withholding information
  - ▶ Be willing to use more than one picture
  - ▶ Use dynamic features to give access to detail