

Digital Unity

Heuristic Analysis How-to Guide

Best practices and guidelines defined by the Digital Unity team, to help guide future Heuristic analysis work.

Presented by DU Quality

**Provides designers with the
workflow guidance,
documentation, and resources
necessary to conduct effective
heuristic analyses.**

Content

Introduction

Preparation

Independent Evaluation

Affinity Mapping

Final Documentation

Reporting

Resources & Support

Introduction

A high-level overview of the Heuristic analysis process goals and benefits.

What is a Heuristic Analysis?

Core Characteristics of a Heuristic Analysis

Advantages of Heuristic Analysis

Heuristic Principles

The Heuristic Analysis Process

What is a Heuristic Analysis?

A heuristic analysis systematically identifies user interface design problems by applying established guidelines, known as heuristic principles. Its primary goal is to efficiently pinpoint and fix the most impactful issues, significantly improving the overall user experience.

While powerful, it doesn't replace user research with actual users; however, it cost-effectively complements our research efforts, helping us uncover likely issues without needing participant testing.

Content modified from [Nielsen Norman Group's How to Conduct a Heuristic Evaluation](#)



Defect	3 Pillars	Authenticated	Issue	Theme	DRI - Design	DRI - CX	Link	Heuristic 1	Heuristic 2
High	Visual Experient... Content	Auth	From stores icon > Appointments, if the user clicks "Upcoming" the header changes (without the ability to go back) resulting in a dead end.	Unconventional patterns and design inconsistencies		Swetaluna		X	
Medium	Visual	Auth	Icons in the top navigation appear and disappear without obvious logic	Unconventional design pattern and design inconsistencies		Swetaluna			
High	Content	Both	Incorrect page titles on some pages	Page Title Inconsistencies		Varied	https	X	
N/A		Auth	Most L1 pages are missing page titles	Page Title Inconsistencies		(Pathfinder N/A)		X	
High	Experient...	Auth	"No results found" error message - 'X' icon appears below primary nav and leads to a new screen with filters. Misleading.	Actions unclear		*RE-TEST		X	
Medium	Visual Experient...	Auth	Different visual treatment and functionality of search	Unconventional patterns and design inconsistencies		Swetaluna			
High	Content	Both	Exceedingly verbose or confusing page titles	Page Title Inconsistencies		Varied,	https	X	
High	Visual	Auth	Iconography for the assistant is unclear	Actions unclear		Brandy		X	
Medium	Visual Experient...	Both	Inconsistent sticky nav interactions on scroll	Unconventional patterns and design inconsistencies		Varied	https		
Medium	Visual Content	Auth	Inconsistent use of breadcrumbs - they appear on a few screens, not all.	Unconventional patterns and design		Varied	https		

Core Characteristics of a Heuristic Analysis

A good heuristic analysis isn't just about spotting issues; it's about using solid principles to craft exceptional user experiences. It's built on these fundamental qualities:

Expert-Driven

Relies on evaluators' deep understanding of design principles.

Usability-Focused

Primarily aims to identify and improve user experience issues.

Principle-Based

Uses a predefined set of heuristics as the evaluation standard.

Systematic & Structured

Follows a clear approach for comprehensive assessment.

Problem Identification

Pinpoints specific design flaws and areas for improvement.

Advantages of Heuristic Analysis

Heuristic analysis delivers significant advantages for our development cycle. Here's how:




Early Problem Detection

Identifies usability issues at any point in the release cycle, enabling both pre-release and post-release fixes.



Cost-Effective

A relatively quick and inexpensive method compared to other testing.



Structured Approach

Ensures comprehensive and consistent evaluation.



Knowledge-Driven Input

Leverages expert experience and insights.

Heuristic Principles

Heuristic principles are high-level guidelines, rooted in human behavior, that streamline interface auditing.

1. Comprehension

User understands what they are seeing and where they are in the application. They understand what to do and are provided feedback when they take an action.

2. Human and Personal

Content is written in language that is easy to understand.
Content feels uniquely relevant.

3. Movement

Users can move freely throughout the experience. The user feels they are in control of the experience.

4. Visual Quality

The interface will have an attractive and appropriate design.

5. Performance

Pages load correctly and quickly. Content is visible and displayed correctly. Loading is indicated with a spinner, progress bar, or other visual indicator.

6. Help Users Avoid, Recognize, Diagnose, and Recover from Errors

The design carefully prevents problems from occurring. Either eliminate error-prone conditions, or check for them and present users with a confirmation option before they commit to the action. Error messages should be expressed in plain language precisely indicate the problem, and constructively suggest a solution.

7. Recognition Rather Than Recall

Minimize the user's memory load by making elements, actions, and options visible. The user should not have to remember information from one part of the interface to another. Information required to use the design (e.g. field labels or menu items) should be visible or easily retrievable when needed.

8. Multiple Methods of Interaction

There are more than one way of performing the same task.

9. Aesthetic and Minimalist Design Quality


Interfaces should not contain information that is irrelevant or rarely needed. Every extra unit of information in an interface competes with the relevant units of information and diminishes their relative visibility.

10. Support

It's best if the system doesn't need any additional explanation. However, it may be necessary to provide documentation to help users understand how to complete their tasks.

The Heuristic Analysis Process

The heuristic analysis process is broken down into three core phases: initial analysis, affinity mapping, and final documentation. During the final phase, your team will report specific findings and recommend next steps.



Preparation

Everything you'll need to prepare your team for a successful heuristic analysis.

Build Your Team

Set the Scope

Template Checklist

Criticality Rating System

Examples of Heuristic issues

Build Your Team

Heuristic evaluations work best when performed by a group of people, not just by one evaluator, because individuals often miss issues. Ideally, a group of **5-8 evaluators** is optimal for flagging over 80% of usability problems. Increasing the number beyond 10 doesn't significantly improve results.¹

New teams will benefit from training and preparation. Start by ensuring everyone understands the heuristics. Then, conduct a practice round with a simple design (like a single page) to align the team on expectations.

Content modified from [Nielsen Norman Group's How to Conduct a Heuristic Evaluation](#)



Set the Scope

The narrower your scope, the easier and more detailed your evaluation will be. Especially for a team's first heuristic evaluation, or if you have a large, complex product, consider keeping your scope narrow to make things manageable.

Narrow your scope by focusing on:


- One task at a time
- One section of the site or app
- One user group (if you have many with diverse needs)
- One device type (desktop, tablet, or mobile)

Content modified from [Nielsen Norman Group's How to Conduct a Heuristic Evaluation](#)




Template Checklist

Ensure you have the following templates accessible throughout the Heuristic analysis process.




Evaluation Template

Each evaluator will need a dedicated page in a central FigJam document. Use our shared **FigJam template** to document all identified issues with screenshots.



Affinity Mapping Template

Evaluators will need a central place to map all found issues. Use the **Affinity Mapping page** within the FigJam template to consolidate issues and screenshots.




Documentation Template

Evaluators will need a central place to collect observations. Use our shared **Google Sheets template** to document all identified issues and their details.

Criticality Rating System

Issues will fall under three categories - experiential, visual and content related.

Defining the criticality of identified issues is central to heuristic analysis. An issue's criticality is dependent on the type of defect, the environment it is in and the frequency with which it happens. The higher the friction, the more serious the defect is.



Medium

Not following industry standards

Deviates from original design but allows the customer to finish the task without friction



High

High frequency of errors

Undermines overall quality & integrity of product

Allows the customer to finish the task, but with friction



Critical

Inaccurate content (legal, pricing)

Misrepresentation of Verizon brand

Customer is unable to finish the task

Examples of Heuristic issues

Because Heuristic analysis is done in prod, designers have three levels of criticality to work with.

	Experiential	Visual	Content
Medium	Inconsistent / Unconventional UX, Cognitive overload, Load time, Insufficient support.	Alignment, Spacing, Visible errors.	Inconsistencies, Insensitive phrases, Ambiguous labels.
High	Missing elements, Actions unclear or confusing.	Fonts, Imagery, Icons. Distortion of brand elements	Typos, Comprehension.
Critical	Functional, Unable to complete task.	Logo, Word mark, Letter mark. Distortion of brand elements	Inaccurate content. Pricing, Offer language, Legal Terms

Independent Evaluation

Everything you'll need to successfully conduct the independent evaluation phase of your heuristic analysis.

Overview

Understand the Product

Look for Issues

Document Findings in the Template

Overview

Next, each team member should evaluate the interface on their own. It's important to timebox this activity to keep it manageable. We recommend reserving about one day per interface (e.g., one app or website). For instance, if you're assessing Verizon's app experience alongside three competitor apps, that would take around four working days for evaluation.

Right → The [heuristic evaluation template](#) includes a reminder of each of the 10 heuristic principles, with space for the evaluator to write down issues and recommendations. (Design modified from Kelley Gordon and Kate Moran's [heuristic-evaluation workbook](#).)

Nielsen Norman Group

Heuristic Evaluation Workbook

1 Comprehension User understands what they are seeing and where they are in the application. They understand what to do and are provided feedback when they take an action.	Issues	Recommendations
2 Human and Personal Content is written in language that is easy to understand. Content feels uniquely relevant. - Does the content feel uniquely personal? - Will user be familiar with the terminology used in the design? - Do the design's controls follow real-world conventions?	Issues	Recommendations
3 Movement Users can move freely throughout the experience. The user feels they are in control of the experience. - Does the design allow users to go back a step in the process? - Are exit links easily discoverable? - Can users easily cancel an action? - Is Undo and Redo supported?	Issues	Recommendations
4 Visual Quality The interface will have an attractive and appropriate design. - Does the design follow brand guidelines? - Does the design follow industry conventions? - Are visual treatments used consistently throughout the design?	Issues	Recommendations
5 Performance Pages load correctly and quickly. Content is visible and displayed correctly. Loading is indicated with a spinner, progress bar, or other visual indicator.	Issues	Recommendations


Understand the Product

Consider a simple Verizon example to explain how the evaluation might work.

- **Product:** My Verizon app
- **User Group:** Account Owners
- **Task:** General navigation
- **Device:** Mobile

Start the evaluation by moving through the interface as if you're a user trying to complete a task. If you aren't already familiar with this product, go through the task once just to learn the system, without attempting to evaluate anything.

Content modified from [Nielsen Norman Group's How to Conduct a Heuristic Evaluation](#)




Look for Issues

Once you're familiar with the product, begin the formal analysis. Look for design elements or features that violate one of the 10 heuristic principles — meaning they don't achieve the goal or follow the guideline.

For example, one of the 10 heuristic principles is recognition rather than recall (#6). This principle suggests interfaces should minimize the user's memory load by making elements, actions, and options visible.

In the My Verizon app's top navigation, many header titles are excessively long and extend beyond the screen, making it difficult for users to orient themselves within the interface. This violates the principle by increasing memory load and failing to make elements visible — forcing users to recall context rather than recognizing it from clear, visible cues.

Content modified from [Nielsen Norman Group's How to Conduct a Heuristic Evaluation](#)



←
Issue: header title is excessively long and extends beyond the screen.

Document Findings in the Template

In the heuristic evaluation template, you would document this by writing: "Header titles are excessively long and extend beyond the screen." in the issues row for Heuristic #6, under the Verizon column.

Remember to also include the relevant heuristic principles and the criticality rating, and provide screenshots of the example in context for easy reference.

Most issues will likely violate multiple heuristic principles. Place the sticky note and screenshot on the canvas corresponding to the most closely related principle, and list any other applicable principles on that same sticky note.

6

Recognition Rather Than Recall

Minimize the user's memory load by making elements, actions, and options visible. The user should not have to remember information from one part of the interface to another. Information required to use the design (e.g. field labels or menu items) should be visible or easily retrievable when needed.

- Does the design keep important information visible, so that users do not have to memorize it?
- Does the design offer help in-context?

7

Multiple Methods of Interaction

There are more than one way of performing the same task.

- Are there multiple paths to the same location?
- Does the design provide accelerators like keyboard shortcuts and touch gestures?
- Is content and functionality personalized or customized for individual users?



8

Aesthetic and Minimalist Design

Interfaces should not contain information that is irrelevant or rarely needed. Every extra unit of information in an interface competes with the relevant units of information and diminishes their relative visibility

- Is the visual design and content focused on the essentials?
- Have all distracting, unnecessary elements been

Issues



Heuristic 1, 6, 8

Header titles are excessively long and extend beyond the screen.

Criticality: High

Issues

Issues

Affinity Mapping

Everything you'll need to successfully conduct the affinity mapping phase of your heuristic analysis.

Overview

Workspace Setup

Mapping Issues in the Template

Key Discussion Questions


Exceptions

Overview

Once all team members complete their independent evaluations, it's time to synthesize the issues. Affinity mapping is the process of clustering similar issues together on a virtual whiteboard, like FigJam.

Your team should collaborate together, discussing findings aloud (whether in person or on a call), to collectively decide how to cluster the identified issues. This part of the process should always be done as a group.

Right → The heuristic evaluation template includes a page titled “Affinity Mapping”, with space for the evaluators to transfer all identified issues, including their associated sticky notes and screenshots, to the canvas that aligns with their respective issue pattern.



Workspace Setup

On the "[Affinity Mapping](#)" page of the evaluation template, you'll see three distinct canvas groups, one for each issue type: visual, content, and experiential. The full list of issue patterns is as follows:

Visual Patterns

- Alignment
- Spacing
- Visible Errors
- Distortion of fonts, imagery, icons
- Distortion of logo, word mark, letter mark

Content Inconsistencies

- Content Inconsistencies
- Insensitive Phrases
- Typos
- Comprehension
- Inaccurate Content

Experiential Patterns

- Inconsistent/Unconventional UX
- Load Time
- Insufficient Support
- Cognitive Overload
- Confusing or Unclear Actions
- Missing Actions
- Functional Errors

Mapping Issues in the Template

Give each evaluator time to independently paste their issues into the file. This should include the screenshots and sticky notes with detailed descriptions and ratings. Evaluators should place their issues under the corresponding theme headline. We recommend timeboxing this activity to 5-10 minutes, adding more if needed.

After everyone has finished, the team should discuss any grouping disagreements aloud and identify duplicate issues (by either deleting or stamping them). Duplicates are common due to the independent nature of the evaluation phase, but ensure all findings are organized once affinity mapping is complete.

The image displays an affinity map on a grid background. At the top, a green header box is labeled "Experiential Issues". Below it, a larger green box is labeled "Inconsistent/Unconventional UX". Inside this box, there are four screenshots of the Apple website with sticky notes attached. The first sticky note, in a yellow box, points to a "Your Bag is empty" page and contains the text: "Criteria 2, 3, 6", "Profile Link Location: 'My Profile' under the bag icon? Weird spot, not intuitive.", and "Rating: Medium". The second sticky note, also in a yellow box, points to a "Shop iPhone" page and contains the text: "Criteria 1 & 5", "Missing Tab Indicator: No tab is selected here, but everywhere else, there's an underline or clear selection.", and "Rating: Medium". The other two screenshots show the "Accessories" and "Explore All iPad" pages without sticky notes.

Key Discussion Questions

Consider discussing the following questions with your team while reviewing the issues together.

- Where do we agree and disagree on issues?
- Which issues seem most detrimental to the overall experience?
- Which issues could be most problematic for our organization or business goals?
- Which issues require more data, and which should we prioritize for our next usability test?
- What short-term and long-term steps can we take to address these problems?


Be sure to note these discussions for the final documentation and reporting phases.

Exceptions

While heuristic principles are strong guidelines, they aren't rigid laws. A design choice violating a heuristic doesn't always mean it's a problem needing an immediate fix; context and available alternatives matter.

For example, hamburger menus violate Heuristic #6 (recognition rather than recall), but this tradeoff is often necessary on mobile due to limited screen space. If you consider intentionally violating a heuristic, conduct user research to justify the decision. Be sure to note any such potential issues for further testing.

Right → Hamburger menus, like the one Banana Republic's site uses, do violate the recognition-rather-than-recall heuristic principle. However, that doesn't mean that a hamburger menu was the wrong design choice in this example. Content and image modified from [Nielsen Norman Group's How to Conduct a Heuristic Evaluation](#).



Final Documentation

Everything you'll need to successfully complete the final documentation of your heuristic analysis.

Overview

Documentation Basics

Assigning Team Leaders

Addressing the Issues

Overview

After completing affinity mapping, it's time to document the finalized issues. Final documentation involves gathering all mapped issues into an easily digestible format, typically our Google Sheets template.

This process can be completed by one person or divided among the team, depending on your workflow and timeline. The ultimate goal is to have every issue clearly documented for leadership to review and address within their specific workflows or owned experiences.

	B	C	D	E	F	R	S	
		Issue	Patterns	Figma Link	Heuristic Principles	Defect tracking	3 Pillars	Defect
	Auth	From stores icon > Appointments, if the user clicks "Upcoming" the header changes (without the ability to go back) resulting in a dead end.	Experiential - Unable to comple...	https://www			Experient...	Critic
	Auth	Icons in the top navigation appear and disappear without obvious logic	Visual - Visible Errors	https://www			Visual	Medi
	Both	Incorrect page titles on some pages	Content - Inconsistencies	https://www			Content	High
	Auth	'No results found' error message - 'X' icon appears below primary nav and leads to a new screen with filters. Misleading.	Experiential - Unclear Actions	https://www			Experient...	High
	Auth	Different visual treatment and functionality of search	Visual - Visible Errors Experiential - Inconsistent/Unc...	https://www			Visual Experient...	Medi
	Both	Exceedingly verbose or confusing page titles	Content - Comprehension	https://www			Content	High
	Auth	Iconography for the assistant is unclear	Visual - Distortion of fonts, imag...	https://www			Visual	High
	Both	Inconsistent sitcky nav interactions on scroll	Experiential - Inconsistent/Unc...	https://www				
		1 Criticality	Issues					

Documentation Basics

The columns of the spreadsheet should be filled out as follows:

B	C	
Flow	Issue	Pattern
Both	Incorrect page titles on some pages	
Auth	'No results found' error message - 'X' icon appears below primary nav and leads to a new screen with filters. Misleading.	E
Auth	Different visual treatment and functionality of search	V E
Both	Exceedingly verbose or confusing page titles	C
Auth	Iconography for the assistant is unclear	V

Flow & Issue

Select the flow you're assessing (Authorized, Unauthorized, or Both), then describe the issue clearly in the "Issue" column.

D	E
Patterns	Figjam Link
Content - Inconsistencies	https://www
Experiential - Unclear Actions	https://www
Visual - Visible Errors	https://www
Experiential - Inconsistent/Unclear	https://www
Content - Comprehension	https://www
Visual - Distortion of fonts, images	https://www

Patterns & Link

Choose the best-fitting pattern from the "Patterns" column, then add a link to the issue's screenshots in FigJam.

F	G	H	I
Heuristic Principles	Heuristic 1	Heuristic 2	Heuristic 3
	X		X

Heuristic Principles

Expand this column and select all applicable Heuristic Principles for the issue. Most issues will likely violate more than one principle.

R	S	T	U
Defect tracking	3 Pillars	Defect	DRI - De
	Experient...	Critical	Swetalur
	Visual	Medium	Swetalur
	Content	High	Varied
	Experient...	High	*RE-TES

Defect Tracking

Expand to select the pillar and criticality rating. The team lead will handle the next columns.


Assigning Team Leaders

The team lead, not the evaluators, will populate the remaining columns after the pillars and defect columns. They'll use DRI - Design and DRI - CX to assign specific Verizon leaders responsible for addressing each issue. Those assigned leaders will then document their progress in the final columns: Defect/User Story Number, Completed, and 6-Month Follow-up.

R	S	T	U	V	W	X	Y
Defect tracking	3 Pillars	Defect	DRI - Design	DRI - CX	Defect/ user story number	Completed	6 month followup
	Experient...	Critical		Swetaluna			
	Visual	Medium		Swetaluna			
	Content	High		Varied			
	Experient...	High		*RE-TEST			
	Visual Experient...	Medium		Swetaluna			
	Content	High		Varied			
	Visual	High		Brandy			
	Visual Experient...	Medium		Varied			
	Visual Content	Medium		Varied			
	Experient...	High		*RE-TEST			
	Experient...	Medium		*RE-TEST			
	Content	High		Varied			
	Visual Experient...	High	Caroline	Caroline			
	Visual			*RE-TEST			

Addressing the Issues

Team leaders are responsible for planning and overseeing the resolution of their assigned issues. They maintain the discretion to determine the timeline and method of resolution, aligning with their team's dynamics and management. Leaders should log updates in the Issue List Spreadsheet under the "6-Month Follow-up" column from the date of heuristic analysis assignment.



Reporting

Everything you'll need to successfully report the findings of your heuristic analysis.

Overview

Deck Setup

Insights

Major Patterns

Meaningful Outliers


Considerations

Overview

Once documentation is complete, the team will create an analysis deck. This deck goes beyond simple findings, breaking down critical data and observations to recommend immediate, actionable next steps.

This work should be divided among the team in a way that best suits their process and timeline. The ultimate goal is to provide an actionable plan derived from the heuristic analysis results.

Deck Example ↗



Deck Setup

Your analysis deck can be customized to fit your team's specific needs. However, consider using the following setup as a starting point to cover the basics of a comprehensive analysis:


- **Heuristic Framework:** (e.g., the 10 heuristics used)
- **Heuristic Process:** (e.g., how the evaluation was conducted)
- **Insights:** (key takeaways from the findings)
- **Issue Criticality:** (summary of the severity of identified issues)
- **Major Patterns:** (recurring themes across issues)
- **Meaningful Outliers:** (unique or unexpected findings)
- **Considerations:** (next steps, limitations, future research)

Insights

Start documenting your findings with an "Insights" or "Issue Criticality" section. This provides a high-level overview of the total issues identified and their corresponding criticality ratings.

You'll need one slide to summarize all issues in the dataset, plus an additional slide for each interface analyzed.

On each of these slides, provide a data visualization showing the number of issues found and their criticality ratings. Offer written insights to help the team understand the data. For instance, if you found significantly more issues in Verizon's interface than in competitor interfaces, an insight might state: "Access to test accounts and familiarity with the experience may have increased the number of issues found."



Major Patterns

The "Major Patterns" section of the deck highlights consistent issue patterns found during the heuristic analysis. You can easily spot these patterns using the filled Affinity Mapping template, which helps visualize which issue pattern canvases contain the most issues. If your team looked at multiple interfaces, this covers patterns observed across all of them, not just one.

For each notable pattern, describe it in detail and context, then document specific examples of how it appears within each interface.

App

Unclear actions

Multiple instances of unclear actions were identified across the app experiences.

Team members noted difficulty understanding what steps were required and which actions had already been completed.

Actions Unclear

Verizon confidential and proprietary. Unauthorized disclosure, reproduction or other use prohibited.

Unclear actions in app experiences

T Mobile

Several screens include both a back arrow and an exit icon that lead to the same destination. In some cases, the back arrow doesn't function as expected.

Apple

Sometimes the back action is labeled with the word 'Back' and sometimes it's labeled with the previous screen title. 'Go further' is especially confusing because the name sounds like an action.

AT&T

Both a back arrow and an exit icon are present that lead to the same destination.

Verizon

When prompted to sign in, the primary navigation first displays an exit icon and then it changes to a back arrow.

Verizon confidential and proprietary. Unauthorized disclosure, reproduction or other use prohibited.

25

Meaningful Outliers

The "Meaningful Outliers" section of the deck highlights highly critical issues identified in a single scenario that significantly affected the overall experience.

While outliers can sometimes be meaningless, they often contain valuable information. It's crucial to question and analyze them to understand their impact.

In this section, describe the outlier and the perceived issue. Also, recommend any further actions Verizon should take based on the observation.


Bell icon misleading for Store Locator navigation

Found in T-Mobile App

In the T-Mobile app the bell icon leads to the 'Find Nearby Stores' screen, which creates confusion for customers. The bell icon is typically associated with notifications or alerts, so customers may not expect it to direct them to store locations.

Similar to the bag icon issue on the Apple Store website, both cases involve icons that don't align with customer expectations of their destination.

To ensure intuitive navigation, we should avoid adopting this pattern as well.



verizon


Verizon confidential and proprietary. Unauthorized disclosure, reproduction or other use prohibited.

Some paths lead users to app or web versions of the same experience

Found in AT&T app

In the AT&T app experience, some navigation paths lead customers to in-app screens, while others redirect them to external web pages containing the same content. This inconsistency creates a disruptive and fragmented user experience, as customers encounter different navigation options depending on the destination.

To avoid this issue we should minimize the use of web views and strive to replicate the look, feel, and navigation elements of the native app within the web views.



verizon

Verizon confidential and proprietary. Unauthorized disclosure, reproduction or other use prohibited.

Considerations

The "Considerations" section highlights issues found specifically in Verizon interfaces that could benefit from improvements. For each, describe the issue and provide a recommendation. Be sure to include an additional slide with specific examples of where this issue appears in Verizon's interface for reference.


The team that performed the heuristic analysis is responsible for these recommendations. The deck will then be shared with relevant team leaders, who will use these insights to decide how to address issues pertinent to their teams.

Web & App

Most L1 pages are missing page titles


The absence of L1 page titles makes it challenging for customers to understand their current location within the experience.

Consider adding these titles consistently across the app to improve navigation and clarity.




Verizon confidential and proprietary. Unauthorized disclosure, reproduction or other use prohibited.

Examples of pages with missing titles



Most L1 pages in app

Most L1 pages in the app lack page titles, making it difficult for customers to understand their location within the experience.



Home Internet Page

The home internet page lacks a clear and prominent title at the top, hindering navigation, despite the page title being featured in an eyebrow in promotional content.



Shop All page

The Shop All page lacks a title, while the "Deals" section header resembles a page title, potentially causing navigational confusion for customers.



myAccess Page

While the description copy at the top of the "MyAccess" page mentions "Verizon Access", the formal title "All In" does not effectively orient customers to their current location, and the nomenclature is inconsistent between "Verizon Access" and "MyAccess".



Verizon confidential and proprietary. Unauthorized disclosure, reproduction or other use prohibited.

Resources & Support

Thorough analysis, celebrated and supported.

Resources

Your Heuristic Analysis Support Team

Resources

For guidance on heuristic analyses, workflows or related standards, refer to the documents and contacts below.

File name	Team	Contact
<u>Independent Evaluation Template</u>	Digital Unity	Jeffrey Powers, Steven Bazarian
<u>Affinity Mapping Template</u>	Digital Unity	Jeffrey Powers, Steven Bazarian
<u>Issue List Template</u>	Digital Unity	Jeffrey Powers, Steven Bazarian
<u>Analysis Deck Example</u>	Digital Unity	Jeffrey Powers, Steven Bazarian

Your Heuristic Analysis Support Team

We're here to support you throughout the Heuristic analysis process. Feel free to reach out via Slack, email, or in person at our office locations.



Maneesha Kalra

Irving, TX (CST)



Jeffrey Powers

Remote (MST)



Steven Bazarian

New York, NY (EST)

