

1 Introduction

This is the introductory paragraph of a small test document. It contains enough running text to make average per-page character counts meaningful for text-layer detection. The quick brown fox jumps over the lazy dog, repeated a few times to pad out the body text so that this page does not look like a comic page dominated by a single large image.

Inline math example: the identity $e^{i\pi} + 1 = 0$ is one of the most celebrated results in mathematics, and the quadratic formula $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ is another one students see early on.

1.1 A subsection with more prose

More body text here, again padding out the paragraph so per-page text density stays well above a comic-detection threshold. Numbers and words mixed together: 12345, lorem ipsum dolor sit amet, consectetur adipiscing elit.

2 A multi-line display formula

Here is a display-mode equation spanning multiple visual lines, which should get merged into a single formula bounding block by the region-detection logic:

$$\begin{aligned}\int_0^\infty e^{-x^2} dx &= \frac{\sqrt{\pi}}{2} \\ \sum_{n=1}^\infty \frac{1}{n^2} &= \frac{\pi^2}{6} \\ \begin{pmatrix} a & b \\ c & d \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} &= \begin{pmatrix} ax + by \\ cx + dy \end{pmatrix}\end{aligned}$$

2.1 An embedded figure

Below is an embedded raster image, to exercise the image-extraction path:



3 Conclusion

3.1 Closing remarks

A final short section with a bit more body text and one more inline symbol, $\alpha + \beta = \gamma$, to close out the document with a mix of prose and math on the same page.