1 By importing the LaTeX code

To obtain renderings by importing the code from an external file, instead of typing it, simply use the macro `\tdocshowcaseinput` whose option uses the same syntax as that of the environment `tdocshowcase` and the mandatory argument corresponds to the path of the file. Here are some examples of the use of `\tdocshowcaseinput{external.tex}` with or without an option.

Example .1 (Without option)**.** *Here is the edifying content of the example chosen.*

Blablobli, blablobli, blablobli, blablobli, blablobli, blablobli...

Example .2 (Just the framing lines)**.** *The option* `style=rule` *provides the following.*

Blablobli, blablobli, blablobli, blablobli, blablobli, blablobli...

Example .3 (A colored stripe)**.** *The option* `style=stripe, col-stripe=red, col-text=LightCoral` *provides the following.*

Blablobli, blablobli, blablobli, blablobli, blablobli, blablobli...

Example .4 (Sans option)**.** *Voici le contenu édifiant de l'exemple choisi.*

Blablobli, blablobli, blablobli, blablobli, blablobli, blablobli...

Example .5 (Juste les lignes cadrantes)**.** *L'option* `style=rule` *fournit ce qui suit.*

Blablobli, blablobli, blablobli, blablobli, blablobli, blablobli...

Example .6 (Une bande colorée)**.** *L'option* `style=stripe, col-stripe=red, col-text=LightCoral` *fournit ce qui suit.*

Blablobli, blablobli, blablobli, blablobli, blablobli, blablobli...