1. What's new?

`tutodoc` offers the macro `\tdocstartproj` and different environments to indicate quickly and clearly what has been done during the changes made, or to come.[1]

> ⓘ **Note.**
>
> *For icons, see the note at the beginning of the section* **??** *page* **??***.*

i. Sobriety first

Example .1 (Just for the very first version)**.**

```
\tdocstartproj{1st version of the project.}
```
⚓ *1st version of the project.*

Example .2 (For new features)**.**

```
\begin{tdocnew}
    \item Info 1...
    \item Info 2...
\end{tdocnew}
```
◈ **NEW.**
- *Info 1...*
- *Info 2...*

Example .3 (For updates)**.**

```
\begin{tdocupdate}
    \item Info 1...
    \item Info 2...
\end{tdocupdate}
```
↻ **UPDATE.**
- *Info 1...*
- *Info 2...*

Example .4 (For breaks)**.**

```
\begin{tdocbreak}
    \item Info 1...
    \item Info 2...
\end{tdocbreak}
```
⚡ **BREAK.**
- *Info 1...*
- *Info 2...*

Example .5 (For problems)**.**

```
\begin{tdocprob}
    \item Info 1...
    \item Info 2...
\end{tdocprob}
```
🔥 **PROBLEM.**
- *Info 1...*
- *Info 2...*

Example .6 (For fixes)**.**

```
\begin{tdocfix}
    \item Info 1...
    \item Info 2...
\end{tdocfix}
```
🔧 **FIX.**
- *Info 1...*
- *Info 2...*

Example .7 (Roadmap)**.**

---

[1]The user doesn't need all the technical details.

```
\begin{tdoctodo}
    \item Info 1...
    \item Info 2...
\end{tdoctodo}
```

> Info 1...
>
> Info 2...

Example .8 (Technical information)**.**

```
\begin{tdoctech}
    \item Info 1...
    \item Info 2...
\end{tdoctech}
```

> 🧪 **TECHNICAL INFORMATION.**
> - Info 1...
> - Info 2...

Example .9 (Selectable themes with an icon)**.**

```
\begin{tdoctopic}{To hide}<\faEyeSlash>
% An icon from fontawesome5.
    \item Info 1...
    \item Info 2...
\end{tdoctopic}
```

> 🚫 **TO HIDE.**
> - Info 1...
> - Info 2...

Example .10 (Selectable themes without icons)**.**

```
\begin{tdoctopic}{End of icons}
    \item Info 1...
    \item Info 2...
\end{tdoctopic}
```

> **END OF ICONS.**
> - Info 1...
> - Info 2...

ii.   De la couleur si besoin

iii.   Color if necessary

It may be useful to highlight certain changes: this can only be done by modifying the content color.

Example .11 (A flashy first version)**.**

```
\tdocstartproj[DarkOrchid]%
            {Brightly colored version 1.}
```

> ⚓ *[DarkOrchid]Brightly colored version 1.*

Example .12 (Outstanding fixes)**.**

```
\begin{tdocfix}[col = CadetBlue]
    \item Info 1...
    \item Info 2...
\end{tdocfix}
```

> 🔧 **FIX.**
> - Info 1...
> - Info 2...