1. What's new?

tutodoc offers the macro `\tdocstartproj` and different environments to indicate quickly and clearly what has been done during the latest changes.[1]

> ℹ **Note.**
>
> *For icons, see the note at the beginning of the section ?? page ??.*

Example .1 (Just for the very first version).

```
\tdocstartproj{1st version of the project.}
```
⚓ *1st version of the project.*

Example .2 (For new features).

```
\begin{tdocnew}
    \item Info 1...
    \item Info 2...
\end{tdocnew}
```
♦ **NEW.**
- *Info 1...*
- *Info 2...*

Example .3 (For updates).

```
\begin{tdocupdate}
    \item Info 1...
    \item Info 2...
\end{tdocupdate}
```
🪄 **UPDATE.**
- *Info 1...*
- *Info 2...*

Example .4 (For breaks).

```
\begin{tdocbreak}
    \item Info 1...
    \item Info 2...
\end{tdocbreak}
```
⸘ **BREAK.**
- *Info 1...*
- *Info 2...*

Example .5 (For problems).

```
\begin{tdocprob}
    \item Info 1...
    \item Info 2...
\end{tdocprob}
```
⍥ **PROBLEM.**
- *Info 1...*
- *Info 2...*

Example .6 (For fixes).

```
\begin{tdocfix}
    \item Info 1...
    \item Info 2...
\end{tdocfix}
```
🔧 **FIX.**
- *Info 1...*
- *Info 2...*

Example .7 (Technical information (for geeks)).

```
\begin{tdoctech}
    \item Info 1...
    \item Info 2...
\end{tdoctech}
```
Info 1...

Info 2...

---

[1]The user doesn't need all the technical details.

Example .8 (Selectable themes with an icon)**.**

```
\begin{tdoctopic}{To hide}[\faEyeSlash]
% An icon from fontawesome5.
    \item Info 1...
    \item Info 2...
\end{tdoctopic}
```

 To hide.

- *Info 1...*

- *Info 2...*

Example .9 (Selectable themes without icons)**.**

```
\begin{tdoctopic}{End of icons}
    \item Info 1...
    \item Info 2...
\end{tdoctopic}
```

End of icons.

- *Info 1...*

- *Info 2...*