

1. What's new?


tutodoc offers the macro `\tdocstartproj` and different environments to indicate quickly and clearly what has been done during the changes made, or to come.¹

Note.


For icons, see the note at the beginning of the section ?? on page ??.

a. Sobriety first

Example .1 (Just for the very first version).

<code>\tdocstartproj{1st version of the project.}</code>	 1st version of the project.
--	---

Example .2 (For new features).

<code>\begin{tdocnew}</code> <code>\item Info 1...</code> <code>\item Info 2...</code> <code>\end{tdocnew}</code>	 New. <ul style="list-style-type: none">• Info 1...• Info 2...
--	---

Example .3 (For updates).

<code>\begin{tdocupdate}</code> <code>\item Info 1...</code> <code>\item Info 2...</code> <code>\end{tdocupdate}</code>	 Update. <ul style="list-style-type: none">• Info 1...• Info 2...
--	--


Example .4 (For breaks).

<code>\begin{tdocbreak}</code> <code>\item Info 1...</code> <code>\item Info 2...</code> <code>\end{tdocbreak}</code>	 Break. <ul style="list-style-type: none">• Info 1...• Info 2...
--	---

Example .5 (For problems).

<code>\begin{tdocprob}</code> <code>\item Info 1...</code> <code>\item Info 2...</code> <code>\end{tdocprob}</code>	 Problem. <ul style="list-style-type: none">• Info 1...• Info 2...
--	---

Example .6 (For fixes).

<code>\begin{tdocfix}</code> <code>\item Info 1...</code> <code>\item Info 2...</code> <code>\end{tdocfix}</code>	 Fix. <ul style="list-style-type: none">• Info 1...• Info 2...
--	---

Example .7 (Roadmap).


<code>\begin{tdoctodo}</code> <code>\item Info 1...</code> <code>\item Info 2...</code> <code>\end{tdoctodo}</code>	 Todo. <ul style="list-style-type: none">• Info 1...• Info 2...
--	--

Example .8 (Technical information).

<code>\begin{tdoctech}</code> <code>\item Info 1...</code> <code>\item Info 2...</code> <code>\end{tdoctech}</code>	 Technical information. <ul style="list-style-type: none">• Info 1...• Info 2...
--	---

¹The user doesn't need all the technical details.

Example .9 (Selectable themes with an icon).

<pre>\begin{tdoctrpic}{To hide}<\faEyeSlash> % An icon from fontawesome5. \item Info 1... \item Info 2... \end{tdoctrpic}</pre>	<div> To hide.<ul style="list-style-type: none">• Info 1...• Info 2...</div>
---	---


Example .10 (Selectable themes without icons).

<pre>\begin{tdoctrpic}{End of icons} \item Info 1... \item Info 2... \end{tdoctrpic}</pre>	<div>End of icons.<ul style="list-style-type: none">• Info 1...• Info 2...</div>
--	--


b. Color if necessary

It may be useful to highlight some changes: this can only be done by modifying the content color.

Example .11 (A flashy first version).

<pre>\tdocstartproj[DarkOrchid]% {Brightly colored version 1.}</pre>	<div> <i>Brightly colored version 1.</i></div>
--	---

Example .12 (Outstanding fixes).

<pre>\begin{tdocfix}[col = CadetBlue] \item Info... \end{tdocfix}</pre>	<div> Fix.<ul style="list-style-type: none">• Info...</div>
---	---