Visual TikZ

Version 0.63

Jean Pierre Casteleyn
IUT Génie Thermique et Énergie
Dunkerque, France

mis à jour le 27 octobre 2016

Objectifs :

- Avoir une image par commande ou par paramètre.
- Avoir un texte réduit au strict minimum.
- Le plus complet possible au fil de mises à jour régulières.
- Garder la même structure que visuel pstricks

Remarques : Le code donné est minimal et ne sert qu'à montrer les commandes concernées. Les effets sont parfois exagérés pour bien les mettre en évidence. Pour en savoir plus, vous pouvez voir la documentation. Pour se faire j'ai indiqué le numéro de Section de pgfmanual

Vous pouvez me contacter à mon e-mail personnel pour

- me signaler les erreurs que vous avez constatés (merci d'indiquer la page où vous l'avez constaté)
- me faire part de vos commentaires, suggestions ...

Merci à :
Till Tantau
Alain Matthes
Jim Diamond
Falk Rühl
Axel Kielhorn

Table des matières

1 Les figures de base

\draw (0,0) - - (2,1) ; PGFmanual section : 14-2

\draw (0,0)-| (2,1) ;



\draw (0,0) |- (2,1) ;

\draw (0,2) . . controls (3,0) .. (2,2) ; PGFmanual section : 14-3



\draw



\fill



\filldraw

\draw (0,2) . . controls (3,0) and (-1,0) .. (2,2) ; PGFmanual section : 14-3



\draw



\fill



\filldraw

\draw (0,0) rectangle (3,2) ; PGFmanual section : 14-4



\draw

\fill



\filldraw

\draw (1,1) circle (1) ; PGFmanual section : 14-6



\draw



\fill



\filldraw

\draw (1,1) circle [radius=1cm] ;



radius=1cm



x radius=2cm,y radius=1cm

\draw (1,1)ellipse [x radius=2cm,y radius=1cm]



\draw (1,1) circle (2 and 1) ;



\draw (1,1) ellipse (2 and 1) ;



\draw (-2,0) arc (180 :-45 :2) ; PGFmanual section : 14-7



\draw



\fill



\filldraw

\draw (-2,0) arc [start angle=180, end angle=-45,radius=1]



radius=1



x radius=1,y radius=.5

\draw (-2,0) arc (180 :-45 :2 and 1)



\draw (0,0) parabola (3,2) ; PGFmanual section : 14-9



\draw



\fill



\filldraw



\draw(0,1) parabola bend (1,0) (4,4) ;



\draw(0,0) parabola[bend pos=0.25] (4,4) ;

\draw(0,1) parabola [parabola height=2cm] (3,0) ;	\draw(0,0) parabola[bend at start] (3,2) ;	
		
	[bend at start]	[bend at end]

\draw (0,0) sin (1.57,2) ; PGFmanual section : 14-10		
		
\draw	\fill	\filldraw
		
\draw (0,0) cos (1.57,2) ;		

PGFmanual section : 14-13

		
\draw (0,0) to (3,2) ;	\draw[out=0] (0,0) to (3,2) ;	\draw [in=-90] (0,0) to (3,2) ;
voir section 6.2 page 47		

Dessin avec plot PGFmanual section : 14-12 PGFmanual section : 22

une liste de coordonnées	un fichier de coordonnées	une équation mathématique
		
plot coordinates {(2,0) (3,1) (4,1) (5,2)}	plot file {table.dat}	plot (\x,{sin(\x)})
voir page 117		

2 Chemin

2.1 Notion de Chemin

PGFmanual section : 14



\draw (0,0) - - (2,1) - - (3,0) ;



\draw (0,0) - - (2,1) - - (3,0) - - cycle ;

\draw (0,0) - - (2,1) - - (3,3) arc (135 :-20 :1) .. controls (6,0) and (4,0) .. (5,2) sin (6.57,0) cos (7.57,2) ;



\draw



\filldraw

PGFmanual section : 14-5



\draw [rounded corners] (0,0) – (2,1) – (3,0) ;



\draw [sharp corners] (0,0) - - (2,1) - - (3,0) ;



\draw [rounded corners=0.5cm] (0,0) - - (1,1.732) - - (2,0) - - cycle ;



\draw (0,0) - - (1,1.732) [rounded corners=0.5cm] - - (2,0) - - cycle ;



\draw (0,0) - - (1,1.732) - - (2,0)[rounded corners=0.5cm] - - cycle ;



\draw [rounded corners=0.5cm] (0,0) - - (1,1.732)[sharp corners] - - (2,0) - - cycle ;

PGFmanual section : 14-2-2





Coupure de chemin **PGFmanual section : 14-1**





2.2 Chemins dans un chemin

PGFmanual section : 17-12





3 Les paramètres disponibles

3.1 Épaisseur de ligne

PGFmanual section : 15-3-1

\tikz \draw[line width=.2cm] (0,0) - - (1,1) ;			
			
[line width=.2cm]	[ultra thin] (0.1pt)	[very thin] (0.2pt)	[thin] (0.4pt)
			
[semithick] (0.6pt)	[thick] (0.8pt)	[very thick] (1.2pt)	[ultra thick] (1.6pt)

3.2 Dimensions disponibles

	\draw[line width=10pt] (2,0) to (2,1) ;
	\draw[line width=10bp] (2,0) to (2,1) ;
	\draw[line width=10mm] (2,0) to (2,1) ;
	\draw[line width=1cm] (2,0) to (2,1) ;
	\draw[line width=1in] (2,0) to (2,1) ;

	\draw[line width=1ex] (0,0.5) to (4,.5) ;
	\Huge \draw[line width=1ex] (0,0.5) to (4,.5) ;
	\draw[line width=1em] (2,0) to (2,1) ;
	\Huge \draw[line width=1em] (2,0) to (2,1) ;

3.3 Terminaisons de lignes

		
[line cap=rect]	[line cap=butt]	[line cap=round]

3.4 Jonction de lignes

\draw[line join=round] (0,0) - - (2,1) - - (0,2) ;		
		
[line join=round]	[line join=bevel]	[line join=miter]

\draw[miter limit=1] (0,0) - - (2,1) - - (0,2) ; (Par défaut : miter limit=10)		
		
miter limit=1	miter limit=2	miter limit=3

3.5 Styles de ligne

PGFmanual section : 15-3-2

\tikz \draw[solid,line width=2mm] (0,0) - - (2,1) ;		
		
[solid]		
		
[dotted]	[densely dotted]	[loosely dotted]
		
[dashed]	[densely dashed]	[loosely dashed]
		
[dash dot]	[densely dash dot]	[loosely dash dot]
		
[dash dot dot]	[densely dash dot dot]	[loosely dash dot dot]


[dash pattern= on 1cm off 0.25cm on 0.25cm off 0.5cm]

[dash pattern=on 1cm off .25cm on .25cm off .5cm,dash phase=1cm]

PGFmanual section : 15-3-4

\tikz \draw[line width=.2cm,double] (0,0) - - (1,1) ;			
			
double	draw=blue,double=red	double distance=.3cm	double distance between line centers =.3cm

\Huge = \tikz \draw[double equal sign distance] (0,0) - - (4,0) ;	
	
\Huge	\large

3.6 Remplissage en motifs

PGFmanual section : 15-5-1 PGFmanual section : 60

Charger l'extension : \usetikzlibrary{patterns}

\draw[pattern= dots] (0,0) - - (3,1) ;		
		
dots	fivepointed stars	sixpointed stars
		
grid	horizontal lines	vertical lines
		
north east lines	north west lines	rosshatch
		
crosshatch dots	bricks	checkerboard


\draw[pattern=fivepointed stars,pattern color=red] (0,0) rectangle (3,1) ;

\draw[pattern=checkerboard light gray] (0,0) - - ((3,2) ;		
		
checkerboard light gray	horizontal lines light gray	horizontal lines gray
		
horizontal lines dark gray	horizontal lines light blue	horizontal lines dark blue
		
crosshatch dots gray	crosshatch dots light steel blue	

3.7 Règle de remplissage

PGFmanual section : 15-5-2

nonzero rule (Par défaut)	
	
\filldraw [fill=green !20] (0,0) - - (0,3) - - (3,3) - - (3,0) - - cycle (1,1) - - (1,2) - - (2,2) - -(2,1) - - cycle ;	\filldraw [fill=green !20] (0,0) - - (0,3) - - (3,3) - - (3,0) - - cycle (1,1) - - (2,1) - - (2,2) - -(1,2) - - cycle ;

even odd rule			
\[fill=[green] (0,0) - - (2,1) - - (1,2) circle (.5cm) ;		\filldraw[fill=green] (0,0) – (2,1) - - (1,2) circle (.5cm) ;	
			
[fill=green]	[even odd rule,fill=green]	[fill=green]	[even odd rule,fill=green]

3.8 Remplissage à l'aide d'une image

PGFmanual section : 15-6

\draw [path picture={ \node at (path picture bounding box.center) {\includegraphics[height=3cm]{tiger}} ;}] (0,1) circle (1) ;		
		
(0,1) circle (1)	(0,0) - - (-1,1) - - (0,2) - - (1,1) - - cycle	(1,0) parabola[parabola height=2cm] (3,0)

\draw [path picture={ \node at (path picture bounding box.north) {\includegraphics[height=3cm]{tiger}};}] (0,1) circle (1);



north | south | east | west | south east

3.9 Ombrage

3.9.1 Ombrages disponibles

PGFmanual section : 15-7

\shade (0,0) rectangle (3,1);

\shadedraw (0,0) rectangle (3,1);

\shadedraw[shading=axis](0,0) rectangle (3,1);

axis

radial



ball

[left color=red]

[right color=green]

left color=red,right color=green

[top color=red]

[bottom color=green]



middle color=red

shading angle=90

right color=green
[shading angle=45]

left color=red
shading angle=-45



inner color=red

outer color=green



inner color=red outer color=green

3.9.2 Bibliothèque shadings

PGFmanual section : 65

Charger l'extension : \usetikzlibrary{shadings}

\shadedraw[upper left=red] (0,0) rectangle (2,2) ;				
				
upper left=red	upper right=green	lower left=blue	lower right=yellow	

\shadedraw[shading=color wheel] (0,0) rectangle (2,2) ;		
		
shading=color wheel	shading=color wheel black center	shading=color wheel white center


shading=Mandelbrot set

3.10 Les extrémités

3.10.1 Chargé automatiquement avec TikZ

\tikz \draw[->,line width=.2cm,blue] (0,0) - - (1.5,1) ;			
			
[->]	[<-]	[<->]	[>->]
			
[-to]	[-to reversed]	[-o]	[-|]
			
[-latex]	[-latex reversed]	[-stealth]	[-stealth reversed]

3.10.2 « library arrow.meta »

Charger l'extension : \usetikzlibrary{arrows.meta}

\tikz \draw[-Arc Barb,line width=.2cm,blue] (0,0) - - (1.5,1) ;				
				
-Arc Barb	-Bar	-Bracket	-Hooks	-Stealth
				
-Parenthesis	-Straight Barb	-Tee Barb	-Classical TikZ Rightarrow	-Square
				
-Circle	-Implies, double	-Rectangle	-Computer Modern Rightarrow	-Turned Square
			[-To]	
				
-Diamond	-Ellipse	-Kite	[-Latex]	-Triangle

\tikz \draw[-Butt Cap,line width=.2cm,blue] (0,0) - - (1.5,1) ;				
				
-Butt Cap	-Fast Round	-Fast Triangle	-Round Cap	-Triangle Cap

\tikz \draw[Triangle-Circle,line width=.2cm,blue] (0,0) - - (3.5,1) ;		
		
Triangle-Circle	{Circle[] Triangle[]}	{Circle[] . Triangle[] Triangle[] }

\tikz \draw[-Rays],line width=.1cm,blue] (0,0) - - (1.5,1) ;				
				
Rays	{Rays[n=2]}	{Rays[n=3]}	{Rays[n=4]}	{Rays[n=5]}
				
{Rays[n=6]}	{Rays[n=7]}	{Rays[n=8]}	{Rays[n=9]}	{Rays[n=10]}

Paramètre sep PGFmanual section : 16-4-2

\tikz \draw[-{Arc Barb[sep=.25cm] Arc Barb[ ]},line width=.1cm,blue] (0,0) - - (1.5,1) ;					
					
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Rays
					
Straight Barb	Tee Barb	Circle	Ellipse	Computer Modern Rightarrow	Triangle
					
Latex	Kite	Rectangle	Square	Stealth	Turned Square

\tikz \draw[-{Arc Barb[sep=.25cm] • Arc Barb[ ]},line width=.1cm,blue] (0,0) - - (1.5,1) ;					
					
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Rays
					
Straight Barb	Tee Barb	Circle	Ellipse	Computer Modern Rightarrow	Triangle
Latex	Kite	Rectangle	Square	Stealth	Turned Square

Paramètre length PGFmanual section : 16-3-1

\tikz \draw[-{Arc Barb[length=1cm]},line width=.2cm,blue] (0,0) - - (1,1) ;



Arc Barb	Hooks	Straight Barb	Tee Barb	Latex	Classical TikZ Rightarrow



Straight Barb	Diamond	Ellipse	Kite	Circle	Computer Modern Rightarrow

\tikz \draw[-{Arc Barb[length=0cm 10]},line width=.1cm,blue] (0,0) - - (3,1) ;



[length=0cm 10]	[length=.5cm 5]
0cm + 10 x .1cm = 1cm	.5cm + 5 x .1cm = 1cm

\tikz \draw[-{Arc Barb[length=0cm 5]},line width=.1cm,blue,double,double distance = 2 mm] (0,0) - - (3,1



[length=0cm5]	[length=0cm 5 .6]
0cm + 5 x (.1cm + 2 mm + .1cm) = 2cm	0cm + 5 x (.6 x .1cm+ (1-.6)(.1cm+ 2 mm+.1cm) = 11 mm

Paramètre width PGFmanual section : 16-3-1

\tikz \draw[-{Arc Barb[width=2cm]},line width=.2cm,blue] (0,0) - - (1,1) ;				
				
Arc Barb	Hooks	Straight Barb	Tee Barb	Classical TikZ Rightarrow
				
Straight Barb	Diamond	Ellipse	Kite	Computer Modern Rightarrow

\tikz \draw[-{Arc Barb[width=0cm 10]},line width=.1cm,blue] (0,0) - - (3,1) ;	
	
[width=0cm 10]	[width=.5cm 5]
0cm + 10 x .1cm = 1cm	.5cm + 5 x .1cm = 1cm

\tikz \draw[-{Arc Barb[width=0cm 5]},line width=.1cm,blue,double,double distance = 2 mm] (0,0) - - (3,1	
	
[width=0cm5]	[width=0cm 5 .6]
0cm + 5 x (.1cm + 2 mm + .1cm) = 2cm	0cm + 5 x (.6 x .1cm+ (1-.6)(.1cm+ 2 mm+=.1cm) = 11 mm

\tikz \draw[-{Arc Barb[length=1cm,width=0cm 1.5]},line width'=.1cm,blue] (0,0) - - (3,1) ;	
	
[width'=0cm 1.5]	[width'=.5cm .5]
0cm + 1.5 x 1cm = 1.5cm	.5cm + .5 x 1cm = 1cm

\tikz \draw[-{Arc Barb[length=1cm,width'=0cm 1.5]},line width=.1cm,blue,double,double distance = 2 mm



[width'=0cm 1.5]

0cm + 1.5 x 1cm = 1.5cm



[width'=0cm 1.5 .6]

0cm + 1.5 x (.6 x 1cm+ (1-.6)(1cm+ 2 mm+1cm) = 11 mm

Paramètre inset PGFmanual section : 16-3-1

\tikz \draw[-{Tee Barb[inset=0pt]},line width=.2cm,blue] (0,0) - - (1,1) ;



Tee Barb[inset=0pt]



Kite[inset=0pt]



Stealth[inset=0pt]



Tee Barb[inset=1cm]



Kite[inset=1cm]



Stealth[inset=.5cm]

\tikz \draw[-{Fast Round[inset=1cm]},line width=.2cm,blue] (0,0) - - (1,1) ;



Fast Round[inset=1cm]



Fast Round[inset=2cm]



Fast Triangle[inset=1cm]



Fast Triangle[inset=2cm]



inset=1cm 1



inset=1cm 2



inset=1cm 4



inset=1cm .2



inset=0cm 1



inset=0cm 2



inset=0cm 4



inset=0cm .2



inset=0cm .2



inset=0cm .2 2



inset=0cm .2 10



inset=0cm 2 .5

			
inset=0cm .2	inset=0cm .2 2	inset=0cm .2 10	inset=0cm 2 .5

Paramètre angle **PGFmanual section : 16-3-1**

\tikz \draw[-{Straight Barb[angle=60 :.5cm 1]},line width=.2cm,blue] (0,0) - - (1,1) ;				
				
[angle=60 :.5cm 1]	[angle=60 :.5cm 1]	[angle=60 :.5cm 20]	[angle=60 :.5cm 5]	[angle=90 :.5cm 5]

\tikz \draw[-{Triangle[angle=60 :.5cm 1]},line width=.2cm,blue] (0,0) - - (1,1) ;				
				
[angle=60 :.5cm 1]	[angle=60 :.5cm 1]	[angle=60 :.5cm 20]	[angle=60 :.5cm 5]	[angle=90 :.5cm 5]

Paramètre scale **PGFmanual section : 16-3-2**

\tikz \draw[-{Arc Barb[scale=4]},li ne width=.1cm,blue] (0,0) - - (3,0) ;		
		
scale=4	scale length=4	scale width=4

Paramètre arc **PGFmanual section : 16-3-3**

\tikz \draw[-{Arc Barb[arc=270]},line width=.2cm,blue] (0,0) - - (3,1) ;			
			
Arc Barb[arc=270]	Arc Barb[arc=360]	Hooks[arc=270]	Hooks[arc=360]

Paramètre slant **PGFmanual section : 16-3-4**

\tikz \draw[-{Arc Barb[slant=.3]},line width=.2cm,blue] (0,0) - - (1,1) ;				
				
slant=0	slant=0.3	slant=0.5	slant=0.8	slant=1

\tikz \draw[-{Arc Barb[slant=.5]},line width=.2cm,blue] (0,0) - - (1,1) ;				
				
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow
				
Straight Barb	Tee Barb	Circle	Diamond	Ellipse
				
Kite	Latex	Rectangle	Square	Stealth
				
Turned Square	Fast Round	Fast Triangle	Round Cap	Triangle Cap

Paramètre reversed **PGFmanual section : 16-3-5**

\tikz \draw[-{Arc Barb[reversed]},line width=.2cm,blue] (0,0) - - (2,1) ;			
			
Arc Barb	Bracket	Hooks	Classical TikZ Rightarrow
			
Straight Barb	Tee Barb	Parenthesis	Computer Modern Rightarrow

\tikz \draw[-{Fast Round[reversed]},line width=.5cm,blue] (0,0) - - (2,1) ;			
			
Fast Round	Fast Triangle	Round Cap	Triangle Cap

Paramètre left PGFmanual section : 16-3-5

\tikz \draw[-{Arc Barb[left]},line width=.2cm,blue] (0,0) - - (1.5,1) ;					
					
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Triangle
					
Straight Barb	Tee Barb	Circle	Diamond	Ellipse	Turned Square
					
Kite	Latex	Rectangle	Square	Stealth	Rays

Paramètre right PGFmanual section : 16-3-5

\tikz \draw[-{Arc Barb[right]},line width=.2cm,blue] (0,0) - - (1.5,1) ;					
					
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Triangle
					
Straight Barb	Tee Barb	Circle	Diamond	Ellipse	Turned Square
					
Kite	Latex	Rectangle	Square	Stealth	Rays

Paramètre harpoon PGFmanual section : 16-3-5

\tikz \draw[-{Arc Barb[harpoon]},line width=.2cm,blue] (0,0) - - (1,1) ;						
						
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Straight Barb	Tee Barb

\tikz \draw[-{Arc Barb[harpoon,swap]},line width=.2cm,blue] (0,0) - - (1,1) ;						
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow	Straight Barb	Tee Barb

Paramètre color PGFmanual section : 16-3-6

\tikz \draw[-{Arc Barb[color=red},line width=.2cm,blue] (0,0) - - (1,1) ;		
		
Bracket[color=red]	Bracket[color=green]	Bracket[red]

\tikz \draw[-{Arc Barb[red},line width=.2cm,blue] (0,0) - - (1,1) ;				
				
Arc Barb	Bracket	Hooks	Parenthesis	Classical TikZ Rightarrow
				
Straight Barb	Tee Barb	Circle	Diamond	Ellipse
				
Kite	Latex	Rectangle	Square	Stealth
				
Triangle	Turned Square	Rays		

Paramètre fill PGFmanual section : 16-3-6

\tikz \draw[-{Circle[fill=red]},line width=.2cm,blue] (0,0) - - (1,1) ;				
				
Circle	Diamond	Ellipse	Kite	Triangle
				
Latex	Rectangle	Square	Stealth	Turned Square

\tikz \draw[-{Circle[fill=none]},line width=.2cm,blue] (0,0) - - (1,1) ;				
				
Circle	Diamond	Ellipse	Kite	Triangle
				
Latex	Rectangle	Square	Stealth	Turned Square

Paramètre open PGFmanual section : 16-3-6

\tikz \draw[-{Circle[open]},line width=.2cm,blue] (0,0) - - (1.5,1) ;

				
Circle	Diamond	Ellipse	Kite	Triangle
				
Latex	Rectangle	Square	Stealth	Turned Square

Paramètre line cap : round or butt PGFmanual section : 16-3-7

\tikz \draw[-{Arc Barb[line cap=butt]},line width=.2cm,blue] (0,0) - - (1,1) ;

							
Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
							
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays

\tikz \draw[-{Arc Barb[line cap=round]},line width=.2cm,blue] (0,0) - - (1,1) ;

							
Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
							
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays

Paramètre line join : round or miter PGFmanual section : 16-3-7

\tikz \draw[-{Arc Barb[line join=miter]},line width=.2cm,blue] (0,0) - - (1,1) ;

Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays

\tikz \draw[-{Arc Barb[line cap=round]},line width=.2cm,blue] (0,0) - - (1,1) ;							
							
Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
							
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays

Paramètre round **PGFmanual section : 16-3-7**

\tikz \draw[-{Arc Barb[round]},line width=.2cm,blue] (0,0) - - (1,1) ;							
							
Arc Barb	Bracket	Hooks	Parenthesis	Ellipse	Rectangle	Square	Stealth
							
Straight Barb	Tee Barb	Diamond	Kite	Latex	Triangle	Turned Square	Rays

Paramètre sharp **PGFmanual section : 16-3-7**

\tikz \draw[-{Classical TikZ Rightarrow[sharp]},line width=.2cm,blue] (0,0) - - (2,0)) ;			
-{Classical TikZ Rightarrow[sharp]}		-{Computer Modern Rightarrow[sharp]}	
			
sharp	[ ]	sharp	[ ]

Paramètre line width PGFmanual section : 16-3-7

```
\tikz \draw[-{Arc Barb[line width=.2cm]},line width=.4cm,blue] (0,0) - - (2,0) ;
```



Arc Barb	Hooks	Classical TikZ Rightarrow	Straight Barb
Straight Barb	Tee Bar	Computer Modern Rightarrow	

```
\tikz \draw[-{Arc Barb[line width=0cm 10]},line width=.1cm,blue] (0,0) - - (3,1) ;
```



[length=0cm 10]	[length=.5cm 5]
0cm + 10 x .1cm = 1cm	.5cm + 5 x .1cm = 1cm

```
\tikz \draw[-{Arc Barb[length=0cm 5 ]},line width=.1cm,blue,double,double distance = 2 mm] (0,0) - - (3,1
```



[length=0cm5]	[length=0cm 5 .6]
0cm + 5 x (.1cm + 2 mm + .1cm) = 2cm	0cm + 5 x (.6 x .1cm+ (1-.6)(.1cm+ 2 mm+.1cm) = 11 mm

Paramètre line width' PGFmanual section : 16-3-7

```
\tikz \draw[-{Arc Barb[line width'=.2cm]},line width=.4cm,blue] (0,0) - - (1,1) ;
```



Arc Barb	Hooks	Classical TikZ Rightarrow	Straight Barb



Straight Barb	Tee Bar	Computer Modern Rightarrow	

```
\tikz \draw[-{Arc Barb[line width=0cm 10]},line width'=.1cm,blue] (0,0) - - (3,1) ;
```



[length=0cm 10]	[length=.5cm 5]
0cm + 10 x .1cm = 1cm	.5cm + 5 x .1cm = 1cm

Paramètre quick PGFmanual section : 16-3-8

```
\tikz \draw[-{Stealth[length=1cm,open,quick]}] (0,0) .. controls (1,-1) and (2,1) .. (3,1) ;
```



[-Stealth[length=1cm,open,quick]]	[-Stealth[length=1cm,open]]

Paramètre bending PGFmanual section : 16-3-8

Charger l'extension : \usetikzlibrary{bending}

\tikz \draw[-{Stealth[length=1cm,open,flex=0]}] (0,0) .. controls (1,-1) and (2,1) .. (3,1) ;



flex=0	flex=0.5	flex=1

\tikz \draw[-{Stealth[length=1cm,open,flex'=0]}] (0,0) .. controls (1,-1) and (2,1) .. (3,1) ;



flex'=0	flex'=0.5	flex'=1

\tikz \draw[-{Stealth[length=1cm,open,bend]}] (0,0) .. controls (1,-1) and (2,1) .. (3,1) ;



[-{Stealth[length=1cm,open,bend]}]	[-Stealth[length=1cm,open,bend]Stealth[length=1cm,open,bend,sep]]

Paramètre cap angle PGFmanual section : 16-5-4

\tikz \draw[-{Fast Round[cap angle=60]},line width=.2cm,blue] (0,0) - - (3,1) ;



Fast Round[cap angle=20]	Fast Round[cap angle=60]	Fast Round[cap angle=90]
Fast Triangle[cap angle=20]	Fast Triangle[cap angle=60]	Fast Triangle[cap angle=90]

4 Insertion de petites images

4.1 Images créées

PGFmanual section : 14-19 | PGFmanual section : 18

Création	Utilisation
\tikzset{dfr/.pic={\filldraw[blue] (-2pt,0) rectangle (0,5pt) ; \filldraw[fill=white] (0,0) rectangle (2pt,5pt) ; \filldraw[fill=red] (2pt,0) rectangle (4pt,5pt) ; }}	\tikz \pic {dfr} ;

placement à une position	
	
\pic at (1,1) [pic type = dfr] ;	\pic at (1,1) {dfr} ;
	
\path (1,1) pic [pic type= dfr] ;	\path (1,1) pic {dfr} ;
	
\pic [at={(1,1)}] [pic type= dfr] ;	\pic [at={(1,1)}] {dfr} ;

\pic[scale=3] at (1,1) {dfr} ;		
		
[scale=3]	[scale=3,rotate=45]	[scale=3,red]

\tikz [scale=4] \pic at (0,0) {dfr} ; \pic at (.5,0) [transform shape] {dfr} ;	

Placement sur un chemin
\tikz \draw (0,0) to [out=10,in=170] pic [near start] {dfr} pic {dfr} pic [sloped, near end] {dfr} (10,0) ;

\draw (0,0) to [out=10,in=170] pic [pos=.3] {code={\draw circle [radius=3mm] ;}} (10,0) ;


Définition :

```
\tikzset{ my pic/.pic = {
\path [pic actions] (0,0) circle[radius=3mm] ;
\draw (-3mm,-3mm) rectangle (3mm,3mm) ; } }
```

Utilisation : `\pic [red] {my pic}`



[red]	[draw]	[draw=red]	[draw, shading=ball]	[fill=red !50]

```
\tikz \pic foreach \x in {1,1.5,...,10} at (\x,0) {dfr} ;
```

```
\fill [green] (0,0) - - (1,0)pic [behind path,scale=3] {dfr} -- (1,1) -- (0,1) -- cycle ;
```



[behind path,scale=3]	[scale=3]

```
\tikzset{ pics/mon cercle/.style = { background code =
{ \fill circle [radius=#1] ; } } }
\tikz [fill=green] \draw[line width=3pt] (0,0) pic {mon
cercle=2mm} - - (1,1) pic {mon cercle=5mm} ;
```



```
\tikzset{ pics/mon cercle/.style = { foreground code =
{ \fill circle [radius=#1] ; } } }
\tikz [fill=green] \draw[line width=3pt] (0,0) pic {mon
cercle=2mm} - - (1,1) pic {mon cercle=5mm} ;
```



```
\fill [green](-1,0) - - (1,0)
pic [pics/background code={\fill[blue] (0.5,0.5) circle (1cm ) ;}
, pics/code=\fill[red] (-1,-.5) rectangle (0.5,0.5) ; ]
{} - - (1,2) - - (-1,2) - - cycle ;
```



```
\fill [green] (-1,0) - - (1,0)
pic [pics/foreground code=\fill[blue] (0.5,0.5) circle (1cm ) ;
,pics/code={\fill[red] (-1,-.5) rectangle (0.5,0.5) ;} ]
{} - - (1,2) - - (-1,2) - - cycle ;
```



```
\fill [green](-1,0) - - (1,0)
pic [pics/background code={\fill[blue] (0.5 , 0.5) circle (1cm
) ;}
,pics/code={\fill[red] (-1 , -0.5) rectangle (0.5 , 0.5) ;},behind
path ]
{} - - (1,2) - - (-1,2) - - cycle ;
```



```
\fill [green] (-1,0) - - (1,0)
pic [pics/foreground code={\fill[blue] (0.5 , 0.5) circle (1cm ) ;}
, pics/code={\fill[red] (-1,-.5) rectangle (0.5 , 0.5) ;},behind
path ]
{} - - (1,2) - - (-1,2) - - cycle ;
```



4.2 Images prédéfinies : Marquage des angles

PGFmanual section : 39

Charger l'extension : \usetikzlibrary{angles}

\tikz \draw (2,0) coordinate (A) - - (0,0) coordinate (B) - - (1,1) coordinate (C) pic [draw] {angle} ;

pic [draw] {angle}

pic [fill] {angle}

\tikz \draw (2,0) coordinate (X) - - (0,0) coordinate (Y) - - (1,1) coordinate (Z) pic [draw] {angle= X- -Y- -Z} ;



pic [draw] {angle= X- -Y- -Z}



pic [fill] {angle = Z- -Y- -X}

Par défaut : angle= A- -B- -C

\tikz \draw (2,0) coordinate (A) - - (0,0) coordinate (B) - - (1,1) coordinate (C) pic [draw,->] {angle} ;



pic [draw,->] {angle}

pic [fill,fill=red !50] {angle}

\tikz \draw (2,0) coordinate (A) - - (0,0) coordinate (B) - - (1,1) coordinate (C) pic [draw,angle radius=1cm] {angle} ;



pic [draw,angle radius=1cm] {angle}



pic [fill,angle radius=1cm] {angle}

Par défaut : angle radius=5mm

Charger l'extension : \usetikzlibrary{quotes}

\tikz \draw (3,0) coordinate (A) - - (0,1) coordinate (B) - - (1,2) coordinate (C) pic [draw,"α "] {angle} ;



\tikz \draw (2,0) coordinate (A) - - (0,0) coordinate (B) - - (1,2) coordinate (C) pic [draw, " α", angle eccentricity=1]] {angle} ;



angle eccentricity=1



angle eccentricity=1.5

Par défaut : angle eccentricity= 0.6

```
\tikz { \draw (2,0) coordinate (A) - - (0,0) coordinate (B) - - (1,2) coordinate (C)
pic (xxx) [draw,"$\alpha$",angle radius= 1cm ] {angle} ;
\draw (xxx)circle [radius=5pt] ; }
```



5 Les coordonnées

5.1 Quadrillage



\draw (0,0) grid (2,2) ; PGFmanual section : 14-8

\draw (0,0) grid [step=.75cm] (0,0) grid (3,3) ;



step=.75cm | x step=.75cm | ystep=.75cm | step=(45 :1)

\draw[red] (0,0) grid [rotate=45] (3,3) ;



\draw[help lines] (0,0) grid (3,3) ;



5.2 Coordonnées

PGFmanual section : 13-2-1

5.2.1 Système de coordonnées « canvas »

Explicite	Implicite
	
\fill (canvas cs :x=2cm,y=1.5cm) circle (2pt) ;	\fill (2cm,1.5cm) circle (2pt) ;

5.2.2 Système de coordonnées xyz

	
\draw (0,0) - - (xyz cs :x=1) ; \draw (0,0) - - (xyz cs :y=1) ; \draw (0,0) - - (xyz cs :z=1) ;	\draw (0,0) - - (1,0,0) ; \draw (0,0) - - (0,1,0) ; \draw (0,0) - - (0,0,1) ;

5.2.3 Système de coordonnées polaire « canvas »

Explicite	Implicite
	
\fill (canvas polar cs :angle=45,radius=2cm) circle (2pt) ;	\fill (45 :2cm) circle (2pt) ;



\fill (canvas polar cs :angle=45,x radius=3cm,y radius=2cm) circle (2pt) ;

5.2.4 Coordinate system xyz polar

Explicite	Implicite
	
\fill (xyz polar cs :angle=45,radius=2) circle (2pt) ;	\fill (45 :2cm) circle (2pt) ;



\fill (xyz polar cs :angle=45,x radius=3,y radius=2) circle (2pt) ;

\begin{tikzpicture}[x=1.5cm,y=1cm]	
	
\fill (xyz polar cs :angle=45,radius=2) circle (2pt) ;	\fill (45 :2cm) circle (2pt) ;

\begin{tikzpicture}[x={(0cm,1cm)},y={(-1cm,0cm)}]	
	
\fill (xyz polar cs :angle=45,radius=2) circle (2pt) ;	\fill (45 :2cm) circle (2pt) ;

5.2.5 Coordonnées barycentriques

PGFmanual section : 13-2-2

\node [circle,fill=red!20] at (barycentric cs :A=0.6,B=0.3) {X} ;

		
A=0.3,B=0.3	A=0.4,B=0.4 ,C=.4	A=0.5,B=0.5,C=.5,D=.5
		
A=0.6,B=0.3	A=0.2,B=0.4 ,C=.6	A=0.2,B=0.4,C=.6,D=.8

5.2.6 Coordonnées nominatives : nœud

PGFmanual section : 13-2-3



```
\coordinate (centre) at(1.5,1.5) ;
\coordinate (A) at (.5,.5) ;
\coordinate (B) at (2.5,2.5) ;

\fill (centre) circle (3pt) ;
\draw[red] (A) rectangle (B) ;
```

voir aussi page 88

5.2.7 Coordonnées relatives à un noeud

```
\node [draw,fill=green !20,] (A) at (1,1) {\huge noeud} ;
\fill[red] (node cs :name=A,anchor=south) circle (3pt) ;
```

			
name=A,anchor=south	name=A,anchor=west	name=A,anchor=north	name=A,anchor=east

```
\fill[red] (node cs :name=A,angle=0) circle (3pt) ;
```

			
name=A,angle=0	name=A,angle=-30	nname=A,angle=-90	name=A,angle=-150

5.2.8 Coordonnées relatives à deux points

PGFmanual section : 13-3-1

```
\node [circle,fill=red !20] at (1,1 |- 3,3) {X}
```

	
at (1,1 |- 3,3)	at (1,1 -| 3,3)

5.2.9 Coordonnée relative à une intersection

PGFmanual section : 13-3-2

Charger l'extension : \usetikzlibrary{intersections}

```
\draw [name path=cercle] (2,1) circle (1cm) ;
\draw [name path=rectangle] (0.5,0.5) rectangle +(3,1) ;
\fill [red,name intersections={of=cercle and rectangle}] (intersection-1) circle (2pt)
```



intersection-1	intersection-2	intersection-3	intersection-4

```
\fill [red, name intersections={of=cercle and rectangle}]
(intersection-1) circle (2pt) node[black,above right] {point a} ;
```




```
\fill [red, name intersections={of=cercle and rectangle, name=point}] ;
\draw [red] (point-1) - - (point-3) ; \draw [green] (point-2) - - (point-4) ;
```



```
\fill [red, name intersections={of=cercle and rectangle, by={a,b,c,d}}] ;
        \draw [red] (a) - - (c) ;        \draw [green] (b) - - (d) ;
```



```
\fill [name intersections={of=cercle and rectangle, name=i, total=\t}] [red]
  \foreach \s in {1,...,\t} {(i-\s) circle (2pt) node[black,above right] {\s}}
```



5.3 Position calculée

5.3.1 Position calculée avec le module « pgfmath »

PGFmanual section : 13-2-1

Ce module est chargé automatiquement avec le module Tikz



Explicite : \fill [red] (canvas cs :x=2cm+1.5cm,y=1.5cm-1cm) circle (3pt) ;

Implicite : \fill [red] (2cm+1.5cm,1.5cm-1cm) circle (3pt) ;



```
\draw[dashed] (2,2) circle (2) ;
\fill [red](2+ 2*cos 30 , 2+2*sin 30) circle (3pt) ;
\fill[magenta] (2+2*cos{(120)} , 2+2*sin{(120)}) circle (3pt) ;
```

5.4 Position calculée avec « librairy calc »

PGFmanual section : 13-5

Charger l'extension : \usetikzlibrary{calc}




```
\node (a) at (1,1) {A} ;
\fill [red] ($(a) + 2/3*(1cm,0)$) circle (2pt) ;
\fill [red] ($(a) + 4/3*(1cm,0)$) circle (2pt) ;
```

5.5 Tangentes avec « librairy calc »

PGFmanual section : 13-2-4

```
\node[fill=green !20] (a) at (3,1.5) {A} ;
\fill[red] (tangent cs :node=c,point={(A)},solution=1) ;
```



solution=1



solution=2

5.5.1 Point à pourcentage donné

PGFmanual section : 13-5-3

```
\fill[red] ($(0,1) !.25 !(4,1)$) circle (4pt) ;
```



```
(0,1) !0.25 !(4,1)
```

```
(0,1) !0.75 !(4,1)
```



```
\fill[red] ($(0,2) !0.75 !(4,2) !0.66 !(0,0)$) circle (2pt) ;
```

5.5.2 Point à distance donnée

PGFmanual section : 13-5-4

```
\fill[red] ($(0,1) !1.5cm !(4,1)$) circle (4pt) ;
```



```
(0,1) !1.5cm !(4,1)
```

```
(0,1) !3cm !(4,1)
```



```
\draw (2,.05) - - ($ (2,0.5) !2cm !90 :(4,1) $) ;
```

5.5.3 Coordonnées relatives

5.5.4 Cartésienne

PGFmanual section : 13-4-1

relative à l'origine	relative à une position	relative à la dernière position
		
(0,0) - - (1,0) - - (2,1) - - (2,-1)	(0,0) - - (1,0) - - +(2,1) - - +(2,-1)	(0,0) - - (1,0) - - ++(2,1) - - ++(2,-1)

		
\draw (0,0) rectangle (1,1) rectangle (2,2) rectangle (3,3) ;	\draw (0,0) rectangle (1,1) rectangle +(2,2) rectangle +(3,3) ;	\draw (0,0) rectangle (1,1) rectangle ++(2,2) rectangle ++(3,3) ;

5.5.5 Polaire

relative à l'origine	relative à une position	relative à la dernière position
		
(0 :0) - - (0 :1) - - (30 :2) - - (-30 :2)	(0 :0) - - (0 :1) - - +(30 :2) - - +(-30 :2)	(0 :0)- - (0 :1) - - ++(30 :2) - - ++(-30 :2)

5.5.6 coordonnée relative en polaire

PGFmanual section : 13-4-2

	
([turn]-45 :1cm)	([turn]45 :1cm)

	
\draw (4,0) arc (0 :120 :2) - - ([turn]90 :2cm) ;	\draw (0,0) to [bend left] (2,2) - - ([turn]0 :2cm) ;

\draw(1,2) .. controls ([turn]0 :2cm) .. ([turn]-90 :2cm) ;		
		
([turn]0 :2cm) .. ([turn]-90 :2cm)	([turn]30 :2cm) .. ([turn]-90 :2cm)	([turn]0 :2cm) .. ([turn]90 :2cm)

6 Les nœuds

6.1 Définition des nœuds

\draw (1,1) node[fill=red !20] {} ;			
			
Par défaut	node[draw]	node[circle]	node[circle,draw]

\node at (1,1) [fill=red !20] {} ;			
			
[fill=red !20]	[draw]	[circle,fill=red !20]	[circle,draw]

Autres types de nœuds voir page 73

6.2 Liaisons

		
(A)- - (B)	(A) |- (B)	(A) -| (B)
		
(A) to [bend right] (B)	(A) to [bend left] (B)	(A) to[bend left=0] (B)
		
(A) to[bend left=120] (B)	(A) to[bend left=45] (B)	(A) to[bend left=90] (B)
		
(A) to[out=90] (B)	(A) to[out=30] (B)	(A) to[in=-90] (B)

\draw (A) .. controls +(right :2cm) and +(down :2cm) .. (B) ;



controls +(right :2cm) and +(down :2cm)



controls +(up :1cm) and +(left :1cm)



controls +(right :1cm) and +(right :2cm)



controls +(up :1cm) and +(right :2cm)



controls +(120 :2cm) and +(200 :1cm)



controls +(120 :2cm) and +(200 :1cm)



controls +(C) and +(D)



controls +(D)

\node[draw] (A) at (0,0) {A}
\node[draw] (B) at (2,2) {B} edge [->] (A) ;

PGFmanual section : 17-12-1



[->]



[red]



[dashed]

6.3 Étiquettes sur les nœuds

\fill(0,0) circle (2pt) node[above] {texte} ;			
			
[above]	[below]	[left]	[right]
			
[above left]	[below left]	[above right]	[below right]
			
[anchor=south]	[anchor=west]	[anchor=north]	[anchor=east]
			
[anchor=south east]	[anchor=south west]	[anchor=north west]	[anchor=north east]

\fill(0,0) circle (2pt) node[above=.3cm] {texte} ;			
			
[above=.3cm]	[below=.3cm]	[left=.3cm]	[right=.3cm]]
			
[above left=.3cm]	[below left=.3cm]	[above right=.3cm]	[below right=.3cm]]

\shorthandoff{ :} [1]
\node [draw,label=right :texte] {}
\shorthandon{ :}

texte	texte	texte	texte	texte
label=right	label=left	label=above	label=below	label=45

\fill(0,0) circle (2pt) node[below right=.3cm,draw,label=45 :étiquette] {texte} ;



\shorthandoff{ :} \node[circle,draw,blue,pin=texte] {} ; \shorthandon{ :} [1]

		
[circle,pin=texte]	[circle,pin=60 :texte]	[circle,pin=right :texte]

\tikz[pin position=60] \node [circle,pin=texte] {} ;

		
[pin position=60]	[pin distance=0 cm]	[pin distance=2 cm]
Par défaut : above	Par défaut : 3 ex	

[1] désactivation et ré-activation de « : »conflit entre les modules Tikz et Babel en français

6.4 Nœuds sur un chemin

\draw(0,0) .. controls (1,2) and (2,-1) .. (4,0) node[at end] {texte} ;		
		
pos=0	pos=.33	at end (pos=1)
		
very near end (pos=0.875.)	near end (pos=0.75)	midway (pos=0.5)
		
near start (pos=0.25)	very near start (pos=0.125)	at start (pos=0)

\draw(0,0) .. controls (1,2) and (2,1) .. (4,0) node[sloped,midway] {texte} ;		
		
sloped	above	below

\draw(0,0) .. controls (1,2) and (2,1) .. (5,0) node[sloped,midway,allow upside down] {texte} ;		
		
sloped	above	below

\draw(A) to [bend right] node [bend right] {texte} (B);



[bend right] | [auto,bend right] | [auto,swap,bend right]

6.5 Nœuds sur un “edge”

\draw(0,0) edge [”abc”, ->] (4,0);

PGFmanual section : 17-12-2



[”abc”, ->] | [”abc”, near start] | [”abc”, style={auto=right}]

[font=\Large,”abc”] | [”abc” color=red] | [”abc” ’]

[”abc” draw] | [”abc” inner sep=0pt] | [”abc” fill ,fill=yellow]

\draw[every edge quotes/.style={fill=yellow}] (0,0) edge [”abc”] (4,0);



6.6 Nœud enveloppant

Charger l’extension: \usetikzlibrary{fit}

PGFmanual section : 52



```
\fill  (.5,1) circle (3pt);
\fill  (2,.25) circle (3pt);
\fill  (1,2) circle (3pt);
\fill  (1.25,0.25) circle (3pt);
\fill  (1.75,1.5) circle (3pt);
\node[draw=red,ultra  thick,fit={(.5,1)  (2,.25)  (1,2)
(1.25,0.25) (1.75,1.5) }] {} ;
```




```
[dot/.style={inner sep=0pt,draw,circle,blue}]
\node[dot] (a) at (.5,1) {a};
\node[dot] (b) at (2,.25) {b};
\node[dot] (c) at (1,2) {c};
\node[dot] (d) at (1.25,0.25) {d};
\node[dot] (e) at (1.75,1.5) {e};
\node[draw=red,ultra thick,fit=(a) (b) (c) (d) (e)] {}
```

```
\node[draw=red,ultra thick,fit=(a) (b) (c) (d) (e)] (xxx) {}
\node at (xxx.east) [fill=green!20] {x};
```



xxx.east | xxx.north east | xxx.center

```
\node [draw=green,fit=(a) (b) (c) (d) (e)] ;
\node [inner sep=0pt,draw=red,fit=(a) (b) (c) (d) (e)] ;
```



inner sep=0pt | inner sep=.5cm

```
\node[circle,draw=red,inner sep=0pt,fit=(a) (b) (c) (d) (e)] {};
```



circle | ellipse | shape=starburst (voir section 16)

```
\node[draw=red, rotate fit=45, fit=(a) (b) (c) (d) (e)] {};
```



rotate fit=45 | ellipse, rotate fit=45

7 Constructions particulières

PGFmanual section : 25-3

\draw[rotate,blue] (0,0) rectangle (2,2) ;			
			
rotate=40	x=1cm,y=0.5cm	xslant=0.75	yslant=0.75
			
scale=1.5	scale=-1	xshift=0.5cm	yshift=0.5cm

8 Placer son dessin

8.1 Dans le texte

8.1.1 Sans option de décalage

PGFmanual section : 12-2

dessin directement dans le texte  **ici est inclus le code suivant : \tikz \draw (0,0) rectangle(2,2);\tikz \draw (0,0) circle (1);**

8.1.2 Avec décalage nul

dessin directement dans le texte  **ici est inclus le code suivant :**

\tikz[baseline=0pt] \draw (0,0) rectangle(2,2);\tikz[baseline=0pt] \draw (0,0) circle (1);

8.1.3 Avec décalage

dessin directement dans le texte  **ici est inclus le code suivant**

: \tikz[baseline=1cm] \draw (0,0) rectangle(2,2);\tikz[baseline=1cm] \draw (0,0) circle (1);

8.2 Dans un environnement tikzpicture

PGFmanual section : 12-1

texte avant  texte après	texte avant \begin{tikzpicture}[blue] \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} texte après
texte avant  texte après	texte avant \begin{tikzpicture}[blue,baseline=0pt] \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} texte après
texte avant  texte après	texte avant \begin{tikzpicture}[blue,baseline=1cm] \draw (0,0) rectangle(2,2); \draw (0,0) circle (1); \end{tikzpicture} texte après

8.3 Dans un environnement fbox

texte avant  texte après	texte avant
	\fbox{
	\begin{tikzpicture}[blue,baseline=0pt]
	\draw (0,0) rectangle(2,2);
	\draw (0,0) circle (1);
	\end{tikzpicture}
	}
	texte après

8.4 Modification du cadrage

PGFmanual section : 15-8

\draw [use as bounding box] (1,0) rectangle (2,1); \draw[blue] (-1,0) - - (3,1);	
texte avant  texte après	texte avant texte après
(1,0) rectangle (2,1)	(0,0) rectangle (0,0)

```
texte avant. \begin{tikzpicture} [trim left=1cm]
\draw[blue] (-1,0) - - (3,1); \draw[red] (0,0) grid (2,1);
\end{tikzpicture}texte après
```

texte avant. texte après

[trim left=1cm]

texte avant. texte après

[trim right= 1cm]

texte avant  texte après

```
texte avant
\begin{tikzpicture}[blue]
\draw [red,use as bounding box] (-1.5,-1.5) rectangle (2.5,2.5);
\draw (0,0) rectangle(2,2);
\draw (0,0) circle (1);
\end{tikzpicture}
texte après
```

texte avant  texte après

```
texte avant
\begin{tikzpicture}[blue,baseline=0pt]
\draw [red,use as bounding box] (-1.5,-1.5) rectangle (2.5,2.5);
\draw (0,0) rectangle(2,2);
\draw (0,0) circle (1);
\end{tikzpicture}
texte après
```

texte avant  texte après

```
texte avant
\begin{tikzpicture}[blue,baseline=0pt]
\useasboundingbox (-1.5,-1.5) rectangle (2.5,2.5);
\draw (0,0) rectangle(2,2);
\draw (0,0) circle (1);
\end{tikzpicture}
texte après
```

```
\begin{tikzpicture}[blue]
\fill (0,0) circle (5pt);
\fill (2,1) circle (5pt);
\draw[red] (current bounding box.south west) rectangle (current bounding box.north east);
\end{tikzpicture}
```

8.5 Coupure de l'image

PGFmanual section : 15-9



sans coupure



```
\clip (-1,-1) - -(0,2) - - (1,-1) - - cycle;
```

8.6 Rognage partiel



```
\tikzpicture[red,scale=.7]
\draw[help lines] (-2,-2) grid (2,2);
\draw[blue] (-1.1,-0.2) rectangle (2,1.5);
\draw (0,0) circle (1.5);
\clip (-1.1,-0.2) rectangle (2,1.5);
\draw (0,0) circle (.5);
\draw (0,0) circle (1);
\endtikzpicture
```

8.6.1 Changement d'échelle



Taille normale



```
\tikzpicture[blue,scale=.5]
```

9 Scope

9.1 Environnement Scope

PGFmanual section : 12-3

```
\begin{tikzpicture}[line width = 3mm]

\draw (0.5,6) - - (2.5,6);

\begin{scope}[red]
\draw (0.5,5) - - (2.5,5);
\draw (0.5,4) - - (2.5,4);
\end{scope}

\draw (0.5,3) - - (2.5,3);

\begin{scope}[green]
\draw (0.5,2) - - (2.5,2);
\draw [red] (0.5,1) - - (2.5,1);
\draw (0.5,0) - - (2.5,0);
\end{scope}

\end{tikzpicture}
```



9.2 library scopes

9.2.1 Simplification d'un environnement scope

PGFmanual section : 12-3-2

Charger l'extension: \usetikzlibrary{scopes}

```
\begin{tikzpicture}[line width = 3mm]

\draw (0.5,6) - - (2.5,6);

{ [red]
\draw (0.5,5) - - (2.5,5);
\draw (0.5,4) - - (2.5,4);
}

\draw (0.5,3) - - (2.5,3);

{ [green]
\draw (0.5,2) - - (2.5,2);
\draw [red] (0.5,1) - - (2.5,1);
\draw (0.5,0) - - (2.5,0);
}

\end{tikzpicture}
```



9.2.2 Portée d'un seul élément

	
\node [fill=white] at (1,1) {\DFR}; \scoped [on background layer] \draw (0,0) grid (3,2);	**\node [fill=white] at (1,1) {\DFR}; \draw (0,0) grid (3,2);**

10 Position absolue sur une page

```
\begin{tikzpicture}[remember picture,overlay]
\fill(current page.north) circle (5pt) node[below left=4mm] \Huge north ;
\fill(current page.north east) circle (5pt) node[below left=4mm] \Huge north east ;
\fill(current page.north west) circle (5pt) node[below right=4mm] \Huge north west ;
\fill(current page.east) circle (5pt) node[above left=4mm] \Huge east ;
\fill(current page.center) circle (5pt) node[above left=4mm] \Hugecenter ;
\fill(current page.west) circle (5pt) node[above right=4mm] \Huge west ;
\fill(current page.south) circle (5pt) node[above right=4mm] \Huge south ;
\fill(current page.south west) circle (5pt) node[above right=4mm] \Huge south west ;
\fill(current page.south east) circle (5pt) node[above left=4mm] \Huge south east ;
\end{tikzpicture}
```

```
\begin{tikzpicture}[remember picture,overlay]
\node [opacity=.15] at (current page.center) {\includegraphics[width=8cm]{tiger} };
\end{tikzpicture}
```

```
\begin{tikzpicture}[remember picture,overlay]
\draw[dotted,opacity=.4] (current page.south west) - - (current page.north east)
      node[near start] {\Huge TIKZ} ;
\end{tikzpicture}
```

11 Arrière plan du dessin

11.1 Encadrement



[1]

```
\begin{tikzpicture}[show background rectangle]
\filldraw[fill=yellow] (0,0) ellipse (1 and .5 );
\end{tikzpicture}

Autre syntaxe :
\begin{tikzpicture}[framed]
```

11.1.1 Options

[show background rectangle,inner frame xsep=1cm]



inner frame xsep=1cm



inner frame ysep=1cm



inner frame sep=1cm

Par défaut: inner frame xsep=1ex , inner frame ysep=1ex



tight background (inner frame sep = 0pt)



loose background (inner frame sep = 2ex)



rounded corners

11.1.2 Style

[background rectangle/.style={double,draw=blue},framed]



double



fill=green



top color=green



line width=4pt



rounded corners=0.5cm

11.2 Encadrement partiel



show background top



show background bottom



show background left



show background right

[1] \tikzset{background rectangle/.style={fill=cyan!20,draw=blue,line width=2pt}}

[framed,show background top,outer frame xsep=1cm]



outer frame xsep=1cm



outer frame ysep=1cm



outer frame sep=1cm

11.2.1 Style

```
\begin{tikzpicture}[show background left,
    [background left/.style={double,ultra thick,draw=blue}]
```



double



<->



line width=10pt



dashed

11.2.2 Quadrillage



```
\begin{tikzpicture}[show background grid]
\filldraw[fill=yellow] (0,0) ellipse (2 and 1);
\end{tikzpicture}
```

Autre syntaxe :

```
\begin{tikzpicture}[gridded]
```

11.2.3 Style

[background grid/.style={ultra thick,draw=blue},show background grid]



ultra thick ,draw=blue,draw=blue



draw=red



step=.5cm,draw=blue

11.2.4 Encadrement et quadrillage



```
\begin{tikzpicture}[framed , gridded ]
\filldraw[fill=yellow] (0,0) ellipse (2 and 1);
\end{tikzpicture}
```

12 Créer ses couleurs

12.1 Couleurs de base

black	blue	brown	cyan	darkgray
gray	green	lightgray	lime	magenta
olive	orange	pink	purple	red
teal	violet	white	yellow	

[blue!10]	[blue!30]	[blue!50]	[blue!70]	[blue!90]

12.2 Mélange de couleurs

[blue!30!red]	[red!80!blue!20]	[red!80!blue!50]	[red!80!blue!50!black!40]

12.3 Créer son nom de couleur

PGFmanual section : 15-2

12.3.1 A pourcentage de rouge vert et bleue

```
\definecolor{macouleur}{rgb}{.75,0.5,0.25}
(75% de rouge 50% de vert 25% de bleu)
\fill [macouleur] (0,0) rectangle (2,1);
```

12.3.2 A partir d'une couleur existante

```
\colorlet{monrouge}{red!25}
\fill [monrouge] (0,0) rectangle (2,1);
```

```
\colorlet{monviolet}{red!25!blue}
\fill [monviolet] (0,0) rectangle (2,1);
```

13 Opacité

PGFmanual section : 23-2

\draw[red] (0,0) – (2,1); \draw [blue,draw opacity=0] (0,1) - - (2,0);				
				
draw opacity=0	draw opacity=0.25	draw opacity=0.5	draw opacity=0.75	draw opacity=1

\fill[red] (0,0) rectangle (1,1); \fill[blue,transparent] (0.5,0) rectangle (1.5,1);			
			
transparent	ultra nearly transparent	very nearly transparent	nearly transparent
			
semitransparent	nearly opaque	very nearly opaque	ultra nearly opaque
			
opaque	fill opacity=.25	fill opacity=.5	fill opacity=.75

\node at (1,1) [text opacity=1] { \Huge texte} ;				
				
text opacity=1	text opacity=0.75	text opacity=0.5	opacity=0.25	text opacity=0

13.1 Blend Modes

PGFmanual section : 23-3

		
blend group=normal	blend group=multiply	blend group=screen
		
blend group=overlay	blend group=darken	blend group=lighten
		
blend group=difference	blend group=exclusion	blend group=hue
		
blend group=saturation	blend group=color	blend group=luminosity

A revoir message d'erreur Unknow blend mode !			
blend group=colordodge	blend group=colorburn	blend group=hardlight	blend group=softlight

13.2 Fading

Charger l'extension: \usetikzlibrary{fadings}

13.2.1 Modèles prédéfinis

PGFmanual section : 51

\fill [blue,path fading=north] (-1,-1) rectangle (1,1);



path fading=north

path fading=south



path fading=east



path fading=west



path fading=circle with fuzzy edge 10 percent



path fading=circle with fuzzy edge 15 percent



path fading=circle with fuzzy edge 20 percent



path fading=fuzzy ring 15 percent

13.2.2 Création de décoloration avec tikzfadingfrompicture

PGFmanual section : 23-4-1

Création	*Visualisation*
\begin{tikzfadingfrompicture}[name=filtre] \shade[left color=yellow,right color=blue!100] (0,0) rectangle (2,2); \fill[blue!50] (1,1) circle (0.7); \end{tikzfadingfrompicture}	
\begin{tikzfadingfrompicture}[name=tikz] \node [draw,text=transparent!20] {\fontfamily{ptm}\fontsize{25}{25}\bfseries\selectfont TikZ}; \end{tikzfadingfrompicture}	

Utilisation dans un rectangle	
\fill[path fading=filtre] (-2,-1) rectangle (2,1);	
	
[path fading=filtre]	[path fading=tikz]
	
[path fading=filtre ,fit fading=false]	[path fading=tikz,fit fading=false]
	
left color=blue,right color=red	[path left color=blue,right color=red
	
[path fading=filtre ,red]	[path fading=tikz,red]

Utilisation dans un ellipse	
\fill[path fading=filtre] (-2,-1) ellipse (2 and 1);	
	
[path fading=filtre]	[path fading=tikz]

13.3 Création de décoloration avec tikzfading

```
\tikzfading[name=fade right, left color=transparent!0, right color=transparent!100]

\tikz \filldraw [red,path fading=fade right] (-1,-1) rectangle (1,1);
```



```
\tikzfading[name=fade out, inner color=transparent!0, outer color=transparent!100]

\tikz \filldraw [blue,path fading=fade out] (-1,-1) rectangle (1,1);
```



```
\tikzfading[name=fade inside, inner color=transparent!80, outer color=transparent!10]

\tikz \filldraw [blue,path fading=fade inside] (-1,-1) rectangle (1,1);
```



```
\tikzfading[name=middle, top color=transparent!80, bottom color=transparent!80, middle color=transparent!20]

\tikz \filldraw [blue,path fading=middle] (-1,-1) rectangle (1,1);
```



13.3.1 Modification de la décoloration

PGFmanual section : 23-4-2

```
\fill [blue,path fading=north,fading transform={yshift=-.5cm}] (-1,-1) rectangle (1,1);
```



fading transform={yshift=-.5cm}



fading transform={yshift=-.5cm}



fading angle=30

PGFmanual section : 23-4-3

```
\begin{tikzpicture}
\draw (-1,-1) rectangle (1,1);
\path [scope fading=east] (-1,-1) rectangle (1,1);
\fill[red] ( 90:1) circle (1);
\fill[green] (210:1) circle (1);
\fill[blue] (330:1) circle (1);
\end{tikzpicture}
```



```
\tikz \node [black,scope fading=south,fading
angle=45,text width=5cm]
{ VisualTIKZ VisualTIKZ VisualTIKZ Visu-
alTIKZ VisualTIKZ VisualTIKZ VisualTIKZ
VisualTIKZ VisualTIKZ VisualTIKZ Visu-
alTIKZ VisualTIKZ VisualTIKZ };
```

VisualTIKZ VisualTIKZ
VisualTIKZ VisualTIKZ
VisualTIKZ VisualTIKZ
VisualTIKZ VisualTIKZ
VisualTIKZ VisualTIKZ
VisualTIKZ VisualTIKZ
VisualTIKZ

13.4 Transparency Groups

PGFmanual section : 23-5

```
\begin{tikzpicture}[opacity=.5]
\draw [line width=1cm] (0,0) – (2,2);
\draw [line width=1cm] (0,2) – (2,0);
\end{tikzpicture}
```



[opacity=.5]



[opacity=.5,transparency group]

A revoir : ne fonctionne pas

```
\begin{tikzpicture}
\shade [left color=red,right color=blue] (-2,-1) rect-
angle (2,1);
\begin{scope}[transparency group=knockout]
\fill][white] (-1.9,-.9) rectangle (1.9,.9);
\node [opacity=0] TikZ;
\end{scope}
\end{tikzpicture}
```

14 Créer ses commandes

Charger l'extension: Atention : la création de la commande doit être placée avant \begin{document} !

syntaxe :\newcommand{\nom}[nombre de variables]{Description}

Exemple : commande avec une variable :
Création

```
\newcommand
{\maboite}[1]{                  % commande nommée maboite et 1 seul d'argument
\begin{center}                  % centrage sur la ligne
\tikzpicture \node[fill=yellow  % un nœud de texte de couleur jaune
,text centered                  % centrage du texte dans la boite
,text width=.5\linewidth]       % largeur : la moitié de la ligne
#1} ; \end{center}              % #1 correspond à l'argument
}
```

Utilisation **: \maboite{contenu}**

Charger l'extension: contenu

Exemple : commande sans variable :
Création

```
\newcommand{\DFR}{ \tikzpicture[scale=.25] \draw [fill=blue](0,0) rectangle (3,1.5);
\draw [fill=white](1,0) rectangle (2,1.5); \draw[fill=red](2,0) rectangle (3,1.5);\endtikzpicture }
```

Utilisation **: \DFR** 

15 Créer ses styles

15.1 Styles sans variable



```
\begin{tikzpicture} [mon style/.style={draw=blue, fill=red!20, very thick}]
\draw (0,0) circle (2cm);
\draw[mon style] (0,0) circle (1cm);
\end{tikzpicture}
```

15.2 Styles avec variable



```
\begin{tikzpicture} [mon style/.style={draw=#1, thick, fill=#1!50, scale=.5}]
\filldraw [mon style=red] (0,0) rectangle (2,1);
\filldraw [mon style=blue] (3,0) rectangle (5,1);
\end{tikzpicture}
```

valeur par défaut

```
\begin{tikzpicture} [mon style/.style={draw=#1,fill=#1!20,very thick},
mon style/.default=black]
\filldraw [mon style] (0,0) rectangle (2,1);
\filldraw [mon style=blue] (3,0) rectangle (5,1);
\end{tikzpicture}
```

16 Mettre du texte en valeur

16.1 Dans un nœud de Tikz

\tikz \draw (0,0) grid (2,2) (1,1) node[fill=red!20,] {texte};			
			
node[fill=red!20]	node[fill=red!20,draw]	node[fill=red!20,circle]	node[fill=red!20,circle,draw]

16.1.1 Options

\tikz \draw node[draw,double,blue] {texte};							
							
double	rounded corners	ultra thick	dashed	red	rotate=45	shading=radial	text=red

\tikz \draw node[draw,inner sep=0pt] {texte};			
			
inner sep=0pt	inner sep=1cm	inner xsep=1cm	inner ysep=1cm
Par défaut : 0.3333em			

```
\node [fill=red!20,outer sep=1cm] (A) at (1,1) {texte};
\fill (node cs:name=A,anchor=east) circle (3pt);
\fill (node cs:name=A,anchor=south) circle (3pt);
```

			
outer sep=1cm	outer sep=0pt	outer xsep=1cm	outer ysep=1cm
Par défaut : 0.5\pgflinewidth			

16.1.2 Taille minimale des noeuds

\draw((0,0) node[fill=blue!20,minimum height=1.5cm,draw] {texte} ;	
	
minimum height=1.5cm	minimum width=3cm
	
minimum size=1.5cm,draw	minimum size=1.5cm,circle

16.2 Dans un nœud à formes géométriques

Charger l'extension: \usetikzlibrary{shapes.geometric}

PGFmanual section : 67-3

16.2.1 Formes disponibles

2 syntaxes :
\tikz \node[fill=green!20,shape=diamond,draw,blue] {texte};
\tikz \node[fill=green!20,diamond,draw] {texte};

			
diamond	ellipse	trapezium	semicircle
			
star	regular polygon	isosceles triangle	kite
			
dart	circular sector	cylinder	

16.2.2 Options

\node [trapezium,draw,trapezium left angle=90,draw,blue] {texte};

		
trapezium left angle=90	trapezium right angle=90	trapezium angle=120
		
minimum height=1.5cm trapezium stretches=true	minimum height=1.5cm trapezium stretches=false	minimum width=1.5cm trapezium stretches

\tikz \node [fill=green!20,star,star points=6,draw] {texte};		
		
star points=7	star point height = 2cm	star point ratio = 3
Par défaut5	Par défaut.5cm	Par défaut1.5

\node [isosceles triangle,isosceles triangle apex angle=90,draw,blue] {texte}; \node [regular polygon, regular polygon sides=6,draw,blue] {texte};		
		
isosceles triangle apex angle=90	isosceles triangle stretches	regular polygon sides=6

\node [kite,kite upper vertex angle=90,draw,blue] {texte};		
		
kite upper vertex angle=90	kite lower vertex angle=90	kite vertex angles=90
initially 120	initially 60	

\node [dart,dart tip angle=90,draw,blue] {texte};		
		
dart tip angle=90	dart tail angle=90	circular sector angle=90
initially 45	initially 135	initially 60

\node [cylinder,aspect=2,draw,blue] {texte};	
	
aspect=2	aspect=4
	
cylinder uses custom fill, cylinder end fill=yellow	cylinder uses custom fill, cylinder body fill=yellow

\draw(0,0) node[shape aspect=1,diamond,draw] {texte} ;			
			
shape aspect=1	shape aspect=2	shape aspect=3	shape aspect=4

16.3 Dans un nœud en forme de symboles

Charger l'extension: \usetikzlibrary{shapes.symbols}

PGFmanual section : 67-4

16.3.1 Formes disponibles

		
forbidden sign	magnifying glass	cloud
		
starburst	signal	tape

16.3.2 Options

\node[magnifying glass,magnifying glass handle angle=45,draw,blue] {texte} ;		
		
magnifying glass handle angle=45	magnifying glass handle aspect=3	line width=1ex
Par défaut : -45	Par défaut : 1.5	

\node [cloud,cloud puffs=5,draw,blue] {texte};			
			
cloud puffs=5	cloud puff arc=270	cloud ignores aspect=false	cloud ignores aspect=true
Par défaut: 10	Par défaut: 135	Par défaut: true	

\node [starburst,starburst points=5,draw,blue] {texte};			
			
starburst points=5	starburst point height=1cm	random starburst=50	random starburst=0

\node [signal,signal pointer angle=45,draw,blue] {texte};		
		
signal pointer angle=45	signal pointer angle=10	signal pointer angle=300
Par défaut : signal pointer angle= 90		

\node [signal,signal to=above,draw,blue] {texte};			
			
signal to=above	signal to=below	signal to=right	signal to=above

\tikz [signal to=nowhere] \node [signal,signal from=above=45,draw,blue] {texte};			
			
signal from=above	signal from=below	signal from=right	signal from=above

	
signal from=east , signal to=west	signal from=south, signal to=north

\tikz \node [tape, draw,tape bend top=out and in] {texte};		
		
tape bend top=out and in	tape bend bottom=out and in	tape bend bottom=in and in
		
tape bend top=none	tape bend bottom=out and in tape bend top=out and in	tape bend bottom=in and out tape bend top=in and out (Par défaut)

\tikz \node [tape, draw, tape bend height=1cm,blue] {texte};

Par défaut : tape bend height = 5pt

16.4 Dans un nœud en forme de flèche

Charger l'extension: \usetikzlibrary{shapes.arrows}

PGFmanual section : 67-5

16.4.1 Formes disponibles

		
single arrow	double arrow	arrow box

16.4.2 Options

\node[single arrow,draw,single arrow tip angle=45] {texte};
\node[single arrow,draw,single arrow head extend=.75cm] {texte};

				
angle=45	angle=120	extend=.75cm]	extend=0cm	extend=-1mm
Par défaut: single arrow tip angle= 90		Par défaut: single arrow head extend=0.5cm		

\node[minimum size=2cm,single arrow,draw,single arrow head indent=1cm,blue] {texte};

			
indent=1cm	indent=10pt	indent=1ex	indent=-1ex

\node[minimum size=2cm,double arrow,draw,double arrow tip angle=45] {texte};
\node[minimum size=2cm,double arrow,draw,double arrow head extend=1ex] {texte};
\node[minimum size=2cm,double arrow,draw,double arrow head indent=1ex] {texte};

				
angle=45	angle=120	extend=1ex	extend=0	indent=1ex

\node [arrow box, draw, arrow box arrows={north:.25cm}] {texte};

			
{north:.25cm}	{west:.25cm}	{south:.25cm}	{east:.25cm}
Par défaut : 0.5 cm			

\node [arrow box, draw, arrow box tip angle=45] {texte};	
	
arrow box tip angle=45	arrow box head extend=.25cm
Par défaut: 90	Par défaut: 0.125cm
	
arrow box head indent=.25cm	arrow box shaft width=.25cm
Par défaut : 0cm	Par défaut : 0.125cm

16.5 Dans un nœud en forme de bulle

Charger l'extension: \usetikzlibrary{shapes.callouts}

PGFmanual section : 67-7

16.5.1 Formes disponibles



ellipse callout	rectangle callout	cloud callout

16.5.2 Options

\node [rectangle callout,draw,callout absolute pointer=(0,1)] at (2,1) {texte};



callout relative pointer={(0,1)} | callout absolute pointer={(0,1)}



callout pointer shorten=.5cm

\node [ellipse callout,draw,callout pointer arc=1] at (0,1.5) {texte};

callout pointer arc=1	callout pointer arc=30	callout pointer arc=90

Par défaut : callout pointer arc=15

\node[draw,cloud callout, aspect=2.5] {texte};



cloud puffs=5	aspect=2.5	cloud puff arc=120

<table>
<tr><td colspan="3">\node [draw,cloud callout,callout pointer start size=.1] {texte};</td></tr>
<tr><td> 
</td><td> 
</td><td> 
</td></tr>
<tr><td>callout pointer start size=.1</td><td>start size=.8cm</td><td>start size=20pt and 1pt</td></tr>
<tr><td colspan="3">Par défaut : callout pointer start size =.2 of callout</td></tr>
<tr><td> 
</td><td> 
</td><td> 
</td></tr>
<tr><td>callout pointer end size=.5</td><td>callout pointer end size=.8cm</td><td>callout pointer segments=3</td></tr>
<tr><td colspan="2">Par défaut : callout pointer start size = .1 of callout</td><td>Par défaut : segments=2</td></tr>
</table>

16.6 Dans un nœud en diverses formes diverses

Charger l'extension: \usetikzlibrary{shapes.misc}

PGFmanual section : 67-8

16.6.1 Formes disponibles

			
cross out	strike out	rounded rectangle	chamfered rectangle

16.6.2 Options

Options pour "rounded rectangle" :

\node [draw, rounded rectangle,rounded rectangle arc length=270] {texte};				
				
270	180	120	90	45

\node [draw, rounded rectangle,rounded rectangle west arc=concave] {texte}; \node [draw, rounded rectangle,rounded rectangle left arc=concave] {texte};			
			
concave	convex	none	

\node [draw, rounded rectangle,rounded rectangle east arc=concave] {texte}; \node [draw, rounded rectangle,rounded rectangle right arc=concave] {texte};		
		
concave	convex	none

Options pour "chamfered rectangle" :

\node [draw, chamfered rectangle,chamfered rectangle angle=30] {texte};			
			
10	30	60	80
Par défaut: 45			

\node [draw, chamfered rectangle,chamfered rectangle xsep=10pt] {texte};				
				
xsep=0pt	xsep=5pt	xsep=10pt	xsep=-10pt	xsep=2cm
Par défaut: 0.666ex				

\node [draw, chamfered rectangle,chamfered rectangle ysep=10pt] {texte};				
				
ysep=0pt	ysep=5pt	ysep=10pt	ysep=-10pt	ysep=1cm

\node [draw, chamfered rectangle,chamfered rectangle ysep=10pt] {texte};				
				
sep=0pt	sep=5pt	sep=10pt	sep=-10pt	sep=1cm

\node [draw, chamfered rectangle,chamfered rectangle corners=north west] {texte};		
		
north west	{north east, south east}	{north east, south west}

16.7 Nœuds à plusieurs parties

Charger l'extension: \usetikzlibrary{shapes.multipart}

PGFmanual section : 67-6

```
\node [circle split,draw,fill=green!20]{haut \nodepart{lower} bas };
```



circle split



circle solidus

ellipse split

rectangle split




```
\node[rectangle split,rectangle split parts=5,
draw]
{texte 1
\nodepart{second} texte 2
\nodepart{four} texte 3};

Par défaut: rectangle split parts=4
```

```
\node [rectangle split,rectangle split parts=3,rectangle split horizontal,draw,blue]
{texte1\nodepart{two}texte2\nodepart{three}texte3};
```




```
\node[rectangle split,rectangle split parts=5,
draw]
{texte 1
\nodepart{second} texte 2a \\texte 2b \\
texte 2c
\nodepart{three} texte 3a \\ texte 3b };
```

```
\node[rectangle split, draw,blue,minimum size = 2cm,rectangle split draw splits= true]
{texte 1 \nodepart{two} texte 2 \nodepart{three} texte 3 \nodepart{four} texte 4};
```



rectangle split draw splits= true
Par défaut



rectangle split draw splits= false

```
\node [rectangle split,rectangle split parts=3,draw,rectangle split ignore empty parts=false]
{texte 1 \nodepart{second} \nodepart{third}texte 3};
```



rectangle split ignore empty parts=false



rectangle split ignore empty parts=true

\node [rectangle split,rectangle split parts=3,draw,rectangle split empty part depth=1cm] {texte 1 \nodepart{second} \nodepart{third}texte 3};

	
rectangle split empty part depth=1cm	text depth=1cm
Par défaut: 0ex	Par défaut: 0ex
	
rectangle split empty part height=1cm	text height=1cm
Par défaut: 1ex	Par défaut: 1ex

\node [rectangle split,rectangle split parts=3,draw,rectangle split empty part width=1cm] {};

	
rectangle split empty part width=2cm	Par défaut: 1ex

	\node[rectangle split, draw,blue,minimum size = 2cm, rectangle split part align={center, left,right}] {texte 1 \nodepart{two} texte 2 \nodepart{three} texte 3 \nodepart{four} texte 4};
	\node[rectangle split, draw,blue,minimum size = 2cm, rectangle split horizontal, rectangle split part align={center,base, top,bottom}] {texte 1 \nodepart{two} texte 2 \nodepart{three} texte 3 \nodepart{four} texte 4};

	\node[rectangle split, draw,blue, minimum width=1cm, rectangle split part fill={red, green,cyan}]{};

16.8 Mise en forme du texte

16.8.1 Position

PGFmanual section : 17-4-3

\tikz \draw (0,0) node[fill=blue!10,text width=2cm,text justified]
{Ceci est une démonstration d'un texte sur une largeur de 2cm};

Ceci est une démonstration d'un texte sur une largeur de 2cm.	Ceci est une démonstration d'un texte sur une largeur de 2cm	Ceci est une démonstration d'un texte sur une largeur de 2cm .	Ceci est une démonstration d'un texte sur une largeur de 2cm .
sans option	text justified	text centered	text ragged
Ceci est une démonstration d'un texte sur une largeur de 2cm.	Ceci est une démonstration d'un texte sur une largeur de 2cm .	Ceci est une démonstration d'un texte sur une largeur de 2cm .	Ceci est une démonstration d'un texte sur une largeur de 2cm .
text badly ragged	text badly centered	align=center	align=flush center
Ceci est une démonstration d'un texte sur une largeur de 2cm .	Ceci est une démonstration d'un texte sur une largeur de 2cm .	Ceci est une démonstration d'un texte sur une largeur de 2cm .	Ceci est une démonstration d'un texte sur une largeur de 2cm .
align=justify	align=flush right	align=right	align=flush left

16.8.2 Couleur et fontes

Texte.	*Texte.*	*Texte.*	Texte.	Texte.	Texte.
[text= red]	[font=\itshape]	[font=\slshape]	[font=\scshape]	[font=\upshape]	[font=\bfseries]

16.8.3 Taille des fontes

\tikz \draw (0,0) node[font=\tiny]{Texte.}

Texte.	Texte.	Texte.	Texte.	Texte.	Texte.	Texte.
\tiny	\footnotesize	\small	\large	\Large	\huge	\Huge

PGFmanual section : 17-4-4

Texte.	Texte.
text height=1cm	text depth=1cm

16.9 Positions prédéfinies sur un nœud

16.9.1 pour l'ensemble des nœuds

PGFmanual section : 17-5-1

			
north west	north	north east	text
			
west	mid west	base west	base
			
east	mid esat	base east	mid
			
south east	south	south west	center
			
0	120	-60	

16.9.2 spécifique à un nœud

Dans une prochaine version !

17 Decorations

17.1 Library “decorations.pathmorphing”

PGFmanual section : 48-2

17.1.1 “lineto”

		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

17.1.2 “straight zigzag”

\draw[decorate,decoration=straight zigzag] (0,0) - - (2,2) ;		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2);

\draw[decorate,decoration={straight zigzag,meta-segment length=2cm}] (0,0) - - (10,0);		Par défaut
meta-segment length=2cm		1cm
amplitude=0.5cm		2.5pt
segment length=1cm		10pt

\draw[decorate,decoration= {straight zigzag,meta-segment length=0.5cm}] (1,1) circle (1);		
		
meta-segment length=2cm	amplitude=0.5cm	segment length=5pt

17.1.3 “random steps”

\draw[decorate,decoration=random steps] (0,0) - - (2,2) ;		
		
(0,0) – (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

\draw[decorate,decoration={random steps,segment length=2cm}] (0,0) - - (10,0);		Par défaut
segment length=2pt segment length=1cm		10pt
amplitude=0.5cm		2.5pt
amplitude=0.5cm ,segment length=1cm		

\draw[decorate,decoration= {random steps,segment length=2cm}] (1,1) circle (1);		
		
meta-segment length=2cm	amplitude=0.5cm	segment length=5pt

17.1.4 “saw”

\draw[decorate,decoration=saw] (0,0) - - (2,2) ;		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2);

\draw[decorate,decoration={saw,meta-segment length=0.5cm}] (0,0) - - (10,0);		Par défaut
segment length=0.5cm segment length=2cm		10 pt
amplitude=0.5cm		2.5 pt

\draw[decorate,decoration={saw,segment length=20pt}] (1,1) circle (1);		
		
segment length=20pt	segment length=5pt	amplitude=0.5cm

17.1.5 “zigzag”

\draw[decorate,decoration=zigzag] (0,0) - - (2,2) ;		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2);

\draw[decorate,decoration={zigzag,meta-segment length=2cm}] (0,0) - - (10,0);		Par défaut
segment length=0.5cm segment length=2cm		10pt
amplitude=0.5cm		2.5 pt

\draw[decorate,decoration= {saw,segment length=20pt}] (1,1) circle (1);		
		
segment length=20pt	segment length=5pt	amplitude=0.5cm

17.1.6 “bent”

		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2);

\draw[decorate,decoration={bent,amplitude=0.5cm}] (0,0) – (10,0);		Par défaut
amplitude=0.5cm		2.5 pt
aspect=0.1 (en bleue) aspect=0.9 (en vert) amplitude=0.5cm		0.5

		
amplitude=1cm	amplitude=0.5cm	aspect=0.25

17.1.7 “bumps”

\draw[decorate,decoration=bumps] (0,0) - - (2,2) ;		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

\draw[decorate,decoration={bumps,amplitude=0.5cm}] (0,0) - - (10,0);		Par défaut
amplitude=0.5cm		2.5 pt
segment length=1cm		10 pt

\draw[decorate,decoration= {bumps,amplitude=10pt}] (1,1) circle (1);		
		
amplitude=10pt	amplitude=0.5cm	segment length=20pt

17.1.8 “coil”

\draw[decorate,decoration=coil] (0,0) - - (2,2) ;		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

\draw[decorate,decoration={coil,amplitude=0.5cm}] (0,0) - - (10,0);		Par défaut
amplitude=0.5cm		2.5 pt
segment length=1cm		10 pt
aspect=0.1 (amplitude=0.5cm) aspect=0.3 aspect=0.9		0.5

\draw[decorate,decoration= {coil,amplitude=0.5cm}] (1,1) circle (1);		
		
amplitude=0.5 cm	segment lenght=1cm amplitude=0.5cm	aspect=0.25 amplitude=0.5cm

17.1.9 “curveto”

		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

17.1.10 “snake”

\draw[decorate,decoration=snake] (0,0) - - (2,2) ;		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

\draw[decorate,decoration={snake,segment length=2cm}] (0,0) - - (10,0);		Par défaut
amplitude=0.5cm		2.5 pt
segment length=1cm		10 pt

\draw[decorate,decoration= snake, amplitude=5pt] (1,1) circle (1);		
		
amplitude=5pt	amplitude=0.5cm	segment length=5pt

17.2 Library “decorations.pathreplacing”

Charger l’extension: \usetikzlibrary{decorations.pathreplacing}

PGFmanual section : 48-3

17.2.1 “border”

\draw[decorate,decoration=border] (0,0) - - (2,2) ;		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

\draw[decorate,decoration={border,amplitude=0.5cm}] (0,0) - - (10,0);		Par défaut
amplitude=0.5cm		2.5 pt
segment length=1cm , amplitude=0.5cm		10 pt
angle=90 , amplitude=0.5cm		45

\draw[decorate,decoration= {border,amplitude=0.5cm}] (1,1) circle (1);		
		
amplitude=0.5cm	segment length=1cm ,amplitude=0.5cm	angle=90 ,amplitude=0.5cm

17.2.2 “brace”

	\draw [decorate,decoration=brace] (0,0) - - (3,1);

\draw[decorate,decoration= {brace,amplitude=0.5cm}] (1,1) circle (1); ;			
			
amplitude=0.5cm	aspect=0.65 ,amplitude = 0.5cm	raise= 0.25cm ,amplitude = 0.5cm	mirror ,amplitude = 0.5cm
Par défaut: 2.5	Par défaut: 0.5	Par défaut: 0	

17.2.3 ”expanding waves”



```
\draw [dashed,red](0,0) - - (20:2) ;
\draw [dashed,red](0,0) - - (-20:2) ;
\draw [decorate,decoration={expanding waves}](0,0) - -
(2,0) ;
```

\draw[decorate,decoration= {expanding waves,segment length=0.5cm}] (1,1) circle (1);	
	
segment length=0.5cm	angle=45
Par défaut: 10pt	Par défaut: 20

17.2.4 “moveto”

voir page 114

17.2.5 “ticks”

\draw[decorate,decoration=ticks] (0,0) - - (2,2) ;		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

\draw[decorate,decoration={ticks,amplitude=0.5cm}] (0,0) - - (10,0);		Par défaut
amplitude=0.5cm		2.5 pt
segment length=1cm		10 pt

\draw[decorate,decoration= {ticks,segment length=1cm}] (1,1) circle (1);		
		
segment length=1cm (1,1) circle (1)	segment length=pi*8 (1,1) circle (32pt)	amplitude=0.5cm (1,1) circle (1)

17.2.6 "waves"

\draw[decorate,decoration=waves] (0,0) - - (2,2) ;		
		
(0,0) - - (2,2)	(1,1) circle (1)	(0,0) arc (0:180:3 and 2)

\draw[decorate,decoration={waves,angle=60,radius=1cm}] (0,0) - - (10,0);		Par défaut
angle=60		45
segment length=1cm		10 pt
radius=2cm		10 pt

\draw[decorate,decoration= {waves,segment length=pi*8, radius=1cm}] (1,1) circle (32pt);		
		
segment length = pi*8	angle=60 , segment length = pi*8	radius=2cm , segment length = pi*8

17.2.7 "show path construction"

Chemin à décorer

```
\draw [blue,dashed] (0,0) - - (2,1) arc (-20:135:1) - - cycle
(3,2) .. controls (7,0) and (2,0) .. (5,2) - - (6,2) sin (7.57,0) - - (8,3) - - cycle;
```



composants linéaires “lineto” :

```
decoration={ show path construction,
lineto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentfirst) - - (\tikzinputsegmentlast); },}
```



Fermetures de chemin “closepath” :

```
decoration={ show path construction,
closepath code={ \draw [red,ultra thick,->]
(\tikzinputsegmentfirst) - - (\tikzinputsegmentlast); },}
```



coupure de chemin “moveto code” :

```
decoration={ show path construction,
moveto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentfirst) - - (\tikzinputsegmentlast); },}
```



composants courbes “curveto” :

```
decoration={ show path construction,
curveto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentfirst) - - (\tikzinputsegmentlast); },}
```



```
decoration={ show path construction,
curveto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentfirst) - - (\tikzinputsegmentsupporta); },}
```



```
decoration={ show path construction,
curveto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentlast) - - (\tikzinputsegmentsupportb); },}
```



```
decoration={ show path construction,
curveto code={ \draw [red,ultra thick,->]
(\tikzinputsegmentfirst) .. controls (\tikzinputsegmentsupporta)
and (\tikzinputsegmentsupportb) .. (\tikzinputsegmentlast) ; },}
```



17.3 Library “decorations.markings”

Charger l’extension: \usetikzlibrary{decorations.markings}

PGFmanual section : 48-4

17.3.1 Sa marque à une position

```
\draw [decorate,decoration={markings,mark=at position 1cm
with { \draw[red] (-2pt,-2pt) - - (2pt,2pt); \draw[red](2pt,-2pt) - - (-2pt,2pt);
\draw[red] (-2pt,-2pt) rectangle (2pt,2pt); }}] (1,1) circle (1);
```



17.3.2 Ses marques : origine, fin et pas

```
\draw[decorate,{markings,mark=between positions 0 and 1 step 5mm with ... }] (1,1) circle (1);;
```



mark=between positions 0 and 1 step 5mm



between positions 0 and 0.5 step 5mm



mark= between positions 0 and 1 step 1/10



between positions 0 and 1 step0.1

17.3.3 Marque avec un nœud contenant du texte

```
decoration={markings,mark=at position 1cm with \node[red]{texte}}
```



at position 1cm



at position 0.5



at position -1cm



at position 1cm/2



at position 0.5/2



at position -0.5/2

17.3.4 Marque avec un nœud contenant une image

\draw [decorate,decoration={markings,mark=at position 1cm with \node{\DFR}; }] (1,1) circle (1);	
	
\node{\DFR}	\node[transform shape]{\DFR}
	
\node{ \includegraphics[width=0.5cm]{tiger} }	\node[transform shape]{ \includegraphics[width=0.5cm]{tiger} }

17.3.5 Numérotation des marques et affectation d'un nom

	decoration={markings, mark=between positions 0 and 1 step 0.2 with { \node [draw , circle ,fill=white, name= marque-\pgfkeysvalueof{/pgf/decoration/mark info/sequence number}, transform shape] {\pgfkeysvalueof{/pgf/decoration/mark info/sequence number}};}}
	\draw [red,ultra thick] (marque-3) - - (marque-5);

17.3.6 Distance des nœuds


decoration={markings, mark=between positions 0 and 1 step 40pt with { \node [red,draw,ellipse,fill=white,font=\tiny] {\pgfkeysvalueof{/pgf/decoration/mark info/distance from start} };} }

/pgf/decoration/reset marks (no value)
/pgf/decoration/mark connection node=node name (no default, initially empty)

17.3.7 Nœud sur une liaison




```
\draw [decorate,decoration={markings,
mark connection node=mon noeud,mark=at position 0.4 with
{\node [draw,ellipse,blue,transform shape] (mon noeud)
{texte};}}]
(0,0) -- (3,2) ;
```

17.3.8 Arrow Tip Markings

```
\draw[decorate,decoration={ markings,mark=at position 1cm with
{\arrow[blue,line width=2mm]{>}};}] (1,1) circle (1);
```



{>}	{stealth }	{|}	{diamond}

Autres possibilités et paramètres voir page 20 et suivantes

```
\draw[decorate,decoration={markings,mark=at position 1cm with
{\arrowreversed[blue,line width=2mm]{>}};}] (1,1) circle (1);
```



{>}	{stealth }	{|}	{diamond}

17.4 Library “decorations.footprints”

Charger l’extension: \usetikzlibrary{decorations.footprints}

PGFmanual section : 48-5-2

\tikz \draw[decorate,decoration=footprints] (0,0) – (10,0);

\draw[decorate,decoration={footprints,foot of = gnome}] (0,2.5) - - (3,2.5);

			
foot of = gnome	foot of = human (Par défaut)	foot of = bird	foot of = felis silvestris

\fill[decorate,decoration={footprints,foot of = gnome}] (0,2.5) - - (3,2.5);

			
foot of = gnome	foot of = human	foot of = bird	foot of = felis silvestris

\fill[decorate,decoration={footprints,foot length=20pt}] (0,2.5) - - (3,2.5);

	
foot length=1cm	stride length=2cm
Par défaut : 10pt	Par défaut : 30pt
	
foot sep=1cm	foot angle = 45
Par défaut : 4pt	Par défaut : 10

\fill[decorate,decoration={footprints,foot length=20pt}] (0,2.5) - - (3,2.5);

			
foot length=20pt	foot length=1cm	stride length=15pt	stride length=2cm
Par défaut : foot length=10pt		Par défaut : stride length=30pt	
			
foot sep=10pt	foot sep=1cm	foot angle = -45	foot angle = 45
Par défaut : foot sep=4pt		Par défaut : foot angle=10	

17.5 Library “decorations.shapes”

17.5.1 Introduction

Charger l’extension: \usetikzlibrary{decorations.shapes}

PGFmanual section : 48-5-3

\draw[decorate,decoration=crosses] (0,0) - - (3,0);		
		
crosses	triangles	shape backgrounds

\draw[decorate,decoration={crosses,segment length=1cm}](0,0) - - (10,0);	
segment length = 1cm	
shape width = 1cm	
shape height = 1cm	
shape size = 1cm	
Par défaut: shape width = shape height = 2.5pt	

17.5.2 “shape backgrounds”

\draw[decorate with=dart] (0,2.5) - - (3,2.5);			
			
dart	diamond	rectangle	circle
			
star	regular polygon	signal	kite
Autres possibilités et paramètres voir page 74 et suivantes			

Formes disponibles	
Syntaxe	\draw[decorate,decoration={ shape backgrounds,shape=dart, shape size=.5cm,shape sep=1cm}] (0,0) - - (10,0);
Autre syntaxe	\draw[decorate with=dart,decoration={shape size=.5cm,shape sep=1cm}] (0,0) – (10,0);
dart	
rectangle	
cloud	
star	
starburst	
tape	
kite	
signal	
Par défaut: shape= circle	
Autres possibilités voir page 74 et suivantes	

Paramètres			
\draw[decorate with=star,star points=3,decoration={shape size=.5cm,shape sep=1cm}] (0,2.5) - - (3,2.5);			
			
star points=3	star points=4	star points=5	star points=8
\draw[decorate with=star,paint=green,decoration={shape size=.5cm,shape sep=1cm}] (0,2.5) - - (3,2.5);			
			
paint=green	double	ultra thick	star point ratio = 3

Espacement	
\draw[decorate with=dart,decoration={shape size=.5cm, shape sep=1cm}] (0,2.5) - - (10,2.5);	
shape sep={1cm}	
shape sep={2cm}	
Par défaut: shape sep= 0.25cm	

Type d'espacement	
\draw[decorate with=dart,decoration={shape size=.5cm, shape sep={1cm,between centers}}] (0,2.5) - - (10,2.5);	
between centers	
between borders	
Par défaut: between centers	

Espacement automatique	
\draw[decorate with=dart,decoration={shape size=.5cm, shape evenly spread=5}] (0,0) - - (10,0);	
shape evenly spread=5	
shape evenly spread=10	

Orientation :

" shape border rotate "	
shape border rotate=90	
shape border rotate=45	
shape border rotate=180	

"shape sloped"	
\draw[decorate with=dart,decoration={shape width=.5cm,shape sep=1cm, shape sloped=true}] (0,0) - - (3,3);	
	
shape sloped=true	shape sloped=false
Par défaut: shape sloped=true	

\draw[decorate with=dart,decoration={shape width=.5cm,shape sep=1cm, shape sloped=true}] (0,0) arc (0:180:3 and 2);



shape sloped=true	shape sloped=false

Par défaut: shape sloped=true

\draw[decorate with=dart,decoration={shape width=.5cm,shape sep=1cm, shape border rotate=90,shape sloped=true }] (0,0) - - (3,3);



shape sloped=true	shape sloped=false

“shift only”

decoration= transform={shift only},shape width=5mm,segment length=.5cm,shape sep=1cm



avec	sans

Dimensions

\draw[decorate with=dart,decoration={shape size=.5cm, shape height= 1cm }] (0,0) - - (10,0);

shape height=1cm	
shape width=1cm	
shape size=1cm	

\draw[decorate with=dart,decoration={shape size=.5cm, shape start size=1cm,shape scaled }] (0,2.5) - - (10,2.5);	
shape start size=1cm	
shape start height=1cm	
shape start width=1cm	
shape end size=1cm	
shape end height=1cm	
shape end width=1cm	

17.6 Library “decorations.text”

Charger l’extension: \usetikzlibrary{decorations.text}

PGFmanual section : 48-6

\draw[decorate,decoration={text along path,text={texte}}] (1,1) circle (1);



Texte trop long

\draw[decorate,decoration={text along path,
text={Un Deux Trois Quatre Cinq Six sept Huit Neuf Dix}}] (1,1) circle (1);

Format du texte

\draw [decorate,decoration={text along path, text=avant |\red | texte | | après }]

		
text={avant |\red|texte|| après }	text={ |\red|texte|| }	text={ |\red|texte|| {} }

		
avant | \red| texte || après	avant | \it| texte || après	avant | \Huge| texte || après

\draw [decorate,decoration={text along path,
text={avant |\Large|Visual |+\bf\color{red}|Tikz|| après }}] (1,1) circle (1);



\draw [decorate,decoration={text along path,text format delimiters={[}{]},
text={ [\red] texte [ ] }}] (1,1) circle (1);



Sens du texte

```
\draw[decorate,decoration={text along path,text={texte},
text color=blue, reverse path }] (1,1) circle (1);
```



Position du texte

```
\draw[decorate,decoration={ text along path,text={texte},
text align={align=left}}] (1,1) circle (1);
```

		
align={align=left}	align={align=center}	align={align=right}

```
\draw[ decorate,decoration={text along path,text={texte},
text align={align=left,left indent=1cm} } ] (1,1) circle (1);
```

	
align={align=left,left indent=1cm}	align={align=right,right indent=1cm}

Justification du texte

```
\draw [decoration={text along path, text={Un deux trois quatre },
text align={fit to path}}, decorate] (1,1) circle (1);
```



Justification des espaces

```
\draw [decoration={text along path, text={Un deux trois quatre },
text align={fit to path stretching spaces}}, decorate] (1,1) circle (1);
```



17.7 Library “decorations.fractals”

Charger l’extension: \usetikzlibrary{decorations.fractals}

PGFmanual section : 48-7

\draw[decorate,decoration=Koch curve type 1] (0,0) - - (3,0);



Koch curve type 1	Koch curve type 2	Koch snowflake	Cantor set

\begin{tikzpicture}[decoration=Koch curve type 1]
\draw decorate { decorate { (0,0) – (3,0) }};
\end{tikzpicture}



Koch curve type 1	Koch curve type 2	Koch snowflake	Cantor set

\draw decorate { decorate { decorate { (0,0) - - (3,0) } } };



Koch curve type 1	Koch curve type 2	Koch snowflake	Cantor set



sans	1 decorate	2 decorate	3 decorate

17.8 Applications

17.8.1 Décoration d'un nœud

\node [draw,decorate,decoration={bumps, minimum height=2cm, minimum width=3cm}] {texte};	
	
decoration=bumps	decoration=footprints
	
decoration={random steps , amplitude = 1pt }	starburst,decoration={random steps, segment length=3pt , amplitude=2pt}
	
ellipse,decoration=zigzag	decoration= {text along path,text= {Un Deux Trois Quatre Cinq Six Sept Huit Neuf} }

17.8.2 Décoration de liaisons de noeuds

\draw [decorate,decoration=snake](A) – (B);		
		
decoration=snake (A)- - (B)	decoration=coil (A) |- (B)	decoration=footprints (A) -| (B)
		
decoration=coil (A) to [bend right] (B)	decoration=zigzag (A) to[bend left=120] (B)	decoration=ticks (A) to[out=30] (B)

17.8.3 Décoration d'un graphe

\draw[decorate, ecorate,decoration=footprints] plot coordinates (0,0) (2,1) (4,-2) (6,2) ;



plot coordinates (0,0) (2,1) (4,-2) (6,2)



plot (\x,{sin(\x r)})

17.8.4 Décorations variables

\draw [decorate, decoration={zigzag,pre=footprints,pre length=5cm}](0,0) – (10,0);



decoration={zigzag,pre=footprints,pre length=5cm}



decoration={zigzag,post=footprints,post length=5cm}



decoration={zigzag,pre=footprints,pre length=3cm, ,post=expanding waves,post length=3cm}

17.8.5 Décoration partielle



\draw [decorate,decoration=zigzag] (0,0) – (2,0) – (2,1) – (0,1)– cycle;

\draw [decoration=zigzag] (0,0) – (2,0) decorate{– (2,1)} – (0,1)– cycle;



\draw [decorate,decoration=zigzag] (0,0) – (2,0) – (2,1) – decorate{(0,1)}– cycle;



\draw [decorate,decoration=zigzag] (0,0) decorate{– (2,0)} – (2,1) – decorate{(0,1)}– cycle;

“lineto” \draw [decorate, decoration={zigzag,pre=lineto,pre length=5cm}](0,0) – (10,0);

decoration={zigzag,pre=lineto,pre length=5cm}

decoration={zigzag,post=lineto,post length=5cm}

decoration={zigzag,pre=lineto,pre length=3cm, ,post=curveto,post length=3cm}

“curveto”
\draw [decorate, decoration={zigzag,pre=curveto,pre length=5cm}](0,0) – (10,0);

decoration={zigzag,pre=curveto,pre length=5cm}

decoration={zigzag,post=curveto,post length=5cm}

decoration={zigzag,pre=curveto,pre length=3cm, ,post=curveto,post length=3cm}

“moveto”
\draw [decorate, decoration={zigzag,pre=moveto,pre length=5cm}](0,0) – (10,0);

decoration={zigzag,pre=moveto,pre length=5cm}

decoration={zigzag,post=moveto,post length=5cm}

decoration={zigzag,pre=moveto,pre length=3cm, ,post=moveto,post length=3cm}

17.8.6 Paramètres globaux ou particuliers



```
\begin{tikzpicture}[baseline=0pt,ultra thick,
decoration={straight zigzag,amplitude=0.5cm,segment length=1cm}]
\draw[red!20,ultra thin] (0,-2) grid (10,3);
\draw[magenta] (0,2) -- (10,2);
\draw[blue,decorate] (0,1) -- (10,1);
\draw[red,{decorate,decoration=saw}] (0,0) -- (10,0);
\draw[cyan,decorate,decoration=meta-segment length=2cm] (0,-1) -- (10,-1);
\end{tikzpicture}
```

17.8.7 Tracer le chemin et sa décoration avec “Postaction”



```
\draw [postaction={decorate,blue,draw,ultra thick,
decoration={straight zigzag,amplitude=0.5cm}}]

[red,line width = 10pt ] (0,0) arc (0:180:3 and 2);
```

18 Insertion images dans un environnement TikZ

18.0.1 Dans un noeud



```
\begin{tikzpicture}
\draw (0,0) grid (5,3);
\node [fill=green!20,trapezium,draw] at (1,2) {\DFR };
71
\node [draw] at (3,1) {\includegraph-
ics[width=1cm]{tiger} };
\end{tikzpicture}
```

18.0.2 En déclarant l'image dans pgf



```
\pgfdeclareimage[width=3cm]{ttt}{tiger}

\begin{tikzpicture}
\draw (0,0) grid (5,5);
\draw (3,2) node {\pgfuseimage{ttt}} ;
\end{tikzpicture}
```

19 Trait à main levée

voir page 90



```
\draw[decorate,decoration={random steps,
amplitude=1pt,segment length=3pt}] (0,0)
arc (0:320:2.5 and 1.5);
```



```
\draw[decorate,decoration={random steps,
amplitude=1pt,segment length=3pt}] plot
coordinates (0,0) (1,1) (2,0) (3,1) (4,1) (5,2);
```



```
\draw[decorate, decoration={random steps,
amplitude=1pt,segment length=3pt}] plot
(\x,sin(\x r));
```

20 Créer un graphe

20.1 Graphe avec TikZ

20.1.1 Graphe à partir d'une liste de points

```
\tikz \draw plot coordinates {(0,0) (1,1) (2,0) (3,1) (4,1) (5,2)};
```



20.1.2 Graphe à partir partir d'un fichier de données

```
\tikz \draw plot[mark=x] file {table.dat} ;
```



[mark=x]



[mark=x,smooth]

[mark=x,smooth,tension=.2]



[mark=x,smooth,tension=1]

Par défaut: tension= 0:55

Contenu du fichier table.dat	
0.0	0.3
0.3	0.6
0.6	0.9
0.9	1.5
1.2	0.6
1.5	1.2
1.8	1.5
2.1	2.0
2.4	3.0

20.1.3 Les types de graphes

\tikz \draw plot[mark=*,const plot] file {table.dat} ;



const plot | const plot mark left | const plot mark right | jump mark left



jump mark right | ycomb | xcomb | only marks



\tikz \draw plot[polar comb,mark=*]coordinates
{(0:1) (60:0.5) (120:1.5) (180:3) (240:.5) (300:1) (0:1)};

\tikz \draw plot[ybar] file {table.dat} ;



[ybar] | [ybar interval] | [ybar interval,x=2cm] | [ybar interval,y=.5cm]



```
\begin{tikzpicture}
\draw[red,fill=cyan,ybar,bar width=.5cm]
        plot coordinates {(0,1) (1,1.2) (2,.6) (3,.7) (4,.9)};
\draw[blue,fill=green,ybar,bar width=.5cm,bar shift=.3cm]
        plot coordinates {(0,1.2) (1,1.3) (2,.5) (3,.2) (4,.5)};
\end{tikzpicture}
```

\tikz \draw plot[xbar interval] file {table.dat} ;			
			
[xbar]	[xbar interval]	[xbar interval,x=.5cm]	[xbar interval,y=.5cm]

20.1.4 Graphe à partir d'une fonction

```
\draw [color=red] plot (\x,\x);
```



(\x,\x)



(\x,{sin(\x r)})
x en radian



(\x,{sin(\x)})
x en degré

Options

```
\draw[color=red,dashed] plot(\x,{sin(\x r)});
\draw[color=blue,samples=5,mark=*,ultra thick] plot(\x,{sin(\x r)});
```



[color=blue,samples=5,mark=*]



[color=blue,domain=0:4]



[color=blue,domain=1:5]



[color=blue,samples at={1,2,4,5},mark=*]

20.1.5 Fonctions paramétriques

```
\draw[domain=-3.141:3.141,smooth,variable=\t]plot ({sin(\t r)},{sin(2 *\t r)});
\draw[domain=0:720,smooth,variable=\t]plot ({sin(\t)},\t/360,{cos(\t)});
```



({sin(\t r)},{sin(2 *\t r)})



({sin(\t)},\t/360,{cos(\t)})

20.2 Marques

20.2.1 Marques avec TikZ



mark=+ | mark=x | mark=* | mark=ball



[color=blue,mark repeat=3,mark=*]



[color=blue,mark repeat=3,mark phase=5,mark=*]



[color=blue,mark indices=1,4,...,15,17,20,mark=*]



[color=blue,mark size=5pt,mark=*]



mark options={color=magenta},mark=+



mark options={rotate=10},mark=+

20.2.2 Marques personnalisées avec text mark

\draw[mark=text,text mark=A,mark size=5pt] coordinates {(0,0) (1,1) (2,0)};



text mark=A



text mark=Texte



text mark=\DFR 71

text mark={\includegraphics[width=.5cm]{tiger}}

20.2.3 Marques avec l'extension plotmarks

Charger l'extension: \usetikzlibrary{plotmarks}

PGFmanual section : 63

			
mark=-	mark=|	mark=o	mark=asterisk
			
mark=star	mark=10-pointed star	mark=oplus	mark=oplus*
			
mark=otimes	mark=otimes*	mark=square	mark=square*
			
mark=triangle	mark=triangle*	mark=diamond	mark=diamond*
			
mark=halfdiamond*	mark=halfsquare*	mark=halfsquare right*	mark=halfsquare left*
			
mark=pentagon	mark=pentagon*	mark=Mercedes star	mark=Mercedes star flipped
			
mark=halfcircle	mark=halfcircle*	mark=heart	mark=text

```
\draw[mark=halfcircle,mark color=red,mark size=5pt] coordinates {(0,0) (1,1) (2,0)};
```



mark=halfcircle	mark=halfcircle*	mark=halfdiamond*	mark=halfsquare*

20.3 Graphes avec Gnuplot

```
\draw[color=red] plot[id=sin] function{sin(x)} ;
```

==> plot[id=sin] crée le fichier "sin.gnuplot"
==> Ouvrir le fichier "sin.gnuplot"avec le programme gnuplot pour créer le fichier "sin.table"
==> Utiliser le fichier de données "sin.table"

21 Créer un graphe avec pgfplot

Charger l'extension: \usepackage{pgfplots}

21.1 Courbes 2 D

21.1.1 Axes

			
\begin{axis} \end{axis}	\begin{semilogxaxis} \end{semilogxaxis}	\begin{semilogyaxis} \end{semilogyaxis}	\begin{loglogaxis} \end{loglogaxis}

21.1.2 Tracé de la courbe

		
\addplot coordinates {(0,0) (1,1) (2,0) (3,1) (4,1) (5,2)};	\addplot {x^2 - x +4};	\addplot gnuplot[id=sin]{sin(x)};

		
axes : semilogxaxis	axes : semilogxaxis	axes : semilogyaxis
\addplot coordinates {(0,0) (1,1) (2,0) (3,1) (4,1) (5,2)};	\addplot {x^2 - x +4};	\addplot {x^2 - x +4};

		
\begin{axis}[domain=-1:3]	\begin{axis}[samples=5]	\begin{axis}[domain=-1:3,samples=5]



ymax=20	ymin=10	xmax=2	xmin=-2

21.1.3 Dimension unitaire en X et Y



\begin{axis}[x=.2cm]	\begin{axis}[y=.2cm]	\begin{axis}[x=.2cm,y=.2cm]

21.1.4 Type de graphiques



const plot	const plot mark right	const plot mark mid



jump mark left	jump mark right	jump mark mid



xbar



ybar



ybar interval



xbar interval



xcomb



ycomb



only marks



scatter

mesh

```
\addplot [quiver={u=1,v=2*x}],->,samples=5,blue,ultra thick] {x^2 - x +4};
```



quiver=u=1,v=2*x



quiver={u=180/3.14,v=cos(x)}

Par défaut: u=0 et v = 0



[stack plots=y,blue]



[stack plots=y,blue]



[ybar stacked,blue]



[stack plots=y,area style]



[const plot,stack plots=y,area style]



[stack plots=y,area style,smooth]

\addplot [error bars/y dir=both,error bars/y fixed =2.5] {x^2 - x +4};



error bars/y dir =both



error bars/y dir =plus



error bars/y dir =minus

\addplot [error bars/x dir=both,error bars/x fixed =.5] {x^2 - x +4};



error bars/x dir =both



error bars/x dir =plus



error bars/x dir =minus

\addplot [error bars/y dir=both,error bars/x fixed relative =.2] {x^2 - x +4};



error bars/y fixed relative =.2



error bars/y fixed relative =1



error bars/x fixed relative =.2

21.2 Habillage du graphe

21.2.1 Titres



\begin{axis}[xlabel=axe X]



\begin{axis}[ylabel=axe Y]



\begin{axis}[title=Titre du graphe]

21.2.2 Légende



```
\begin{axis}
\addplot {x^2 - x +4};
\addplot {x^2 - x +2};
\addplot {x^2 - x };
\addplot {x^2 - x -2 };
\addplot {x^2 - x -4 };

\legend{$x^2 - x +4$,$x^2 - x +2$,$x^2 - x $,$x^2 - x -2 $,$x^2 - x -4 $}
\end{axis}
```



```
\begin{axis}[legend entries= {$ x^2 - x +4 $,$ x^2 - x +2 $,$ x^2 - x $,$ x^2 - x -2 $,$ x^2 - x -4 $} ]

\addplot {x^2 - x +4};
\addplot {x^2 - x +2};
\addplot {x^2 - x };
\addplot {x^2 - x -2 };
\addplot {x^2 - x -4 };
\end{axis}
```

Options



legend style={font=\tiny}



legend style={draw=none}



legend style={shape=ellipse}



legend style={at={(.5,.5)}}



legend style={legend pos=outer north east}



legend style={legend columns=2}



legend style={legend columns=3}



legend style={legend columns=-1}



[legend cell align=left]	[legend cell align=center]	[legend cell align=right]

21.2.3 Taille du graphe



width=3cm	height=5cm	width=3cm,height=5cm

21.2.4 Quadrillage



\begin{axis}[xmajorgrids=true]	\begin{axis}[ymajorgrids=true]	\begin{axis}[grid=major]



\beginACaxis[nodes near coords,samples=10]
\addplot {x^ 2- x +4};

\beginACaxis[nodes near coords]
\addplot file table2.dat;

22 Courbes 3D

22.0.1 Axes



plot box ratio=2 1 1



plot box ratio=1 2 1



plot box ratio=1 1 2



3d box=background (Par défaut)



3d box=complete



3d box=complete*



axis lines=center,axis on top



axis lines*=left



axis lines*=right

22.0.2 Tracé de la courbe

\addplot3 [surf] {y};



{y}



{-x*y}

gnuplot[id=sinxy]{sin(x)*sin(y)};



coordinates {(0,0,1) (1,0,0) (1,1,0) (0,1,0)};



file {table3.dat};



{sin(x)},{cos(x)},{x/60});

Contenu du fichier table3.dat		
0	0	0
0	0.5	0
0	1	1
1	1	5
1	0.5	0
1	0	0

22.0.3 Aspect

		
[red]	[surf]	[mesh]
		
[red,samples=10]	[surf,samples=10]	[mesh,samples=10]

		
[scatter]	[scatter,samples=10]	[scatter,samples=10,only marks]

		
[surf,colormap/greenyellow]	[surf,colormap/hot]	[surf,colormap/jet]
		
[surf,colormap/blackwhite]	[surf,colormap/hot2]	[surf,colormap/bluered]
		
[surf,colormap/cool]	[surf,colormap/redyellow]	[surf,colormap/violet]

		
shader=flat	shader=interp	shader=faceted
		
shader=flat corner	shader=flat mean	shader=faceted interp



colorbar

22.0.4 Point de vue

Azimut
view/az= angle de - 50 à +50

Elévation
view/el= angle de - 50 à +50

23 Les Tableaux de variation

Charger l'extension: \usepackage{tkz-tab}

23.1 Déclaration du tableau

1° ligne	a	b	c
2° ligne			

```
\begin{tikzpicture}
\tkzTabInit{1° ligne / 1 ,2° ligne /1 } { a , b, c }
\end{tikzpicture}
```

23.1.1 Options

Hauteur des ligne

1° ligne	a	b	c
2° ligne			
3° ligne			

```
\tikz \tkzTabInit{1° ligne '/1 , 2° ligne /.5 , 3° ligne /1.5 }{a , b , c };
```

Largeur de la première colonne

x	a	b	c

```
\tkzTabInit[lgt=4]{ x / 1}{ a , b , c };
Par défaut: lgt==2 cm
```

Espacement entre deux valeurs

x	a	b	c

```
\tkzTabInit[espcl=1]{ x / 1}{ a , b , c };
Par défaut: espcl=2 cm
```

Marge de début et de fin

x	a	b	c

```
\tkzTabInit[deltacl=1]{ x / 1}{ a , b , c };
Par défaut: deltacl=0.5 cm
```

Épaisseur des lignes du tableau

x	a	b	c

\tkzTabInit[dlw=2pt]{ x / 1}{ a , b , c };
Par défaut: lw=0,4 pt

Absence de cadre

x	a	b	c

\tkzTabInit[nocadre]{ x / 1}{ a , b , c };
Par défaut: nocadre=false

Mise en couleur

\tkzTabInit [color,colorT = yellow]{1°ligne/1 , 2°ligne/1}{ a , b }

1°ligne	a	b
2°ligne		

1°ligne	a	b
2°ligne		

[color,colorT = yellow]

[color,colorC = cyan]

1°ligne	a	b
2°ligne		

1°ligne	a	b
2°ligne		

[color,colorL = green]

[color,colorV = magenta]

Par défaut: color = false

colorT=colorC=colorL=colorV =white

23.2 Création d'une ligne de signes

x	a	b	c
$f(x)$		2	4

\tkzTabLine{ t, 2,t ,4 ,t }

x	a	b	c
$f(x)$	0	2	0	4	0

\tkzTabLine{ z, 2, z ,4 ,z }

x	a	b	c
$f(x)$		2	4	

\tkzTabLine{ d, 2, d ,4 ,d }

x	a	b	c
$f(x)$	1	3	4	5

\tkzTabLine{ 1, h, 3 ,4 ,5 }

Exemple




```
\begin{tikzpicture}
\tkzTabInit[espcl=1.5]{$x$ / 1 ,$f(x)$ /1 } { −∞ , -4, 4 , 10 , +∞ }
\tkzTabLine{ t,+, d ,h ,d,-,z,+ }
\end{tikzpicture}
```

23.3 Création d'une ligne de variations




```
\tkzTabVar{ +/1 , -/2}
```




```
\tkzTabVar{ -/1 , +/2}
```




```
\tkzTabVar{-/1 , -/2}
```




```
\tkzTabVar{ +/1 , +/2 }
```




```
\tkzTabVar{ +C/1 , -/2}
```




```
\tkzTabVar{ -C/1 , +/2}
```




```
\tkzTabVar{-/1 , -C/2}
```




```
\tkzTabVar{ +/1 , +C/2 }
```




```
\tkzTabVar{ +H/1 , -/2}
```




```
\tkzTabVar{ -H/1 , +/2}
```




```
\tkzTabVar{-/1 , -H/2}
```




```
\tkzTabVar{ +/1 , +H/2 }
```



\tkzTabVar{ +D/1 , -/2}



\tkzTabVar{ -D/1 , +/2}



\tkzTabVar{-/1 , -D/2}



\tkzTabVar{ +/1 , +D/2 }



\tkzTabVar{ D+/1 , -/2}



\tkzTabVar{D-/1 , +/2}



\tkzTabVar{-/1 , D-/2}



\tkzTabVar{ +/1 , D+/2 }



\tkzTabVar{ +DH/1 , -/2}



\tkzTabVar{ -DH/1 , +/2}



\tkzTabVar{-/1 , -DH/2}



\tkzTabVar{ +DH/1 , +/2 }



\tkzTabVar{ +CH/1 , -/2}



\tkzTabVar{ -CH/1 , +/2}



\tkzTabVar{-/1 , -CH/2}



\tkzTabVar{ +/1 , +CH/2 }



\tkzTabVar{ -/1 , +D-/2 , +/3}



\tkzTabVar{ +/1 , -D+/2 , -/3}



\tkzTabVar{+/1 , -D-/2 , +/3}



\tkzTabVar{-/1 , +D+/2 , -/3 }



\tkzTabVar{ -/1 , +CD-/2 , +/3}



\tkzTabVar{ +/1 , -CD+/2 , -/3}



\tkzTabVar{+/1 , -CD-/2 , +/3}



\tkzTabVar{-/1 , +CD+/2 , -/3 }



\tkzTabVar{ -/1 , +DC-/2 , +/3}



\tkzTabVar{ +/1 , -DC+/2 , -/3}



\tkzTabVar{+/1 , -DC-/2 , +/3}



\tkzTabVar{-/1 , +DC+/2 , -/3 }



\tkzTabVar{ -/1 , +V-/2 , +/3}



\tkzTabVar{ +/1 , -V+/2 , -/3}



\tkzTabVar{+/1 , -V-/2 , +/3}



\tkzTabVar{-/1 , +V+/2 , -/3 }

Mise en évidence d'une valeur



\tkzTabVar{+/1 , -V-/\colorbox{yellow}{2} , +/3}

Variation sur plusieurs colonnes



\tkzTabVar{-/1 , R/ , +/3}

Valeurs intermédiaires



\tkzTabVal{1}{3}{0.25}{A}{x}



\tkzTabVal{1}{3}{0.75}{A}{x}



\tkzTabVal[draw]{1}{3}{0.25}{A}{x}

Ajout d'images



\tkzTabIma{1}{4}{2}{x}



\tkzTabIma{1}{4}{3}{x}

24 Les répétitions

Utilisation du module “pgffor”chargé automatiquement avec TikZ

24.1 Répétition à 1 variable



```
\tikz \foreach \x in {1,...,10} \fill[blue](\x,0) circle (0.4cm);
```

Variable \x : position en X

24.2 Répétition à 2 variables

Liste de variables numériques



```
\tikz \foreach \pos/\y in {1/10,2/20,3/30,4/40,5/50,6/60,7/70,8/80,9/90,10/100}
\fill[color=blue!\y](\pos,0) circle (0.5cm);
```

Variable \pos : position en X Variable \y : couleur

Liste de variables mixtes



```
\tikz \foreach \x/\col in 1/red,3/green,5/magenta,7/blue \shade[ball color=\col](\x,0) circle (1);
```

Variable \x : position en X Variable \col : couleur

Liste de variables avec un pas

1,3	2,3	3,3	4,3	7,3	8,3	9,3	10,3
1,2	2,2	3,2	4,2	7,2	8,2	9,2	10,2
1,1	2,1	3,1	4,1	7,1	8,1	9,1	10,1

```
\begin{tikzpicture}
\foreach \x in{1,2,...,4,7,8,...,10}
\foreach \y in {1,...,3}
{ \draw (\x,\y) +(-.5,-.5) rectangle ++(.5,.5); \draw (\x,\y)
node\x,\y; }
\end{tikzpicture}
```

Variable \x : position en X Variable \y : position en Y

Exemples de liste	
1, 2, 3, 4, 5, 6,	\foreach \x in {1,...,6} {\x, }
1, 3, 5, 7, 9, 11,	\foreach \x in {1,3,...,11} {\x, }
Z, X, V, T, R, P, N,	\foreach \x in {Z,X,...,M} {\x, }
2^1, 2^2, 2^3, 2^4, 2^5, 2^6, 2^7,	\foreach \x in {2^1,2^...,2^7} {\x, }
$0cm$, $0.5cm$, $1cm$, $1.5cm$, $2cm$, $2.5cm$, $3cm$,	\foreach \x in {0cm,0.5cm,...cm,3cm} {\x, }
A_1, B_1, C_1, D_1, E_1, F_1, G_1, H_1,	\foreach \x in {A_1,..._1,H_1} {\x, }

Variables numériques avec opération



```
\begin{tikzpicture}
\foreach \x in 0,20,...,360{ \filldraw[red] (0,0) .. controls (\x+10:1)
.. (\x:1) .. controls (\x-10:1) .. (0,0);}
\foreach \x in 10,30,...,370{ \filldraw[blue] (0,0) .. controls (\x+10:3)
.. (\x:3) .. controls (\x-10:3) .. (0,0);}
\end{tikzpicture}
```

Variable \x : angle

24.3 Répétition à 2 variables - boucles imbriquées

Ordre des boucles imbriquées



```
\begin{tikzpicture}
\draw (0,0)
\foreach \x in {1,2,3}
\foreach \y in {0,1,2}
{– (\x,\y) node{X}};
\end{tikzpicture}
```



```
\begin{tikzpicture}
\draw (0,0)
\foreach \y in {0,1,2}
\foreach \x in {1,2,3}
{– (\x,\y) node{X}};
\end{tikzpicture}
```

25 Les diagrammes arborescents

PGFmanual section : 21

25.1 Structure



```
\node {} child child { child child } child ;
```



```
\coordinate child child { child child } child ;
```




```
\begin{tikzpicture}
\node {père}
child {node {frère}}
child {node {moi}
child {node {fils}}
child {node {fille}}}
child {node{soeur}};
\end{tikzpicture}
```




```
\node {racine} child foreach \name in {a,b,c,d} {node {\name}};
```

25.2 Orientation




```
\node {père}[grow=-30]
```




```
\node {père}[grow=30]
```




```
\node {père}[grow'=30]
```



\node {père}[grow=up]



\node {père}[grow=left]



\node {père}[grow=right]



\node {père}[grow=north]



\node {père}[grow=east]



\node {père}[grow=north east]




```
\node {père}
child[grow=right,red] {node {frère}}
child {node {moi}
child {node {fils}}
child {node {fille}}}
child[grow=north west,red] {node{soeur}};
```

25.3 Distance

25.4 Distance père fils



\node {père}[level distance=3cm,red]



child[level distance=3cm,red] {node {frère}}
child[level distance=.5cm,red] {node {fille}}

Par défaut : level distance=15 mm

	
\node {père}[level 1/.style={level distance=1cm}]	\node {père}[level 2/.style={level distance=.5cm}]

25.5 Distance père fils

	
\node {père}[sibling distance=1cm,red]	\node {père}[sibling distance=3cm,red]
Par défaut : sibling distance=15 mm	

Problème	solution
	
[sibling distance=2cm]	[level 1/.style=sibling distance=2cm, level 2/.style=sibling distance=1cm]

25.6 Personnalisation des noeuds




```
\node[starburst [1] ,draw] {père}[grow=right]

child {node[diamond,draw] frère}
child {node[diamond,draw] moi
child {node[ellipse,draw] fils}
child {node[ellipse,draw] fille}}
child {node[diamond,draw] soeur};
```




```
\node[rectangle,double,draw,text width=1cm,text centered]
{père}[grow=right,level distance=2cm]

child {node[red,ultra thick,draw,rotate=45] {frère}}
child {node[blue,dashed, draw] {moi}
child {node[ellipse,draw] {fils}}
child {node [ellipse,fill] {fille}}}
child {node [magenta,pattern=dots,draw] {soeur}};
```

25.6.1 Nom des noeuds




```
\node (a) {a}
child
child {
child {child child}
child {child }
};
\node at (a-1) {a-1};
\node at (a-2) {a-2};
\node at (a-2-2) {a-2-2};
\node at (a-2-1) {a-2-1};
\node at (a-2-1-2) {a-2-1-2};

\draw[red,ultra thick] (a-1) -- (a-2);
```

[1] autres types de nœuds voir section 16




```
\node (a) {a}
child
child
child coordinate (b) child child
child
;
\node at (a-1) {a-1};
\node at (a-2) {a-2};
\node at (b) {b};
\node at (a-2-2) {a-2-2};
\node at (b-1) {b-1};
\node at (a-2-1-2) {a-2-1-2};

\draw[red,ultra thick] (a-1) -- (b-1);
```




```
\node (a) {père}
child {node (b) {frère}}
child {node (c) {moi}
child {node (d) {fils}}
child {node (e) {fille}}}
child {node (f) {soeur}};

\draw[red,,ultra thick] (b) -- (d);
```

25.6.2 Omission d'un noeud




```
child[missing] {node {4} }
```

25.6.3 Modification du point d'accrochage




```
\node {pére} [child anchor=east,red]
child {node {frère}}
child { node {moi}
child {node {fils}}
child {node {fils}} };
```




```
\node {pére}
child {node {frère}}
child { node {moi}
child [child anchor=west,red] {node {fils}}
child {node {fils}} };
```




```
\node {père} [parent anchor=east,red]
child {node {frère}}
child { node {moi}
child {node {fils}}
child {node {fils}} };
```




```
\node {père}
child {node {frère}}
child { node {moi}
child [parent anchor=west,red] {node {fils}}
child {node {fils}} };
```

25.6.4 Liaison




```
child {node {moi}
edge from parent[red,ultra thick]
```




```
child {node {fils}
edge from parent[red,ultra thick] }
```




```
child { node {fille}
edge from parent[draw=none] }
```




```
[edge from parent/.style={draw,red,ultra thick}]
\node {père}
```

25.6.5 Étiquetes sur liaisons

```
\node {père} child {node {fils} edge from parent node[left,red] {texte}};
```

node[left,red]

node[right,red]

node[near end,red]



node[draw,red]

25.6.6 Personalisation des liaisons

[edge from parent path= {(\tikzparentnode.south) .. controls +(0,-1) and +(0,1) .. (\tikzchildnode.north)}]		
		
.. controls +(0,-1) and +(0,1) ..	-|	to[in=90,out=-90]
voir liaison de noeuds section 6.2		

25.7 Options supplémentaires avec « library trees »

Charger l'extension: \usetikzlibrary{trees}

PGFmanual section : 72

25.7.1 Positions d'un fils et de deux fils

grow via three points={ one child at (0,1) and two children at (-.5,1) and (.5,1)}



grow via three points={ one child at (0,1) and two children at (0,1) and (1,1)}



grow via three points={ one child at (0,1) and two children at (-.5,1) and (.5,1.5)}



25.7.2 Liaison angulaire



[grow cyclic] | [grow cyclic,sibling angle=45] | [grow cyclic,sibling angle=90]




```
\node {racine} [clockwise from=30,sibling angle=30]

child {node {$30$} }
child {node {$0$} }
child {node {$-30$} }
child {node {$-60$ } };
```

25.7.3 Liaisons en fourchette




```
\node {père} [edge from parent fork down]

child {node {frère}}
child {node {moi}
child [child anchor=north east] {node {fils}}
child {node {fille}}
};
```




```
\node {père} [edge from parent fork right]

child {node {frère}}
child {node {moi}
child {node {fils}}
child {node {fille}}
};
```




```
\node {père} [edge from parent fork right,grow=right]

child {node {frère}}
child {node {moi}
child {node {fils}}
child {node {fille}}
};
```

26 Les schemas électriques

Charger l'extension: \usepackage{circuits.ee.IEC}

26.1 Symboles

PGFmanual section : 47-4

sur un noeud	sur un chemin
	
\node [circuit ee IEC] at (1,0.5) to [resistor] {} ;	\draw [circuit ee IEC](0,0.5) to [resistor] (2,.5) ;

Composants de base			
\draw [circuit ee IEC] (0,.5) to [resistor] (2,.5) ;			
PGFmanual section : 47-4-3			
			
[resistor]	[inductor]	[capacitor]	[battery]
		 ;	
[bulb]	[current source]	[voltage source]	[ground]
PGFmanual section : 47-4-4			
			
[diode]	[Zener diode]	[Schottky diode]	[tunnel diode]
			
[backward diode]	[breakdown diode]		
PGFmanual section : 47-4-5			
			
[contact]	[make contact]	[break contact]	

Autre apparence		
\draw [circuit ee IEC,set resistor graphic=var resistor IEC graphic] (0,0.5) to [resistor] (2,0.5) ;		
		
resistor	inductor	diode
		
Zener diode	Schottky diode	tunnel diode
		
backward diode	breakdown diode	make contact

Taille des symboles

PGFmanual section : 47-2-1

```
\draw [circuit ee IEC] (0,0.5) to [diode,large circuit symbols] (2,0.5) ;
```

huge circuit symbols	large circuit symbols	medium circuit symbols	small circuit symbols	tiny circuit s
(10pt)	(8pt)	(7pt)	(6pt)	(5pt)

```
\draw [circuit ee IEC,circuit symbol unit=14pt] (0,0.5) to [diode] (2,0.5) ;
```



circuit symbol unit=14pt	circuit symbol size=width 3 height 1	circuit symbol size=width 1 height 5
	ne fonctionne pas !	

Création de nouveaux symboles

PGFmanual section : 47-2-2



```
\begin{tikzpicture} [circuit declare symbol=xxx,
set xxx graphic={draw,shape=rectangle,minimum
size=5mm}]
\node [xxx] at (.5,.5) ;
\draw[circuit ee IEC] (1,.5) to [xxx] (3,.5) ;
\end{tikzpicture}
```

shape=circle	shape=dart	shape=star	shape=forbidden sign

voir les “different shape libraries”see the different shape libraries

Placement des symboles sur un chemin

```
\draw [circuit ee IEC] (0,0.5) to [contact={at start},make contact={very near start},voltage source={near s
resistor, bulb={near end}, bulb={very near end},contact={at end}] (12,0.5) ;
```



```
\draw [circuit ee IEC] (0,0.5) to [contact={ pos=0 },make contact={pos=0.2},voltage source={pos=0.3
resistor={ pos=0.5 }, bulb={pos=0.75 },contact={pos =1 }] (12,0.5) ;
```



Orientation des symboles

PGFmanual section : 47-2-3

```
\node [circuit ee IEC] at (1,.5) [diode,point up] {} ;
```



[diode,point up]	[diode,point down]	[diode,point left]	[diode,point right]

Orientation automatique	
	\draw [circuit ee IEC] (0,0) to [voltage source] (1,1) to [resistor] (2,0) to [bulb] (1,-1) to [diode] (0,0) ;

26.2 Annotations

Sens du courant PGFmanual section : 47-4-2	
\draw [circuit ee IEC] (0,0.5) to [current direction] (2,0.5) ;	
[current direction]	[current direction']

Unités disponibles PGFmanual section : 47-4-6				
\node [draw,circuit ee IEC] at(1,.5) [ampere=5] {}				
5A □	5V □	5 □	5S □	5H □
[ampere=5]	[volt=5]	[ohm=5] ne fonctionne pas !	[siemens=5]	[henry=5]
5F □	5C □	5VA □	5W □	5Hz □
[farad=5]	[coulomb=5]	[voltampere=5]	[watt=5]	[hertz=5]
5kA □	5mA □	5μA □	5kW □	5MW □
[ampere=5k]	[ampere=5m]	[ampere=5\mu]	[watt=5k]	[watt=5M]

créer sa propre unité PGFmanual section : 47-2-4
\tikz[circuit ee IEC,circuit declare unit={xxx}{ Unit}] \draw (0,0) to[resistor={xxx' sloped=3}] (3,2) to [resistor={xxx= 10\mu}] (5,2) to [resistor={xxx= 10M}]


Annotations PGFmanual section : 47-4-7			
\draw [circuit ee IEC] (0,0.5) to [resistor=light emitting] (2,0.5) ;			
			
[resistor=light emitting]	[resistor=light dependent]	[resistor=direction info]	[resistor=adjustable]
			
[diode=light emitting]	[diode=light dependent]	[diode=direction info]	[diode=adjustable]
			
[diode=light emitting']	[diode=light dependent']	[diode=direction info']	[diode=adjustable']

Position des unités PGFmanual section : 47-2-4	
\draw [circuit ee IEC] (0,0) to [capacitor={farad=5\mu}] (2,2) ;	
	
[capacitor={farad=5\mu}]	[capacitor={farad'=5\mu}]
	
[capacitor={farad sloped=5\mu}]	[capacitor={farad' sloped=5\mu}]

Informations PGFmanual section : 47-2-4		
\draw [circuit ee IEC] (0,0.5) to [diode={light emitting={info=D1}}] (2,0.5) ;		
		
[diode={light emitting={info=D1}}]	[diode={light emitting={info'=D2}}]	[diode={light emitting,info'

sur un noeud	sur un chemin
	
[resistor,info=3Ω,info'=R1]	[resistor={info=3Ω,info'=R1}]

	
[resistor,point up,info=center:3Ω]	[resistor,point up,info=center:3Ω]

\node [voltage source,direction info={volt=10}] {}		\node [voltage source,direction info'={volt=10}] {}	
			
{volt=10} ou {->,volt=10}	{volt'=10} ou {->,volt'=10}	{volt=10} ou {->,volt=10}	{volt'=10} ou {->,volt'=10}
			
{<-,volt=10}	{<-,volt=10}	{<-,volt=10}	{<-,volt'=10}

Créer sa propre annotation PGFmanual section : 47-2-5	
	\tikzset{circuit declare annotation={XXX}{9pt} { (-0.5cm,0.5cm) edge[to path={- -(0pt,2pt) - - (8pt,8pt)}] ()} } \tikz[blue,circuit ee IEC] \draw (0,0) to [resistor=XXX] (3,0);
	\tikzset{circuit declare annotation={xxx}{ 9pt } } { (-0.5cm,0.5cm) edge[to path={- -(0pt,2pt) - - (8pt,8pt)}] ()} } \tikz[blue,circuit ee IEC] \draw (0,0) to [resistor={xxx={info=abc}}] (3,0);
	\tikzset{circuit declare annotation={xxx}{1cm } } { (-0.5,0.5) edge[to path={- -(0pt,2pt) - - (8pt,8pt)}] ()} } \tikz[blue,circuit ee IEC] \draw (0,0) to [resistor={xxx={info=abc}}] (3,0);

Style des symboles

PGFmanual section : 47-2-6

```
\draw[circuit symbol lines/.style={draw,red,very thick}] (0,0)
to [capacitor={near start},resistor, make contact={near end}] (5,0);
```



```
\draw[circuit symbol wires/.style={draw,red,very thick}] (0,0)
to [capacitor={near start},resistor, make contact={near end}] (5,0);
```

```
\draw[circuit symbol open/.style={thick,draw,red,fill=yellow}] (0,0)
to [capacitor={near start},resistor, make contact={near end}] (5,0);
```

```
\tikz[blue,circuit ee IEC,every info/.style=red]
\draw (0,0) to[resistor={info={$3\Omega$},info'={$R_1$}}] (3,0)
to[resistor={info={$4\Omega$},info'={$R_2$}}] (3,2);
```



every info/.style=red



every info/.style={font=\tiny}

26.3 Exemple

<table>
<tr><th colspan="2">3 méthodes pour le même schéma</th></tr>
<tr><td> 
</td><td>\begin{tikzpicture}[blue,circuit ee IEC]
\draw (0,0)
to [voltage source={direction info={->,volt=10}}] (0,2)
to [resistor={info=center:$3 k\Omega$}] (2,2)
to [diode=light emitting] (2,0)
to [make contact] (0,0);
\end{tikzpicture}</td></tr>
<tr><td> 
</td><td>\begin{tikzpicture}[blue,circuit ee IEC]
\draw (0,0) to [voltage source={direction info={->,volt=10}}] ++(up:2)
to [resistor={info=center:$ 3 k\Omega$}] ++(right:2)
to [diode=light emitting] ++(down:2)
to [make contact] ++(left:2) ;
\end{tikzpicture}</td></tr>
<tr><td> 
</td><td>\begin{tikzpicture}[blue,circuit ee IEC]
\node (A) at (0,1) [voltage source,point up,volt=10]{};
\node (B) at (1,2) [resistor,ohm=10k] {};
\node (C) at (2,1) [diode=light emitting,point down] {}
;
\node (D) at (1,0) [make contact] {};
\draw (A) |- (B) -| (C) |- (D) -| (A);
\end{tikzpicture}</td></tr>
</table>

27 Les animations

Charger l'extension: \usepackage{animate}

27.1 Animation à partir de fichiers d'image

première image	seconde et dernière image
	
\includegraphics{XXX1}	\includegraphics{XXX2}

\animategraphics:	
[controls,	:boutons de contrôle
loop	:en boucle
autoplay]	:auto démarrage
{4}	:4 fois par seconde
{XXX}	:base du nom fichier
{1}	:numero de début
{2}	:numero de fin

27.2 Animateinline

```
\begin{animateinline}[controls,loop,autoplay]{5}

% première image
\begin{tikzpicture}  \fill[blue] (45:2) - - (135:.5)- - (225:2)- -(315:.5)
- - cycle; \fill[blue] (45:.5) - - (135:2)- - (225:.5)- -(315:2) - - cycle;
\end{tikzpicture}
% deuxième
\newframe
\begin{tikzpicture}
\fill[blue] (0:2) - - (90:.5)- - (180:2)- -(270:.5) - - cycle;
\fill[blue] (0:.5) - - (90:2)- - (180:.5)- -(270:2) - - cycle;
\end{tikzpicture}

\end{animateinline}
```

27.3 Multiframe

```
\begin{animateinline}[poster=first,controls, palindrome]{12}
\multiframe{29}{iAngle=80+10, Rdim=2.0+-0.2}{
\begin{tikzpicture}
\fill[blue] (\iAngle+45:\Rdim) - - (\iAngle+135:.5)- -
(\iAngle+225:\Rdim)- -(\iAngle+315:.5) - - cycle;
\fill[blue] (\iAngle+45:.5) - - (\iAngle+135:\Rdim)- - (\iAn-
gle+225:.5)- -(\iAngle+315:\Rdim) - - cycle;
\end{tikzpicture} }
\end{animateinline}
```

L'initiale de la variable définit son type

entier	initiale : i ou I
réelles	initiale : n, N, r ou R
longueurs	initiale : d ou D

```
\begin{animateinline}[autoplay,loop]{12}
\multiframe{24}{iAngle=0+15,icol=0+5}{\begin{tikzpicture}
\draw[line width=0pt] (-2,-3) rectangle(6,3);
\draw (0,0) node[fill=white,circle,rotate=\iAngle]
{\includegraphics[width=2cm]{LogoIUT}} (0,0) circle (1);
\draw (0,0) circle (1);
\coordinate (abc) at (${sqrt(9-sin(\iAngle)*sin(\iAngle))+cos(\iAngle)}*(1,0)$)
;
\coordinate (xyz) at (\iAngle:1);
\draw[ultra thick] (0,0) - -(xyz);
\draw[ultra thick] (xyz) - - (abc) ;
\fill[color=blue!\icol] (abc)++(0.5,-1) rectangle (5,1) ;
\draw[ultra thick] (abc) ++(0,-1) rectangle ++(.5,2) ;
\draw[ultra thick] (1.5,1) - - (5,1) - - (5,-1) - - (1.5,-1);
\fill[red] (xyz) circle (4pt);
\fill[red] (abc) circle (4pt);
\end{tikzpicture}}
\end{animateinline}
```

28 Les modules étudiés dans ce document

module de base TikZ :

Charger l'extension: \usepackage{tikz}

Autres modules

nom	voir page documentation[1]	
animate	157	animate.pdf
tkz-tab	133	tkz-tab-screen.pdf

Compléments optionnels :

nom	voir page	A insérer dans le préambule
angles	36	\usetikzlibrary{angles}
arrows.meta	20	\usetikzlibrary{arrows.meta}
bending	33	\usetikzlibrary{bending}
backgrounds	62	\usetikzlibrary{backgrounds}
calc	43	\usetikzlibrary{calc}
circuits.ee.IEC	150	\usetikzlibrary{circuits.ee.IEC}
fit	52	\usetikzlibrary{fit}
decorations.footprints	104	\usetikzlibrary{decorations.footprints}
decorations.fractals	111	\usetikzlibrary{decorations.fractals}
decorations.markings	101	\usetikzlibrary{decorations.markings}
decorations.pathmorphing	89	\usetikzlibrary{decorations.pathmorphing}
decorations.pathreplacing	95	\usetikzlibrary{decorations.pathreplacing}
decorations.shapes	105	\usetikzlibrary{decorations.shapes}
decorations.text	109	\usetikzlibrary{decorations.text}
fadings	67	\usetikzlibrary{fadings }
intersections	42	\usetikzlibrary{intersections}
patterns	16	\usetikzlibrary{patterns}
plotmarks	122	\usetikzlibrary{plotmarks}
scopes	59	\usetikzlibrary{scopes}
shadings	19	\usetikzlibrary{shadings}
shapes.arrows	79	\usetikzlibrary{shapes.arrows}
shapes.callouts	81	\usetikzlibrary{shapes.callouts}
shapes.geometric	74	\usetikzlibrary{shapes.geometric}
shapes.misc	83	\usetikzlibrary{shapes.misc}
shapes.multipart	85	\usetikzlibrary{shapes.multipart}
shapes.symbols	77	\usetikzlibrary{shapes.symbols}
trees	148	\usetikzlibrary{trees}

dans une prochaine mise à jour	
automata	PGFmanual section : 41
babel	PGFmanual section : 42
calendar	PGFmanual section : 45
chains	PGFmanual section : 46
circuits.logic	PGFmanual section : 47-3
circular graph drawing library	PGFmanual section : 32
curvilinear library	PGFmanual section : 103-4-7
datavisualization library	PGFmanual section : 75
datavisualization.formats.functions library	PGFmanual section : 76-4
datavisualization.polar library	PGFmanual section : 80
er	PGFmanual section : 49
examples graph drawing library	PGFmanual section : 35-8
external	PGFmanual section : 50
fixedpointarithmetic	PGFmanual section : 53
folding	PGFmanual section : 59
force graph drawing library	PGFmanual section : 31
fpu	PGFmanual section : 54
graph.standard library	PGFmanual section : 19-10
graphdrawing library	PGFmanual section : 27
graphs library	PGFmanual section : 19
layered graph drawing library	PGFmanual section : 30
lindenmayersystems	PGFmanual section : 55
matrix	PGFmanual section : 57
mindmap	PGFmanual section : 58
petri	PGFmanual section : 61
phylogenetics graph drawing library	PGFmanual section : 33
plothandlers	PGFmanual section : 62
positioning	PGFmanual section : 17-5-3
profiler	PGFmanual section : 64
quotes library	PGFmanual section : 17-10-4
routing graph drawing library	PGFmanual section : 34
shadows	PGFmanual section : 66
shapes.gates.ee	
shapes.gates.ee.IEC	
shapes.gates.logic	
shapes.gates.logic.IEC	
shapes.gates.logic.US	
spy	PGFmanual section : 68
svg.path	PGFmanual section : 69
through	PGFmanual section : 71
topaths	PGFmanual section : 70
trees graph drawing library	
turtle	PGFmanual section : 73

References

[1] **pgfmanual.pdf** **version 3.0.1a** **1161 pages** 

[2] **pgfplots.pdf** **version 1.80** **439 pages** 

[3] **tkz-tab-screen.pdf** **version 1.1c** **83 pages** 

29 Index

30 Index

Index