END SEMESTER PRACTICAL.

(33) Class Roll no.

Name :- Kukiya Rawat.

father's Name :- Late M.P.S Rawat

University Roll no :- 1121114

Course :- BCA "B"

Semester :- 6

Paper Name :- Information Security Lab.

Paper Code :- PBC-601.

Type of Paper :- Regular

Date of Examination :- 15th June, 2021.

MCQ

Q1 a) Symmetric key encryption with reciever public key.

Q2 c) Spyware.

Q3 c) An authentication of an electronic record.

Q4 d) None.

Q5 a) Only on alphanumeric

Q6 c) All.

Q7 a) hash value.

Q8 b) The identity of character is changed while its position remains unchanged.

Q9 b) to make even no. of letters.

Q10 a) Total length of word.

Rubiya.

Q5 Caeser Cipher

```
print("Encryption")
def(encrypt(text, s):
  result = ""
  for i in range(len(text)):
    char = text[i]
    if(char.isupper()):
      result = result + chr((ord(char)+s-65)%26+65)
    else:
      result = result + chr((ord(char)+s-97)%26+97).
  return result
text = "Attack from North"
s=3
print("Plain text:", text)
print("Encrypted text:", encrypt(text, s))
print("Decryption")
def decrypt(text, s):
  result = ""
  for i in range(len(text)):
    char = text[i]
    if(char.isupper()):
      result = result + chr((ord(char)-s-65)%26+65)
    else:
      result = result + chr((ord(char)-s-97)%26+97)
  return result
text = encrypt(text, s)
s=3
print("Decrypted text:", decrypt(text,s)).
```

Ruby

Que 4

```
import math, random
def generateOTP():
    digits = "23420785 2"
    OTP = ""
    for i in range(4):
        OTP += digits[math.floor(random.random()*10)]
    return OTP
if __name__=="__main__":
    print("OTP of 4 digits is :", generateOTP())
```

Que 3

```
def generate(string, Key):
    key = list(Key)
    if len(string)==len(Key):
        return(Key)
    else:
        for i in range(len(string)-len(Key)):
            key.append(Key[i%len(Key)])
    return("".join(Key))
def encryption(string, Key):
    encrypt_text=[]
    for i in range(len(string)):
        x=(ord(string[i])+ord(Key[i]))%26
        x+=ord('A')
        encrypt_text.append(chr(x))
    return("".join(encrypt_text))
```

Rubiya

```
def decryption(encrypt_text, key):
    orig_text = "cryptography"
    for i in range(len(encrypt_text)):
        x = (ord(encrypt_text[i]) - ord(key[i]) + 26) % 26 +
        x += ord('A')
        orig_text.append(chr(x))
    return ("".join(orig_text))
if __name__ == "__main__":
    string = "cryptography"
    ~~keyword = input("Enter the keyw~~
    keyword = "monarchy"
    key = generatekey(string, keyword)
    encrypt_text = encryption(string, key)
    print("Encrypted text", encrypt_text)
    print("Decrypted text", decryption(encrypt_key, key))
```

Ruby