Supplementary references

Anger, K. (2001). The Biology of Decapod Crustacean Larvae. In Crustacean Issues Vol 14 (Vol. 14, p. 420).

Atienza, D., Saiz, E., & Calbet, A. (2006). Feeding ecology of the marine cladoceran Penilia avirostris: Natural diet, prey selectivity and daily ration. Marine Ecology-Progress Series - MAR ECOL-PROGR SER, 315, 211–220. https://doi.org/10.3354/meps315211

Berkes, F. (1975). Some Aspects of Feeding Mechanisms of Euphausiid Crustaceans. Crustaceana, 29(3), 266–270.

Błażewicz, M., & Ligowski, R. (2002). Diatoms as food source indicator for some Antarctic Cumacea and Tanaidacea (Crustacea). Antarctic Science - ANTARCT SCI, 14. https://doi.org/10.1017/S0954102002000524

Boyd, C. M., Heyraud, M., & Boyd, C. N. (1984). Feeding of the Antarctic Krill Euphausia Superba. Journal of Crustacean Biology, 4, 123–141.

Calbet, A., Carlotti, F., & Gaudy, R. (2007). The feeding ecology of the copepod Centropages typicus (Kröyer). Progress in Oceanography, 72(2), 137–150. https://doi.org/10.1016/j.pocean.2007.01.003

Cranford, P., Ward, J., & Shumway, S. (2011). Bivalve Filter Feeding: Variability and Limits of the Aquaculture Biofilter. In Shellfish Aquaculture and the Environment (pp. 81–124). https://doi.org/10.1002/9780470960967.ch4

Gilmer, R. W., & Harbison, G. R. (1986). Morphology and field behavior of pteropod molluscs: Feeding methods in the families Cavoliniidae, Limacinidae and Peraclididae (Gastropoda: Thecosomata). Marine Biology, 91(1), 47–57. https://doi.org/10.1007/BF00397570

Go, Y.-B., Oh, B.-C., & Terazaki, M. (1998). Feeding behavior of the poecilostomatoid copepods Oncaea spp. On chaetognaths. Journal of Marine Systems, 15(1), 475–482. https://doi.org/10.1016/S0924-7963(97)00038-9

Guerra-García, J. M., & Tierno de Figueroa, J. M. (2009). What do caprellids (Crustacea: Amphipoda) feed on? Marine Biology, 156(9), 1881–1890. https://doi.org/10.1007/s00227-009-1220-3

Irvine, T., Costello, J. H., Gemmell, B. J., Sutherland, K. R., Corrales-Ugalde, M., Townsend, J. P., & Colin, S. P. (2025). Ctenophores are a highly impactful predatory guild in open oceanic ecosystems. Current Biology, 35(10), 2467-2473.e2. https://doi.org/10.1016/j.cub.2025.04.029

Jażdżewska, A. (2015). Kuril–Kamchatka deep sea revisited – insights into the amphipod abyssal fauna. Deep Sea Research Part II: Topical Studies in Oceanography, 111, 294–300. https://doi.org/10.1016/j.dsr2.2014.08.008

Jørgensen, C. (1996). Bivalve filter feeding revisited. Marine Ecology Progress Series, 142, 287–302. https://doi.org/10.3354/meps142287

Kim, J. H., & DeWreede, R. E. (1996). Distribution and Feeding Preference of a High Intertidal Littorinid. 39(1–6), 561–570. https://doi.org/10.1515/botm.1996.39.1-6.561

Kim, S. W., Onbé, T., & Yoon, Y. H. (1989). Feeding habits of marine cladocerans in the Inland Sea of Japan. Marine Biology, 100(3), 313–318. https://doi.org/10.1007/BF00391145

Koppelmann, R., Kullmann, B., Lahajnar, N., Martin, B., & Mohrholz, V. (2013). Onshore-offshore distribution of Thecosomata (Gastropoda) in the Benguela Current Upwelling Region off Namibia: Species diversity and trophic position. Journal of the Marine Biological Association of the United Kingdom, 93. https://doi.org/10.1017/S0025315413000052

Mancinelli, G. (2012). On the trophic ecology of Gammaridea (Crustacea: Amphipoda) in coastal waters: A European-scale analysis of stable isotopes data. Estuarine, Coastal and Shelf Science, 114, 130–139. https://doi.org/10.1016/j.ecss.2011.12.003

Mascart, T., De Troch, M., Remy, F., & Lepoint, G. (2014). Feeding ecology of harpacticoid copepod species: Insights from stable isotopes analysis and fatty acid profiling.

Mascart, T., Lepoint, G., & Troch, M. D. (2013). Meiofauna and harpacticoid copepods in different habitats of a Mediterranean seagrass meadow. Journal of the Marine Biological Association of the United Kingdom, 93(6), 1557–1566. https://doi.org/10.1017/S0025315413000222

Pasternak, A. F., Drits, A. V., & Flint, M. V. (2017). Feeding, egg production, and respiration rate of pteropods Limacina in Arctic seas. Oceanology, 57(1), 122–129. https://doi.org/10.1134/S000143701701012X

Pérez-Barros, P., Romero, M. C., Calcagno, J. A., & Lovrich, G. A. (2010). Similar feeding habits of two morphs of Munida gregaria (Decapoda) evidence the lack of trophic polymorphism. Revista de Biología Marina y Oceanografía, 45(3), 461–470. https://doi.org/10.4067/S0718-19572010000300011

Pillar, S. C., Stuart, V., Barange, M., & Gibbons, M. J. (1992). Community structure and trophic ecology of euphausiids in the Benguela ecosystem. South African Journal of Marine Science, 12(1), 393–409. https://doi.org/10.2989/02577619209504714

Poore, G. C. B., & Bruce, N. L. (2012). Global Diversity of Marine Isopods (Except Asellota and Crustacean Symbionts). PLOS ONE, 7(8), e43529. https://doi.org/10.1371/journal.pone.0043529

Razouls, C., Desreumaux, N., Kouwenberg, J., & de Bovée, F. (2005). Biodiversity of Marine Planktonic Copepods (morphology, geographical distribution and biological data) [Dataset]. http://copepodes.obs-banyuls.fr/en

Sathishkumar, R. S., Kumar, B. C., Muthukumar, C., Logesh, N., Sivadas, S. K., Ramu, K., & Murthy, M. V. R. (n.d.). Recurrent Swarms of Planktonic Shrimp Luciferidae De Haan, 1849 (Order: Decapoda) in the Neritic Waters of Tamil Nadu, Southeast Coast of India. Marine Ecology, n/a(n/a), e12849. https://doi.org/10.1111/maec.12849

Sogawa, S., Sugisaki, H., Tadokoro, K., Ono, T., Sato, E., Shimode, S., & Kikuchi, T. (2017). Feeding habits of six species of euphausiids (Decapoda: Euphausiacea) in the northwestern Pacific Ocean determined by carbon and nitrogen stable isotope ratios. Journal of Crustacean Biology, 37(1), 29–36. https://doi.org/10.1093/jcbiol/ruw014

Suh, H.-L., & Choi, S.-D. (1998). Comparative morphology of the feeding basket of five species of Euphausia (Crustacea, Euphausiacea) in the western North Pacific, with some ecological considerations. Hydrobiologia, 385(1), 107–112. https://doi.org/10.1023/A:1003435622123

Turner, J., Levinsen, H., Nielsen, T., & Hansen, B. (2001). Zooplankton feeding ecology: Grazing on phytoplankton and predation on protozoans by copepod and barnacle nauplii in Disko Bay, West Greenland. Marine Ecology Progress Series, 221, 209–219. https://doi.org/10.3354/meps221209

Vega-Pérez, L. A., Ara, K., Liang, T. H., & Pedreira, M. M. (1996). Feeding of the planktonic shrimp Lucifer faroni Borradaile, 1915 (Crustacea: Decapoda) in the laboratory. Revista Brasileira de Oceanografia, 44, 01–08. https://doi.org/10.1590/S1413-77391996000100001

Wilkinson, I., Wilby, P., Williams, P., Siveter, D., & Vannier, J. (2007). Ostracod carnivory through time. In A. M. T. Elewa (Ed.), Predation in Organisms: A Distinct Phenomenon (pp. 39–57). Springer. https://doi.org/10.1007/978-3-540-46046-6_4

Yamazaki, T., & Kuwahara, T. (2017). A new species of Clione distinguished from sympatric C. limacina (Gastropoda: Gymnosomata) in the southern Okhotsk Sea, Japan, with remarks on the taxonomy of the genus. Journal of Molluscan Studies, 83(1), 19–26. https://doi.org/10.1093/mollus/eyw032