

Re: Alameda Jason Follow Up

From: Lanphier, Molly - DOTI Project Manager Engineering Senior <Molly.Lanphier@denvergov.org>

To: Price, Brittany C. - DOTI CE2783 Engineer-Architect Director <Brittany.Price@denvergov.org>; Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor <Brett.Boncore@denvergov.org>; Cieciek, Gregory M. - DOTI Project Manager Engineering Senior <Gregory.Cieciek@denvergov.org>

Date: 2025-07-11 15:20:52-06:00

Yes! I will do that momentarily. Thanks!

Get Outlook for iOS<<https://aka.ms/o0ukef>>

From: Price, Brittany C. - DOTI CE2781 Engineer-Architect Manager <Brittany.Price@denvergov.org>

Sent: Friday, July 11, 2025 3:17:02 PM

To: Lanphier, Molly - DOTI Project Manager Engineering Senior <Molly.Lanphier@denvergov.org>; Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor <Brett.Boncore@denvergov.org>; Cieciek, Gregory M. - DOTI Project Manager Engineering Senior <Gregory.Cieciek@denvergov.org>

Subject: RE: Alameda Jason Follow Up

Hi Molly – Just wanted to follow up on this. When you send a response back with updates for review, could you please include Tykus and Nancy? Sounds like there is going to be press on this project soon and it would be good we are all coordinated.

Thanks,
Brittany

From: Price, Brittany C. - DOTI CE2781 Engineer-Architect Manager

Sent: Wednesday, July 9, 2025 4:22 PM

To: Lanphier, Molly - DOTI CE2294 Project Manager Engineering Senior <Molly.Lanphier@denvergov.org>; Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor <Brett.Boncore@denvergov.org>; Cieciek, Gregory M. - DOTI CE2294 Project Manager Engineering Senior <Gregory.Cieciek@denvergov.org>

Subject: RE: Alameda Jason Follow Up

Hi Molly –

Please see my updates/additions below. Yes, we can attach the peak volume counts.

Thanks,
Brittany

From: Lanphier, Molly - DOTI CE2294 Project Manager Engineering Senior
<Molly.Lanphier@denvergov.org<mailto:Molly.Lanphier@denvergov.org>>

Sent: Tuesday, July 8, 2025 2:47 PM

To: Price, Brittany C. - DOTI CE2781 Engineer-Architect Manager
<Brittany.Price@denvergov.org<mailto:Brittany.Price@denvergov.org>>; Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor <Brett.Boncore@denvergov.org<mailto:Brett.Boncore@denvergov.org>>; Cieciek, Gregory M. - DOTI CE2294 Project Manager Engineering Senior
<Gregory.Cieciek@denvergov.org<mailto:Gregory.Cieciek@denvergov.org>>

Subject: RE: Alameda Jason Follow Up

Before I send on to the larger team from yesterday, here is my updated email. Will you all take a quick look and let me know if you have any additional edits? Brittany, are you ok with us attaching the peak volume counts?

Message to be sent to Jason Jill Anschutz, Kimberly Kolesar, Cody, Belzley, Amy Guttmann, Illana Poley and Lisa Diedrich

I wanted to follow up from our recent meeting. The silence on our end is because we are taking the neighbors' concerns very seriously and assessing what we can do to address some of the concerns they brought up. I know the neighbors had some. There were also questions and requests for information at the meeting that we promised to follow up on. Please find our responses below:

Will this project cause an increase in congestion on side streets, like E Virginia Ave and E Bayaud Ave?

Based on DOTI's analysis, the impact to side streets will be minimal; no more than 10% of vehicles will reroute throughout the entire day. A diversion analysis was conducted and anticipates that Virginia Avenue will experience approximately 490 additional vehicles per day. [Let's add Brett's recommendation of what this means per minute.]

Crash Data

We ran the crash data for the most recent five years (July 1, 2020 through July 3, 2025) and found there have been 255 crashes which is up from the 192 (from XXX x, 202x to XXXX X, 202X) when we first assessed the corridor.

Peak Hour Volumes

Existing peak hour turning movement counts were conducted at all 16 study area intersections along Alameda Avenue on Tuesday, September 20, 2022. The counts were conducted in 15-minute intervals during the morning and afternoon peak hours of adjacent street traffic from 7:00 AM to 9:00 AM and 4:00 PM to 6:00 PM. In addition, average daily traffic (ADT) volumes along three sections of Alameda Avenue were collected on the same day as the peak hour counts with the exception of the Lincoln Street to Logan Street ADT volume.

I have attached the data associated with these traffic counts.

Speed Limit

The posted speed limit along Alameda Avenue is 30 miles per hour. The revised speed limit post-project installation is planned to be 25 miles per hour. Any changes to the project scope could require a re-evaluation of the speed limit change.

Many of the questions that were asked are also addressed on our website in an FAQ<<https://www.denvergov.org/Government/Agencies-Departments-Offices/Agencies-Departments-Offices-Directory/Department-of-Transportation-and-Infrastructure/Programs-Services/Projects>>. Please let the neighbors know that we are always here to answer any other questions they may have.

Thank you-
Molly

From: Lanphier, Molly - DOTI CE2294 Project Manager Engineering Senior
Sent: Thursday, July 3, 2025 9:31 AM
To: Price, Brittany C. - DOTI CE2781 Engineer-Architect Manager
<Brittany.Price@denvergov.orgmailto:Brittany.Price@denvergov.org>; Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor <Brett.Boncore@denvergov.orgmailto:Brett.Boncore@denvergov.org>>
Cc: Cieciek, Gregory M. - DOTI CE2294 Project Manager Engineering Senior
<Gregory.Cieciek@denvergov.orgmailto:Gregory.Cieciek@denvergov.org>>
Subject: RE: Alameda Jason Follow Up

Hi Again-

I found the ALR Diversion Diagram (attached) and it looks like the 490 number is just referring to Virginia, which we do clarify below, but I do think the group's question was broader than Virginia, in which case the 575 number is best. I will reflect those changes below and keep it to vehicles per minute during peak hours.

I also found the latest traffic count done in September 2022. @Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor<mailto:Brett.Boncore@denvergov.org>, can you let me know which peak hour volumes would be best to reference?

I forgot they asked about the speed limit, so will be including that as well. As of now, Alameda is 30mph and this project will be reducing it to 25 mph.

I am going to do a separate email momentarily providing an update on the other pending communications.

Thank you!

Molly

From: Lanphier, Molly - DOTI CE2294 Project Manager Engineering Senior
Sent: Wednesday, July 2, 2025 12:58 PM
To: Price, Brittany C. - DOTI CE2781 Engineer-Architect Manager
<Brittany.Price@denvergov.org<mailto:Brittany.Price@denvergov.org>>; Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor <Brett.Boncore@denvergov.org<mailto:Brett.Boncore@denvergov.org>>
Cc: Cieciek, Gregory M. - DOTI CE2294 Project Manager Engineering Senior
<Gregory.Cieciek@denvergov.org<mailto:Gregory.Cieciek@denvergov.org>>
Subject: RE: Alameda Jason Follow Up

Thanks all for your attention to this.

Hadar provided the 490 number, so I would assume it is from a diversion analysis. Brett, would you have access to this?

I'll send a revision once I have all the info- thanks!

From: Price, Brittany C. - DOTI CE2781 Engineer-Architect Manager
<Brittany.Price@denvergov.org<mailto:Brittany.Price@denvergov.org>>
Sent: Wednesday, July 2, 2025 9:54 AM
To: Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor
<Brett.Boncore@denvergov.org<mailto:Brett.Boncore@denvergov.org>>; Lanphier, Molly - DOTI CE2294 Project Manager Engineering Senior <Molly.Lanphier@denvergov.org<mailto:Molly.Lanphier@denvergov.org>>
Cc: Cieciek, Gregory M. - DOTI CE2294 Project Manager Engineering Senior
<Gregory.Cieciek@denvergov.org<mailto:Gregory.Cieciek@denvergov.org>>
Subject: RE: Alameda Jason Follow Up

For the crash data, do we have the numbers of fatalities/SBIs to add? Do we still have a Vision Zero crash map that we can link to? This might have gone away or no longer be working...

Agreed with Brett that we should use the number of vehicles per minute rate. Is the 490 from an older version of the diversion analysis? We should look into this.

Molly – Can you send out an updated version to review once you update per comments?

Thanks!!

Brittany

From: Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor
<Brett.Boncore@denvergov.org<mailto:Brett.Boncore@denvergov.org>>
Sent: Tuesday, July 1, 2025 12:46 PM
To: Lanphier, Molly - DOTI CE2294 Project Manager Engineering Senior
<Molly.Lanphier@denvergov.org<mailto:Molly.Lanphier@denvergov.org>>
Cc: Cieciek, Gregory M. - DOTI CE2294 Project Manager Engineering Senior
<Gregory.Cieciek@denvergov.org<mailto:Gregory.Cieciek@denvergov.org>>; Price, Brittany C. - DOTI CE2781 Engineer-Architect Manager <Brittany.Price@denvergov.org<mailto:Brittany.Price@denvergov.org>>
Subject: RE: Alameda Jason Follow Up

Hi Molly – Thank you for pulling this together. See my comments in green below.

On a side note, I noticed we do have a very old PPT on the website, in two spots (here: <https://denvergov.org/Government/Agencies-Departments-Offices/Agencies-Departments-Offices-Directory/Denver-City-Council/Council-Members-Websites-Info/Flor-Alvidrez-District-7/District-7-Projects-and-Legislation/Projects/DOTI-Projects/Alameda-LRU> and here: <https://denvergov.org/Government/Agencies-Departments-Offices/Agencies-Departments-Offices-Directory/Department-of-Transportation-and-Infrastructure/Programs-Services/Projects>). I think we should remove these from the website, as that still shows old information that is no longer relevant. Can you coordinate this with Ken?

Thanks all,

Brett Boncore, PE| Engineering Supervisor
City & County of Denver
Department of Transportation & Infrastructure | Transportation Design
Phone: 720.865.3214
brett.boncore@denvergov.org<<mailto:brett.boncore@denvergov.org>>

From: Lanphier, Molly - DOTI CE2294 Project Manager Engineering Senior
<Molly.Lanphier@denvergov.org<<mailto:Molly.Lanphier@denvergov.org>>>
Sent: Tuesday, July 1, 2025 11:53 AM
To: Boncore, Brett - DOTI CE0403 Engineer-Architect Supervisor
<Brett.Boncore@denvergov.org<<mailto:Brett.Boncore@denvergov.org>>>; Price, Brittany C. - DOTI CE2781 Engineer-Architect Manager <Brittany.Price@denvergov.org<<mailto:Brittany.Price@denvergov.org>>>
Cc: Cieciek, Gregory M. - DOTI CE2294 Project Manager Engineering Senior
<Gregory.Cieciek@denvergov.org<<mailto:Gregory.Cieciek@denvergov.org>>>
Subject: Alameda Jason Follow Up

Hi Brittany and Brett- Please find our response to Jason and the neighbors with the follow up information they had asked for. Let me know if you are ok with us sending. Thanks!

Jason-

I wanted to follow up from our recent meeting. I know the neighbors had some questions that we promised to follow up on. Please find our responses below:

Didn't they also ask for the peak hour volumes? We can provide those if needed...

Will this project cause an increase in congestion on side streets, like E Virginia Ave and E Bayaud Ave?

Based on DOTI's analysis, the impact to side streets will be minimal; no more than 10% of vehicles will reroute throughout the entire day. A diversion analysis was conducted and anticipates that Virginia Avenue will experience approximately 490 additional vehicles per day. I am curious where this 490 number came from (here and in the FAQs)... The latest diversion analysis I found anticipates a total of about ~575 veh/day (or 1-2 vehicles per minute, during the peak hour). Either way, if we keep 490 per day, we should also say "(or ~1 vehicle per minute, during the peak hour)."

Crash Data (1/1/19- 7/31/24)- 144 Crashes over the most recent 5 year period

Although no pedestrian and bike facilities are present on Alameda, the improvements will improve safety where pedestrian and bicycle facilities intersect with the corridor. This will make it easier and safer for all users to reach destinations along Alameda regardless of mode choice.

Many of the questions that were asked, are also addressed on our website in an FAQ<<https://www.denvergov.org/Government/Agencies-Departments-Offices/Agencies-Departments-Offices-Directory/Department-of-Transportation-and-Infrastructure/Programs-Services/Projects>>. Please let the neighbors know, we are always here to answer any other questions they may have.

Thank you-
Molly

Molly Lanphier, MPH | Community Designer
Department of Transportation & Infrastructure | Transportation Implementation Division
720.913.4549 Phone | 720.619.1018 Cell
Molly.lanphier@denvergov.org<mailto:Molly.lanphier@denvergov.org>

CONNECT WITH US | 311<<https://www.denvergov.org/content/denvergov/en/denver-311-help-center.html>> |
pocketgov.com<<http://www.pocketgov.com/>> | denvergov.org<<http://www.denvergov.org/>> | Denver 8
TV<<https://denver8.tv/>> | Facebook<<http://www.facebook.com/cityandcountyofdenver>>