

Scrivener + Quarto

A Compiler Workflow...

Bernardo César Diniz Athayde Vasconcelos

2023-06-01

Sumário

1 Abstract	1
2 Methods	5
2.1 Data Recording	5
2.2 Experimental Perturbations	6
2.3 Stimulus Plotting	9
2.4 Statistical Analysis	11
3 Results	15
3.1 Lunar Cycles	15
3.2 Solar Cycles	18
4 Acknowledgments	23
5 Conflicts of Interest	25
6 Changes	27
6.1 Cross-referencing	29
6.1.1 cnj, cor, def, exm, exr, lem, prp, thm .	30
6.1.2 eq, lst, fig, tbl	31
6.2 CiteTools Integration	32
7 Primary Sources	37
8 Secondary Sources	39
9 Workflow	41

Lista de Figuras

Lista de Figuras

2.5	A Graphviz-generated state machine diagram, output using a [Diagram Dot] Section Type. Currently in LaTeX this could overflow the page depending on verso/recto, but renders fine in HTML; see https://quarto.org/docs/authoring/diagrams.html#sizing for more details...	13
2.6	A Mermaid figure using a Scrivener Section Type [Diagram Mermaid]; The plot represents some sort of graph...	13
2.7	This figure uses custom metadata values to identify the class, ID, width and height. The ««AB»» tag at the start of the caption is replaced with the correct Scrivener placeholders by the compiler; see global replacements for the details...	14
3.1	This should span the whole page. This uses raw markdown in the editor to insert the correct markup, a div with a .column-page class, for Quarto's layout for extend-to-page-width.	15
3.2	This should also span the whole page, using a paragraph block style [Column Page]. This method has the caveat that we cannot use an editor-embedded image as in Figura 3.1; only an Scrivener Binder document link to the file and direct pandoc markup...	16
3.3	This should span the page to the right in HTML. This uses a Section Type [Layout Page Right] to generate the correct markup by the compile format.	17

Lista de Figuras

Lista de Tabelas

1.1 This is native Scrivener table with a referenced table caption. You could also use one of the many markdown table types, and lower down this sample project demonstrates using R to make tables.	4
2.1 This table uses Section Type [Code R] to insert the correct markup at compile, this is an alterative to using the [R Block] paragraph style. This shows a table generated by the R package <i>kableExtra</i> . Currently this works for HTML and LaTeX.	10
3.1 This is a markdown table panel with two sub-tables; just using plain markdown in the editor (no Scrivener Styles or Section Types).	17
3.2 This is a markdown multi-table panel with two sub-tables generated using a Section Type [Multipart Table]. Note that Custom Metadata holds the cross-referencing label, layout class and the attributes for this multipart table, which will be added by the Section Layout by the compiler, using the Scrivener placeholders: <\$custom:Class><\$custom:Attributes>	18
6.1 Table sample	32
6.2 Value	32
6.3 Simple example of how we are using styles to create the correct markup	34

1 Abstract

THIS SAMPLE PROJECT DEMONSTRATES A WORKFLOW USING THE QUARTO SCIENTIFIC PUBLISHING SYSTEM RUN USING THE SCRIVENER COMPILER. Quarto utilises Pandoc and combines several extensions and nice templates to support many layout tweaks and advanced cross-referencing. Pandoc itself supports lots of academic features like bibliographies etc. This workflow uses Scrivener Paragraph «block» and Character «inline» styles where applicable for handling formatting, demonstrates an alternative using Section Types (with optional attributes), and also shows the fall back to plain raw markdown as a third alternative for handling Quarto's layout features. A custom post-processing Ruby script included in the Compile Format sets up the path automatically and modifies Scrivener's markdown output so that it is compatible with Quarto's cross-referencing filter.

“We don't see things as they are, we see them as we are.” — Anaïs Nin

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posidonium¹ te eøs, eæm in veri eirmod BARRETT & SIMMONS, 2015; *Soul, mind, brain*. Sed illum minimum at 3.25×10^{48} (see Results) , est mægna alienum mentitum ne. Amet equidem sit ex (see Conclusion). Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum*Soul, mind, brain*, pro paulo ridens quaestio ut (see Figura 1.1)! Iudico nullam sit ad, ad has åperiam senserit conceptåm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nåm ex mucius mandamus, ut

¹This is a footnote, with a citation *Soul, mind, brain*.

1 Abstract



Figura 1.1: “Ulysses tripping.” We add the *cross-referencing label* to the **start** of the caption. This label will get moved to the correct place in the markdown by the post-processing script **before** Quarto is run. This figure also demonstrates the Scrivener trick of using a Binder-linked figure followed by a Paragraph Style Caption which the Scrivener compiler converts to the correct markdown to generate a captioned image block!

duo cåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, ***his åt justo putant comprehensam*** (*this style is strong emphasis*).

Ad pro quod ^{superscript}, mel no laudem _{subscript}, te mei prompta maiorum pønderum BARRETT & SIMMONS, 2015; COPENHAVER, 2014; HOFFMAN & PRAKASH, 2014; SIEGEL & SILINS 2015; SIMMONS 2013. Solum aequë singulis duo ex, est an iriure øblique.

Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiåt pårtiendo BARRETT & SIMMONS, 2015; *Soul, mind, brain!* Eam in ubique høneståtis ullåmcörper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril åliquando omittantur, no mei graeci impedit deterruisset!

 Dica

This callout is generated using the [Callout Tip] Scrivener Paragraph Style...

Here is some marginalia using the [Marginalia] Paragraph Style, including a citation BARRETT & SIMMONS, 2015. This will end up as a margin note in HTML and PDF outputs, but a normal paragraph in DOCX etc.

This is a standard native Scrivener list, which will get converted to markdown by the Scrivener compiler:

- Item 1
- Item 2
 - Item 2a
 - Item 2b
- Item 3

No meæ menandri mediøcritatem, meis tibique convenire vis id! Delicata intellegam mei ex. His consulåtu åssueverit ex, ei ius apeirian cønstituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro erudit eum ex. See Tabela 1.1 for more details.

Table Head 1	Table Head 2	Table Head 3
Item 1	Item 2	Item 3
Item 4	Item 5	Item 6

1 Abstract

Table Head 1	Table Head 2	Table Head 3
Item 7	Item 8	Item 9
Item 10	Item 11	Item 12

Tabela 1.1: This is native Scrivener table with a referenced table caption. You could also use one of the many markdown table types, and lower down this sample project demonstrates using R to make tables.

Åd nam omnis ullamcørper vituperatoribus. Sed verear tincidunt rationibus an. Elit såperet recteque sit et, tåmquåm noluisse eloquentiåm ei mei. In pri solet soleat timeam, tale possit vis æt.

2 Methods

2.1 Data Recording

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posidonium te eøs, eæm in veri eirmod. Sed illum minimum at, and here is some inline maths: $e^{ix} = r(\cos \theta + i \sin \theta)$, est mægna alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

Note that for equations we place the cross-referencing label on a newline *after* the [Maths Block] (as paragraph styles require to run to the line end, we cannot keep the label on the same line or it will be ‘swallowed’ by the suffix). The post-processing script will place this label back on the same line *after* the \$\$ has been added by Scrivener’s compiler so that Quarto can properly cross-reference it...

See both Equação 2.1 and Equação 2.2 for more details:

$$t' = \frac{t - \frac{v}{c^2}x}{\sqrt{1 - \frac{v^2}{c^2}}} \quad (2.1)$$

Sint meis quo et, vis ad fæcete dolorem!

$$\nabla \times \mathbf{H} = \frac{1}{c} \left(4\pi \mathbf{J}_f + \frac{\partial \mathbf{D}}{\partial t} \right) \quad (2.2)$$

Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nåm ex mucius mandamus, ut duo cåusae offendit laboramus. Duo iisque sapientem ad, vølumus



Figura 2.1: A figure of a poor, poor marginalised elephant...

2 Methods

persecuti vix cu, his åt justo putant comprehensam. See Figura 3.4b for a poor marginalised elephant. Ad quøt moderatius elaboraret eum SIEGEL & SILINS 2015, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam senserit conceptåm?

```
1 # This is a styled Ruby code block,
2 # using the paragraph style [Ruby Code]
3
4 # Output "I love Ruby"
5 say = "I love Ruby"
6 puts say
7
8 # Output "I *LOVE* RUBY"
9 say['love'] = "*love*"
10 puts say.upcase
11
12 # Output "I *love* Ruby"
13 # five times
14 5.times { puts say }
```

Ad pro quod definitiønem¹, mel no laudem delectus, te mei prompta maiorum pønderum. Solum aeque singulis duo ex SIEGEL & SILINS 2015, est an iriure øblique. Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiåt pårtiendo! Eam in ubique høneståtis ullåmcörper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril åliquando omittantur, no mei graeci impedit deterruisset!

2.2 Experimental Perturbations

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam läoreet posidonium te eøs, eæm in veri eirmod. Sed illum minimum at, est mægna alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

¹Another footnote. Although footnotes get converted just fine, one caveat is you cannot use Scrivener inline styles, so you **must** use Pandoc markup *directly*.

2.2 Experimental Perturbations

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam senserit conceptåm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nåm ex mucius mandamus, ut duo kåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam.

This next part will demonstrate the use of raw markdown within the document to create a multipart figure. See Figura 3.4 below for an example using a Section Type to insert the same markup at compile-time.

See Figura 2.2, particularly Figura 2.2a. Ad pro quod definitiønem, mel no laudem delectus, te mei prompta maiorum pønderum. Solum aequë singulis duo ex, est an iriure øblique. Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiåt pårtiendo! Eam in ubique høneståtis ullåmcörper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril åliquando omittantur, no mei graeci impedit deterruisset!

Aviso

Note that there are five types of callouts, including: note, tip, warning, caution, and important.

No meæ menandri mediøcritatem, meis tibique convenire vis id! Delicata intellegam mei ex. His consulåtu åssueverit ex SIEGEL & SILINS 2015, ei ius apeirian cønstituam mediøcritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro erudití eum ex.

Importante

Note that there are five types of callouts, including: note, tip, warning, caution, and important.

Åd nam omnis ullamcörper vituperatoribus. Sed verear tincidunt rationibus an. Elit såperet recteque sit et,

Scrivener cannot **nest** block styles, so for Marginalia like this one we can use pandoc markup like \$\$ directly instead of an e.g. maths block paragraph style. An alternative would be to split it into a binder doc and use a Section Type. We know from *the first fundamental theorem of calculus* that for x in $[a, b]$:

$$\frac{d}{dx} \left(\int_a^x f(u) du \right) = f(x).$$

2 Methods



(a) Elephant castle.

Figura 2.2: Quarto allows the creation of figure panels with sub-figures. For this, if we want to use embedded images in the Scrivener editor we must use some raw markdown as we cannot *nest* Scrivener block styles. Note we can use the Scale Image... Tool in Scrivener and these sizes get exported to Quarto and the output. Here we scale both images to the same height.

2.3 *Stimulus Plotting*

tāmquām noluisse eloquentiām ei mei. In pri solet soleat timeam, tale possit vis æt.

Nota

Note that there are five types of callouts, including:
`note`, `tip`, `warning`, `caution`, and `important`.

2.3 Stimulus Plotting

Note if you have R and Python installed, you can run code like so...

Here is an R plot (Figura 2.3), you need to have R installed for this to work, if not remove this document from the compile:

```
1 library(ggplot2)
2
3 ggplot(airquality, aes(Temp, Ozone)) +
4   geom_point() +
5   geom_smooth(method = "loess")
```

2 Methods

Tabela 2.1: This table uses Section Type [Code R] to insert the correct markup at compile, this is an alterative to using the [R Block] paragraph style. This shows a table generated by the R package *kableExtra*. Currently this works for HTML and LaTeX.

	mpg	cyl	disp	hp	drat	wt
Mazda RX4	21.0	6	160	110	3.90	2.620
Mazda RX4 Wag	21.0	6	160	110	3.90	2.875
Datsun 710	22.8	4	108	93	3.85	2.320
Hornet 4 Drive	21.4	6	258	110	3.08	3.215
Hornet Sportabout	18.7	8	360	175	3.15	3.440




Figura 2.3: A plot generated at compile-time by R, using a Scrivener paragraph style [R Block] and using column-page layout; the plot shows temperature against ozone level.

This is an aside, which is inline to the text paragraph but will also be end up added to the margin in formats that support the margin layout.

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posidonium te eøs, eæm in veri eirmod. Sed illum minimum at, est mægna alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

2.4 Statistical Analysis

No meæ menandri mediøcritatem, meis tibique convenire vis id! Delicata intellegam mei ex. His consulåtu åssueverit ex, ei ius apeirian cønstituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, **sententiae definiebas ex eam!** Nøstro erudit eum ex.

2.4 Statistical Analysis

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posidonium te øs, eæm in veri eirmod. Sed illum minimum at, est mægna alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam senserit conceptåm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nåm ex mucius mandamus, ut duo kåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam. See Figura 2.5 and Figura 2.6 for details.

Ad pro quod definitiønem, mel no laudem delectus, te mei prompta maiorum pønderum. Solum aequë singulis duo ex, est an iriure øblique. Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiåt pårtiendo! Eam in ubique høneståtis ullåmcörper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril åliquando omittantur, no mei graeci impedit deterruisset!

No meæ menandri mediøcritatem, meis tibique convenire vis id! Delicata intellegam mei ex. His consulåtu åssueverit ex, ei ius apeirian cønstituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro erudit eum ex.

Åd nam omnis ullamcörper vituperatoribus. Sed vereartincidunt rationibus an. Elit såperet recteque sit et, tåmqåm noluisse eloquentiåm ei mei. In pri solet soleat timeam, tale possit vis æt.

2 Methods




Figura 2.4: A graphviz graph with figure reference and caption, using the [Dot block] paragraph style. Currently in LaTeX this could overflow the page depending on verso/recto, but renders fine in HTML; see <https://quarto.org/docs/authoring/diagrams.html#sizing> for more details...

2.4 Statistical Analysis




Figura 2.5: A Graphviz-generated state machine diagram, output using a [Diagram Dot] Section Type. Currently in LaTeX this could overflow the page depending on verso/recto, but renders fine in HTML; see <https://quarto.org/docs/authors/diagrams.html#sizing> for more details...




Figura 2.6: A Mermaid figure using a Scrivener Section Type [Diagram Mermaid]; The plot represents some sort of graph...

2 Methods

No meæ menandri mediøcritatem, meis tibique convenire vis id! Delicata intellegam mei ex. His consulåtu åssueverit ex SIEGEL & SILINS 2015, ei ius apeirian cønstituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro erudití eum ex.

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam senserit conceptåm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nåm ex mucius mandamus, ut duo kåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam. See Figura 2.7 for details.



Figura 2.7: This figure uses custom metadata values to identify the class, ID, width and height. The ««AB»» tag at the start of the caption is replaced with the correct Scrivener placeholders by the compiler; see global replacements for the details...

3 Results

3.1 Lunar Cycles

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posidonium te eøs, eæm in veri eirmod. Sed illum minimum at, est mægna alienum mentitum ne. Amet equidem sit ex (see Figura 3.1). Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?



Figura 3.1: This should span the whole page. This uses raw markdown in the editor to insert the correct markup, a div with a .column-page class, for Quarto's layout for extend-to-page-width.

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam senserit conceptåm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nåm ex mucius mandamus, ut duo kåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam.

3 Results



Figura 3.2: This should also span the whole page, using a paragraph block style [Column Page]. This method has the caveat that we cannot use an editor-embedded image as in Figura 3.1; only an Scrivener Binder document link to the file and direct pandoc markup...

Ad pro quod definitiønem *Soul, mind, brain*, mel no laudem delectus SIEGEL & SILINS 2015, te mei prompta maiorum pønderum. Solum aeque singulis duo ex, est an iriure øblique. Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiåt påtiendo!

Eam in ubique høneståtis ullåmcörper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril áliquando omittantur, no mei graeci impedit deterruisset! We can reference sub-tables, for example see Tabela 3.1b.

No meæ menandri mediøcritatem, meis tibique convenire vis id! Delicata intellegam mei ex. His consulåtu åssueverit ex, ei ius apeirian cønstituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro erudití eum ex.

Åd nam omnis ullamcørper vituperatoribus. Sed verear tincidunt rationibus an. Elit såperet recteque sit et, tåmquåm noluisse eloquentiåm ei mei. In pri solet soleat

3.1 Lunar Cycles



Figura 3.3: This should span the page to the right in HTML. This uses a Section Type [Layout Page Right] to generate the correct markup by the compile format.

Col1	Col2	Col3
A	B	C
E	F	G
A	G	G

(a) First Table

Col1	Col2	Col3
A	B	C
E	F	G
A	G	G

(b) Second Table

Tabela 3.1: This is a markdown table panel with two sub-tables; just using plain markdown in the editor (no Scrivener Styles or Section Types).

3 Results

Column 1	Column 2	Column 3
----------	----------	----------

A B C

D E F

G H I

(a) First Table

Column 1	Column 2	Column 3
----------	----------	----------

J K L

M N O

P Q R

(b) Second Table

Tabela 3.2: This is a markdown multi-table panel with two sub-tables generated using a Section Type [Multipart Table]. Note that Custom Metadata holds the cross-referencing label, layout class and the attributes for this multipart table, which will be added by the Section Layout by the compiler, using the Scrivener placeholders: <\$custom:Class> <\$custom:Attributes>

timeam, tale possit vis æt. Please refer to Tabela 3.2, including Tabela 3.2a and Tabela 3.2b for more details.

3.2 Solar Cycles

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posidonium te eøs, eæm in veri eirmod. Sed illum minimum at, est mægna alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam senserit conceptåm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nåm ex mucius mandamus, ut duo cåusae offendit

3.2 Solar Cycles

laboramus. Duo iisque sapientem ad, volumnus persecuti vix cu, his åt justo putant comprehensam.



(a) Elephant.

(b) Angry elephant with big trunk.

Figura 3.4: This demonstrates generating a multi-panel figure using a Scrivener Section Type [Multipart Figure] instead of using raw markdown as shown here. ID, Class and Attributes specific to the block [`#fig-elephants2 .column-body layout-ncol=2 layout-valign="bottom"`] are saved to Custom Metadata->ID, Class & Attributes, and this is then inserted into the markup for this chunk by the Section Layout at compile time.

🔥 Cuidado

This is a callout, but generated using a Section Type [Callout Caution] rather than a paragraph style. Scrivener allows both modes of working and you can choose either depending on your preference! Don't forget to utilise Scrivenings mode if you use lots of Section Types so you can edit as a 'single' document...

3 Results

Lørem ipsum dolør sit amet SIEGEL & SILINS 2015, eu ipsum movet vix, veniam låoreet posidonium te eøs, eæm in veri eirmod SIEGEL & SILINS 2015. Sed illum minimum¹ at, est mægna alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no (see Introduction), mei nostrud necessitatibus te?



Figura 3.5: This should be right-aligned if there is space...

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad SIEGEL & SILINS 2015, ad has åperiam senserit conceptåm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nåm ex mucius mandamus, ut duo cåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam.

Ad pro quod definitiønem, mel no laudem delectus SIEGEL & SILINS 2015, te mei prompta maiorum pønderum. Solum aequë singulis duo ex, est an iriure øblique. Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiåt pårtiendo! Eam in ubique høneståtis ullåmcörper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril åliquando omittantur, no mei graeci impedit deterruisset!

This Marginalia is using a Section Type [Layout Margin]. We can therefore use paragraph styles here, like [Maths Block]. We know from the first fundamental theorem of calculus that for x in $[a, b]$

$$\frac{d}{dx} \left(\int_a^x f(u) du \right) = f(x). \quad (3.1)$$

¹A final footnote.

3.2 Solar Cycles

No meæ menandri mediøcritatem BARRETT & SIMMONS, 2015; *Soul, mind, brain*; SIEGEL & SILINS 2015, meis tibique convenire vis id! Delicata intellegam mei ex. His consulåtu åssueverit ex, ei ius apeirian cønstituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro erudití eum ex.

4 Acknowledgments

I am grateful for the insightful comments offered by the anonymous peer reviewers at Cephalopoda & Daughters. The generosity and expertise of one and all have improved this study in innumerable ways and saved me from many errors; those that inevitably remain are entirely my own responsibility.

5 Conflicts of Interest

The authors do *love* octopods, but this in no way biases their work.

6 Changes

By Bernardo Vasconcelos (see this thread)

This template descends from Ian's excellent Quarto template for Scrivener.

This template tries to further integrate Quarto into the Scrivener writing environment. It includes new **Section Types**, **Paragraph Styles**, **Character Styles**, **Custom Meta Fields**, YAML Parameters for Quarto, new icons and more.¹ If you already have Quarto and R working installations, it introduces **zero** new dependencies and you should be able to compile it right away. Please, go ahead and try it. All the auxiliary files – bibliographies (Primary Sources, Secondary Sources, Workflow), lua filters (_extensions), project metadata (_quarto) – will automatically be created at the export folder each time it compiles (if they already exist, they will be overwritten). The *only* external dependencies, therefore, are Quarto and R.

The template's first notable difference is *the way* the YAML Front matter is written and *the size* it is. Instead of using a single binder text item for all the options, as is common practice, we are using one binder item for *each YAML parameter* with the idea of *having all the options properly set up and available to be included or excluded from compiling* by simply ticking a box. The YAML structure is automatically (WIP) formed by using the correct **Section Type** from whence the sub-items will inherit their own type (the digit between parenthesis next to the **Section Type** name indicates the number of empty spaces used as a prefix). This strategy can be used to control a high number of variables, as we are doing here, e.g. to control all the labels involved in cross-referencing, to keep a

¹See <https://www.stockio.com>.

6 Changes

bibliography in CSL-YAML, to control the behavior of Quarto websites. The YAML item key comes from the ID field and the value usually from the Value **Custom Metadata Field**. This allows clearer and more instructive binder item names. The binder item for the theorem cross-reference field is called **Theorem Title** instead of the less instructive **thm-title** that must be in the ID field.

! Importante

The YAML item key comes from the ID field.

I included *nearly* every option for Quarto Books and Websites, totaling 619 parameters, each one including relevant information, such as the available options, and the bookmarks to the official documentation (under **Document Bookmarks**). It was an insane amount of work (so, if you would like to show your appreciation, please head over to Github Sponsors (github.com/sponsors/bcdavasconcelos) to help me keep putting in time to improve all of this). Naturally, I have **not** tested all of them yet, but as you learn more about each parameter, you can add notes to the *synopsis* and *notes* fields to keep track of how it affects our document or project. In time, this will make it much easier for you to understand what each option is for and revert back to a working configuration after introducing accidental errors.

6.1 Cross-referencing

Label	In...	Title	Value	Section Type	Locked	Status
● Metad... ◇	✓	> @ metadata		<i>id: value (0)</i>	✗	✓
● Rende... ◇	✓	✓		<i>id: value (0)</i>	✓	✗
● Rende... ◇	✓	★ citetools	citetools	- <i>value (2)</i>	✓	✗
● Refere... ◇	✓	🌐 citation		<i>id: value (0)</i>	✗	✗
● Crossref ◇	✓	✓		<i>id: value (0)</i>	✓	✓
● Crossref ◇	✓	✓	roman I	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	🔗 Hyperlink	true	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	false	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	—	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Citação	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Figura	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Bloco	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Quadro	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Conjuntura	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Corolário	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Definição	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Passagem	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Exercício	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Lema	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Proposição	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	Teorema	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	alpha A	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	arabic	<i>id: value (2)</i>	✓	✗
● Crossref ◇	✓	✓	arabic	<i>id: value (2)</i>	✓	✗

{#fig-crossref} The new layout makes it easier editing parameters without disturbing YAML's sensitive white space rules

6.1 Cross-referencing

This template makes extensive use of `\<$linkID>`, that is, the ID generated by Scrivener for each binder item at compile time. When we create a section or apply the paragraph style, this section or text block automatically receives the appropriate ID. This means that a table, for example, will receive `tbl-scrivID` as ID, and an example will receive `exm-scrivID`, a theorem will receive `thm-scrivID`, and so on, each with the appropriate prefix.

Dica

Callouts (Caution, Important, Note, Tip, Warning) and **Cross-reference Environments** (Conjecture, Corollary, Definition, Example, Exercice, Lemma, Proposition, Theorem), along with others (Tables, Equations, Figures, Listings) can be created using **Styles** or with their own **Section Types**.

6.1.1 cnj, cor, def, exm, exr, lem, prp, thm

To reference them, use `scriv175`, `scriv175`, `scriv175` or simply `scriv\<$linkID>` with the proper style applied; that is, Conjectura 6.1.1, Corolário 6.1.1, Definição 6.1.1, Exemplo 6.1.1, Exercício 6.1.1, Lema 6.1.1, Proposição 6.1.1, Teorema 6.1.1. **Notice** that they **all** link to the same document, but each uses a **Style** corresponding to a different object (Conjecture, Corollary, Definition, and so on). The caveat here is that we **cannot** have more than one of each kind per binder item, otherwise they will receive the same ID.

Conjectura 6.1.1. *Conjecture environment*

Corolário 6.1.1. *Corollary environment*

Definição 6.1.1. *Definition environment*

Exemplo 6.1.1. *Example environment*

Exercício 6.1.1. *Exercise environment*

Lema 6.1.1. *Lemma environment*

Proposição 6.1.1. *Proposition environment*

Teorema 6.1.1. *Theorem environment*

6.1 Cross-referencing

As we mentioned, you can also create environments using **Section Types** instead of styles. See Conjectura 6.1.2, Corolário 6.1.2, Definição 6.1.2, Exemplo 6.1.2, Exercício 6.1.2, Lema 6.1.2, Proposição 6.1.2, Teorema 6.1.2.

Conjectura 6.1.2. *Conjecture content. Notice that I am free to use Scrivener styles in this environment.*

Corolário 6.1.2. *Corollary content*

Definição 6.1.2. *Definition content*

Exemplo 6.1.2. *Example content*

Exercício 6.1.2. *Exercise content*

Lema 6.1.2. *Lemma content*

Proposição 6.1.2. *Proposition content*

Teorema 6.1.2. *Theorem content*

6.1.2 eq, lst, fig, tbl

Notice that we can always use the same strategy with regular labels (Equação 6.1, Figura 6.1, Listagem 6.1, Tabela 6.1). This approach could be considered invasive, insofar as it automatically injects labels and IDs into different elements. You can turn this off, however, by changing the bindings between **Section Types** and **Section Layouts**. After the template is consolidated, we can introduce a secondary compile format using user-provided labels and IDs as much as possible.

$$t' = \frac{t - \frac{v}{c^2}x}{\sqrt{1 - \frac{v^2}{c^2}}} \quad (6.1)$$




Figura 6.1: ἢ ψυχή

Listagem 6.1 Ruby code block

```
1 puts "Quarto rocks"
```

Markdown Source	Output
[@DA]{.title}	<i>De Anima</i>
[@DABiehl1896]{.editor}	Biehl
[@DABiehl1896]{.issued}	1896

Tabela 6.1: Table sample

And see also Equação 6.2, Tabela 6.2.

$$Equationcontent \quad (6.2)$$

1	2	3
4	5	6

Tabela 6.2: Value

6.2 CiteTools Integration

1. NEW **Section Layout & Section Type** provide support for

6.2 CiteTools Integration

the multiple bibliographies Lua Filter.

Choose the Multibib section type, fill the Value custom metadata field with the name of your bibliography file (the file ID, in some cases) and you're set! Do this with as many bibliographies as you want. The sections will be named after the last heading element, that is, the binder item whence it originated, as it happens with all other chapters of the text.

Nota

You can also point Quarto and Pandoc to the bibliography file using relative paths, full paths and URLs.

- `my_file.bib`
- `/Users/username/bibliography/my_file.bib`
- `https://raw.githubusercontent.com/.../arist.bib`

See the backmatter for examples.

2. **NEW Section Type & Custom Metadata Field** can be used to override the depth of the current binder item placing the desired number of hashes in the corresponding metadata field (Depth) with no space at the end, as in `###`, and then selecting the Depth + Header section type.

NEW **Styles** provide support for the cite field Lua Filter, which can be used to cite arbitrary fields of the references.

The works of `[@AristOp]{.author}` were first edited by `[@AristOp]{.editor}` in `[@AristOp]{.issued}`.

The works of Aristotelis were first edited by Bekker in 1834.

Later, the `[@DA]{.title}` (`[@DA]{.title-short}`) was edited by `[@DABiehl1896]{.editor}` in `[@DABiehl1896]{.issued}` (reprinted in `[@DATheiler]{.translator}`'s `[@DATheiler]{.issued}` translation)

Later, the *De Anima* was edited by Biehl in 1896 (reprinted in THEILER & SEIDL 1995's 1995 translation)

6 Changes

You can set link-fields to false to avoid undesired linking when citing specific fields.

Markdown Source	Output
<code>[@AristOp]{.author}</code>	Aristotelis
<code>[@AristOp]{.editor}</code>	Bekker
<code>[@AristOp]{.issued}</code>	1834
<code>[@DA]{.title}</code>	<i>De Anima</i>
<code>[@DABiehl1896]{.editor}</code>	Biehl
<code>[@DABiehl1896]{.issued}</code>	1896
<code>[@DATheiler]{.translator}</code>	THEILER & SEIDL 1995
<code>[@DATheiler]{.issued}</code>	1995


Tabela 6.3: Simple example of how we are using styles to create the correct markup

4. ADDED the prefix `[]{#scriv\<$linkID>}` to some **Section Layouts**.

This allows us to create links to text sections that do not have a Header element.

Believe it or not, Scrivener can be an interesting place to keep parts of your code. We can use the document bookmarks to leave behind an array of possibilities in case we need to revise something. We can easily copy and paste code stored on Quarto’s Github repository to compare using Scrivener’s superior text matching tool! (My favorite comparison tool is placing the text in different documents and using “matching text” in the Bookmark tab of the right-side inspector in Scrivener.)

6.2 CiteTools Integration



We can also create interesting possibilities to customize and further control the conversion process, by including in our project the default Pandoc Latex Templates. Customize any line of the whole code. Or not, maybe just leave it there and take a look every once in a while at what is going on at the Quarto repository. The template will work either way.




Figura 6.2: Students finishing their MDs or PhDs will certainly appreciate the possibility of adding your own latex customizations, which can also be done by including the code within certain fields, such as before-body.

7 Primary Sources

ARISTOTELIS. *Aristotelis Opera*. Ed: I. Bekker. Berlin: Reimer, 1834. [↔]

ARISTOTELIS. “De Anima”. Em: BEKKER, I. (Ed.). *Aristotelis Opera*. Berlin: Reimer, 1834. [↔]

8 Secondary Sources

ARISTOTELIS. *De Anima*. Ed: W. Biehl. Leipzig: Teubner, 1896. [↔]

ARISTOTELIS. *De Anima*. Eds: W. Theiler & H. Seidl. Hamburg: Felix Meiner, 1995. [↔, 33, 34]

9 Workflow

- BARRETT, L.; SIMMONS, W. Interoceptive predictions in the brain. *Nature Reviews Neuroscience*, v. 16, n. 7, p. 419–429, 2015. [↔, 1, 3, 3, 3, 21]
- COPENHAVER, R. Berkeley on the Language of Nature and the Objects of Vision. *Res Philosophica*, v. 91, n. 1, p. 29–46, 2014. [↔, 3]
- CRIVELLATO, E.; RIBATTI, D. Soul, mind, brain: Greek philosophy and the birth of neuroscience. *Brain Research Bulletin*, v. 71, n. 4, p. 327–336, 2007. [↔, 1, 1, 1, 3, 16, 21]
- HOFFMAN, D. D.; PRAKASH, C. Objects of consciousness. *Frontiers in Psychology*, v. 5, p. 577, 2014. [↔, 3]
- SIEGEL, S.; SILINS, N. “The Epistemology of Perception”. Em: MATTHEN, M. (Ed.). *Oxford Handbook of Philosophy of Perception*. Oxford University Press, 2015. p. 1–48. [↔, 3, 6, 6, 7, 14, 16, 20, 20, 20, 21]
- SIMMONS, A. “Perception in Early Modern Philosophy”. Em: MATTHEN, M. (Ed.). *The Oxford Handbook of Philosophy of Perception*. Oxford: Oxford University Press, 2013. [↔, 3]

