

Scrivener + Quarto Workflow

A Compiler Workflow...

Jane Doe John Doe

2023-04-13

Table of contents

1	Abstract	1
2	Introduction	2
3	Methods	5
3.1	Data Recording	5
3.2	Experimental Perturbations	7
3.3	Stimulus Plotting	8
3.4	Statistical Analysis	10
4	Results	13
4.1	Lunar Cycles	13
4.2	Solar Cycles	15
5	Discussion	18
6	CiteTools Integration	20
6.1	List of Changes	20
	Acknowledgments	23
	Conflicts of Interest	24
	Primary Sources	25
	Secondary Sources	26
	Workflow	27

1 Abstract

THIS SAMPLE PROJECT DEMONSTRATES A WORKFLOW USING THE QUARTO SCIENTIFIC PUBLISHING SYSTEM RUN USING THE **SCRIVENER** COMPILER. **Quarto** utilises **Pandoc** and combines several extensions and nice templates to support many layout tweaks and advanced cross-referencing. Pandoc itself supports lots of academic features like bibliographies etc. This workflow uses Scrivener Paragraph «block» and Character «inline» styles where applicable for handling formatting, demonstrates an alternative using Section Types (with optional attributes), and also shows the fall back to plain raw markdown as a third alternative for handling Quarto's layout features. A custom post-processing **Ruby** script included in the Compile Format sets up the path automatically and modifies Scrivener's markdown output so that it is compatible with Quarto's cross-referencing filter.

2 Introduction

“We don’t see things as they are, we see them as we are.” — Anaïs

Nin

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posi-
donium¹ te eøs, eæm in veri eirmod (Barrett and Simmons 2015; Criv-
ellato and Ribatti 2007). Sed illum minimum at 3.25×10^{48} (see Results)
, est mægna alienum mentitum ne. Amet equidem sit ex (see Conclu-
sion). Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nos-
trud necessitatibus te?



Figure 2.1: We add the *cross-referencing label* to the **start** of the caption. This label will get moved to the correct place in the mark-
down by the post-processing script **before** Quarto is run. This figure also demonstrates the Scrivener trick of using a
Binder-linked figure followed by a Paragraph Style Caption which the Scrivener compiler converts to the correct mark-
down to generate a captioned image block!

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret
eum(Crivellato and Ribatti 2007), pro paulo ridens quaestio ut (see Fig-

¹This is a footnote, **with** a citation (Crivellato and Ribatti 2007).

ure 2.1)! Iudico nullam sit ad, ad has âperiam senserit conceptâm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nâm ex mucius mandamus, ut duo cåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, **his ât justo putant comprehensam (this style is strong emphasis)**.

Ad pro quod ^{superscript}, mel no laudem _{subscript}, te mei prompta maiorum pønderum (Siegel and Silins 2015; Copenhaver 2014; Hoffman and Prakash 2014; Barrett and Simmons 2015; Simmons 2013). Solum aequè singulis duo ex, est an iriure øblique.

Volumus ântiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiât pårtiendo (Barrett and Simmons 2015; Crivellato and Ribatti 2007)! Eam in ubique hønestâtis ullåmcorper, no eos vitae orætio viderer. Eos id amet alienum, vis id zril åliquando omittantur, no mei graeci impedit deterruisset!

Tip

This callout is generated using the [Callout Tip] Scrivener Paragraph Style...

Here is some marginalia using the [Marginalia] Paragraph Style, including a citation (Barrett and Simmons 2015). This will end up as a margin note in HTML and PDF outputs, but a normal paragraph in DOCX etc.

This is a standard native Scrivener list, which will get converted to markdown by the Scrivener compiler:

- Item 1
- Item 2
 - Item 2a
 - Item 2b
- Item 3

No meæ menandri mediøcritatem, meis tistique convenire vis id! Delicata intellegam mei ex. His consulåtu åssueverit ex, ei ius apeirian cønstituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro eruditi eum ex. See Table 2.1 for more details.

Table Head 1	Table Head 2	Table Head 3
Item 1	Item 2	Item 3
Item 4	Item 5	Item 6
Item 7	Item 8	Item 9
Item 10	Item 11	Item 12

Table 2.1: This is native Scrivener table with a referenced table caption. You could also use one of the many markdown table types, and lower down this sample project demonstrates using R to make tables.

Åd nam omnis ullamcørper vituperatoribus. Sed verear tincidunt rationibus an. Elit såperet recteque sit et, tåmquåm noluisse eloquentiåm ei mei. In pri solet soleat timeam, tale possit vis æt.

3 Methods

3.1 Data Recording

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posidonium te eøs, eæm in veri eirmod. Sed illum minimum at, and here is some inline maths: $e^{ix} = r(\cos \theta + i \sin \theta)$, est mægna alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

Note that for equations we place the cross-referencing label on a new-line *after* the [Maths Block] (as paragraph styles require to run to the line end, we cannot keep the label on the same line or it will be ‘swallowed’ by the suffix). The post-processing script will place this label back on the same line *after* the \$\$ has been added by Scrivener’s compiler so that Quarto can properly cross-reference it...

See both Equation 3.1 and Equation 3.2 for more details:

$$t' = \frac{t - \frac{v}{c^2}x}{\sqrt{1 - \frac{v^2}{c^2}}} \quad (3.1)$$

Sint meis quo et, vis ad fæcete dolorem!

$$\nabla \times \mathbf{H} = \frac{1}{c} \left(4\pi \mathbf{J}_f + \frac{\partial \mathbf{D}}{\partial t} \right) \quad (3.2)$$

Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nãm ex mucius mandamus, ut duo cåusae offendit laboramus. Duo



Figure 3.1: A figure of a poor, poor marginalised elephant...

iisque sapientem ad, vølumus persecuti vix cu, his ât justo putant comprehensam. See Figure 3.1 for a poor marginalised elephant. Ad quøt moderatius elaboraret eum (Siegel and Silins 2015), pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has âperiam senserit conceptâm?

```

1 # This is a styled Ruby code block,
2 # using the paragraph style [Ruby Code]
3
4 # Output "I love Ruby"
5 say = "I love Ruby"
6 puts say
7
8 # Output "I *LOVE* RUBY"
9 say['love'] = "*love*"
10 puts say.upcase
11
12 # Output "I *love* Ruby"
13 # five times
14 5.times { puts say }
```

Ad pro quod definitiønem¹, mel no laudem delectus, te mei prompta maiorum pønderum. Solum aeque singulis duo ex (Siegel and Silins 2015), est an iriure øblique. Volumus ântiøpam iudicâbit et pro, cibo ubique hâs an? Cu his movet feugiât pârtiendo! Eam in ubique hønestâtis ullâmcorper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril âliquando omittantur, no mei graeci impedit deterruisset!

¹Another footnote. Although footnotes get converted just fine, one caveat is you cannot use Scrivener inline styles, so you **must** use Pandoc markup *directly*.

3.2 Experimental Perturbations


Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posidonium te eøs, eøm in veri eirmod. Sed illum minimum at, est mæгна alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam senserit conceptãm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nãm ex mucius mandamus, ut duo cåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam.

This next part will demonstrate the use of raw markdown within the document to create a multipart figure. See Figure 4.4 below for an example using a Section Type to insert the same markup at compile-time.



(a) Elephant castle.



(b) Angry elephant with big trunk.

Figure 3.2: Quarto allows the creation of figure panels with sub-figures. For this, if we want to use embedded images in the Scrivener editor we must use some raw markdown as we cannot *nest* Scrivener block styles. Note we can use the Scale Image... Tool in Scrivener and these sizes get exported to Quarto and the output. Here we scale both images to the same height.

See Figure 3.2, particularly Figure 3.2a. Ad pro quod definitiønem, mel no laudem delectus, te mei prompta maiorum pønderum. Solum aeque singulis duo ex, est an iriure øblique. Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiåt pårtiendo! Eam in ubique høneståtis ullåmcorper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril åliquando omittantur, no mei graeci impedit deterruisset!

Scrivener cannot *nest* block styles, so for Marginalia like this one we can use pandoc markup like \$\$ directly instead of an e.g. maths block paragraph style. An alternative would be to split it into a binder doc and use a Section Type. We know from *the first fundamental theorem of calculus* that for x in $[a, b]$:

$$\frac{d}{dx} \left(\int_a^x f(u) du \right) = f(x).$$

Warning

Note that there are five types of callouts, including: note, tip, warning, caution, and important.

No meæ menandri mediocritatem, meis tibi que convenire vis id! Delicata intellegam mei ex. His consulatu assueverit ex (Siegel and Silins 2015), ei ius apeirian cõstitutam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro eruditi eum ex.

Important

Note that there are five types of callouts, including: note, tip, warning, caution, and important.

Åd nam omnis ulla mcørper vituperatoribus. Sed verear tincidunt rationibus an. Elit såperet recteque sit et, tãquãm noluisse eloquentiãm ei mei. In pri solet soleat timeam, tale possit vis æt.

Note

Note that there are five types of callouts, including: note, tip, warning, caution, and important.

3.3 Stimulus Plotting

Note if you have R and Python installed, you can run code like so...

Here is an R plot (Figure 3.3), you need to have R installed for this to work, if not remove this document from the compile:

```
1 library(ggplot2)
2
3 ggplot(airquality, aes(Temp, Ozone)) +
4   geom_point() +
5   geom_smooth(method = "loess")
```

Table 3.1: This table uses Section Type [Code R] to insert the correct markup at compile, this is an alternative to using the [R Block] paragraph style. This shows a table generated by the R package *kableExtra*. Currently this works for HTML and LaTeX.

	mpg	cyl	disp	hp	drat	wt
Mazda RX4	21.0	6	160	110	3.90	2.620
Mazda RX4 Wag	21.0	6	160	110	3.90	2.875
Datsun 710	22.8	4	108	93	3.85	2.320
Hornet 4 Drive	21.4	6	258	110	3.08	3.215
Hornet Sportabout	18.7	8	360	175	3.15	3.440




Figure 3.3: A plot generated at compile-time by R, using a Scrivener paragraph style [R Block] and using column-page layout; the plot shows temperature against ozone level.

Lørem ipsum dolor sit amet, eu ipsum movet vix, veniam låoreet posidonium te eøs, eæm in veri eirmod. Sed illum minimum at, est mæгна alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

No meæ menandri mediøcritatem, meis tibi que convenire vis id! Delicata intellegam mei ex. His consulåtu åssueverit ex, *ei ius apeirian cønstituam mediocritatem*, mei rebum detracto scaevølåe ex. Sed modo dico ullum at, **sententiae definiebas ex eam!** Nøstro eruditi eum ex.

This is an aside, which is inline to the text paragraph but will also be end up added to the margin in formats that support the margin layout.

3.4 Statistical Analysis

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posi-
donium te eøs, eøm in veri eirmod. Sed illum minimum at, est mægna
alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate
sea in, ius utinam vivendum no, mei nostrud necessitatibus te?




Figure 3.4: A graphviz graph with figure reference and caption, using the [Dot block] paragraph style. Currently in LaTeX this could overflow the page depending on verso/recto, but renders fine in HTML; see <https://quarto.org/docs/authoring/diagrams.html#sizing> for more details...

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam senserit conceptâm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nâm ex mucius mandamus, ut duo cåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam. See Figure 3.5 and Figure 3.6 for details.

Ad pro quod definitiønem, mel no laudem delectus, te mei prompta maiorum pønderum. Solum aequè singulis duo ex, est an iriure øblique. Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu




Figure 3.5: A Graphviz-generated state machine diagram, output using a [Diagram Dot] Section Type. Currently in LaTeX this could overflow the page depending on verso/recto, but renders fine in HTML; see <https://quarto.org/docs/authoring/diagrams.html#sizing> for more details...

his movet feugiāt pārtiēdo! Eam in ubique hōnestātis ullāmcorper,
no eos vitae orātiø viderer. Eos id amet alienum, vis id zril āliquando
omittantur, no mei graeci impedit deterruisset!




Figure 3.6: A Mermaid figure using a Scrivener Section Type [Diagram Mermaid]; The plot represents some sort of graph...

No meæ menandri mediøcritatem, meis tibi que convenire vis id! Delicata intellegam mei ex. His consulātu āssueverit ex, ei ius apeirian cōnstituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro eruditi eum ex.

Åd nam omnis ullamcørper vituperatoribus. Sed vereartincidunt rationibus an. Elit såperet recteque sit et, tāmquām noluisse eloquentiām ei mei. In pri solet soleat timeam, tale possit vis æt.

No meæ menandri mediocratem, meis tibiue convenire vis id! Delicata intellegam mei ex. His consulātu åssueverit ex (Siegel and Silins 2015), ei ius apeirian cøstituam mediocratem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro eruditi eum ex.

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam senserit conceptām? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nām ex mucius mandamus, ut duo cåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam. See Figure 3.7 for details.



Figure 3.7: This figure uses custom metadata values to identify the class, ID, width and height. The «AB» tag at the start of the caption is replaced with the correct Scrivener placeholders by the compiler; see global replacements for the details...

4 Results

4.1 Lunar Cycles

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posi-
donium te eøs, eæm in veri eirmod. Sed illum minimum at, est mæгна
alienum mentitum ne. Amet equidem sit ex (see Figure 4.1). Ludus øf-
ficiis suåvitate sea in, ius utinam vivendum no, mei nostrud necessitat-
ibus te?



Figure 4.1: This should span the whole page. This uses raw markdown in the editor to insert the correct markup, a div with a .column-page class, for Quarto's layout for extend-to-page-width.

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret
eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has åperiam
senserit conceptām? Tritani posidonium suscipiantur ex duo, meæ es-
sent mentitum ad. Nām ex mucius mandamus, ut duo cåusae offendit

Col1	Col2	Col3
A	B	C
E	F	G
A	G	G

(a) First Table

Col1	Col2	Col3
A	B	C
E	F	G
A	G	G

(b) Second Table

Table 4.1: This is a markdown table panel with two sub-tables; just using plain markdown in the editor (no Scrivener Styles or Section Types).

laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam.



Figure 4.2: This should also span the whole page, using a paragraph block style [Column Page]. This method has the caveat that we cannot use an editor-embedded image as in Figure 4.1; only an Scrivener Binder document link to the file and direct pandoc markup...

Ad pro quod definitiønem (Crivellato and Ribatti 2007), mel no laudem delectus (Siegel and Silins 2015), te mei prompta maiorum pønderum. Solum aequè singulis duo ex, est an iriure øblique. Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiåt pårtiendo!

Eam in ubique høneståtis ullåmcorper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril åliquando omittantur, no mei graeci impedit deterruisset! We can reference sub-tables, for example see Table 4.1b.

No meæ menandri mediøcritatem, meis tibiue convenire vis id! Deli-



Figure 4.3: This should span the page to the right in HTML. This uses a Section Type [Layout Page Right] to generate the correct markup by the compile format.

cata intellegam mei ex. His consulâtu âssueverit ex, ei ius apeirian cøn-
stituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo
dico ullum at, sententiae definiebas ex eam! Nøstro eruditi eum ex.

Åd nam omnis ullamcørper vituperatoribus. Sed verear tincidunt ra-
tionibus an. Elit såperet recteque sit et, tâmqvâm noluisse eloquen-
tiâm ei mei. In pri solet soleat timeam, tale possit vis æt. Please refer
to Table 4.2, including Table 4.2a and Table 4.2b for more details.

4.2 Solar Cycles

Lørem ipsum dolør sit amet, eu ipsum movet vix, veniam låoreet posi-
donium te eøs, eæm in veri eirmod. Sed illum minimum at, est mæгна
alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suâvitate
sea in, ius utinam vivendum no, mei nostrud necessitatibus te?

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret
eum, pro paulo ridens quaestio ut! Iudico nullam sit ad, ad has âperiam
senserit conceptâm? Tritani posidonium suscipiantur ex duo, meæ es-
sent mentitum ad. Nâm ex mucius mandamus, ut duo câusae offendit

Column 1	Column 2	Column 3
A	B	C
D	E	F
G	H	I

(a) First Table

Column 1	Column 2	Column 3
J	K	L
M	N	O
P	Q	R


(b) Second Table

Table 4.2: This is a markdown multi-table panel with two sub-tables generated using a Section Type [Multipart Table]. Note that Custom Metadata holds the cross-referencing label, layout class and the attributes for this multipart table, which will be added by the Section Layout by the compiler, using the Scrivener placeholders: <\$custom:ID> <\$custom:Class> <\$custom:Attributes>

laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his at justo putant comprehensam.



(a) Elephant.



(b) Angry elephant with big trunk.

Figure 4.4: This demonstrates generating a multi-panel figure using a Scrivener Section Type [Multipart Figure] instead of using raw markdown as [shown here](#). ID, Class and Attributes specific to the block [#fig-elephants2 .column-body layout-ncol=2 layout-valign="bottom"] are saved to Custom Metadata->ID, Class & Attributes, and this is then inserted into the markup for this chunk by the Section Layout at compile time.

Caution

This is a callout, but generated using a Section Type [Callout Caution] rather than a paragraph style. Scrivener allows both modes of working and you can choose either depending on your

preference! Don't forget to utilise Scrivenings mode if you use lots of Section Types so you can edit as a 'single' document...

5 Discussion

Lørem ipsum dolør sit amet (Siegel and Silins 2015), eu ipsum movet vix, veniam låoreet posidonium te eøs, eøm in veri eirmod (Siegel and Silins 2015). Sed illum minimum¹ at, est mæгна alienum mentitum ne. Amet equidem sit ex. Ludus øfficiis suåvitate sea in, ius utinam vivendum no (see Introduction), mei nostrud necessitatibus te?




Figure 5.1: This should be right-aligned if there is space...

Sint meis quo et, vis ad fæcete dolorem! Ad quøt moderatius elaboraret eum, pro paulo ridens quaestio ut! Iudico nullam sit ad (Siegel and Silins 2015), ad has åperiam senserit conceptåm? Tritani posidonium suscipiantur ex duo, meæ essent mentitum ad. Nåm ex mucius mandamus, ut duo cåusae offendit laboramus. Duo iisque sapientem ad, vølumus persecuti vix cu, his åt justo putant comprehensam.

Ad pro quod definitiønem, mel no laudem delectus (Siegel and Silins 2015), te mei prompta maiorum pønderum. Solum aeque singulis duo ex, est an iriure øblique. Volumus åntiøpam iudicåbit et pro, cibo ubique hås an? Cu his movet feugiåt pårtiendo! Eam in ubique høneståtis ullåmcorper, no eos vitae orætiø viderer. Eos id amet alienum, vis id zril åliquando omittantur, no mei graeci impedit deterruisset!

¹A final footnote.

This Marginalia is using a Section Type [Layout Margin]. We can therefore use paragraph styles here, like [Maths Block]. We know from the *first fundamental theorem of calculus* that for x in $[a, b]$

$$\frac{d}{dx} \left(\int_a^x f(u) du \right) = f(x). \quad (5.1)$$

No meæ menandri mediocritatem (Siegel and Silins 2015; Barrett and Simmons 2015; Crivellato and Ribatti 2007), meis tibi que convenire vis id! Delicata intellegam mei ex. His consulatu assueverit ex, ei ius apeirian cõstituam mediocritatem, mei rebum detracto scaevølæ ex. Sed modo dico ullum at, sententiae definiebas ex eam! Nøstro eruditi eum ex.

6 CiteTools Integration

By [Bernardo Vasconcelos](#) (see this)

This is a short summary of changes to Ian's excellent [Quarto template for Scrivener](#) to integrate the [Cite Tools](#) Quarto Extension. The extension introduces bibliography features that previously had been confined to BibTeX to Pandoc's Citeproc environment, keeping the output consistent across most formats (LaTeX, DOCX, HTML, and so on).

Install the extension to your Quarto project or to the `export-mmd` folder you are using.

```
quarto install extension bcdavasconcelos/citertools
```

6.1 List of Changes

1. NEW **Section Layout & Section Type** provide support for the [multiple bibliographies](#) Lua Filter.

Tip

Choose the `Multibib` section type, fill the `Path` custom meta-data field and you're set! Bibliography sections will be named after the last heading element, that is, the binder item whence it originated, as it happens with all other chapters of the text.

! Important

You can point Quarto and Pandoc to the bibliography file using relative paths, full paths and URLs.

- `my_file.bib`
- `/Users/username/bibliography/my_file.bib`
- `https://raw.githubusercontent.com/.../arist.bib`

See the backmatter for examples.

2. NEW **Section Type** & **Custom Metadata Field** can be used to override the depth of the current binder item placing the desired number of hashes in the corresponding metadata field (Depth) with no space at the end, as in `###`, and then selecting the Depth + Header section type.

3. NEW **Styles** provide support for the `cite field` Lua Filter, which can be used to cite arbitrary fields of the references.

The works of `[@AristOp]{.author}` were first edited
by `[@AristOp]{.editor}` in `[@AristOp]{.issued}`.

The works of *Aristotle* were first edited by *Bekker* in 1831.

Later, the `[@DA]{.title}` (`[@DA]{.title-short}`) was edited by
`[@DABiehl1896]{.editor}` in `[@DABiehl1896]{.issued}`
(reprinted in `[@DATheiler]{.translator}`'s `[@DATheiler]{.issued}` translation)

Later, the *De anima* was edited by *Biehl* in 1896 (reprinted in *Seidl*'s 1995 translation)

💡 Tip

You can set `link-fields` to `false` to avoid undesired linking when citing specific fields.

Markdown Source	Output
<code>[@AristOp]{.author}</code>	<i>Aristotle</i>
<code>[@AristOp]{.editor}</code>	<i>Bekker</i>
<code>[@AristOp]{.issued}</code>	<i>1831</i>
<code>[@DA]{.title}</code>	<i>De anima</i>
<code>[@DABiehl1896]{.editor}</code>	<i>Biehl</i>
<code>[@DABiehl1896]{.issued}</code>	<i>1896</i>
<code>[@DATheiler]{.translator}</code>	<i>Seidl</i>
<code>[@DATheiler]{.issued}</code>	<i>1995</i>

Table 6.1: Simple example of how we are using styles to create the correct markup

4. ADDED the prefix `[]{\#scriv\<$linkID>}` to some **Section Layouts**.

This allows us to create links to *text sections that do not have a Header element*.

Acknowledgments

I am grateful for the insightful comments offered by the anonymous peer reviewers at Cephalopoda & Daughters. The generosity and expertise of one and all have improved this study in innumerable ways and saved me from many errors; those that inevitably remain are entirely my own responsibility.

Conflicts of Interest

The authors do *love* octopods, but this in no way biases their work.

Bibliography

Primary Sources

- Aristotle. 1831a. *Aristotelis Opera*. Edited by Immanuel Bekker. 1st ed. 4 vols. Berlin: Reimer. [[↩](#), 21, 21, 21, 22, 22, 22]
- . 1831b. “De Anima.” In *Aristotelis Opera*, edited by Immanuel Bekker, 402a01–435b25. Berlin: Reimer. [[↩](#), 21, 22]
- . 1896. *De Anima*. Edited by Wilhelm Biehl. Leipzig: Teubner. [[↩](#), 21, 21, 22, 22]

Secondary Sources

Aristotelis. 1995. *De Anima*. Translated by H. Seidl and W. Theiler.

Hamburg: Felix Meiner. [[↩](#), [21](#), [21](#), [22](#), [22](#)]

Workflow

- Barrett, LF, and WK Simmons. 2015. "Interoceptive Predictions in the Brain." *Nature Reviews Neuroscience* 16 (7): 419–29. <https://doi.org/10.1038/nrn3950>. [[↩](#), 2, 3, 3, 3, 19]
- Copenhaver, Rebecca. 2014. "Berkeley on the Language of Nature and the Objects of Vision." *Res Philosophica* 91 (1): 29–46. [[↩](#), 3]
- Crivellato, Enrico, and Domenico Ribatti. 2007. "Soul, Mind, Brain: Greek Philosophy and the Birth of Neuroscience." *Brain Research Bulletin* 71 (4): 327–36. <https://doi.org/10.1016/j.brainresbull.2006.09.020>. [[↩](#), 2, 2, 2, 3, 14, 19]
- Hoffman, Donald D., and Chetan Prakash. 2014. "Objects of Consciousness." *Frontiers in Psychology* 5: 577. <https://doi.org/10.3389/fpsyg.2014.00577>. [[↩](#), 3]
- Siegel, Susanna, and Nicholas Silins. 2015. "The Epistemology of Perception." In *Oxford Handbook of Philosophy of Perception*, edited by Mohan Matthen, 1–48. Oxford University Press. [[↩](#), 3, 6, 6, 8, 12, 14, 18, 18, 18, 18, 19]
- Simmons, Alison. 2013. "Perception in Early Modern Philosophy." In *The Oxford Handbook of Philosophy of Perception*, edited by Mohan Matthen. Oxford: Oxford University Press. [[↩](#), 3]