



P-GRIP





P-GRIP

HINGES

S.NO.	CAT NO.	DESCRIPTION
1	FHWS-6580	Flat Hinges With Studs (Die Cast)
2	FH-60	Flat Hinges 60 mm (Die Cast)
3	LDSH-4160	Light Duty Stay Hinge (Polyamide)
4	FH-5070	Flate Hinge 180° (Polyamide)
5	RH-3011	Rod Hing. 180° Powder Coated Cut Size 2x3mm-
6	FHS-3048	Flate Hinge with Screw (Polyamide)
7	RTH-73	Rittal Type Hinge-73mm (Die Cast)
8	CH-5323	Concealed Hinge (Die Cast)
9	SMCH-40	Sheet Metal Concealed Hinge-40 mm
10	SMCH-60	Sheet Metal Concealed Hinge-60 mm
11	SMCH-6047	Sheet Metal Concealed Hinge-60x47 mm
12	SMCH-6042	Sheet Metal Concealed Hinge-60x42 mm
13	SMCH-6635	Sheet Metal Concealed Hinge-66x35 mm
14	SMCH-6025	Sheet Metal Concealed Hinge-60x25 mm
15	LOH-59	Lift Off Hinge-59 (Die cast)
16	M/F/H	Male Female Hinge 1250,1050,1040 (MS Rod)
18	UTH	U Type Hinge-20, 25 mm



FHWS-6580



FH-60



LDSH-4160



FH-5070



RH-3011



FHS-3048



RTH-73



CH-5323



SMCH-40



SMCH-60



SMCH-6047



SMCH-6042



SMCH-6635



SMCH-6025



LOH-59



M/F/H



UTH



P-GRIP

LOCKS AND KEYS

S.NO.	CAT NO.	DESCRIPTION		
1	PTL-01	Pin Type Lock-20, 25, 30 mm		
2	STL-02	Star Type Lock-20, 25, 30 mm	SQTL-15	SDTL-03
3	SDTL-03	Screw Driver Type Lock-20, 25, 30 mm		
4	PTL-04	Pin Type Lock (PVC Body and Zink Knob)-20 mm		
5	PTPL-05	Pin Type PVC Lock-20 mm		
6	SPL-06	Sliding Panel Lock (Snap Type)	PTL-01	STL-02
7	MSPL-07	MS Panel Lock (Small, Medium, Big)		
8	SBSL-08	Squire Body (PVC) Small Lock	SBSL-08	SPL-06
9	PTLK-09	Pin Type Lock Key		
10	PTLK-10	Pin Type Lock Key (PVC Lock)		
11	STLK-11	Star Type Lock Key		
12	STLK-12	Squire Type Lock Key		
13	MSTLK-13	MS Lock Key		
14	LF-14	Lock Fingure (Handle)		
15	SQTL-15	Squire Tyle Lock-20, 25, 30 mm		

L-HANDLE AND T-HANDLE TYPE LOCKS

S.NO.	CAT NO.	DESCRIPTION		
1	LHP-01	L-Handle Without Key		
2	LHK-02	L-Handle With Key		
3	LHKG-03	L-Handle With Key(Internal Locking)		
4	LHWP-04	L-Handle With Padlock	MSPL-07	LF-14
5	LHPY-05	L-Handle Plane Polyamide		
6	LHPYK-06	L-Handle With Key Polyamide		
7	LHPR-07	L-Handle With Key With Latch Mechanism		
8	THP-08	T-Handle Plane		
9	THK-09	T-Handle With Key		
10	THIS-10	T-Handle With Key With Cam Adopt.(Small)		
11	THIB-11	T-Handle With Key With Cam Adopt. (Big)		
12	TPL-12	Three Point Lock (Polyamide and Zink Die Cast)		



PTLK-09



STLK-11



STLK-12



PTLK-10






NEUTRAL BARS

(Brass Bars with holes in running length, mounted on DMC Pad, with Screws)

S.NO.	SIZE	SUITABLE FOR BUSBAR SIZE	STANDERD PACKING
1.	NB32/4	NL-32A / 4Way (4+1 Hole)	100
2.	NB32/6	NL-32A / 6Way (6+1 Hole)	100
3.	NB32/8	NL-32A / 8Way (8+1 Hole)	100
4.	NB32/10	NL-32A / 10Way (10+1 Hole)	50
5.	NB32/12	NL-32A / 12Way (12+1 Hole)	50
6.	NB32/16	NL-32A / 16Way (16+1 Hole)	50
7.	NB63/4	NL-63A / 4Way (4+1 Hole)	100
8.	NB63/6	NL-63A / 6Way (6+1 Hole)	100
9.	NB63/8	NL-63A / 8Way (8+1 Hole)	100
10.	NB63/10	NL-63A / 10Way (10+1 Hole)	50
11.	NB63/12	NL-63A / 12Way (12+1 Hole)	50
12.	NB63/16	NL-63A / 16Way (16+1 Hole)	50



Neutral Bars

DISCONNECTING NEUTRAL LINK

S.NO.	SIZE	STANDARD PACKING
1	32 Amp.	50 Nos.
2	63 Amp.	10 Nos.
3	100 Amp.	10 Nos.



32 Amp. 63 Amp.



100 Amp.

MCB CHANNEL


S.NO.	SIZE(MM)	STANDARD PACKING
1	MCB Channel -0.6 mm	100 Nos.
2	MCB Channel -0.8 mm	100 Nos.
3	MCB Channel -1.0 mm	100 Nos.
4	Terminal Channel	50 Nos.
5	MCB Stopper	100 Nos.
6	Terminal Stopper	100 Nos.



MCB/Terminal Channel

POLYAMIDE HANDLE

S.NO.	CAT NO.	DESCRIPTION	STANDARD PACKING
1.	EUTH-92	Polyamide U Type Handle-92mm	10 Nos.
2.	EUTH-120	Polyamide U Type Handle-120mm	10 Nos.



Polyamide Handle



P-GRIP

AIR VENT FILTER

S.NO.	DESCRIPTION	STANDARD PACKING
1.	Air Vent 90X90 (Use 3" Fan)	-
2.	Air Vent 130X130 (Use 4" Fan)	-
3.	Air Vent 184X184 (Use 6" Fan)	-
4.	Air Vent 212X212	-
5.	Air Vent 238X238 (Use 8" Fan)	-
6.	Adapter for 238X238 Air Vent (Use 6" Fan)	-
7.	Snap Type Air Vent 100X100	-
8.	Snap Type Air Vent 147X147 (Use 4" Fan)	-
9.	Snap Type Air Vent 203X203 Ventilator	-
10.	S. T. A. Vent 203X203 Fan Mounting(Use 4" Fan)	-
11.	Snap Type Air Vent 255X255 Ventilator	-
12.	S. T. A. Vent 255X255 Fan Mounting(Use 6" Fan)	-
13.	Snap Type Air Vent 325X325 Ventilator	-
14.	Big Doc. Holder with Adhesive 282X221X19	-
15.	Small Doc. Holder with Adhesive 190X175X23	-
16.	Big Doc. Hol. (Deep) with Adhesive 280X235X40	-



Document Holder





Air Vent Filter's

Meter Glass and MCCB Cover

S.NO.	DESCRIPTION	STANDARD PACKING
1.	Meter Glass 96x96 mm	20
2.	Meter Glass 120x120 mm	10
3.	Meter Glass 230x230 mm	10
4.	MCCB Cover 100 Amp. (PVC)	100
5.	MCCB Cover 200 Amp. (PVC)	60
6.	MCCB Cover 400 Amp. (PVC)	60



Meter Glass



MCCB Covers



P-GRIP

TERMINAL STRIP (OPEN TYPE)

S.NO.	CAT NO.	WAY	S. PACKING
1	ETS-30 Amp.	2	20
2	ETS-30 Amp.	4	20
3	ETS-30 Amp.	6	20
4	ETS-30 Amp.	8	20
5	ETS-30 Amp.	10	20
6	ETS-30 Amp.	12	20
7	ETS-60 Amp.	2	20
8	ETS-60 Amp.	4	20
9	ETS-60 Amp.	6	20
10	ETS-60 Amp.	8	20
11	ETS-60 Amp.	10	20
12	ETS-60 Amp.	12	20
13	ETS-100 Amp.	2	20
14	ETS-100 Amp.	4	20
15	ETS-100 Amp.	6	20
16	ETS-100 Amp.	8	20
17	ETS-100 Amp.	10	20
18	ETS-100 Amp.	12	20



SLIDE LOCK FUSE

S.NO.	CAT NO.	STD. PACKING
1	ESLF-5A	20
2	ESLP-5A	20
3	ESLF-15A	20
4	ESLP-15A	20
5	ESLF-30A	10
6	ESLP-30A	10
7	ESLF-60A	10
8	ESLP-60A	10



CLOSE TYPE STRIP

S.NO.	CAT NO.	WAY	STD. PACKING
1	ECTS-30/2	2	50
2	ECTS-30/3	3	50
3	ECTS-30/4	4	50
4	ECTS-30/5	5	30
5	ECTS-60/2	2	30
6	ECTS-60/3	3	30
7	ECTS-60/4	3	30






P-GRIP

NYLON CABLE TIE & TIE MOUNT

S.NO.	SIZE(MM)	STANDARD PACKING
1	75 mm	1000 Nos.
2	100 mm	1000 Nos.
3	150 mm	100 Nos.
4	200 mm	100 Nos.
5	250 mm	100 Nos.
6	300 mm	100 Nos.
7	350 mm	100 Nos.
8	400 mm	100 Nos.
9	450 mm	100 Nos.
10	500 mm	100 Nos.
7	(19X19) mm	100 Nos.
8	(25X25) mm	100 Nos.



CABLE BINDING STRAP,BUTTON & SADDLE CLIP

S.NO.	SIZE(MM)	STANDARD PACKING
1	8 mm	10 Mtr.
2	8 mm(Heavy)	10 Mtr.
3	12 mm	10 Mtr.
4	8 mm(Button)	1000 (Each Pkt.)
5	12 mm(Button)	1000 (Each Pkt.)
6	SD-1,2,3	100 Nos.



Cable Binding Strap



Saddle Clip

PG GLANDE

S.NO.	SIZE(MM)	STANDARD PACKING
1	PG-07	100
2	PG-09	100
3	PG-11	100
4	PG-13.5	100
5	PG-16	100
6	PG-19	100
7	PG-21	100
8	PG-25	100
9	PG-29	100
10	PG-36	100
11	PG-42	20
12	PG-48	10



PG Glands



P-GRIP

CONICAL BUS BAR INSULATOR

S.NO	CAT NO.	INSERT SIZE	STD PACK
1	CC625	M6	- 200
2	CC630	M6	- 100
3	C630	M6	- 100
4	CC830	M8	- 100
5	C830	M8	- 100
6	CC840	M8	- 50
7	Cc1050	M10	- 30
8	CC1260	M12	- 20
9	CC125575	M12	- 20
10	C125580	M12	- 20



Conical Insulator

CYLINDRICAL BUS BAR INSULATOR

S.NO	CAT NO.	INSERT SIZE	STD PACK
1	CL630	M6	- 100
2	CL840	M8	- 50
3	CL1050	M10	- 30
4	CL1060	M10	- 20
5	CL1260	M12	- 20



Cylindrical Insulator

HEX BUS BAR INSULATOR


S.NO	CAT NO.	INSERT SIZE	STD PACK
1	HEX-630	M6	- 100
2	HEX-635	M6	- 100
3	HEX-840	M8	- 50
4	HEX-1050	M10	- 30
5	HEX-1060	M10	- 20
6	HEX-1275	M12	- 20



Hex Insulator

EL-TYPE BUS BAR INSULATOR (DMC/SMC)

S.NO	CAT NO.	STD PACK
1	EL-60	40
2	EL-85	30
3	EL-105	30
4	EL-125	25



EL Support

SINGLE POLE BUS BAR INSULATOR (DMC)

S.NO	CAT NO.	STD PACK
1	SP-30	40
2	SP-35	30
3	SP-55	30
4	SP-65	25



SP Support



P-GRIP

HT INSULATOR (EPOXY/DMC)

S.NO	CAT NO.	TD	DIMENSION BD	H	STD PACK
1	HT 3.3 KV	61	61	75	50
2	HT 6.6 KV	61	61	90	10
3	HT 11 KV	61	61	130	10
4	HT 11 KV	75	75	130	10
5	HT 22 KV	70	70	210	10
6	HT 33 KV	80	80	300	10
7	HT 33 KV	100	100	300	10



HT-Insulator

TRANSFORMER BUSHING WITH BRASS ROD

S.NO	CAT NO.	DESCRIPTION
1	HVTB-220XM6	HV Transformer Bushing 220mm with M6 Brass Rod
2	HVTB-230XM12	HV Transformer Bushing 230mm with M12 Brass Rod
3	LVMFB-70XM6	LV Transformer Bushing 70mm with M6 Brass Rod
4	LVMFB-90XM10	LV Transformer Bushing 90mm with M10 Brass Rod



HV Bushing

TPN FOR SINGLE BUS BAR EACH PHASE (SMC)


S.NO	CAT NO.	STD PACK
1	TPN 107/30	10
2	TPN 111/30	10
3	TPN 107/35	10
4	TPN 111/35	10
5	TPN 107/42	10
6	TPN 111/42	10




TPN SMC Support

THREE PHASE CONNECTOR

S.NO	CAT NO.	Descript&on	STD PACK
1	TP1	TP Connector with R,Y,B Cap (63 Amp.)	20
2	TPN1	TPN Connector with R,Y,B Cap (63 Amp.)	20
3	TPN-1 M8	TPN Connector with R,Y,B Cap (100 Amp.)	20



TP-1



TPN-1



TSB-4

THREE PHASE CONNECTOR WITH COVER

S.NO	CAT NO.	Descript&on	STD PACK
1	TSB-3 63 Amp.	TP Connector with Cover (63 Amp.)	20
2	TSB-4 63 Amp.	TPN Connector with Cover (63 Amp.)	20
3	TSB-3 100 AMP	TP Connector with Cover (100 Amp.)	20
4	TSB-4 100 Amp.	TPN Connector with Cover (100 Amp.)	20



P-GRIP

FINGER TYPE BUS BAR INSULATOR (DMC/SMC)

S.NO	CAT NO.	STD PACK
1	S106	50
2	S110	50
3	S112	50
4	W106	50
5	W110	50
6	W112	50
7	K106	25
8	K110	25
9	K112	25



Finger One Way

TWO BUS BAR SUPPORT

S.NO	CAT NO.	STD PACK
1	W206	50
2	W210	50
3	W212	50
4	K206	50
5	K210	50
6	K212	50



Finger Two Way

THREE BUS BAR SUPPORT

S.NO	CAT NO.	STD PACK
1	W306	50
2	W310	50
3	W212	50
4	K306	50
5	K310	50
6	K312	50



Finger Three Way

FOUR BUS BAR SUPPORT

S.NO	CAT NO.	STD PACK
1	W406	50
2	W410	50
3	K406	50
4	K410	50
5	K412	50



Finger Four Way



HEAT SHRINKABLE PVC SLEEVES

S.NO.	LAY-FLAT SIZE (MM)	SUITABLE BUS BAR SIZE	STD. ROLL
1	17	10X3 mm, 9x3 mm	- 50
2	20	10X6 mm, 12X3 mm	- 50
3	27	15X3 mm, 15X6 mm	- 50
4	35	25X3 mm, 20X3 mm	- 50
5	41	25X6 mm, 25X10 mm	- 50
6	48	30X6 mm, 30X10 mm	- 50
7	55	38X6 mm, 40X6 mm	- 50
8	61	40X10 mm, 40X12 mm	- 50
9	73	50X6 mm	- 50
10	81	50X10 mm, 50X12 mm	- 50
11	93	60X6 mm, 75X6 mm	- 50
12	103	75X12 mm	- 50
13	110	80X6 mm, 80X12 mm	- 50
14	128	100X6 mm, 100X10 mm	- 50
15	140	100X12 mm, 110X10 mm	- 50
16	170	125X6 mm, 150X6 mm	- 50
17	190	175X6 mm, 175X10 mm	- 50
18	210	175X12 mm	- 50
19	230	200X6 mm, 200X12 mm	- 50



PVC H.S. Sleeve

PVC SPIRAL SLEEVE

S.NO.	LAY-FLAT SIZE (MM)	STANDARD PACKING
1	3 mm (1/8")	50 Meter (one roll)
2	6 mm (1/4")	50 meter (one roll)
3	9 mm (3/8")	25 meter (one roll)
4	12 mm (1/2")	25 meter (one roll)
5	16 mm (5/8")	25 meter (one roll)
6	20 mm (3/4")	25 meter (one roll)
7	25 mm (1")	25 meter (one roll)
8	32 mm (1.1/4")	25 meter (one roll)
9	38 mm (1.1/2")	10 meter (one roll)



PVC Spiral



P-GRIP

PVC WIRE SLEEVE

S.NO.	SIZE	LENGTH IN METERS.
1.	3.0 MM	30 MTR.
2.	3.5 MM	30 MTR.
3.	4.0 MM	30 MTR.
4.	5.0 MM	30 MTR.
5.	6.0 MM	30 MTR.
6.	7.0 MM	30 MTR.
7.	8.0 MM	30 MTR.
8.	9.0 MM	30 MTR.
9.	10.0 MM	30 MTR.
10.	11.0 MM	30 MTR.
11.	12.0 MM	30 MTR.
12.	13.0 MM	30 MTR.
13.	14.0 MM	30 MTR.
14.	15.0 MM	30 MTR.
15.	16.0 MM	30 MTR.



PVC Sleeve

FERRULE MARKING SLEEVE

S.NO	ITEM/SIZE	LENGHT
1	2.5mm	100 Mtr.
2	3.0mm	100 Mtr.
3	3.2mm	100 Mtr.
4	3.5mm	100 Mtr.
5	4.0mm	100 Mtr.
6	4.2mm	100 Mtr.
7	5.0mm	100 Mtr.
8	5.5mm	100 Mtr.
9	6.0mm	100 Mtr.



INK RIBBON AND LABLE

S.NO	ITEM/SIZE	LENGHT
10	Ink Ribbon(Max)	50 Mtr.
11	Ink Ribbon(China)	50 Mtr.
12	Self Adhesive Lable-5mm	08 Mtr.
13	Self Adhesive Lable-9mm	8 Mtr.
14	Self Adhesive Lable-12mm	8 Mtr.





PVC WIRING CHANNELS

S.NO.	SIZE (MM)	STANDARD PACKING
1.	15x15	250 MTR.
2.	25x25	120 MTR.
3.	30x25	100 MTR.
4.	40x30	100 MTR.
5.	45x25	120 MTR.
6.	45x45	70 MTR.
7.	45x60	50 MTR.
8.	60x25	90 MTR.
9.	60x40	50 MTR.
10.	60x45	50 MTR.
11.	60x60	40 MTR.
12.	75x25	60 MTR.
13.	75x45	44 MTR.
14.	75x60	40 MTR.
15.	75x75	24 MTR.
16.	75x100	20 MTR.
17.	80x40	44 MTR.
18.	80x80	24 MTR.
19.	100x75	20 MTR.
20.	100x100	20 MTR.
21.	100x150	
22.	150x150	



PVC Channel

DOORKNOB & HARDWARE

S.NO.	SIZE	STANDARD PACKING
1	Screw Knob $\frac{1}{4}$ X 1"	100 Nos.
2	Screw Knob $\frac{1}{4}$ X $1\frac{1}{2}$ "	100 Nos.
3	Screw Knob $\frac{1}{4}$ X $1\frac{1}{2}$ "	100 Nos.
4	Screw Knob $\frac{1}{4}$ X 2"	100 Nos.
5	Eye Bolt 12 mm (Forged)	20 Nos.
6	Eye Bolt 16 mm (Forged)	20 Nos.
7	Eye Bolt 20 mm (Forged)	10 Nos.
8	MCB Cover 100 Amp.(PVC)	50 Nos.
9	MCB Cover 200 Amp.(PVC)	50 Nos.
10	MCB Cover 400 Amp.(PVC)	50 Nos.



Screw Knobs



Eye Bolts



P-GRIP

GROMMETS

S.NO.	SIZE	STANDARD PACKING
1.	G-15.5mm	100 Nos.
2.	G-19mm	100 Nos.
3.	G-22.5mm	100 Nos.
4.	G-25mm	100 Nos.
5.	G-32mm	100 Nos.
6.	G-38mm	100 Nos.
7.	G-50mm	100 NOS.



Rubber Grommat

XLPL ADHESIVE GASKET

S.NO.	GASKET SIZE	LENGTH EACH ROLL
1.	12MM X 3MM	10MTR
2.	12MM X 5MM	05MTR
3.	15MM X 3MM	10MTR
4.	15MM X 5MM	05MTR
5.	20MM X 3MM	10MTR
6.	20MM X 5MM	05MTR
7.	25MM X 3MM	10MTR
8.	25MM X 5MM	05MTR
9.	30MM X 3MM	10MTR
10.	30MM X 5MM	05MTR




XLPE Self Adhesive Gasket

RUBBER GASKIT





P-GRIP



TERMS & CONDITIONS

- Prices are fixed and Ex. our Godown.
- Packing forwarding charges will be charged extra.
- Freight And Insurance charges are to be borne by purchaser.
- Sale Tax & C.S.T. Extra
- Delivery within 7 to 10 days of receipt of firm and clear acceptable order.
- Prices are subject to change at any time without any notice and prices will be charged as ruling at the time of dispatch. Payment strictly as per agreed terms at the time of acceptance of order by company.
- Subject to DELHI Jurisdiction.



P-GRIP ELECTRIC SOLUTIONS PVT. LTD.

📍 C-35, 3 1/2 PUSTA, MAIN ROAD,
AGGARWAL SWEET, KARTAR NAGAR,
NEW DELHI - 110053

✉ Email: pgrippvt.ltd@gmail.com, rahul.pgrip@gmail.com

Authorised Distributor/Stockist/Dealer