Analysis of Simulation Distribution

Brady Chiu May 2, 2016

Contents

L	Intro	1
2	Simulation	1
3	Mean	2
1	Variance	3
5	Distribution	3
3	Conclusion	4
7	Code	4

1 Intro

This project investigates the exponential distribution in R and compare it with the Central Limit Theorem. We use the exp(n, lambda) to generate our distributions, and observe 1000 simulations of 40 samples each with a lambda = 0.2.

We aim to show the following:

- 1. Show the sample mean and compare it to the theoretical mean of the distribution
- 2. Show how variable the sample is (via variance) and compare it to the theoretical variance of the distribution
- 3. Show that the distribution is approximately normal

2 Simulation

• We define our simulation paramters

```
exponentials<-40
lambda<-0.2
simulation_count<-1000</pre>
```

• We run our simulation by inputting the parameters above into the rexp(n,lambda) function

```
simulation_result<-simulator(exponentials,lambda,simulation_count)
head(simulation_result,10)</pre>
```

```
##
          mean
## 1
      3.383281
## 2
      6.246429
## 3
     4.308285
     4.914561
      5.190411
## 5
## 6
      5.820374
## 7
      5.375244
## 8
      5.005151
## 9 4.195586
## 10 4.707139
```


3 Mean

 $\bullet~$ We calculate the theoretical and sample means

```
theoretical_mean<-1/lambda
sample_mean<-mean(simulation_result$mean)</pre>
```

```
## [1] "Theoretical Mean: 5"
```

[1] "Sample Mean: 5.05599525594939"



• Our theoretical and sample means are almost identical

4 Variance

• We calculate the theoretical and sample variances

theoretical_variance<-(1/lambda)^2/exponentials
sample_variance<-var(simulation_result\$mean)</pre>


[1] "Theoretical Variance: 0.625"

[1] "Sample Variance: 0.654370303983734"


• Our theoretical and sample variances are almost identical

5 Distribution

• We show if our distribution is normal



• We see a shape very much like a gaussian normal distribution



• We see the Quantile-Quantile plot almost mirroring the y=x+b line, with a little skewage

6 Conclusion

Our analysis of 100 simulations of 40 samples each shows that the mean, variance and distribution of our sample is roughly equal to that of the population mean, variance, and distribution. This is consistent with the characteristic of the Central Limit Theorem.

7 Code

```
library(data.table, warn.conflicts=F)
library(dplyr, warn.conflicts=F)
library(ggplot2, warn.conflicts=F)
library(knitr, warn.conflicts=F)
library(lubridate, warn.conflicts=F)
library(tidyr, warn.conflicts=F)

# setwd("/Users/bradychiu/Dropbox (Uber Technologies)/R/Coursera/06_Statistical_Inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inference/stats_inferen
```

simulation_means[i,] <-mean(rexp(n,lambda)) # get mean for our 1000 simulations of 40 samples each

```
simulation means
}
exponentials<-40
lambda < -0.2
simulation count<-1000
simulation_result<-simulator(exponentials,lambda,simulation_count)</pre>
head(simulation_result,10)
theoretical_mean<-1/lambda
sample mean<-mean(simulation result$mean)</pre>
theoretical_variance<-(1/lambda)^2/exponentials
sample_variance<-var(simulation_result$mean)</pre>
ggplot(
  data=simulation result
  ,aes(x=mean)
  )+
  geom histogram(binwidth=0.25,color="black",fill="yellow")+
  geom_vline(aes(xintercept=theoretical_mean),color="red",show.legend=TRUE)+
  geom_label(aes(label="Theoretical Mean",x=theoretical_mean,y=130,hjust=1.1),color="red")+
  geom_vline(aes(xintercept=sample_mean),color="blue",show.legend=TRUE)+
  geom_label(aes(label="Sample Mean",x=theoretical_mean,y=130,hjust=-0.2),color="blue")+
  ggtitle("Simulation Mean")+
  scale_x_continuous(name="Simulation Means")+
  scale_y_continuous(name="Simulations")+
  theme(
    axis.title=element_text(face="bold",size=12)
    ,axis.text=element_text(size=12)
    )
ggplot(
  data=simulation_result
  ,aes(x=mean)
  )+
  geom_histogram(binwidth=0.25,color="black",fill="yellow")+
  stat density(aes(y=0.25*..count..,alpha=0.9,size=0.5),color="blue")+
  ggtitle("Simulation Mean Distribution")+
  scale x continuous(name="Simulation Means Distribution")+
  scale_y_continuous(name="Simulations")+
    axis.title=element_text(face="bold",size=12)
    ,axis.text=element_text(size=12)
    ,legend.position="none"
ggplot(
```

data=simulation_result

```
,aes(sample=mean)
)+
geom_qq(color="yellow")+
geom_abline(slope=1,intercept=5)+
ggtitle("Simulation Mean Quantile-Quantile")+
scale_x_continuous(name="Theoretical Quantiles")+
scale_y_continuous(name="Sample Quantiles")+
theme(
   axis.title=element_text(face="bold",size=12)
   ,axis.text=element_text(size=12)
   ,legend.position="none"
)
```