



STEDRANT TECHNOCLINIC PVT LTD

Sl No	Material Name	Test	Rate
1	AAC BLOCKS	Compressive Strength	650.00
		Block Density	500.00
		Dimension	300.00
		Drying Shrinkage	2500.00
		Visual Observation	350.00
		Water Absorption	550.00
2	ACID RESISTANCE BRICKS	Compressive Strength	550.00
		Flexural Strength	700.00
		Water Absorption	550.00
		Resistance to wear	700.00
		Resistance to Acid	1250.00
3	ADMIXTURE	Chemical	3500.00
		Physical Properties as per IS : 9103	22000.00
		Compatibility	10000.00
		Normal Side Effects (Air Entrapment)	3500.00
		Side Effects when Over dosed	3500.00
		Marsh Cone Test	3500.00
4	AGGREGATE - COARSE	Sieve Analysis	600.00
		Specific Gravity	600.00
		Bulk Density	350.00
		Flakiness and Elongation Index	700.00
		Crushing Value	600.00
		Water Absorption	550.00
		Impact Value	600.00
		Abrasion	850.00
		10% Fines Value	650.00
		Alkali Aggregate Reactivity	1650.00
		Soundness	1700.00
		Petrographic Examination	12000.00
		Sulphates	550.00
		Stripping Value	900.00
		Organic Impurities	400.00
		Silica Content	1100.00
		Flakiness Index	450.00
		Moisture Content	350.00
		Light weight Pieces	450.00
		Particle finer than 75 microns	450.00
		Porosity (SpG)	900.00
		Stone polishing Value (BS 812 - Part 114)	
		Chloride	550.00
		Clay lumps	450.00
		Elongation Only	450.00
		Ph Value	350.00
		Iron Content	1000.00
		Voids Percentage	900.00
5		Sieve Analysis	600.00
		Specific Gravity	600.00
		Bulk Density	350.00
		Water Absorption	550.00



		Bulking & Moisture Content	600.00
		Organic Impurities	400.00
		Soundness	1700.00
		Alkali Aggregate Reactivity	1650.00
		Sulphates	550.00
		Particle finer than 75 microns	500.00
		Moisture Content	350.00
		Light weight Pieces	450.00
		Petrography	12500.00
		Mortar Making Properties	3500.00
		Chloride	550.00
		Clay lumps	450.00
		Mica Content	2700.00
		Ph Value	350.00
		Sand Equivalent Value	1500.00
		Mica Content (Floatation Method)	2700.00
		Voids Percentage	900.00
6	AGGREGATE (LIGHTWEIGHT)	Sieve Analysis	550.00
		Organic Impurities	400.00
		Bulk Density	350.00
		Specific gravity	600.00
		Sintering point	650.00
		Drying Shrinkage	2000.00
		Loss on ignition	550.00
		pH	350.00
		Sulphate	550.00
		Soundness	1700.00
7	ALCOFINE	Physical Test	3500.00
		Chemical Test	3500.00
		Glass Content	6000.00
8	ALUMINIUM	Weight/mtr / Dimensions	250.00
		Tensile Test	1200.00
		Coating Thickness	600.00
		Thickness of Sheet	250.00
		Chemical Properties	800.00
9	ANCHOR BOLT	Pullout Strength	2500.00
		Tensile Strength	1100.00
		Chemical Properties	600.00
10	ANCHOR GROUT	Pullout & Compressive Strength	7000.00
		Pullout Bond Test	3500.00
		Flow by BS Cone	600.00
		Tensile Strength	3500.00
		Shrinkage / Expansion	5500.00
		Flexural Strength	3500.00
		Compressive Strength	3500.00
11	ANTI TERMIDE CHEMICAL	20% Chloropyrofose	2800.00
12	ANTISTRIPPING AGENT	Specific Gravity	700.00
		Pour Point	600.00
		Flash Point	600.00
		Stripping Value	600.00
		Water Content	600.00
		Fire point	600.00
		Solubality in Diesel Oil	700.00
		Thermal Stability	4500.00
		Under Water Coating	3500.00
13	ASBESTOS SHEET	Physical Properties	4000.00



14	BENTONITE	Only pH	350.00
15	BITUMEN	Specific Gravity	600.00
		Water Content	600.00
		Flash Point	600.00
		Fire Point	600.00
		Softening Point	600.00
		Penetration	600.00
		Ductility	1700.00
		Kinematic Viscosity @ 135 deg.C	1100.00
		Matter Soluble in trichloro ethelene	700.00
		Loss on heating	600.00
		Penetration Ratio	600.00
		Retained Penetration after TFOT	800.00
		Ash Content	700.00
16	BITUMEN - MASTIC ASPHALT	Hardnees Number	2000.00
16	BITUMEN (CUTBACK)	Flast Point	600.00
		Distillation upto 360oC	1100.00
		Distillation at 360oC only	1100.00
		Test on Residue : Ductility, Solubility in Tric	3300.00
17	BITUMEN (VG-10/20/30/40)	Kinematic Viscosity @ 135 deg.C	1100.00
		Flash point	600.00
		Matter Soluble in Trichloro Ethylene	700.00
		Penetration	600.00
		Softening Point	600.00
		Absolute Viscosity @ 60 deg.C	1100.00
		Test on Residue [TFOT] -Viscosity Ratio @ 6	2000.00
		Test on Residue [TFOT] - Ductility	2000.00
		Specific Gravity	600.00
18	BITUMEN CORE	Thickness	300.00
		Bitumen Content	900.00
		Sieve Analysis	600.00
		Density	600.00
19	BITUMEN EMULSION	Residue on 600 microns	500.00
		Viscosity	1100.00
		Coagulation of emulsion at low temp	900.00
		Storage Stability	600.00
		Coating ability & Water Resistance	900.00
		Stability of mixing with Cement	600.00
		Penetration	700.00
		Ductility	1800.00
		Residue by Evaporation	700.00
		Solubility	700.00
		Miscibility with Water	700.00
		Water Content (SS1)	600.00
		Distillation (SS1)	1700.00
		Particle Charge	800.00
20	BITUMEN EMULSION (RS1/RS2/MS)	Residue on 600 microns	500.00
		Viscosity	1100.00
		Coagulation of emulsion at low temp	900.00
		Storage Stability	600.00
		Penetration	600.00
		Ductility	1800.00
		Residue by Evaporation	700.00
		Solubility	700.00
		Miscibility with Water	700.00
		Particle Charge	800.00



21	BITUMEN EMULSION (SS1)	Residue on 600 microns	500.00
		Viscosity	1100.00
		Coagulation of emulsion at low temp	900.00
		Storage Stability	600.00
		Stability of mixing with Cement	600.00
		Penetration	600.00
		Ductility	1800.00
		Residue by Evaporation	700.00
		Solubility	700.00
		Water Content	600.00
		Distillation	1700.00
		Particle Charge	800.00
		Residue on 600 microns	500.00
		Viscosity	1100.00
		Coagulation of emulsion at low temp	900.00
		Storage Stability	600.00
		Stability of mixing with Cement	700.00
		Penetration	600.00
		Ductility	1800.00
		Residue by Evaporation	700.00
		Solubility	700.00
		Miscibility with Water	700.00
		Particle Charge	800.00
22	BITUMEN MIX (BM/DBM/BC/SDBC)-MORT&H	Design mix (BC/BM/DBM)	15000.00
		Marshall Stability & Flow Value	1500.00
		Bitumen Content	900.00
		Sieve Analysis	600.00
		Density of Mix	1300.00
		Stripping Value	900.00
		Water Sensitivity	12000.00
23	BITUMEN PAD	Thickness	300.00
		water Absorption	600.00
		Compression & Recovery	1100.00
		Density	600.00
		Bitumen Content	900.00
		Extrusion	600.00
24	BITUMEN PRIMER	Viscosity	1100.00
		Flash Point	600.00
		Distillate Volume upto 225 degree C	1700.00
		Matter Soluble in trichloro ethelene	600.00
		Pentration value on residue	700.00
		Water Content	600.00
		Ductility on Residue	1700.00
		Design Mix	6000.00
25	BLANKET	Tensile Test	1200.00
26	BOLT	Shear test	1200.00
		Chemical tests	600.00
		Coating Thickness	650.00
		Only Nut	600.00
		Hardness	700.00
		Physical Properties (FIP)	66000.00
27		Potlife	1200.00
		Open Time	4500.00
		Thixotrophy	1700.00
		Angle of internal Friction	1700.00
		Bonding of Cured BA	4500.00



		Curing rate (Compressive Strength)	5500.00
		Shrinkage	5500.00
		Creep	11000.00
		Water Absorption and Solvability	5500.00
		Heat Resistance	4500.00
		Colour	500.00
		Inst. and Diff. Modulus	11000.00
		Tensile Bending Strength	4500.00
		Shear Strength	5500.00
28	BONDED EPOXY	Density	350.00
		Moisture Content	550.00
29	BONDED MINERAL WOOL	Compressive Strength	350.00
		Water Absorption	550.00
		Efflorescence	300.00
		Dimension	300.00
		Warpage	350.00
30	BRICKS	Thickness	250.00
		Coating thickness by Elcometer	600.00
		Coating Mass as per IS 6745	600.00
		Chemical Analysis as per IS 2062	600.00
		Tensile	1200.00
		Hammer	600.00
31	CABLE TRAY	Jack Calibration	4000.00
		Batching Plant Calibration	15000.00
		CTM Calibration	6000.00
		Load Cell	3500.00
32	CALIBRATION	Nominal Mass	250.00
		Density	350.00
33	CAST IRON	Physical Properties	3400.00
		Chemical Properties	4000.00
		Loss on Ignition	700.00
		Insoluble Residue	700.00
		Compressive Strength Only	1250.00
		Setting time only	600.00
		Fineness only	600.00
		Soundness only	600.00
		Specific gravity	600.00
		Consistency only	600.00
		Alkali & Heat of hydration	3500.00
		Dry Sieve(with 90 micron)	300.00
		Soundness by Autoclave Method	1100.00
		Alkali	1100.00
		Chloride .	800.00
		DRYING SHRINKAGE	2000.00
		HEAT OF HYDRATION	3000.00
		Sulphate as So3	800.00
		Calcium Oxide (CaO)	900.00
34	CEMENT	Physical Properties	12000.00
		Autoclave Expansion	1200.00
		Compressive Strength (1,3,7 and 28 days)	3500.00
		Flexural Strength (7 and 28 days)	3500.00
		Tensile Strength (7 and 28 days)	3500.00
		Unrestrained Expansion	5500.00
		Consistency	1100.00
		Flow by BS Cone	600.00
		Length Change	2200.00
	CEMENT GROUT		



		Plastic Shrinkage / Expansion	5500.00
		Pullout Test	2500.00
		Mixed Wet Density	550.00
		Bond Strength / Slant Shear Strength	3500.00
35	CEMENT MORTAR/CONCRETE	Cement Content	2000.00
		Chloride, Sulphates & pH	2500.00
		Chloride Content	1000.00
		Chloride & Sulphate	2000.00
		Cement Proportion	2000.00
36	CEMENT WATER PROOFER	Physical & Permiability	7500.00
		pH & Chloride Content	1200.00
		DIN Permiability	6000.00
37	CLAY BLOCKS	Crushing Strength	500.00
		Water Absorption	550.00
		Efflorescence	350.00
		Dimension	250.00
		Concavity / Convexity	300.00
		Winding and Bowing	250.00
		Angle Between Sides and Joining Edges	250.00
38	COAL	Moisture Content	550.00
39	CONCRETE BEAMS	Flexural Strength	3500.00
40	CONCRETE BLOCKS	Compressive Strength	400.00
		water Absorption	550.00
		Block Density	300.00
	TESTING CHARGES (L/s)	10k	10000.00
	TESTING CHARGES (L/s)	5k	5000.00
	TESTING CHARGES (L/s)	20k	20000.00
	TESTING CHARGES (L/s)	Trimming and Capping	2000.00
	TESTING CHARGES (L/s)	1k	1000.00
	TESTING CHARGES (L/s)	Specimen Preparation	500.00
		Drying Shrinkage	2500.00
		Moisture Movement	2500.00
		Design Mix	12500.00
		Width of Cavity	250.00
		Volume of Cavity	250.00
		Dimensions	1000.00
41	CONCRETE CORE / CYLINDER	Compressive Strength	1500.00
		Split tensile Strength	1500.00
		Compressive Strength without capping	450.00
		Permeability	7500.00
		Rapid Chloride Penetration Test (RCPT)	7500.00
		Sulphahtes (So3)	1000.00
		Modulus of Elasticity	5000.00
	TESTING CHARGES (L/s)	0.1K	100.00
		Water Vapour Transmeability	8000.00
		Slake Durability	6000.00
		ISAT[Initial Surface Absorption Test]	5000.00
		Chloride Content	1000.00
42	CONCRETE CUBES	Compressive Strength	350.00
		Accelerated curing compressive strength	2800.00
		Heat Resistance	3000.00
		HRC C/S 150deg	3000.00
		HRC C/S 700deg	3000.00
43		Grade of Concrete upto M45	8500.00
		Grade of Concrete M50 & Above	10000.00
		Design Mix of Flexural Strength	13000.00



		Design mix of SCC	15000.00
		for Morethan one grade of concrete	7500.00
		for morethan one cement	5500.00
		for Accelerated Curing Compressive Streng	3500.00
		for Theoretical Design	3500.00
		PQC / DLC	15000.00
		Additional Trials	5500.00
		H P C	50000.00
		Additional Trials with Same Cement	5500.00
		Design Mix Verification	5000.00
		Concrete Blocks Design Mix	12500.00
		Flow Concrete	11000.00
44		Physical Properties	6000.00
		water Absorption	550.00
		Breaking Strength	1200.00
		Three Edge Bearing Test	1200.00
		Abosrption Test	550.00
		Straightness test	600.00
45		Split tensile Strength	1500.00
		Permeability	7500.00
		Rapid Chloride Penetration Test (RCPT)	7500.00
		Sulpahtes (So3)	1000.00
		Modulus of Elasticity	5500.00
		Water Vapour Transmeability	8000.00
		Slake Durability	7500.00
		ISAT [Initial Surface Absorption Test]	7500.00
		Chloride Content	1000.00
46		Tensile Test	1200.00
		Chemical Test	600.00
47		Breaking Load	600.00
48		Specific Gravity	500.00
		Penetration	550.00
		Softening Point	700.00
		Elastic Recovery	1700.00
		Flash Point	600.00
		Separation Diff in Softening Point	700.00
		Tests on thin film over residue (Penetration	3000.00
		Viscosity at 150 Deg.C (IS 15462)	1100.00
		Loss on Heating (IS 15462)	600.00
49		Water loss & Curing Efficiency	8000.00
		Curing test for Performance	3000.00
		Shrinkage Test	5500.00
		Reflectance	2000.00
		5k	5000.00
		Water Retention	3000.00
		Drying Time	600.00
		Flash Point	600.00
		Volatile - Non Volatile Compound	1200.00
		Long Term Settling Test	750.00
		Density / Specific Gravity	750.00
50		Drying Time	550.00
		Residue on IS Sieve	550.00
		Resistance to Alkali	1100.00
		Resistance to Dry Rubbing	1100.00
		Volatile Organic Compound	1100.00
51		Performance tests	10000.00



		Glue, Knife & End immersion	4000.00
		Dimension & Flatness	750.00
		Glue	1750.00
		Moisture Content	550.00
		Screw Withdrawal Resistance	750.00
52		Hardness (Shore A)	500.00
		Thickness	200.00
		Density	550.00
		Tensile and Elongation	1200.00
		Water Absorption	550.00
		Tear Resistance	1200.00
		Puncture Resistance	1200.00
53		Thickness	250.00
		Unit Weight	250.00
		Ultimate Tensile Strength and Elongation	1200.00
		Water Absorption	550.00
		Tear Resistance	1200.00
		Linear Dimensions	350.00
	TESTING CHARGES (L/s)	0.05k	50.00
	TESTING CHARGES (L/s)	0.01k	10.00
	TESTING CHARGES (L/s)	0.02k	20.00
		Hardness	350.00
		Puncture Resistance	1100.00
54	EPOXY ADHESIVES	Flexural Strength	3500.00
55		Compressive Strength	3500.00
		Flexural Strength	3500.00
		Tensile Strength	3500.00
		Chemical Resistance	3500.00
		Bond Strength (Adhesion to Concrete)	5500.00
		Shrinkage	3500.00
		Coefficient of Thermal Expansion	5500.00
56		Pot life	1200.00
		Bond Strength	3500.00
		Tensile Strength	3500.00
57		Viscosity	4000.00
		Potlife	₹1200.00
		Bond Strength	3500.00
		Shear Test	3500.00
		Pullout Test	3500.00
58	FALSE FLOORING	Load test	3500.00
59		Mass	250.00
		Thickness	250.00
		Breaking Strength	2400.00
		Density	550.00
60		Effective size, Uniformity Co-efficient	2500.00
		Volume of Impurities	600.00
		Silica Content	800.00
		Specific Gravity	600.00
		Loss on ignition	600.00
		Solubality in HCl	800.00
		Bulk Density	600.00
61		Physical	3000.00
		Chemical	3000.00
		Reactive Silica (Optional Test)	3500.00
		Fineness	1000.00
		Recedue 45 micron	500.00



		Specific Gravity	600.00
		So3 Content	750.00
		Alkalies	1000.00
		Chloride	750.00
62	FLYASH BRICKS	Compressive Strength	350.00
		Water Absorption	550.00
		Efflorescence	350.00
		Drying Shrinkage	2000.00
		Bulk Density	250.00
63	FOAM BOARD	Thickness	300.00
		Density	600.00
64	FUSION BONDED EPOXY COATED BARS	Bond Test	12000.00
		Coating Thickness	600.00
65	GI CHAIN LINK/ MESH	Tensile Strength	750.00
		Coating mass	600.00
		Thickness / Gauge	200.00
		Weld Shear Strength	1200.00
		Weight / Sqm	250.00
		Mesh Size	250.00
		Dimension Test	250.00
		Chemical Tests	600.00
66	GALVOLUME SHEET	Coating Mass	650.00
		Tensile Test	1200.00
		Chemical Properties	600.00
		Thickness of Sheet	250.00
		Coating Thickness	600.00
		Bend Test	250.00
67	GEO TEXTILE	Density	600.00
		Thickness	300.00
		Tensile and Elongation (ASTM D 4632)	1200.00
		Tear Resistance (ASTM D 4533)	1200.00
		Puncture Resistance (ASTM D 3786)	1200.00
68	GGBS	Physical Properties	3000.00
		Sulphide Sulphur	750.00
		Chemical Properties	3500.00
		Glass Content	6000.00
69	GI PIPE/ M S TUBE	Tensile test	1200.00
		Bend Test	500.00
		Thickness / Wt/m	250.00
		Chemical tests	600.00
		Flattening Test	600.00
		Coating mass	650.00
		Coating Thickness	600.00
		Tensile Test (as per IS:1161)	1200.00
		Pressure Test	2500.00
70	GRANITE	Compressive Strength	600.00
		Water Absorption	600.00
		Towards Site Visiting Charges For Concrete	10000.00
		Abrasion Resistance	750.00
		Flexural Strength	750.00
		Density	350.00
		Impact Strength	600.00
		Hardness	300.00
		Specific Gravity	600.00
		Modulus of Rupture	750.00
		Loss on Ignition	600.00



		Silica as SiO ₂	800.00
		Alumina as Al ₂ O ₃	700.00
		Iron Oxide as Fe ₂ O ₃	700.00
		Lime as CaO	700.00
		Magnesia as MgO	700.00
		Acid Resistance	1200.00
		Transverse Strength	600.00
		Porosity	600.00
		Moisture Content	600.00
		Petrography	12500.00
		Thickness	300.00
		I S A T	6000.00
		Water Vapour Transmission	7000.00
71		10% Fines Value	750.00
		SIEVE ANALYSIS	600.00
		GSB Mix Design	8000.00
		Modified Compaction	3000.00
		Water Absorption	600.00
		Liquid and Plastic limit	8000.00
		Soaked CBR	3500.00
		Chloride Content	800.00
		Sulphate	800.00
		Flakiness and Elongation Index	700.00
		Impact Value	550.00
		Abrasion Value	850.00
		Field Density by Sand Replacement Method	1200.00
72		Specific Gravity	550.00
		Chloride	1000.00
		Setting Time	700.00
		Time for Expansion	3000.00
		Compressive Strength (3,7 & 28 days)	6000.00
		Unrestrained Expansion	750.00
		Hardened Shrinkage	3000.00
		Bleeding Test	5000.00
		Viscosity	5000.00
73		Thickness	250.00
		Mass of Plaster	500.00
		Transverse Strength	1500.00
		Chemical Test	3000.00
74		PURITY	2000.00
		SULPHITE TRI OXIDE	1200.00
		BULK DENSITY	550.00
		Setting Time	600.00
		Vermiculate Content (Finer than 300 Micro)	600.00
		Strength at 3 days	2500.00
75		Tensile/elongation/permeability/adhesion	26000.00
		Tensile and Elongation	3500.00
		Permeability	10000.00
		Pulloff Adhesion	3500.00
		Salt Spray for 120 hr	10000.00
76		Transverse Strength	2200.00
		Compressive Strength	2700.00
		Compressive Strength(Block)	550.00
		Water Absorption	550.00
		Dimensions	500.00
		Cement Content	2000.00



77	LATERITE BLOCKS	Compressive Strength	500.00
		Water Absorption	550.00
78	LIME	Physical Properties	3000.00
		Chemical Properties	3000.00
		Ca(OH) ₂	1800.00
		Calibration	3500.00
79	MANHOLE COVER	Dimensional Verification	1500.00
		Dimensional & Load Test	4500.00
80	MARBLE	Specific Gravity	800.00
		Moisture Absorption	600.00
		Hardness	300.00
		Flexural Strength	700.00
		Thickness	250.00
		Stain Resistance	1500.00
		Resistance to Wear	750.00
81	METAKOLIN	Physical Test	3500.00
		Chemical Test	3500.00
		Alkalies	1500.00
		RCPT	7500.00
82	MODIFIED BITUMEN (IRC SP: 53 - 2010)	Penetration	600.00
		Softening Point	700.00
		Flash Point	600.00
		Elastic Recovery	1700.00
		Separation Diff	1000.00
		Viscosity @ 150 Deg. C	1100.00
		TFOT - Increase in Softening point	700.00
		TFOT - Reduction in Penetration	700.00
		TFOT - Loss in Mass	600.00
		TFOT - Elastic Recovery	1800.00
83	NEOPRINE PAD	Shore Hardness	500.00
		Density	550.00
		Tensile Test	1200.00
		Thickness	250.00
83	PAINT EMULSION	Drying Time - Touch and Hard Dry	750.00
		Resistance to Alkali	1200.00
		Temp Stability	1200.00
		Washability	1200.00
		Volatile Organic Compound	1250.00
84	PARTICLE BOARD	Physical Properties	6750.00
		BWR Grade as per IS 303	3500.00
		Boiling Water	3500.00
85	PAVER BLOCKS	Flexural Strength	400.00
		Water Absorption	550.00
		Compressive Strength	400.00
		Resistance to Wear	700.00
		Cement Content	1700.00
		Warpage	300.00
		Split Tensile	550.00
		Area	300.00
		Abrasion Resistance	750.00
86	PAVERS BLOCK (GRASS TYPE)	Breaking Load	750.00
		Water Absorption	550.00
87		Moisture Content	550.00
		Density	600.00
		Water Resistance	1500.00
		Glue Shear Strength	1500.00



		Glue Adhesion	1000.00	
		Tensile Strength	1750.00	
		Static Bending Strength	2200.00	
		Water Absorption	1200.00	
		Impact Test	1200.00	
		Modulus of Rupture	3500.00	
		Screw Withdrawal	1200.00	
		Heat Resistance	3500.00	
88		Penetration	600.00	
		Softening Point	700.00	
		ductility	1700.00	
		Flash Point	600.00	
		Elastic Recovery	1700.00	
		Separation Diff	700.00	
		Tests on Residue { Loss in Weight, Softenin	3800.00	
		Test on Residue : Loss in Weight	600.00	
		Test on Residue : Softening point	700.00	
		Test on Residue : Penetration	700.00	
		Test on Residue : Elastic Recovery	1800.00	
		Viscosity @ 150 Deg. C	1100.00	
89		Elastic Recovery	1700.00	
		Flash Point	600.00	
		Penetration	600.00	
		Separation Diff	1000.00	
		Softening Point	700.00	
		TFOT - Elastic Recovery	1800.00	
		TFOT - Increase in Softening point	700.00	
		TFOT - Loss in Mass	600.00	
		TFOT - Reduction in Penetration	700.00	
		Viscosity @ 150 Deg. C	1100.00	
90		Tensile Test (Dia 12.7mm)	3500.00	
		Tensile Test (Dia 15.2mm)	3500.00	
		Chemical Tests	600.00	
		MISCELLANEOUS BILL	Miscellaneous Charges	30.00
		MISCELLANEOUS BILL	Miscellaneous Charge	100.00
		Coating Mass	600.00	
91		PRIMER	Adhesion Test	3500.00
92		Density	550.00	
		DFT	550.00	
		Tensile Strength	1200.00	
		Shear Strength / Slant Shear	2400.00	
		Salt Spray (1000 hrs)	27000.00	
		Solid Content	700.00	
		Specific Gravity	700.00	
		Adhesion with Concrete Surface	1400.00	
		Specific Permeability ASTM E 91	6500.00	
		Alkali and Fungal Resitance	3500.00	
		Depth of Chloride Penetration / Pond Test	13000.00	
		Depth of Corbonation	11000.00	
		Chloride Ion Diffusion / RCPT	7500.00	
		Volume Solids	1200.00	
		Water Vapour Permeability Test	6000.00	
		Water Absorption	550.00	
		Flexibility Standard Bend Test (Elongation)	350.00	
93		Water Absorption	750.00	
		Tensile Strength	1500.00	



		Pull Out Adhesion Strength	1500.00
		Surface Hardness	750.00
	PROTEKTA RD COAT/TMEMBRANE/MEMBRANE09	R C P T	7500.00
		Water Vapour Transmission Test	7500.00
		Acid and Alkali resistance Test	6000.00
		Water Repellency	2500.00
		Evaporation of water	2000.00
94		Residue on IS Sieve	600.00
	PUTTY	Water Content	550.00
		CaCo3 Content	1500.00
		Tensile Strength at 7 days	3500.00
		Compressive Strength	3500.00
95	PVC COVER BLOCKS	Load Test	550.00
96		Dimensional Stability & Thickness	500.00
	PVC FLOORING SHEET	Residual Indentation	2500.00
		Resistance to Various Substance	2500.00
		Hardness	550.00
	MISCELLANEOUS BILL	Mobilisation Charges	1000.00
	MISCELLANEOUS BILL	Extraction of core sample	1000.00
	MISCELLANEOUS BILL	Site Visiting Charges	3000.00
		Tensile and Elongation	1200.00
97		Dimensions	250.00
	PVC PIPES	Compressive load	3000.00
		Pressure Test	3000.00
98		Compressive Strength	3500.00
	READY MIX PLASTER	Tensile Test	3500.00
		Cement Content	2000.00
		Consistency	600.00
		Sieve Analysis	600.00
		Flexural Strength	3500.00
		Flow	2400.00
		Water Absorption	550.00
		Shrinkage	5500.00
		Density	550.00
		Chloride	1000.00
		Sulphate	1000.00
	MISCELLANEOUS BILL	Test Witness Charges	1000.00
		pH	400.00
99	REFLECTIVE PAVEMENT MARKERS	Breaking Load	600.00
100		Physical Properties	850.00
	REINFORCING STEEL	Tensile Test	400.00
		Weight Per Meter	250.00
		Bend Test	200.00
		Rebend Test	250.00
		Deformation Geometry	600.00
		Chemical Composition	600.00
		Bond Strength	10000.00
		Carbon only	300.00
		Any one Element	300.00
		Chemical Composition (with 8 Elements)	600.00
101		Compressive Strength	3500.00
	REPAIR MORTAR	Flexural Strength	3500.00
		Tensile Strength	3500.00
		Water Permeability	7500.00
		RCPT	8000.00
		Drying Shrinkage	6000.00



		Bond Strength to Old Concrete	3500.00
		Shrinkage / Expansion	5500.00
102	RICE HUSK	Physical test	3500.00
		Chemical Tests	3500.00
103	ROOFING SHEET(METAL)	Load Test	6000.00
		Thickness and Gauge	250.00
		Weight Per Meter	250.00
		Chemical Test	600.00
		Tensile Test	1200.00
104	RUBBER	Hardness	400.00
		Tensile and Elongation	1750.00
		Tear Resistance	1100.00
		Shore D Hardness	600.00
		Immersion in Sulphuric Acid	1100.00
		Immersion in Hydrochloric Acid	1100.00
		Immersion in Sodium Hydroxide	1100.00
		Immersion in Sodium Hypochlorate (Salt So	1100.00
		Immersion in Salt Water (310 g/l)	1100.00
		Immersion in Ammonium Hydroxide (20%)	1100.00
		Immersion in Sodium Chloride / Water 10%	1100.00
		Volume Solids %	1100.00
		Water Absorption (ASTM D 570 2hr @ 95C	600.00
		Moisture Insensitivity of Polyurea Coating	1300.00
		Ferric Chloride	1300.00
		Nitric Acid	1300.00
		Water Immersion	1100.00
		Flash Point	900.00
		Bond and Adhesion	1300.00
		Immersion in Waste Water anaerobic Dige	1300.00
		Immersion in Waste Water API mo	1300.00
		Immersion in Sour Brine	1300.00
		Abrasion	1300.00
105	SALT SPRAY TEST	for 96 hrs	6000.00
		for 240 hrs	15000.00
106	SEALANTS (POLY SULPHIDE BASE)	Test for adhesion	13000.00
		Potlife	1000.00
		Compressive Strength	2800.00
		Adhesion and Tensile Modulus	22000.00
		Rheological Properties	8000.00
		Plastic Deformation	9000.00
		Application Life	3000.00
		Loss of Mass after Heat Ageing	11000.00
		Staining	7200.00
107	SHEATHING DUCT	Workability, Transverse Load Rating, Tens	8000.00
		Carbon Content	2000.00
		Density	600.00
108	SILICA FUME.	Physical Tests	3500.00
		Chemical Tests	3500.00
109	SLAB	Load Test	3500.00
110	SLAG (GGBS)	Gradation	550.00
		Bulk Density	350.00
		Specific Gravity	400.00
		Fineness	1000.00
		Compressive Strength	1200.00
		Chemical Properties	3500.00
111		Sieve Analysis	550.00



		Liquid & Plastic Limit	600.00
		Standard / Modified Compaction	3000.00
		Soaked CBR	3500.00
		Field Density	600.00
		Direct Shear test	2000.00
		Differential Free Swell	500.00
		Hydrometer	1100.00
		Moisture Content & Bulk Density	350.00
		Permeability	2000.00
		Sample Extraction Charges	3500.00
		Specific Gravity	500.00
		Swelling Pressure	1200.00
		Triaxial Shear Test	2000.00
		Relative Density (Sand)	1800.00
		Chloride, Sulphate & pH	2250.00
	SOIL TESTING	Material Collection Charges	500.00
		GSB Design Mix	7000.00
		Consolidation	2000.00
		pH only	450.00
		Cement Content (Soil Stabilised Sample)	1800.00
		Job Mix Formula for WMM	6000.00
		Soluble Sulphates	900.00
		Unconfined Compressive Strength	1200.00
		Shrinkage	600.00
		Organic Matters	1800.00
		Mobilisation Charges	2500.00
		Sand Equivalent Value	1200.00
	MISCELLANEOUS BILL	Uniformity Coefficient	600.00
112		Pull off Adhesion	3500.00
		Flexural Strength	5000.00
		Tensile Strength	3700.00
		Compressive Strength	3500.00
		Tensile (only Testing)	1000.00
		Flexural Strength (only Testing)	1000.00
		Compressive Strength (only Testing)	1000.00
		Shear Test	4000.00
		Pot Life, & Set time	1500.00
		Bond test only	1500.00
		Efflorescence	550.00
		Hardness(Shore D)	500.00
		Pressure Test for Pipes	3500.00
		Density	500.00
		Appearance	350.00
		Water Absorption	550.00
		Pot Life	1500.00
		Puncture Resistance	3000.00
		Testing Charges (as per letter / quotation)	2000.00
		Sieve Analysis	550.00
		Moisture Content	550.00
113	SPLICED JOINT	Tensile Test	1200.00
114	STAINLESS STEEL [SS]	Chemical Test	750.00
		Tensile	750.00
115	STEEL DOOR FRAMES	Dimensions	2500.00
116	STEEL SECTIONS FOR DOOR WINDOWS & VENTILATORS	Dimensions	2500.00
117		Compressive Strength	750.00
		Flexural Strength	750.00



		Water Transmission by capillary action	2500.00
		Hardness	400.00
		Durability	2500.00
		Porosity test	2500.00
		Density (Mercury Replacement)	500.00
		Silica Content	900.00
		Compressive Strength on Rock Core Sample	2200.00
		Compressive Strength on Rock Core Sample	1100.00
		Iron Content	600.00
		Point Load Index	1300.00
		Unconfined Compressive Strength	1700.00
		Water Absorption	550.00
		Specific Gravity	600.00
		Impact Value	750.00
118	STONEWARE PIPES	Absorption test	550.00
		Acid Resistance	1200.00
		Alkali Resistance	1200.00
		Crushing Strength	1200.00
119	STRUCTURAL STEEL	Physical Properties	2000.00
		Tensile Test	1200.00
		Weight per mt	250.00
		Bend Test	850.00
		Chemical Properties	600.00
		Coating thickness	600.00
		Dye Penetration Test on welded Joint	750.00
		Coating Mass	600.00
		Micro Structure	2000.00
		Impact Strength	1800.00
		Load Test	1500.00
		Thickness	200.00
		Hardness Test	600.00
		Density	300.00
		Physical Properties (Plates)	2000.00
		Mass per Meter (Plates)	250.00
		Bend test (Welded Plate)	850.00
		Tensile test (Welded Sample)	1200.00
		Dimension Test	250.00
		Chemical Properties (Prestressing Steel)	600.00
120	TARFELT / APP MEMBRANE	Weight per mt	300.00
		Thickness	300.00
		Breaking Strength	1700.00
		Pressure head	1000.00
		Weight of Reinforcement	700.00
		Pliability	700.00
		Heat resistance	500.00
		Water Absorption	600.00
		Penetration	700.00
		Softening Point	800.00
		Elongation (%) Logitudinal / Transverse	1800.00
		Puncture Resistance	1500.00
		Water Permeability	6500.00
		Tear Resistance	1500.00
121	TARFELT / APP MEMBRANE (ASTM D5147)	Tensile Strength	1800.00
		Breaking Load	1700.00
		Water Absorption	2000.00
		Low Temperature Flexibility	1500.00



		Elongation (%) Logitudinal / Transverse	1800.00
		Tear Resistance	1500.00
122	TILE ADHESIVES	Tensile Adhesion	3500.00
		Shear Adhesion	3500.00
		Adjustability	1200.00
		Open Time	1200.00
		Chemical Resistance	2500.00
123	TILES - ACID RESISTANCE	Flexural Strength	450.00
		Water Absorption	550.00
		Compressive Strength	500.00
		Warpage	300.00
		Hardness	300.00
		Acid Resistance	2000.00
		Squareness	300.00
124	TILES - CERAMIC / GLAZED	Water Absorption	550.00
		Flexural Strength	400.00
		Warpage (Flatness)	350.00
		Crazing Resistance	600.00
		Measurement of Length & Width	250.00
		Chemical Resistance	2000.00
		Hardness	350.00
		Coefficient of friction	1000.00
		Measurement of Rectangularity	350.00
		Measurement of Straightness	350.00
		Skid Resistance	1000.00
		Measurement of thickness	350.00
		Breaking Strength	400.00
		Bulk Density	350.00
		Centre Curvature	350.00
		Edge Curvature	350.00
125	TILES - CHEQUERED	Flatness	300.00
		Rectangularity	250.00
		Straightness	250.00
		Water Absorption	550.00
		Wet Transverse Strength	450.00
		Abrasion	650.00
		Hardness	300.00
126	TILES - MOSAIC / CONCRETE	Flatness	350.00
		Rectangularity	350.00
		Straightness	350.00
		Water Absorption	550.00
		Wet Transverse Strength	400.00
		Resistance to wear (Abrasion)	600.00
		Hardness (Mohs Scale)	300.00
127	TILES - ROOFING	Flexural Strength	400.00
		Water Absorption	550.00
		Warpage	600.00
128	TILES - MANGALORE	Breakage Load	550.00
		Water Absorption	550.00
		Permeability test	1700.00
129	WALL PANELS	Stiffness Test	5000.00
		Small Hard Body and Large Soft Body Impa	15000.00
		Crowd Pressure Test	10000.00
130		Chemical Tests	3500.00
		Tensile Adhesion Strength	1500.00
		Setting Time	600.00



	WALL PUTTY	Water Absorption Coefficient	6000.00
		Water Capillary Absorption	8500.00
		Water Retentivity	7000.00
		Compressive Strength	1300.00
131	WATER	Suitability for Concreting	1500.00
		pH (Only)	500.00
		Hardness	1100.00
132	WATER BOUND MACADAM (WBM)	Sieve Analysis	600.00
		Water Absorption	600.00
133	WATER REPELLENT	Early Water Repellency	3000.00
		Water Absorption	550.00
		Evaporation of Water	3000.00
134	WATER STOPPER (IS:12200-1987)	Tensile Strength & Elongation	1200.00
		Tear Resistance	1200.00
		Effect of Alkali 7 days	2000.00
		Effect of Alkali 28 days	3000.00
		Hardness	500.00
		Water Absorption	550.00
		Dimension	250.00
135	WELDED JOINT	Tensile test	1200.00
136	WELDED JOINT - SHEET	Tensile Test	1200.00
		Bend Test (Face / Root)	850.00
		Dye Penetration Test	750.00
137	WELDED JOINT - STRUCTURAL STEEL	Tensile Test	1500.00
		Tension Pullout	1500.00
		Bend Test	1200.00
138	WET MIX MACADAM (WMM-Mix)	Sieve Analysis	600.00
		Design Mix	8000.00
		Compaction	3000.00
		Field Density	1200.00
		Moisture Content	600.00
		Water Absorption	600.00
		Flakiness and Elongation	700.00
		Impact Value	600.00
		Liquid and Plastic Limit	700.00
		10% Fines Value	700.00
		Abrasion Value	850.00
		Field Density by Sand Replacement Method	1200.00
139	WINDOWS & VENTILATORS	Dimensions, Weight per meter & Bend test	1500.00
140	WOOD	Moisture Content	550.00
		Load test	4000.00
		Specific Gravity	600.00
		Nail and Screw Holding Power	1700.00
		Volumetric Shrinkage	2500.00
		Bending Strength	3500.00

R.V.K. Shetty

