

Part 3: More Prototyping

We're going to take a look at buttons, forms, and visibility classes

Buttons

Forms

Visibility Classes

Buttons

Buttons are a core interactive element of the Web

Foundation has a lot of easy to use button styles that you can customize or override to fit your needs.

Basic Button

Add a class of `.button` to any `<a>` `<button>` or `<input type="submit">` tag to create a default medium button

```
<a href="#" class="button">Default Button</a>
```

Default Button

```
<a href="#" class="button">Default Button</a>
```

Default Button

```
<a href="#" class="small button">Small Button</a>
```

Small Button

```
<a href="#" class="tiny button">Tiny Button</a>
```

Tiny Button

```
<a href="#" class="tiny secondary button">Tiny Secondary Button</a>
```

Tiny Secondary Button

```
<!-- Size Classes -->
<a href="#" class="button">Default Button</a>
<a href="#" class="tiny button">Tiny Button</a>
<a href="#" class="small button">Small Button</a>
<a href="#" class="large button">Large Button</a>
<a href="#" class="large expand button">Large Expand Button</a>

<!-- Color Classes -->
<a href="#" class="button secondary">Secondary Button</a>
<a href="#" class="button success">Success Button</a>
<a href="#" class="button alert">Alert Button</a>

<!-- Radius Classes -->
<a href="#" class="button radius">Radius Button</a>
<a href="#" class="button round">Round Button</a>

<!-- Disabled Class -->
<a href="#" class="button disabled">Disabled Button</a>
```

```
<!-- Size Classes -->
<a href="#" class="button">Default Button</a>
<a href="#" class="tiny button">Tiny Button</a>
<a href="#" class="small button">Small Button</a>
<a href="#" class="large button">Large Button</a>
<a href="#" class="large expand button">Large Expand Button</a>

<!-- Color Classes -->
<a href="#" class="button secondary">Secondary Button</a>
<a href="#" class="button success">Success Button</a>
<a href="#" class="button alert">Alert Button</a>

<!-- Radius Classes -->
<a href="#" class="button radius">Radius Button</a>
<a href="#" class="button round">Round Button</a>

<!-- Disabled Class -->
<a href="#" class="button disabled">Disabled Button</a>
```

```
<!-- Size Classes -->
<a href="#" class="button">Default Button</a>
<a href="#" class="tiny button">Tiny Button</a>
<a href="#" class="small button">Small Button</a>
<a href="#" class="large button">Large Button</a>
<a href="#" class="large expand button">Large Expand Button</a>

<!-- Color Classes -->
<a href="#" class="button secondary">Secondary Button</a>
<a href="#" class="button success">Success Button</a>
<a href="#" class="button alert">Alert Button</a>

<!-- Radius Classes -->
<a href="#" class="button radius">Radius Button</a>
<a href="#" class="button round">Round Button</a>

<!-- Disabled Class -->
<a href="#" class="button disabled">Disabled Button</a>
```

```
<!-- Size Classes -->
<a href="#" class="button">Default Button</a>
<a href="#" class="tiny button">Tiny Button</a>
<a href="#" class="small button">Small Button</a>
<a href="#" class="large button">Large Button</a>
<a href="#" class="large expand button">Large Expand Button</a>

<!-- Color Classes -->
<a href="#" class="button secondary">Secondary Button</a>
<a href="#" class="button success">Success Button</a>
<a href="#" class="button alert">Alert Button</a>

<!-- Radius Classes -->
<a href="#" class="button radius">Radius Button</a>
<a href="#" class="button round">Round Button</a>

<!-- Disabled Class -->
<a href="#" class="button disabled">Disabled Button</a>
```

```
<!-- Size Classes -->
<a href="#" class="button">Default Button</a>
<a href="#" class="tiny button">Tiny Button</a>
<a href="#" class="small button">Small Button</a>
<a href="#" class="large button">Large Button</a>
<a href="#" class="large expand button">Large Expand Button</a>

<!-- Color Classes -->
<a href="#" class="button secondary">Secondary Button</a>
<a href="#" class="button success">Success Button</a>
<a href="#" class="button alert">Alert Button</a>

<!-- Radius Classes -->
<a href="#" class="button radius">Radius Button</a>
<a href="#" class="button round">Round Button</a>

<!-- Disabled Class -->
<a href="#" class="button disabled">Disabled Button</a>
```

```
<!-- Size Classes -->
<a href="#" class="button">Default Button</a>
<a href="#" class="tiny button">Tiny Button</a>
<a href="#" class="small button">Small Button</a>
<a href="#" class="large button">Large Button</a>
<a href="#" class="large expand button">Large Expand Button</a>

<!-- Color Classes -->
<a href="#" class="button secondary">Secondary Button</a>
<a href="#" class="button success">Success Button</a>
<a href="#" class="button alert">Alert Button</a>

<!-- Radius Classes -->
<a href="#" class="button radius">Radius Button</a>
<a href="#" class="button round">Round Button</a>

<!-- Disabled Class -->
<a href="#" class="button disabled">Disabled Button</a>
```

```
<!-- Size Classes -->
<a href="#" class="button">Default Button</a>
<a href="#" class="tiny button">Tiny Button</a>
<a href="#" class="small button">Small Button</a>
<a href="#" class="large button">Large Button</a>
<a href="#" class="large expand button">Large Expand Button</a>

<!-- Color Classes -->
<a href="#" class="button secondary">Secondary Button</a>
<a href="#" class="button success">Success Button</a>
<a href="#" class="button alert">Alert Button</a>

<!-- Radius Classes -->
<a href="#" class="button radius">Radius Button</a>
<a href="#" class="button round">Round Button</a>

<!-- Disabled Class -->
<a href="#" class="button disabled">Disabled Button</a>
```

```
<!-- Size Classes -->
<a href="#" class="button">Default Button</a>
<a href="#" class="tiny button">Tiny Button</a>
<a href="#" class="small button">Small Button</a>
<a href="#" class="large button">Large Button</a>
<a href="#" class="large expand button">Large Expand Button</a>

<!-- Color Classes -->
<a href="#" class="button secondary">Secondary Button</a>
<a href="#" class="button success">Success Button</a>
<a href="#" class="button alert">Alert Button</a>

<!-- Radius Classes -->
<a href="#" class="button radius">Radius Button</a>
<a href="#" class="button round">Round Button</a>

<!-- Disabled Class -->
<a href="#" class="button disabled">Disabled Button</a>
```

```
<!-- Size Classes -->
<a href="#" class="button">Default Button</a>
<a href="#" class="tiny button">Tiny Button</a>
<a href="#" class="small button">Small Button</a>
<a href="#" class="large button">Large Button</a>
<a href="#" class="large expand button">Large Expand Button</a>

<!-- Color Classes -->
<a href="#" class="button secondary">Secondary Button</a>
<a href="#" class="button success">Success Button</a>
<a href="#" class="button alert">Alert Button</a>

<!-- Radius Classes -->
<a href="#" class="button radius">Radius Button</a>
<a href="#" class="button round">Round Button</a>

<!-- Disabled Class -->
<a href="#" class="button disabled">Disabled Button</a>
```

Button Groups

Button groups are great when you need to display a group of actions in a bar.

These build off the button styles and work perfectly with the grid.

Creating button groups

To create a button group, simply wrap your buttons in a `` with a class of `.button-group`

The button styles will work the same as they do when building a single button, but they'll float next to each other to create a group

You also have access to the same radius classes as buttons, `.radius` or `.round`, only they'll go on the `` instead of the button.

You can even make sure the buttons take up even space within the container you put them, by using the even classes: `.even-2` through `.even-8`

```
<!-- A default button-group with small buttons inside -->
<ul class="button-group">
  <li><a href="#" class="small button">Button 1</a></li>
  <li><a href="#" class="small button">Button 2</a></li>
  <li><a href="#" class="small button">Button 3</a></li>
</ul>
```



```
<!-- A default button-group with small buttons inside -->
<ul class="button-group">
  <li><a href="#" class="small button">Button 1</a></li>
  <li><a href="#" class="small button">Button 2</a></li>
  <li><a href="#" class="small button">Button 3</a></li>
</ul>
```



```
<!-- A round, even-3 button-group with default alert buttons inside. -->
<!-- Do not put the radius classes on the buttons themselves. -->
<ul class="button-group round even-3">
  <li><a href="#" class="button alert">Button 1</a></li>
  <li><a href="#" class="button alert">Button 2</a></li>
  <li><a href="#" class="button alert">Button 3</a></li>
</ul>
```

Button 1

Button 2

Button 3

```
<!-- A round, even-3 button-group with default alert buttons inside. -->
<!-- Do not put the radius classes on the buttons themselves. -->
<ul class="button-group round even-3">
  <li><a href="#" class="button alert">Button 1</a></li>
  <li><a href="#" class="button alert">Button 2</a></li>
  <li><a href="#" class="button alert">Button 3</a></li>
</ul>
```

Button 1

Button 2

Button 3

```
<!-- A round, even-3 button-group with default alert buttons inside. -->
<!-- Do not put the radius classes on the buttons themselves. -->
<ul class="button-group round even-3">
  <li><a href="#" class="button alert">Button 1</a></li>
  <li><a href="#" class="button alert">Button 2</a></li>
  <li><a href="#" class="button alert">Button 3</a></li>
</ul>
```

Button 1

Button 2

Button 3

buttons.html

Primary Buttons



```
<a href="" class="large radius button">Contact Us</a>
<a href="" class="medium radius button">Next</a>
<a href="" class="small radius button">Edit</a>
<a href="" class="tiny radius button">Submit</a>
```

Disabled Buttons



```
<a href="" class="large radius disabled button">Send</a>
<a href="" class="medium disabled radius button">Next</a>
<a href="" class="small secondary disabled radius button">Edit</a>
<a href="" class="tiny secondary disabled radius button">Submit</a>
```

Secondary Buttons



```
<a href="" class="large secondary radius button">Get In Touch</a>
<a href="" class="medium secondary radius button">Next</a>
<a href="" class="small secondary radius button">Edit</a>
<a href="" class="tiny secondary radius button">Submit</a>
```

Button Groups

To space buttons evenly within a container, use the class `.even-#`, where `#` is the number of buttons are in the group (up to 8).



```
<ul class="button-group even-3 radius">
  <li><a href="#" class="secondary button active">Developers</a></li>
  <li><a href="#" class="secondary button">IT Admins</a></li>
  <li><a href="#" class="secondary button">CIOs</a></li>
</ul>
```

Buttons

Forms

Visibility Classes

Forms

Forms allow users to interact with your website.

Foundation has you covered with versatile forms that looks great out of the box and are easily customizable as you need.

A combination of form styles and the Foundation grid means you can do basically anything.

Forms in Foundation

Form elements in Foundation are styled based on their type attribute rather than a class — that means no extra markup.

Inputs in Foundation have another major advantage — they are full width by default. That means the field will run as wide as the column that contains them.

Building Forms With HTML

You can size inputs using column sizes, like `.medium-6, .small-6`

You can create row elements inside your form and use columns for the form, including inputs, labels and more. Rows inside a form inherit some special padding to even up input spacing.

Fieldset

Input Label

large-12.columns

Textarea Label

small-12.columns

Fieldset

Input Label

large-12.columns

Textarea Label

small-12.columns

Fieldset

Input Label

large-12.columns

Textarea Label

small-12.columns

<form>

</form>

Fieldset

Input Label

large-12.columns

Textarea Label

small-12.columns

```
<form>
<fieldset>
```

```
</fieldset>
</form>
```

Fieldset

Input Label

large-12.columns

Textarea Label

small-12.columns

```
<form>
  <fieldset>
    <legend>Fieldset</legend>

    </fieldset>
  </form>
```

Fieldset

Input Label

large-12.columns

Textarea Label

small-12.columns

```
<form>
  <fieldset>
    <legend>Fieldset</legend>
    ...
  </fieldset>
</form>
```

Fieldset

Input Label

large-12.columns

Textarea Label

small-12.columns

...

```
<div class="row">
  <div class="large-12 columns">
    <label>Input Label</label>
    <input type="text" placeholder="large-12.columns">
  </div>
</div>
```

...

Fieldset

Input Label

large-12.columns

Textarea Label

small-12.columns

...

```
<div class="row">
  <div class="large-12 columns">
    <label>Textarea Label</label>
    <textarea placeholder="small-12.columns"></textarea>
  </div>
</div>
```

...



GOCARDLESS

Call us, we'd love to help: 020 7183 8674

1 CREATE ACCOUNT

2 ACCOUNT DETAILS

What is your email address?

Use this to log in later

First name

Last name

Choose a password

Minimum of 6 characters

Confirm your password

Just in case you mistyped it

CONTINUE TO ACCOUNT DETAILS

1%

Incredible pricing

1% (capped at £2.00) per transaction.

We charge no other fees.



Powerful features

Accept one-off payments,
subscriptions, or control your cash flow
with variable Direct Debits.

Instant access

Sign up in 60 seconds. Start collecting
money immediately. No merchant
account required.

GOCARDLESS

Call us, we'd love to help: 020 7183 8674

1 CREATE ACCOUNT 2 ACCOUNT DETAILS

What is your email address?
Use this to log in later

First name
Last name

Choose a password
Minimum of 6 characters

Confirm your password
Just in case you mistyped it

CONTINUE TO ACCOUNT DETAILS

1%

Incredible pricing

1% (capped at £2.00) per transaction.
We charge no other fees.



Powerful features

Accept one-off payments,
subscriptions, or control your cash flow
with variable Direct Debits.



Instant access

Sign up in 60 seconds. Start collecting
money immediately. No merchant
account required.

GOCARDLESS

Call us, we'd love to help: 020 7183 8674

1 CREATE ACCOUNT 2 ACCOUNT DETAILS

What is your email address?

Use this to log in later

First name

Last name

Choose a password

Confirm your password

Minimum of 6 characters

Just in case you mistyped it

CONTINUE TO ACCOUNT DETAILS

1%

Incredible pricing

1% (capped at £2.00) per transaction.
We charge no other fees.



Powerful features

Accept one-off payments,
subscriptions, or control your cash flow
with variable Direct Debits.



Instant access

Sign up in 60 seconds. Start collecting
money immediately. No merchant
account required.

GOCARDLESS

Call us, we'd love to help: 020 7183 8674

1 CREATE ACCOUNT 2 ACCOUNT DETAILS

What is your email address?

Use this to log in later

First name

Last name

Choose a password

Confirm your password

Minimum of 6 characters

Just in case you mistyped it

CONTINUE TO ACCOUNT DETAILS

1%

Incredible pricing

1% (capped at £2.00) per transaction.
We charge no other fees.



Powerful features

Accept one-off payments,
subscriptions, or control your cash flow
with variable Direct Debits.



Instant access

Sign up in 60 seconds. Start collecting
money immediately. No merchant
account required.

Create a merchant account X

← → C https://gocardless.com/merchants/new

GOCARDLESS Call us, we'd love to help: 020 7183 8674

1 CREATE ACCOUNT **2** ACCOUNT DETAILS

What is your email address?
Use this to log in later .large-12

First name .large-6 Last name .large-6

Choose a password .large-6 Confirm your password .large-6

CONTINUE TO ACCOUNT DETAILS

1%

Incredible pricing
1% (capped at £2.00) per transaction.
We charge no other fees.

⚡

Powerful features
Accept one-off payments,
subscriptions, or control your cash flow
with variable Direct Debits.

✓

Instant access
Sign up in 60 seconds. Start collecting
money immediately. No merchant
account required.

GC Create a merchant account x

← → C https://gocardless.com/mer... ⌂ ⌂ ⌂

GOCARDLESS 020 7183 8674

1 CREATE ACCOUNT **2 ACCOUNT DETAILS**

What is your email address?

Use this to log in later


First name

Last name

Choose a password

Minimum of 6 characters

Confirm your password



Use this to log in later

First name

Last name

Choose a password

Minimum of 6 characters

Confirm your password

Just in case you mistyped it

CONTINUE TO ACCOUNT DETAILS

Inline Labels

Sometimes you want a form with labels to the left of your inputs. Piece of cake. You can put the label inside a different column to the left of the input.

Then add a class of `.right` to the label to have it align to the right.

Adding a class of `.inline` will have it vertically center against an input. You can use one or both of these classes to accomplish the look you want.

Label

Inline Text Input

Label

Inline Text Input

```
<form>
  <div class="row">
    <div class="small-3 columns">
      <label for="right-label" class="right inline">Label</label>
    </div>
    <div class="small-9 columns">
      <input type="text" id="right-label" placeholder="Inline Text Input">
    </div>
  </div>
</form>
```

Label


Inline Text Input

```
<form>
  <div class="row">
    <div class="small-3 columns">
      <label for="right-label" class="right inline">Label</label>
    </div>
    <div class="small-9 columns">
      <input type="text" id="right-label" placeholder="Inline Text Input">
    </div>
  </div>
</form>
```

Label

Inline Text Input

```
<form>
  <div class="row">
    <div class="small-3 columns">
      <label for="right-label" class="right inline">Label</label>
    </div>
    <div class="small-9 columns">
      <input type="text" id="right-label" placeholder="Inline Text Input">
    </div>
  </div>
</form>
```



Tell us about yourself

Sign up quickly with Facebook or Twitter:

 [Sign Up with Facebook](#)

 [Sign Up with Twitter](#)

Or you can sign up with your email address:

Full Name*

Email*

Create Password*

6 characters or more

Confirm Password*

Connect your social accounts

Twitter

@

Facebook

facebook.com/username

Google +


plus.google.com/username

LinkedIn

linkedin.com/in/username



TIP Connect your social accounts to make sharing your page, progress, and updates easy.



Tell us about yourself

Sign up quickly with Facebook or Twitter:

 [Sign Up with Facebook](#)

 [Sign Up with Twitter](#)

Or you can sign up with your email address:

.row

Full Name*

.row

Email*

.row

Create Password*

6 characters or more

.row

Confirm Password*

Connect your social accounts

Twitter

@



TIP Connect your social accounts to make sharing your page, progress, and updates easy.

Facebook


facebook.com/username

Google +

plus.google.com/username

LinkedIn

linkedin.com/in/username



Tell us about yourself

Sign up quickly with Facebook or Twitter:

 [Sign Up with Facebook](#)

 [Sign Up with Twitter](#)

Or you can sign up with your email address:

Full name*

.large-9

Email*

.large-9

Create a password*

6 characters or more

.large-9

Confirm password*

.large-9

Connect your social accounts

Twitter

@

Facebook

facebook.com/username

Google +

plus.google.com/username

LinkedIn

linkedin.com/in/username



TIP Connect your social accounts to make sharing your page, progress, and updates easy.

A screenshot of a web browser window showing a sign-up form. The top bar includes standard window controls (minimize, maximize, close) and a toolbar with icons for back, forward, search, and other functions.

Tell us about yourself

Sign up quickly with Facebook or Twitter:

Sign Up with Facebook **Sign Up with Twitter**

Or you can sign up with your email address:

label.inline Full Name*

label.inline Email*

label.inline Create Password* *6 characters or more*

label.inline Confirm Password*

Connect your social accounts

Twitter @

Facebook facebook.com/username

Google + plus.google.com/username

LinkedIn linkedin.com/in/username

TIP Connect your social accounts to make sharing your page, progress, and updates easy.

Tell us about yourself

Sign up quickly with Facebook or Twitter:

Sign Up with Facebook

Sign Up with Twitter

Or you can sign up with your email address:

Full Name*

Email*

Create Password*

6 characters or more

Confirm Password*

Connect your social accounts

Pre/Postfix Labels & Actions

Foundation forms support actions tied to buttons, and prefix / postfix labels, through a versatile approach using special grid properties.

Essentially you can use `<div class="row collapse">` to create label / action / input combinations. You use the Foundation columns to define the size of the pre/postfix `` or ``

http://

Enter your URL...

```
http://
```

```
Enter your URL...
```

```
<form>
  <div class="row collapse">
    <div class="small-3 large-2 columns">
      <span class="prefix">http://</span>
    </div>
    <div class="small-9 large-10 columns">
      <input type="text" placeholder="Enter your URL...">
    </div>
  </div>
</form>
```

http://

Enter your URL...

```
<form>
  <div class="row collapse">
    <div class="small-3 large-2 columns">
      <span class="prefix">http://</span>
    </div>
    <div class="small-9 large-10 columns">
      <input type="text" placeholder="Enter your URL...">
    </div>
  </div>
</form>
```

```
http://
```

```
Enter your URL...
```

```
<form>
  <div class="row collapse">
    <div class="small-3 large-2 columns">
      <span class="prefix">http://</span>
    </div>
    <div class="small-9 large-10 columns">
      <input type="text" placeholder="Enter your URL...">
    </div>
  </div>
</form>
```

Hex Value	Action	Value	Label
-----------	--------	-------	-------

Hex Value	Action	Value	Label
-----------	--------	-------	-------

```
<form>
  <div class="row">
    <div class="large-6 columns">
      <div class="row collapse">
        <div class="small-10 columns">
          <input type="text" placeholder="Hex Value">
        </div>
        <div class="small-2 columns">
          <a href="#" class="button prefix">Action</a>
        </div>
      </div>
    </div>
    ...
  </div>
</form>
```

Hex Value	Action	Value	Label
-----------	--------	-------	-------

```
<form>
  <div class="row">
    <div class="large-6 columns">
      <div class="row collapse">
        <div class="small-10 columns">
          <input type="text" placeholder="Hex Value">
        </div>
        <div class="small-2 columns">
          <a href="#" class="button prefix">Action</a>
        </div>
      </div>
    </div>
    ...
  </div>
</form>
```

Hex Value	Action	Value	Label
-----------	--------	-------	-------

```
<form>
  <div class="row">
    <div class="large-6 columns">
      <div class="row collapse">
        <div class="small-10 columns">
          <input type="text" placeholder="Hex Value">
        </div>
        <div class="small-2 columns">
          <a href="#" class="button postfix">Action</a>
        </div>
      </div>
    </div>
    ...
  </div>
</form>
```

Hex Value	Action	Value	Label
-----------	--------	-------	-------

```
<form>
  <div class="row">
    <div class="large-6 columns">
      <div class="row collapse">
        <div class="small-10 columns">
          <input type="text" placeholder="Hex Value">
        </div>
        <div class="small-2 columns">
          <a href="#" class="button postfix">Action</a>
        </div>
      </div>
    </div>
    ...
  </div>
</form>
```

Hex Value	Action	Value	Label
-----------	--------	-------	-------

```
<form>
  <div class="row">
    ...
    <div class="large-6 columns">
      <div class="row collapse">
        <div class="small-9 columns">
          <input type="text" placeholder="Value">
        </div>
        <div class="small-3 columns">
          <span class="postfix radius">Label</span>
        </div>
      </div>
    </div>
  </div>
</form>
```

Hex Value	Action	Value	Label
-----------	--------	-------	-------

```
<form>
  <div class="row">
    ...
    <div class="large-6 columns">
      <div class="row collapse">
        <div class="small-9 columns">
          <input type="text" placeholder="Value">
        </div>
        <div class="small-3 columns">
          <span class="postfix radius">Label</span>
        </div>
      </div>
    </div>
  </div>
</form>
```




```
<form>
  <div class="row">
    ...
    <div class="large-6 columns">
      <div class="row collapse">
        <div class="small-9 columns">
          <input type="text" placeholder="Value">
        </div>
        <div class="small-3 columns">
          <span class="postfix radius">Label</span>
        </div>
      </div>
    </div>
  </div>
</form>
```

Hex Value	Action	Value	Label
-----------	--------	-------	-------

```
<form>
  <div class="row">
    ...
    <div class="large-6 columns">
      <div class="row collapse">
        <div class="small-9 columns">
          <input type="text" placeholder="Value">
        </div>
        <div class="small-3 columns">
          <span class="postfix radius">Label</span>
        </div>
      </div>
    </div>
  </div>
</form>
```

Hex Value	Action	Value	Label
-----------	--------	-------	-------

```
<form>
  <div class="row">
    ...
    <div class="large-6 columns">
      <div class="row collapse">
        <div class="small-9 columns">
          <input type="text" placeholder="Value">
        </div>
        <div class="small-3 columns">
          <span class="postfix radius">Label</span>
        </div>
      </div>
    </div>
  </div>
</form>
```



.dunked.com

RESERVE MY SPACE

U.S. Mortgage Calculator with Taxes and Insurance

Home Value

350,000

\$

Mortgage Amount

315,000

\$

Interest Rate

5.0

%

Amortization Period

30

years
 months

Property Taxes

1.2

%

Mortgage Insurance (PMI)

0.52

%

Homeowner's Insurance

800

\$ / yr

HOA Dues

0

\$ / mo

Request an invite



Error States

Foundation includes error states for labels, inputs and messaging that you can have your app generate programatically.

You can attach a class of `.error` either to the individual elements (`label`, `input`, `small`) or to a `column/div`.

Error

Invalid entry

Another Error

Invalid entry

Message...

Invalid entry

```
<form>
  <div class="row">
    <div class="large-6 columns">
      <label class="error">Error</label>
      <input type="text" class="error" />
      <small class="error">Invalid entry</small>
    </div>
    <div class="large-6 columns error">
      <label>Another Error</label>
      <input type="text" />
      <small>Invalid entry</small>
    </div>
  </div>
  <textarea class="error" placeholder="Message..."></textarea>
  <small class="error">Invalid entry</small>
</form>
```

Error

Invalid entry

Another Error

Invalid entry

Message...

Invalid entry

```
<form>
  <div class="row">
    <div class="large-6 columns">
      <label class="error">Error</label>
      <input type="text" class="error" />
      <small class="error">Invalid entry</small>
    </div>
    <div class="large-6 columns error">
      <label>Another Error</label>
      <input type="text" />
      <small>Invalid entry</small>
    </div>
  </div>
  <textarea class="error" placeholder="Message..."></textarea>
  <small class="error">Invalid entry</small>
</form>
```

Error

Invalid entry

Message...

Invalid entry

Another Error

Invalid entry

```
<form>
  <div class="row">
    <div class="large-6 columns">
      <label class="error">Error</label>
      <input type="text" class="error" />
      <small class="error">Invalid entry</small>
    </div>
    <div class="large-6 columns error">
      <label>Another Error</label>
      <input type="text" />
      <small>Invalid entry</small>
    </div>
  </div>
  <textarea class="error" placeholder="Message..."></textarea>
  <small class="error">Invalid entry</small>
</form>
```

jackie

.dunked.com

RESERVE MY SPACE

INVALID EMAIL ADDRESS

Press esc to close.

Join the New Myspace

f with Facebook

with Twitter

my with Classic Myspace

Artists: bring your original music with you by using Classic Myspace.

FULL NAME ?

EMAIL

DATE OF BIRTH ?

MM DD YYYY

USERNAME ?

SELECT GENDER ?

Please select

By checking the box and clicking "Join", I understand that I am joining the new Myspace, and I have read and accept the new [Terms of Use Agreement](#) and consent to the new [Privacy Policy](#), which materially differ from those governing the classic Myspace.

Join

Press esc to close.

Join the New Myspace

 with Facebook

 with Twitter

 with Classic Myspace

Artists: bring your original music with you by using Classic Myspace.

FULL NAME 

PASSWORD 

Please enter Password.

USERNAME 

EMAIL

DATE OF BIRTH 

MM

DD

YYYY

SELECT GENDER 

Please select

By checking the box and clicking "Join", I understand that I am joining the new Myspace, and I have read and accept the new [Terms of Use Agreement](#) and consent to the new [Privacy Policy](#), which materially differ from those governing the classic Myspace.

Join

Skillshare - Sign up

www.skillshare.com/signup

SKILLSHARE Classes Gallery Teach a Class How it Works Sign up Log in

Sign up

Already have an account? [Log in](#)

First Name

Last Name

Email Address

Or sign up with Facebook

 [Sign Up](#)

By signing up, you agree to the [Community Guidelines](#), [Terms of Use](#), and [Privacy Policy](#)

Password Minimum 5 characters

Zip / Postal Code

[Sign up](#)

Skillshare - Sign up

www.skillshare.com/signup

SKILLSHARE Classes Gallery Teach a Class How it Works Sign up Log in

Sign up

Already have an account? [Log in](#)

First Name Last Name
First Name cannot be blank. Last Name cannot be blank.

Email Address
Email Address cannot be blank.

Password Minimum 5 characters
Password cannot be blank.

Zip / Postal Code

Or sign up with Facebook [!\[\]\(3fd12d8e4c880cbc8f6ce97987318aa9_img.jpg\) Sign Up](#)

By signing up, you agree to the [Community Guidelines](#), [Terms of Use](#), and [Privacy Policy](#)

Selects, Radio Buttons, & Checkboxes

Foundation comes with minimal styling for selects and checkboxes

Native styles are better recognized by users

Native selects and checkboxes behave more predictably for mobile users

Input Label
large-12.columns

Input Label Input Label Input Label
large-4.columns large-4.columns small-9.column .com

Select Box
Husker

Choose Your Favorite Check these out

Radio 1 Radio 2 Checkbox 1 Checkbox 2

Textarea Label
small-12.columns

```
<label>Select Box</label>
<select>
  <option value="husker">Husker</option>
  <option value="starbuck">Starbuck</option>
  <option value="hotdog">Hot Dog</option>
  <option value="apollo">Apollo</option>
</select>
```

Input Label
large-12.columns

Input Label Input Label Input Label
large-4.columns large-4.columns small-9.column .com

Select Box
Husker

Choose Your Favorite
 Radio 1 Radio 2

Check these out
 Checkbox 1 Checkbox 2

Textarea Label
small-12.columns

```
<label>Choose Your Favorite</label>
<input type="radio" name="pokemon" value="Red" id="pokemonRed"><label
for="pokemonRed">Radio 1</label>
<input type="radio" name="pokemon" value="Blue" id="pokemonBlue"><label
for="pokemonBlue">Radio 2</label>
```

```
<label>Choose Your Favorite</label>
<input type="radio" name="pokemon" value="Red" id="pokemonRed"><label
for="pokemonRed">Radio 1</label>
<input type="radio" name="pokemon" value="Blue" id="pokemonBlue"><label
for="pokemonBlue">Radio 2</label>
```

Input Label
large-12.columns

Input Label Input Label Input Label
large-4.columns large-4.columns small-9.column .com

Select Box
Husker

Choose Your Favorite
 Radio 1 Radio 2

Check these out
 Checkbox 1 Checkbox 2

Textarea Label
small-12.columns

```
<label>Check these out</label>
<input id="checkbox1" type="checkbox"><label for="checkbox1">Checkbox 1</label>
<input id="checkbox2" type="checkbox"><label for="checkbox2">Checkbox 2</label>
```

```
<label>Check these out</label>
<input id="checkbox1" type="checkbox"><label for="checkbox1">Checkbox 1</label>
<input id="checkbox2" type="checkbox"><label for="checkbox2">Checkbox 2</label>
```

Visibility Classes

Control what users see based on their screen size

Foundation allows you to easily turn elements on and off based on certain device criteria, like screen size, touch or orientation.

Show Classes

.show-for-small-only	// Show for screens up to 640px
.show-for-medium-up	// Show for screens from 641px and up
.show-for-medium-only	// Show for screens between 641px and 1024px
.show-for-large-up	// Show for screens from 1025px and up
.show-for-large-only	// Show for screens between 1205px and 1440px
.show-for-xlarge-up	// Show for screens from 1441px and up
.show-for-xlarge-only	// Show for screens between 1441px and 1920px
.show-for-xxlarge-up	// Show for screens from 1921px and up

Hide Classes

.hide-for-small-only	// Hide for screens up to 640px
.hide-for-medium-up	// Hide for screens from 641px and up
.hide-for-medium-only	// Hide for screens between 641px and 1024px
.hide-for-large-up	// Hide for screens from 1025px and up
.hide-for-large-only	// Hide for screens between 1205px and 1440px
.hide-for-xlarge-up	// Hide for screens from 1441px and up
.hide-for-xlarge-only	// Hide for screens between 1441px and 1920px
.hide-for-xxlarge-up	// Hide for screens from 1921px and up

Orientation Classes

```
.show-for-landscape /* Visible for landscape orientation */  
.show-for-portrait /* Visible for portrait orientation */  
.hide-for-landscape /* Hidden for landscape orientation */  
.hide-for-portrait /* Hidden for portrait orientation */
```

Touch-Detection Classes

```
.show-for-touch      /* Visible for touch enabled devices */  
.hide-for-touch    /* Hidden for touch enabled devices */
```

[foundation.zurb.com/page-
templates4/feed.html](http://foundation.zurb.com/page-templates4/feed.html)

Questions?

(Stretch break? Bathroom? Snack? Next, Jordan talks about Javascript!)