

# **Palk 365 ja Personal 365 liidese ulatuse dokumentatsioon**

Microsoft Dynamics BC 365

## 1. SISUKORD

2.	Liidese ulatus .....	4
3.	Dokumendis kasutatud lühendite selgitused .....	5
4.	Selgitused veebiliidese ühenduse ja tehnoloogia kohta .....	5
5.	Palk 365 ja Personal 365 GET teenused.....	5
5.1	Puudumiste žurnaal .....	5
5.2	Koolituste loend .....	7
5.3	Koolitusel osalejad .....	8
5.4	Lahkumise alused .....	10
5.5	Töötajate lapsed.....	11
5.6	Lepingute loend .....	12
5.7	Töötajate palgad.....	15
5.8	Palgakontode loend .....	16
5.9	Töötaja pangakontode loend .....	17
5.10	Parameetrid.....	19
5.11	Palgažurnaali read .....	20
5.12	Puhkusetootlused .....	22
5.13	Puhkuste saldo ajalugu .....	23
5.14	Puudumiste asendajad .....	25
5.15	Puudumiste loend .....	27
5.16	Töötajate seisund .....	28
5.17	Struktuuri tase 1 .....	30
5.18	Struktuuri tase 2.....	31
5.19	Struktuuri tase 3.....	32
5.20	Struktuuri tase 4.....	34
5.21	Lepingu liigid.....	36
5.22	Töötaja dokumendid .....	37
5.23	Töötaja passiivsused.....	38
5.24	Aktiivsed töötajad.....	39
5.25	Töötajate loend .....	41
5.26	Töötajate oskuste loend.....	45
5.27	Puhkuste ajakava žurnaal .....	47
5.28	Töötaja tööajatabeli kannete pärimine.....	48
5.29	Töötajate palgalipikud .....	52
6.	Palk 365 ja Personal 365 GET ja POST teenused .....	53
6.1	Palga ametikohad.....	53
6.2	Passiivsuse põhjused .....	55
7.	Palk 365 ja Personal 365 POST teenused .....	56
7.1	Palga kannete lisamine.....	56
7.2	Töötaja lapse lisamine .....	58
7.3	Lepingute lisamine .....	59
7.4	Palgažurnaali lisa kande kirjutamine .....	61
7.5	Panga lisamine töötajale.....	63
7.6	Töötaja parameetrite lisamine .....	64
7.7	Puhkuseajakava lisamine .....	65
7.8	Puudumiste lisamine töötajale .....	66
7.9	Seisundi lisamine töötajale .....	68

7.10	Tasu lisamine töötajale.....	70
7.11	Tööajatabeli kannete lisamine .....	71
7.12	Tööajatabeli projekti lisamine.....	73
7.13	Töötajate lisamine .....	74
7.14	Väliste projektide lisamine .....	78
7.15	Tööajatabeli projekti ülesande lisamine.....	79
7.16	Asendamiste saatmine BC-sse .....	80
8.	Rest api päringud .....	81
8.1	Rest API päringu üld selgitused .....	82
8.2	Puhkuse taotluste lühi päring .....	84
8.3	Puhkuste taotluste päring .....	85
8.4	Töötajate loend .....	87
8.5	Tagasi lükatud maksed.....	88
8.6	Palgaregistri päring.....	90
8.7	Töötajate sünnipäevade ja tööjuubelite päring.....	92
8.8	Palgakontode päring.....	93
8.9	Palgakannete päring.....	94
8.10	Väralogide päring .....	95
8.11	Arvestusperioodi kanded.....	96
8.12	Infoliikide kanded .....	97

## 2. LIIDESE ULATUS

---

Odata päringu kaudu jagatakse ja kirjutatakse ERP'i järgnevad andmed:

Puudumiste žurnaal  
Koolitused ja seal osalejad  
Lahkumise alused  
Töötajate lapsed  
Töötajate lepingud  
Töötajate palgad  
Palgakontod  
Töötajate palgalipikud  
Töötajate pangad  
Töötajate parameetrid  
Palgažurnaali read  
Puhkuseaotlused  
Puhkuste saldo ajalugu  
Puudumiste asendajad  
Puudumiste lugemine  
Töötaja seisund  
Struktuuri tasemed 1,2,3,4.  
Lepingu liigid  
Töötajate dokumendid  
Töötajate passiivsused  
Töötajate töösuhe  
Töötajate loend  
Töötajate oskused  
Töötajate puhkuste ajakava  
Ametikohad  
Palgalipikud  
Töötajate passiivsuse põhjused  
Palga kannete lisamine ja registreerimine  
Laste lisamine  
Lepingute lisamine  
Palgažurnaali andmete lisamine  
Töötaja panga lisamine  
Parameetrite lisamine  
Puhkuste ajakava lisamine  
Puudumiste lisamine  
Töötasu lisamine  
Tööajatabeli kannete lisamine  
Töötajate lisamine  
Välise projektide lisamine tööajatabelisse  
Tööajatabeli projekti ülesande lisamine  
Tagasi lükatud maksete kirjutamine  
Palgaregistri päring

### 3. DOKUMENDIS KASUTATUD LÜHENDITE SELGITUSED

Odata	Veebiteenuses kasutatav veebiprotokoll
BC	Microsoft Business Central 365
Basic Auth.	Autentimise viis
OAuth 2.0	Autentimise viis
JSON	Veebiteenuse andme formaat

### 4. SELGITUSED VEEBILIIDSE ÜHENDUSE JA TEHNOLOOGIA KOHTA

Veebiteenused on loodud OData veebiprotokollile. Kasutatakse HTTP päringut ja kirjutamise/lugemise vastus kuvatakse JSON formaadis.

Veebiteenuse näidis päringud on tehtud Postman lahenduses, kus on kasutatud Basic Autentimist. Kasutajanimi ja parool võetakse BC-st kasutaja kaardilt väljadelt Kasutajanimi ja Parool. OAuth 2.0 autentimiseks Postmanis on vaja kasutajale seadistada Veebiteenuse juurdepääsuvõti Kasutaja kaardil. Kasutajanimi on sama, mis Basic Auth. puhul. OAuth 2.0 autentimist tuleb kasutada Rest API teenuste puhul.

### 5. PALK 365 JA PERSONAL 365 GET TEENUSED

Andmete lugemiseks BC-st kasutatakse GET päringut.

#### 5.1 Puudumiste žurnaal

Andmed loetakse BC-st tabelist 24002027 (PLK Payroll Absence Jrn Line).

Veebiteenuse lehe ID 24008416.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Absence Jrn Line 24002027</b>
<b>Journal_Batch_Name</b>	Code		Journal Batch Name
<b>Entry_No</b>	Integer		Entry No.
<b>Entry_GUID</b>	Code		Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Employee_Name</b>	Text		Employee Name
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Description</b>	Text		Description
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Days</b>	Decimal		Days
<b>Quantity_Days</b>	Days		Quantity
<b>Quantity_Working_Days</b>	Decimal		Quantity Working Days

<b>Child_No</b>	Integer		Child No.
<b>Child_Name</b>	Text		Child Name
<b>Holidays</b>	Decimal		Holidays
<b>Hours</b>	Decimal		Hours
<b>Holiday_Payment</b>	Option	<i>Payday/Holiday/Monthly</i>	Holiday Payment
<b>Notes</b>	Text		Notes
<b>Sharepoint_Entry_No</b>	BigInteger		Sharepoint Entry No.
<b>Main_Contract_No</b>	Code		Main Contract No
<b>Payroll_Dimension_1_Code</b>	Code	<i>Palgadimensioon</i>	Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code	<i>Palgadimensioon</i>	Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code	<i>Palgadimensioon</i>	Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code	<i>Palgadimensioon</i>	Payroll Dimension 4 Code
<b>Department_No</b>	Code		Department No.
<b>Department_Desc</b>	Text		Department Desc.
<b>Level_2_No</b>	Code	<i>Struktuuriüksus</i>	Level 2 No.
<b>Level_2_Name</b>	Text		Level 2 Name
<b>Level_3_No</b>	Code	<i>Struktuuriüksus</i>	Level 3 No.
<b>Level_3_Name</b>	Text		Level 3 Name
<b>Level_4_No</b>	Code	<i>Struktuuriüksus</i>	Level 4 No.
<b>Level_4_Name</b>	Text		Level 4 Name

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/AbsenceJournalRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/AbsenceJournalRead)

Näidis vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/AbsenceJournalRead",
  "value": [
    {
      "@odata.etag": "W/\"JzQ001JWZnpSSUNHdmFmMn14UUdNM2ZXOW53UjMvbHRReEdsZ2o5QkgzYVVTSms9MTswMDsn\"",
      "Journal_Batch_Name": "VAIKIMISI",
      "Entry_No": 10000,
      "Entry_GUID": "00000000-0000-0000-0000-000000000000",
      "Employee_No": "T0003",
      "Employee_Name": "Teele Tuisk",
      "Cause_of_Absence_Code": "P_PUHKUS",
      "Description": "Puhkus",
      "From_Date": "2022-09-14",
      "To_Date": "2022-09-17",
      "Days": 4,
      "Quantity_Days": 4,
      "Quantity_Working_Days": 3,
      "Child_No": 0,
      "Child_Name": "",
      "Holidays": 0,
      "Hours": 32,
      "Holiday_Payment": " ",
      "Notes": "",
      "Sharepoint_Entry_No": 0,
      "Main_Contract_No": ""
    }
  ]
}
```

```

    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": ""
  }
]
}

```

## 5.2 Kooolituste loend

Andmed loetakse BC-st tabelist 24008830 (PER Payroll Training). Antud leht annab välja BC-sse sisestatud kooolituste loendi.

Veebiteenuse lehe ID 24008364.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PER Payroll Training 24008830</b>
<b>No</b>	Code		No.
<b>Name</b>	Text		Name
<b>Area_Code</b>	Code	Koolituse valdkonna tähis	Area Code
<b>Area_Name</b>	Text	Koolituse valdkonna nimi	Area Name
<b>Subtype_Code</b>	Code	Alamliigi tähis, näiteks ettevõtte sisene kooolitus	Subtype Code
<b>Subtype_Name</b>	Name		Subtype Name
<b>Training_Plan_Type</b>	Option	Planned/Unplanned/Extraordinary	Training Plan Type
<b>Training_Company_Name</b>	Text		Training Company Name
<b>Educators</b>	Text		Educators
<b>Internal</b>	Boolean	True/False	Internal
<b>Multi_Companies</b>	Boolean	True/False	Multi Companies
<b>Status</b>	Option	Open/Closed/Canselled	Status
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Academic_Hours</b>	Integer		Academic Hours
<b>Training_Amount</b>	Decimal		Training Amount
<b>Count_of_Participants</b>	Integer		Count of Participants
<b>Related_No</b>	Code	Seotud kooolituse number	Related No
<b>Skill_Type_Code</b>	Code	Oskuse liigi tähis	Skill Type Code
<b>Skill_Code</b>	Code	Oskuse tähis	Skill Code
<b>Skill_Level_Code</b>	Code	Oskuse taseme tähis	Skill Level Code
<b>Feedback</b>	Text		Feedback

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Kooolitused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Kooolitused)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Koolitused",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ0Ozk3MwWvdzdZSktOVXZSMDFBTK5BZ2RndFhFT1lZNHdOQzV2OURSRk1TdGs9MTswMDsn\"",
      "No": "K000003",
      "Name": "Raamatupidamise ABC",
      "Area_Code": "FINANTS",
      "Area_Name": "Finantsalased teadmised",
      "Type_Code": "KOOLITUS",
      "Type_Name": "Koolitus",
      "Subtype_Code": "",
      "Subtype_Name": "",
      "Training_Plan_Type": "Unplanned",
      "Training_Company_No": "V00010",
      "Training_Company_Name": "Koolitaja AS",
      "Educators": "Tiina Tiir",
      "Internal": true,
      "Multi_Companies": true,
      "Status": "Open",
      "From_Date": "2022-09-19",
      "To_Date": "2022-09-30",
      "Academic_Hours": 16,
      "Training_Amount": 0,
      "Count_of_Participants": 1,
      "Related_No": "",
      "Skill_Type_Code": "TÖÖALASED",
      "Skill_Code": "RMT",
      "Skill_Level_Code": "SPETSIALIST",
      "Feedback": ""
    }
  ]
}
```

### 5.3 Koolitusel osalejad

Andmed loetakse BC-st tabelist 24008439 (PER Training Participants) ja 24008830 (PER Payroll Training). Antud teenusega on võimalik kätte saada kõigil koolitustel osalenud töötajate nimekiri.

Veebiteenuse lehe ID 24008365.

Välja nimetus	Tüüp	Märkus	Andmed tabelitest <b>24008439 PER Training Participants</b> ja <b>24008830 PER Payroll Training</b>
<b>Training_No</b>	Code		Training No
<b>Line_Code</b>	Code		Line Code



Line_No	Integer	Töötaja rea number osalejate nimekirjas	Line No
Training_Name	Text	Koolituse nimetus	Name
Training_Area_Code	Code		Training Area Code
Training_Area_Name	Text		Training Area Name
Training_Type_Code	Code		Training Type Code
Training_Type_Name	Text		Training Type Name
Training_Subtype_Code	Code		Training Subtype Code
Training_Subtype_Name	Text		Training Subtype Text
Participated	Boolean	True/False	Participated
From_Date	Date		From Date
To_Date	Date		To Date
Employee_No	Code		Employee No.
Employee_Name	Text		Employee Name
Feedback	Text		Feedback
Department_No	Code		Department No.
Department_Desc	Text		Department Desc.
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_2_Name	Text		Level 2 Name
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_3_Name	Text		Level 3 Name
Level_4_No	Code	Struktuuri taseme kood	Level 4 No.
Level_4_Name	Text		Level 4 Name
Profession_No	Code		Profession No.
Profession_Desc	Text		Profession Desc.
Training_Plan_Type	Option	Planned/Unplanned/Extraordinary	Training Plan Type
Skill_Type_Code	Code	Oskuse liigi tähis	Skill Type Code
Skill_Code	Code	Oskuse tähis	Skill Code
Skill_Level_Code	Code	Oskuse taseme tähis	Skill Level Code
Academic_Hours	Integer		Academic Hours
Credit_Points	Decimal	Ainepunktid	Credit Points
Valid_From	Date	Dokumendi kehtivusaeg	Valid From
Valid_To	Date	Dokumendi kehtivusaeg	Valid To
Document_No	Code		Document No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Koolituselosalejad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Koolituselosalejad)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Koolituselosalejad",
  "value": [
    {
      "@odata.etag": "W/\"JzQ003FiT1FZN3B2aFc4Z1p6Ly9HU1IrQWZyT1BGTElsMU5TbkdjVnA4OHJrZUk9MTswMDsn\"",
      "Training_No": "K000003",
      "Line_Code": "",
      "Line_No": 1,
      "Training_Name": "Raamatupidamise ABC",
      "Training_Area_Code": "FINANTS",
      "Training_Area_Name": "Finantsalased teadmised",
      "Training_Type_Code": "KOOLITUS",

```

```

    "Training_Type_Name": "Koolitus",
    "Training_Subtype_Code": "",
    "Training_Subtype_Name": "",
    "Participated": true,
    "From_Date": "2022-09-19",
    "To_Date": "2022-09-30",
    "Employee_No": "T0003",
    "Employee_Name": "Teele Tuisk",
    "Feedback": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Profession_No": "",
    "Profession_Desc": "",
    "Training_Plan_Type": "Unplanned",
    "Skill_Type_Code": "TÖÖALASED",
    "Skill_Code": "RMT",
    "Skill_Level_Code": "SPETSIALIST",
    "Academic_Hours": 16,
    "Credit_Points": 3,
    "Valid_From": "0001-01-01",
    "Valid_To": "0001-01-01",
    "Document_No": ""
  }
]
}

```

## 5.4 Lahkumise alused

Andmed loetakse BC-st tabelist 24002004 (PLK Payroll Grounds for Termi.). Antud teenuses on kirjeldatud kõik seadusest tulenevad lahkumise alused töötaja töölepingu lõpetamisel. Veebiteenuse lehe ID 24008313.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002004 PLK Payroll Grounds for Termi.</b>
<b>No</b>	Code		No.
<b>Description</b>	Text		Description
<b>Employee_Initiative</b>	Boolean	True/False	Employee Initiative
<b>Employer_Initiative</b>	Boolean	True/False	Employer Initiative
<b>Law_Section</b>	Text		Law Section

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/LahkumiseAlused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/LahkumiseAlused)

Näidis päringu vastus:

```
{
  "@odata.etag": "W/\"JzQ000U5TFY2Kzd5cWRrY2xneTF0U1Y5dVN3ZHpGYStEdTNFUnpNT3hkVWh
sTm89MTswMDsn\"",
  "No": "TA_79",
  "Description": "$ 79 poolte kokkuleppel",
  "Employee_Initiative": false,
  "Employer_Initiative": true,
  "Law_Section": "$ 79"
},
{
  "@odata.etag": "W/\"JzQ003JrNUlKeGZhUGhSN015Yjk1ZDU3MjAwQTVCa1RPTVRkd0lKQkJQV0E
4NzQ9MTswMDsn\"",
  "No": "TA_80LG1",
  "Description": "$ 80 lg 1 tähtaja möödumine",
  "Employee_Initiative": false,
  "Employer_Initiative": true,
  "Law_Section": "$ 80lg1"
},
{
  "@odata.etag": "W/\"JzQ000FpSzh1cGtiMUD3Z3d4Ump2amh6NEhWK1hPWG1XVWJCenlhaDdWak1
ZQ1U9MTswMDsn\"",
  "No": "TA_86LG1",
  "Description": "$ 86 lg 1 ülesütlemine katseajal",
  "Employee_Initiative": false,
  "Employer_Initiative": true,
  "Law_Section": "$ 86lg1"
},
...
}
```

## 5.5 Töötajate lapsed

Andmed loetakse BC-st tabelist 24002130 (PLK Employee Children). Antud tabelis kuvatakse kõiki BC-sse sisestatud töötajate lapsi. Veebiteenuse lehe ID 24012904.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002130 PLK Employee Children</b>
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer		Line No.
<b>Name</b>	Text		Name
<b>Personal_ID</b>	Code		Personal ID
<b>Birth_Date</b>	Date		Birth Date
<b>Sex</b>	Option	<i>Female/Male</i>	Sex
<b>Invalid</b>	Boolean	<i>True/False</i>	Invalid
<b>Comment</b>	Text		Comment
<b>Locked</b>	Boolean	<i>True/False</i>	Locked
<b>SQL_Stamp</b>	BigInt	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ChildrenRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/ChildrenRead)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ChildrenRead",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0009nSWJxTmFjYlBsd21BQ05PQVBXR1QycTM5VUNsRjdaVUJoK3pvUlF4YVU9MTswMDsn\"",
      "Employee_No": "T0002",
      "Line_No": 1,
      "Name": "Hannes Kask",
      "Personal_ID": "63212434433",
      "Birth_Date": "2020-09-05",
      "Sex": "Male",
      "Invalid": false,
      "Comment": "",
      "Locked": false,
      "SQL_Timestamp": 54511248,
      "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
      "@odata.etag": "W/\"JzQ00095bEJUaGFBcko2WUpTcj1MMkVVcVN0c1N4aEt6R0ptbmVqdDYxZ1pPbFk9MTswMDsn\"",
      "Employee_No": "T0003",
      "Line_No": 1,
      "Name": "Uku Tuisk",
      "Personal_ID": "62344400122",
      "Birth_Date": "2018-05-01",
      "Sex": " ",
      "Invalid": false,
      "Comment": "",
      "Locked": false,
      "SQL_Timestamp": 54511284,
      "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    }
  ]
}
```

## 5.6 Lepingute loend

Andmed loetakse BC-st tabelist 24002019 (PLK Employee Contracts). Kuvatakse ettevõtte kõigi töötajate lepingute loendit.

Veebiteenuse lehe ID 24008312.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002019 PLK</b> <b>Employee Contracts</b>
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	<i>Lapse rea number töötaja kohta</i>	Line No
<b>Entry_Type</b>	Option	<i>Leping/Lepingu lisa</i>	Entry_Type
<b>Contract_No</b>	Code		Contract No
<b>Contract_Code</b>	Code	<i>Lepingu liigi tähis, seadusest tulenevad tähised</i>	Contract Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Profession_No</b>	Code		Profession No.
<b>Profession_Category_No</b>	Code		Profession Category No.
<b>Job_Title</b>	Text		Job Title
<b>Working_Factor</b>	Decimal		Working Factor
<b>Additional_Working_Factor</b>	Decimal		Additional Working Factor
<b>Grounds_for_Term_Code</b>	Code	<i>Lahkumise aluse tähis, seadusest tulenev</i>	Grounds for Term. Code
<b>Cov_Working_Register_ID</b>	Code	<i>Tööregistri ID</i>	Cov. Working Register ID
<b>Department_No</b>	Code		Department No.
<b>Department_Desc</b>	Text		Department Desc.
<b>Level_2_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 2 No.
<b>Level_2_Name</b>	Text		Level 2 Name
<b>Level_3_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 3 No.
<b>Level_3_Name</b>	Text		Level 3 Name
<b>Level_4_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 4 No.
<b>Level_4_Name</b>	Text		Level 4 Name
<b>Get_Novice_Date</b>	Date		Novice Ending Date
<b>SQL_Timestamp</b>	BigInt	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/Company\('Tuuritaja%20AS'\)/Lepingu\\_d](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/Company('Tuuritaja%20AS')/Lepingu_d)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/$metadata#Company('Tuuritaja%20AS')/Lepingud",
  "value": [
    {
      "@odata.etag": "W/\"JzQ001c0eTlKZE16UXM5YkZxNUozcCtKWkpuNWc5Mzc5Zm1waGIwQ1VWdXdQQTg9MTswMDsn\"",
      "Employee_No": "T0001",
      "Line_No": 10000,
      "Entry_Type": "Contract",
      "Contract_No": "L000001",
      "Contract_Date": "0001-01-01",
      "Contract_Code": "11",
      "From_Date": "2022-04-01",
      "To_Date": "0001-01-01",
    }
  ]
}
```

```

    "Description": "Määramata ajaks, osalise tööajaga",
    "Profession_No": "001",
    "Profession_Category_No": "",
    "Job_Title": "Tuuritaja",
    "Working_Factor": 1,
    "Additional_Working_Factor": 0,
    "Grounds_for_Term_Code": "",
    "Cov_Working_Register_ID": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Get_Novice_Date": "2022-08-02",
    "SQL_Timestamp": 52851820,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  {
    "@odata.etag": "W/\"JzQ001Rrc3Z00GR6SmJhdWp5b0p1VUdLYUQwdnhxQWVuK2pjQmhIdGhLRkV
TdGs9MTswMDsn\"",
    "Employee_No": "T0002",
    "Line_No": 10000,
    "Entry_Type": "Contract",
    "Contract_No": "L000002",
    "Contract_Date": "0001-01-01",
    "Contract_Code": "10",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Määramata ajaks",
    "Profession_No": "",
    "Profession_Category_No": "",
    "Job_Title": "",
    "Working_Factor": 1,
    "Additional_Working_Factor": 0,
    "Grounds_for_Term_Code": "",
    "Cov_Working_Register_ID": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Get_Novice_Date": "2022-07-02",
    "SQL_Timestamp": 52851821,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },

```

## 5.7 Töötajate palgad

Andmed loetakse BC-st tabelist 24002020 (PLK Employee Salaries). Antud tabelist saab kätte kõigile töötajatele seadistatud töötasud.

Veebiteenuse lehe ID 24008310.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002020 PLK Employee Salaries
Employee_No	Code		Employee No.
Line_No	Integer	Tasude rea number töötaja töötasu kohta	Line No.
Salary_No	Code	Eelseadistatud palga tähis	Salary No.
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Amount	Decimal		Amount
Connected_Employee_No	Code	Seotud töötaja	Connected Employee No.
Payment_Code	Code	Väljamakse liigi tähis	Payment Code
Annual_Salary	Decimal		Annual Salary
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Palgad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Palgad)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Palgad",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00205TEtOSmdHcjlnREcwNkc3Yk5FcnduWlpaemVhTHRuZGVBMytwNTZUZEK9MTswMDsn\"",
      "Employee_No": "T0001",
      "Line_No": 10000,
      "Salary_No": "TASU_KUUPALK",
      "From_Date": "2022-03-01",
      "To_Date": "0001-01-01",
      "Description": "Kuupalk, päevapõhine arvestus",
      "Amount": 2000,
      "Connected_Employee_No": "",
      "Payment_Code": "10",
      "Annual_Salary": 0,
      "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
      "@odata.etag": "W/\"JzQ00zFlWW50TVd00WhDM09PdGsyMm96MUN6cnZ4Skk2WXZvQ3pVRCtvcGRma2s9MTswMDsn\"",
      "Employee_No": "T0002",
      "Line_No": 10000,
```

```

    "Salary_No": "TASU_KUUPALK",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Kuupalk, päevapõhine arvestus",
    "Amount": 2000,
    "Connected_Employee_No": "",
    "Payment_Code": "10",
    "Annual_Salary": 0,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  ...

```

## 5.8 Palgakontode loend

Andmed loetakse BC-st tabelist 24002030 (PLK Payroll Accounts). Antud päringuga saab kätte palgakontode loendi ning võimaldab seadistada teatud parameetritele filtreid. Veebiteenuse lehe ID 24008378.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002030 PLK Payroll Accounts
No	Code		No.
Name	Text		Name
Amount	Decimal		Amount
Employee_Filter	Code		Employee Filter
Accounting_Filter	Code		Accounting Filter
Payment_Filter	Code		Payment Filter
Date_Filter	Date		Date Filter
Type_Filter	Option	Registering/Total/Heading/Payment	Type Filter
Payroll_Dimension_1_Filter	Code		Payroll Dimension 1 Filter
Payroll_Dimension_2_Filter	Code		Payroll Dimension 2 Filter
Payroll_Dimension_3_Filter	Code		Payroll Dimension 3 Filter
Payroll_Dimension_4_Filter	Code		Payroll Dimension 4 Filter
Bank_Register_Filter	Integer		Bank Register Filter
Payment_Code_Filter	Code		Payment Code Filter
Main_Contract_Filter	Code		Main Contract Filter

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Palgakontod](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Palgakontod)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Palgakontod",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ0OzRanVVfDHBFRytEcWhxK3VjbTRvemJYm1pBOH1BTfptb0J0QmI1bHI2MFE9MTswMDsn\\"",

```



```

    "No": "1000",
    "Name": "ARVESTATUD TULUD",
    "Amount": 0,
    "Employee_Filter": "",
    "Accounting_Filter": "",
    "Payment_Filter": "",
    "Calculation_Filter": "",
    "Date_Filter": "",
    "Type_Filter": "",
    "Payroll_Dimension_1_Filter": "",
    "Payroll_Dimension_2_Filter": "",
    "Payroll_Dimension_3_Filter": "",
    "Payroll_Dimension_4_Filter": "",
    "Bank_Register_Filter": "",
    "Payment_Code_Filter": "",
    "Main_Contract_Filter": ""
  },
  {
    "@odata.etag": "W/\\"JzQ002dvL0FHWWRtQkIvd2lud243bkg5RVozMUXLR1YyY1grUGttM1FCdGN
NdmM9MTswMDsn\"",
    "No": "1010",
    "Name": "-- Puhkuse ja keskm.palga alus",
    "Amount": 0,
    "Employee_Filter": "",
    "Accounting_Filter": "",
    "Payment_Filter": "",
    "Calculation_Filter": "",
    "Date_Filter": "",
    "Type_Filter": "",
    "Payroll_Dimension_1_Filter": "",
    "Payroll_Dimension_2_Filter": "",
    "Payroll_Dimension_3_Filter": "",
    "Payroll_Dimension_4_Filter": "",
    "Bank_Register_Filter": "",
    "Payment_Code_Filter": "",
    "Main_Contract_Filter": ""
  },
  ...

```

## 5.9 Töötaja pangakontode loend

Andmed loetakse BC-st tabelist 24002017 (PLK Employee Banks). Teenusega saadetakse töötajatele seadistatud pangakontod.

Veebiteenuse lehe ID 24008311.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002017 PLK Employee Banks
Employee_No	Code		Employee No.
Grade_of_Class	Integer	Konto tähtsusjärjestus	Grade of Class

<b>Bank_No</b>	Code	<i>Eelseadistatud pangakontod</i>	Bank No
<b>Bank_Account</b>	Code		Bank Account
<b>Percentage</b>	Decimal	<i>Defineerib, mitu % kantakse kuhu kontole</i>	Percentage
<b>Amount</b>	Decimal	<i>Defineerib, mis summa kantakse kuhu kontole</i>	Amount
<b>IBAN</b>	Code		IBAN
<b>Reference_No</b>	Code	<i>Viitenumber</i>	Reference_No
<b>Payment_Amount</b>	Decimal		Payment Amount
<b>Description</b>	Text	<i>Makse saaja nimi</i>	Description
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Bank](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Bank)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Bank",
  "value": [
    {
      "@odata.etag": "W/\"JzQ001sVXIxbk8xc0JsakVjRVhUZHB1SSs5emNXc1BKNTNLcmtrOEQ5T1lITjQ9MTswMDSn\"",
      "Employee_No": "T0001",
      "Grade_of_Class": 10000,
      "Bank_No": "LHV",
      "Bank_Account": "",
      "Percentage": 0,
      "Amount": 0,
      "IBAN": "454343533335",
      "Reference_No": "",
      "Payment_Amount": 0,
      "Description": "Triinu Kuur",
      "From_Date": "0001-01-01",
      "To_Date": "0001-01-01",
      "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
      "@odata.etag": "W/\"JzQ00zBHcXRPQndSQXdzT2R1YU5PRVRwaS9MdTRtZk4rU1BGWHN2TU1xV0Rjd009MTswMDSn\"",
      "Employee_No": "T0002",
      "Grade_of_Class": 10000,
      "Bank_No": "SEB",
      "Bank_Account": "",
      "Percentage": 0,
      "Amount": 0,
      "IBAN": "44332224555522",
      "Reference_No": "",
      "Payment_Amount": 0,
    }
  ]
}
```

```

    "Description": "Kalle Malle",
    "From_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  {
    "@odata.etag": "W/\\"JzQ003c1Mn1mQUdySnh1NU02SGtFaEFZS0dFdnNBSGptOHV1bG9INWtzY1RrWUE9MTswMDsn\"",
    "Employee_No": "T0003",
    "Grade_of_Class": 10000,
    "Bank_No": "LHV",
    "Bank_Account": "",
    "Percentage": 0,
    "Amount": 0,
    "IBAN": "224446643333",
    "Reference_No": "",
    "Payment_Amount": 0,
    "Description": "Teele Tuisk",
    "From_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  }
]
}
...

```

## 5.10 Parameetrid

Andmed loetakse BC-st tabelist 24002021 (PLK Employee Parameters). Antud teenusega edastatakse kõigi töötajate kohta seadistatud parameetrid. Veebiteenuse lehe ID 24012905.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002021 PLK Employee Parameters</b>
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	Parameetri rea number töötaja kohta	Line No
<b>Parameter_No</b>	Code	Parameetri tähis	Parameter No
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>SQL_Timestamp</b>	BigInteger	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/SOAPParameters](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/SOAPParameters)

Näidis päringu vastus:

```
{
```

```

"@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4
/$metadata#Company('Tuuritaja%20AS')/SOAPPParameters",
"value": [
  {
    "@odata.etag": "W/\"JzQ00zVFT1JswG1uUjZHUnJ6Sm1VTW1kcXVIdEgzZnhLaVBybEIVQnh2aWV
TNlU9MTswMDsn\"",
    "Employee_No": "T0001",
    "Line_No": 10000,
    "Parameter_No": "PENSIONAR",
    "From_Date": "2056-04-01",
    "To_Date": "0001-01-01",
    "Description": "Pensionär alates 07.04.2056",
    "SQL_Stamp": 45211834,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  {
    "@odata.etag": "W/\"JzQ0029NNz1FVz1MZVdEMzJLcG1Bb3Z0WwYyN0dCEcxbUxveE9mYXhyakx
0SlU9MTswMDsn\"",
    "Employee_No": "T0001",
    "Line_No": 20000,
    "Parameter_No": "LISA7",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "7 päeva eriiseloosuga töö eest diisel-
elektri - ja instruktorvedurijuhile",
    "SQL_Stamp": 45211913,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  {
    "@odata.etag": "W/\"JzQ001ZMeGFTZncxZ2tEM0huYmZURnN4NENHa0c1aHMvc1dqTjRRWmJkc1l
TVGs9MTswMDsn\"",
    "Employee_No": "T0001",
    "Line_No": 30000,
    "Parameter_No": "RESERV28",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Puhkusereserv 28 päeva",
    "SQL_Stamp": 45211926,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  ...

```

## 5.11 Palgažurnaali read

Andmed loetakse BC-st tabelist 24002033 (PLK Payroll Journal Line). Antud teenusega on võimalik pärida sisestatud registreerimata Palgažurnaali ridu. Veebiteenuse lehe ID 24008415.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002033 PLK Payroll</b> <b>Journal Line</b>
<b>Journal_Batch_Name</b>	Code	Töölehe nimetus	Journal Batch Name
<b>Line_No</b>	Integer	Žurnaali rea number	Line No
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Type</b>	Option	Normal/Additional	Type
<b>Employee_No</b>	Code		Employee No.
<b>Employee_Name</b>	Text		Employee Name
<b>Employee_Status</b>	Option	Prospect/Active/Inactive/Terminated	Employee Status
<b>Account_NO</b>	Code		Account No
<b>Document_No</b>	Code	Žurnaali töölehe dokumendi number	Document No
<b>Accounting_Period</b>	Code		Accounting Period
<b>Payment_Period</b>	Code		Payment Period
<b>Calculation_Period</b>	Code		Calculation Period
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Remark</b>	Text	Märkus	Remark
<b>Show_Remark_In_Payroll_Report</b>	Boolean	True/False	Show Remark In Payroll Report
<b>Payment_Code</b>	Code		Payment Code
<b>Currency_Code</b>	Code		Currency Code
<b>Currency_Factor</b>	Decimal		Currency Factor
<b>Currency_Factor_Date</b>	Date		Currency Factor Date
<b>Manual_Currency</b>	Boolean	True/False	Manual Currency
<b>Currency_Amount</b>	Decimal		Currency Amount
<b>Main_Contract_No</b>	Code		Main Contract No
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>PER_Job_No</b>	Code		PER Job No
<b>PER_Job_Description</b>	Text		PER Job Description
<b>PER_Task_No</b>	Code		PER Task No
<b>PER_Task_Description</b>	Text		PER Task Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PayrollJournalRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/PayrollJournalRead)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PayrollJournalRead",
  "value": [
    {
      "@odata.etag": "W/\"JzQ001J3MDdwZ0hDWHVDRVJERzV1e1kwWmFWeG1HK3JkNFJrVlxGemtKWjZnVHM9MTswMDsn\"",
      "Journal_Batch_Name": "VAIKIMISI",
      "Line_No": 10000,

```

```

"Entry_GUID": "00000000-0000-0000-0000-000000000000",
"Type": "Normal",
"Employee_No": "T0003",
"Employee_Name": "Teele Tuisk",
"Employee_Status": "Active",
"Account_No": "",
"Document_No": "PALK 23.09.22",
"Posting_Date": "2022-09-23",
"Accounting_Period": "2022-09",
"Payment_Period": "2022-09",
"Calculation_Period": "2022-09",
"Amount": 15,
"Description": "",
"Remark": "",
"Show_Remark_In_Payroll_Report": false,
"Payment_Code": "10",
"Currency_Code": "",
"Currency_Factor": 0,
"Currency_Factor_Date": "0001-01-01",
"Manual_Currency": false,
"Currency_Amount": 0,
"Main_Contract_No": "",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"PER_Job_No": "",
"PER_Job_Description": "",
"PER_Task_No": "",
"PER_Task_Description": ""
}
]
}

```

## 5.12 Puhkusetaotlused

Andmed loetakse BC-st tabelist 24013072 (PER Payroll Request). Antud pärguga on võimalik kätte saada kõik BC-s töötajate poolt esitatud puhkusetaotlused. Veebiteenuse lehe ID 2408487.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24013072 PER Payroll Request</b>
<b>Request_No</b>	Code		Request No
<b>Employee_No</b>	Code		Employee No.
<b>Full_Name</b>	Text		Full Name
<b>Level_1_No</b>	Code	Struktuuri taseme kood	Level 1 No.
<b>Level_2_No</b>	Code	Struktuuri taseme kood	Level 2 No.
<b>Level_3_No</b>	Code	Struktuuri taseme kood	Level 3 No.
<b>Level_4_No</b>	Code	Struktuuri taseme kood	Level 4 No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/HolidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/HolidayRequests)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/HolidayRequests",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0025TY1BHd0ZlBWZqZHJOeVBIOW9iWHhIamp1NwSemxud1RBTvNoSUC2bkE9MTswMDsn\"",
      "Request_No": "PUH0001",
      "Employee_No": "T0003",
      "Full_Name": "Teele Tuisk",
      "Level_1_No": "",
      "Level_2_No": "",
      "Level_3_No": "",
      "Level_4_No": "",
      "Holiday_Type": "P_PUHKUS",
      "Holiday_Type_Description": "Põhipuhkus",
      "Starting_Date": "2022-10-03",
      "Ending_Date": "2022-10-09",
      "Days": 7,
      "Substitution": "",
      "Request_Info": "Põhipuhkus 03.10.22 - 09.10.22",
      "Request_URL": "http://palk.westeurope.cloudapp.azure.com:8016/PALK18APPTTEST/?company=Tuuritaja%20AS&page=24008329&bookmark=25%3bEgluAQJ7%2f1AAVQBIADAAMAAwADE%3d",
      "Approval_Status": "Approved"
    }
  ]
}
```

### 5.13 Puhkuste saldo ajalugu

Andmed loetakse BC-st tabelist PLK Holiday Balance History (24012923).

Veebiteenuse lehe ID 24012992.

Uuenenud kanded tekivad tööjärjekorra 24002043 käivitamisel. Tööjärjekorda on võimalik käivitada nii päeva, kuu, kui ka aasta lõikes.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Holiday Balance History (24012923)</b>
<b>Entry_No</b>	Integer		Entry No
<b>Employee_No</b>	Code		Employee No
<b>Balance_Date</b>	Date		Balance Date
<b>Balance_Type</b>	Code	Day/Month/Year	Balance Type
<b>Last_Date_Modified</b>	Date		Date Added
<b>Balance_Amount_1</b>	Decimal		Balance Amount_1
<b>Balance_Amount_2</b>	Decimal		Balance Amount_2

Balance_Amount_3	Decimal		Balance Amount_3
Balance_Amount_4	Decimal		Balance Amount_4
Balance_Amount_5	Decimal		Balance Amount_5
Balance_Amount_6	Decimal		Balance Amount_6
Balance_Amount_7	Decimal		Balance Amount_7
Balance_Amount_8	Decimal		Balance Amount_8
Balance_Amount_9	Decimal		Balance Amount_9
Balance_Amount_10	Decimal		Balance Amount_10
Balance_Amount_11	Decimal		Balance Amount_11
Balance_Amount_12	Decimal		Balance Amount_12
Balance_Amount_13	Decimal		Balance Amount_13
Balance_Amount_14	Decimal		Balance Amount_14
Balance_Amount_15	Decimal		Balance Amount_15
Balance_Amount_16	Decimal		Balance Amount_16
Balance_Amount_17	Decimal		Balance Amount_17
Balance_Amount_18	Decimal		Balance Amount_18
Balance_Amount_19	Decimal		Balance Amount_19
Balance_Amount_20	Decimal		Balance Amount_20
Balance_Amount_21	Decimal		Balance Amount_21
Balance_Amount_22	Decimal		Balance Amount_22
Balance_Amount_23	Decimal		Balance Amount_23
Balance_Amount_24	Decimal		Balance Amount_24
Balance_Amount_25	Decimal		Balance Amount_25
Balance_Amount_26	Decimal		Balance Amount_26
Balance_Amount_27	Decimal		Balance Amount_27
Balance_Amount_28	Decimal		Balance Amount_28
Balance_Amount_29	Decimal		Balance Amount_29
Balance_Amount_30	Decimal		Balance Amount_30
Balance_Amount_31	Decimal		Balance Amount_31
Balance_Amount_32	Decimal		Balance Amount_32

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/Company\('Tuuritaja%20AS'\)/PuhAjalugu](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/Company('Tuuritaja%20AS')/PuhAjalugu)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/$metadata#Company('Tuuritaja%20AS')/PuhAjalugu",
  "value": [
    {
      "@odata.etag": "W/\"JzQ002pmc3FMZExCcU1VYzVQdnhxYUhmZdXcFFVvHYxRDNUYWI5VXN3ZXF2a0k9MTswMDsn\"",
      "Entry_No": 1,
      "Employee_No": "T0001",
      "Balance_Date": "2022-10-17",
      "Balance_Type": "DAY",
      "Last_Date_Modified": "2022-10-17",
      "Balance_Amount_1": -16.7386301369863014,
      "Balance_Amount_2": 0,
      "Balance_Amount_3": 0,
      "Balance_Amount_4": 0,
      "Balance_Amount_5": 0,

```



```

    "Balance_Amount_6": 0,
    "Balance_Amount_7": 0,
    "Balance_Amount_8": 0,
    "Balance_Amount_9": 0,
    "Balance_Amount_10": 0,
    "Balance_Amount_11": 0,
    "Balance_Amount_12": 0,
    "Balance_Amount_13": 0,
    "Balance_Amount_14": 0,
    "Balance_Amount_15": 0,
    "Balance_Amount_16": 0,
    "Balance_Amount_17": 0,
    "Balance_Amount_18": 0,
    "Balance_Amount_19": 0,
    "Balance_Amount_20": 0,
    "Balance_Amount_21": 0,
    "Balance_Amount_22": 0,
    "Balance_Amount_23": 0,
    "Balance_Amount_24": 0,
    "Balance_Amount_25": 0,
    "Balance_Amount_26": 0,
    "Balance_Amount_27": 0,
    "Balance_Amount_28": 0,
    "Balance_Amount_29": 0,
    "Balance_Amount_30": 0,
    "Balance_Amount_31": 0,
    "Balance_Amount_32": 0
  },
  ...

```

## 5.14 Puudumiste asendajad

Andmed loetakse BC-st tabelist 24002099 (PLK Payroll Subst. Led. Entry). Kuvatakse puudumise asendajat puudumise kande kohta. Veebiteenuse lehe ID 24008379.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002099 PLK Payroll Subst. Led. Entry</b>
<b>Abs_Entry_No</b>	Code	<i>Puudumise kande number</i>	Abs Entry No
<b>Entry_No</b>	Code	<i>Asenduse kande number puudumise kohta</i>	Entry No
<b>Employee_No</b>	Code		Employee No.
<b>Substituent_No</b>	Code		Substituent_No
<b>Substituent_Name</b>	Text		Substituent_Name
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Description</b>	Text		Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/Company\('Tuuritaja%20AS'\)/Asendajad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/Company('Tuuritaja%20AS')/Asendajad)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/$metadata#Company('Tuuritaja%20AS')/Asendajad",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000IyaU8zaEVPdHc4R2pZaVZzVGtMOE9FQTRNWERvTHRHcW05S041dGZuZUK9MTswMDsn\"",
      "Abs_Entry_No": 1,
      "Entry_No": 10000,
      "Employee_No": "T0001",
      "Substituent_No": "T0004",
      "Substituent_Name": "Stig Segasaar",
      "From_Date": "2022-07-15",
      "To_Date": "2022-07-17",
      "Cause_of_Absence_Code": "P_PUHKUS",
      "Description": "Asendab klienti AS Sisu"
    },
    {
      "@odata.etag": "W/\"JzQ0005rYXhqb3psY2J6YmYzQWN5cGQ5MmZza3BSUjdjcnc1NFhxcWpoQ2JFVWM9MTswMDsn\"",
      "Abs_Entry_No": 6,
      "Entry_No": 10000,
      "Employee_No": "T0002",
      "Substituent_No": "T0003",
      "Substituent_Name": "Teele Tuisk",
      "From_Date": "2022-08-22",
      "To_Date": "2022-09-11",
      "Cause_of_Absence_Code": "P_PUHKUS",
      "Description": ""
    },
    {
      "@odata.etag": "W/\"JzQ0001QUWkxTTZKcWt2Ymc1VDBLcUZCQUdCT09kOXIwanlZWitJWkZnbThYZ1U9MTswMDsn\"",
      "Abs_Entry_No": 8,
      "Entry_No": 10000,
      "Employee_No": "T0003",
      "Substituent_No": "T0004",
      "Substituent_Name": "Stig Segasaar",
      "From_Date": "2022-09-14",
      "To_Date": "2022-09-17",
      "Cause_of_Absence_Code": "P_PUHKUS",
      "Description": "Asendus puhkuseks"
    }
  ]
}
```

## 5.15 Puudumiste loend

Andmed loetakse BC-st tabelist 24002028 (PLK Payroll Abs. Ledger Entry). Antud teenuse kaudu on võimalik kätte saada kogu ettevõttes registreeritud puudumiste nimekiri koos asendajate infoga.

Veebiteenuse lehe ID 24012902.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002028</b> <b>PLK Payroll Abs. Ledger</b> <b>Entry</b> ja <b>24002099 PLK</b> <b>Payroll Subst. Led. Entry</b>
<b>Entry_No</b>	Integer		Entry No.
<b>Employee_No</b>	Code		Employee No.
<b>Employee_Name</b>	Text		Employee Name
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Quantity_Days</b>	Integer		Quantity(Days)
<b>Quantity_Working_Days</b>	Integer		Quantity(Working Days)
<b>Sharepoint_Entry_No</b>	BigInteger		Sharepoint Entry No.
<b>Holiday_Payment</b>	Option	<i>Payday/Holiday/Monthly</i>	Holiday Payment
<b>Notes</b>	Text		Notes
<b>Child_No</b>	Integer		Child No.
<b>Child_Name</b>	Text		Child Name
<b>SQL_Timestamp</b>	BigInteger	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Applied_Abs_Ledg_Entry_No</b>	Integer	<i>Seotud puudumise kande number jätkuhaiguslehe sidumiseks.</i>	Applied Abs.Ledg.Entry No.
<b>SubstitutionTextSimple</b>		<i>Andmed võetakse Palga asendamise andmikust. Väärtus : Substituent No.</i>	
<b>SubstitutionTextFull</b>		<i>Andmed võetakse Palga asendamise andmikust. Väärtus : Substituent No., Substituent Name, Form-to Date.</i>	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/AbsRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/AbsRead)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/AbsRead",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ002NGWmoyK0xsVkhZZnhkc01iTWJnOC9YVGE4eEdGV3VMVG40QVptSU9UeTg9MTswMDsn\"",
      "Entry_No": 1,
      "Employee_No": "T0001",
      "Employee_Name": "Triinu Tuur",
    }
  ]
}
```

```

    "Cause_of_Absence_Code": "P_PUHKUS",
    "From_Date": "2022-07-15",
    "To_Date": "2022-07-17",
    "Description": "Puhkus",
    "Quantity_Days": 3,
    "Quantity_Working_Days": 1,
    "Sharepoint_Entry_No": 0,
    "Holiday_Payment": " ",
    "Notes": "",
    "Child_No": 0,
    "Child_Name": "",
    "SQL_Timestamp": 48267006,
    "Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
    "Applied_Abs_Ledg_Entry_No": 0,
    "SubstitutionTextSimple": "T0004",
    "SubstitutionTextFull": "T0004 Stig Segasaar (07/15/22-07/17/22)"
  },
  {
    "@odata.etag": "W/\\"JzQ0001GUldDdE5hQmpOaktwQWFJQkRWS2VXV1pKR1M3dTNOd1E3SVE5MHR
3V289MTswMDsn\"",
    "Entry_No": 2,
    "Employee_No": "T0002",
    "Employee_Name": "Kalle Malle",
    "Cause_of_Absence_Code": "V_TPTASU",
    "From_Date": "2022-03-06",
    "To_Date": "2022-03-07",
    "Description": "Tasustatud tervisepäev",
    "Quantity_Days": 2,
    "Quantity_Working_Days": 1,
    "Sharepoint_Entry_No": 0,
    "Holiday_Payment": " ",
    "Notes": "",
    "Child_No": 0,
    "Child_Name": "",
    "SQL_Timestamp": 50339357,
    "Entry_GUID": "3ccdbd0a-24c1-4bab-b583-f4689e0313b2",
    "Applied_Abs_Ledg_Entry_No": 0,
    "SubstitutionTextSimple": "",
    "SubstitutionTextFull": ""
  },

```

## 5.16 Töötajate seisund

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Antud teenusega on võimalik pärida kõigi töötajate seisundit. Veebiteenuse lehe ID 24008309.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002016 PLK</b> <b>Employee Status</b>
<b>Employee_No</b>	Code		Employee No.
<b>Status</b>	Option	<i>Active/Inactive/Prospect/Terminated</i>	Status
<b>From_Date</b>	Date		From Date
<b>Description</b>	Text		Description
<b>Initial_Date</b>	Date		Initial Date
<b>To_Date</b>	Date		To Date
<b>Cause_of_Inactivity_Code</b>	Code		Cause of Inactivity Code
<b>Remark</b>	Text		Remark
<b>Cov_Working_Register_ID</b>	Code	<i>Tööregistri ID</i>	Cov. Working Register ID
<b>Amount</b>	Decimal		Amount
<b>Main_Contract_No</b>	Code		Main Contract No.
<b>Grounds_for_Term_Code</b>	Code		Grounds for Term. Code
<b>Termination_Description</b>	Text		Termination Description
<b>Cause_of_Term_Code</b>	Code		Cause of Term. Code
<b>Cause_of_Term_Description</b>	Text		Cause of Term. Description
<b>Department_No_internal_use</b>	Code		Department No. (internal use)
<b>Job_Title_internal_use</b>	Text		Job Title (internal use)
<b>Department_Name_internal_use</b>	Text		Department Name (internal use)
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Seisund](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Seisund)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Seisund",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00zVHMMWJqSFdMbFVKs0h3WkJ5dEhaVkrURU9XOGV1RkdZL2RyM1VCdHVyVHc9MTswMDSn\"",
      "Employee_No": "T0001",
      "Status": "Active",
      "From_Date": "2022-03-01",
      "Description": "Leping",
      "Initial_Date": "0001-01-01",
      "To_Date": "0001-01-01",
      "Cause_of_Inactivity_Code": "",
      "Remark": "",
      "Cov_Working_Register_ID": "",
      "Amount": 0,
      "Main_Contract_No": "",
      "Grounds_for_Term_Code": ""
    }
  ]
}
```

```

    "Termination_Description": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Department_No_internal_use": "",
    "Job_Title_internal_use": "",
    "Department_Name_internal_use": "",
    "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867633"
  },
  {
    "@odata.etag": "W/\"JzQ000drU29Iekw0SG9EdHB6MTRpZnhCVGlHSH1HTjIxeEdnRHBrb1UxeHh
nR1E9MTswMDsn\"",
    "Employee_No": "T0002",
    "Status": "Active",
    "From_Date": "2022-03-01",
    "Description": "Leping",
    "Initial_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Cause_of_Inactivity_Code": "",
    "Remark": "",
    "Cov_Working_Register_ID": "",
    "Amount": 0,
    "Main_Contract_No": "",
    "Grounds_for_Term_Code": "",
    "Termination_Description": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Department_No_internal_use": "",
    "Job_Title_internal_use": "",
    "Department_Name_internal_use": "",
    "Entry_GUID": "e6183e37-e183-4a99-8bee-183d74ac01bd"
  },
  ...

```

## 5.17 Struktuuri tase 1

Andmed loetakse BC-st tabelist 24002010 (PLK Payroll Department). Teenus annab infot ettevõtte 1 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008499.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002010</b> <b>PLK Payroll</b> <b>Department</b>
<b>No</b>	Code		No.
<b>Name</b>	Text		Name
<b>Name_English</b>	Text		Name English
<b>Manager_No</b>	Code		Manager No
<b>Closed</b>	Boolean	True/False	Closed
<b>Dimension_Value</b>	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase1](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Tase1)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Tase1",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ002xqR3M1V3hWMEUeEVqZTNUcytvMXoxWFhSTUVTdGNGUjBKVfJURkc3b0k9MTswMDsn\"",
      "No": "10",
      "Name": "Nõukogu",
      "Name_English": "",
      "Manager_No": "",
      "Closed": false,
      "Dimension_Value": ""
    }
  ]
}
```

## 5.18 Struktuuri tase 2

Andmed loetakse BC-st tabelist 24002092 (PLK Payroll Level 2). Teenus annab infot ettevõtte 2 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008498.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002092 PLK Payroll Level 2</b>
<b>Level_1_No</b>	Code		Level 1 No
<b>No</b>	Code		No
<b>Level_1_Name</b>	Name		Level 1 Name
<b>Name</b>	Text		Name
<b>Name_English</b>	Text		Name English
<b>Manager_No</b>	Code		Manager No
<b>Closed</b>	Boolean	<i>True/False</i>	Closed
<b>Dimension_Value</b>	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase2](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Tase2)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Tase2",
  "value": [
    {
```

```

"@odata.etag": "W/\"JzQ002tyNnZTUnNOZk1YSXBCNjhmCHE1SHdmU1pBcXp6WGE2TD1xZFVDVjJ
PbUU9MTswMDsn\"",
  "Level_1_No": "10",
  "No": "100",
  "Level_1_Name": "Nõukogu",
  "Name": "Juhatus",
  "Name_English": "",
  "Manager_No": "",
  "Closed": false,
  "Dimension_Value": ""
}
]
}

```

## 5.19 Struktuuri tase 3

Andmed loetakse BC-st tabelist 24002096 (PLK Payroll Level 3). Teenus annab infot ettevõtte 3 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008497.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002096 PLK Payroll Level 3
Level_1_No	Code		Level 1 No
Level_2_No	Code		Level 2 No
No	Code		No
Level_1_Name	Name		Level 1 Name
Level_2_Name	Name		Level 2 Name
Name	Text		Name
Name_English	Text		Name English
Manager_No	Code		Manager No
Closed	Boolean	True/False	Closed
Dimension_Value	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase3](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Tase3)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Tase3",
  "value": [
    {
      "@odata.etag": "W/\"JzQ002FpN3Jra3FIeTNuNH1GVFh6UU8xY1h1cW1xL0dpQkVDZU42NjcvcZW5mMGs9MTswMDsn\"",
      "Level_1_No": "10",
      "Level_2_No": "100",
      "No": "101",
      "Level_1_Name": "Nõukogu",

```



```

        "Level_2_Name": "Juhatus",
        "Name": "Raamatupidamine",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""
    },
    {
        "@odata.etag": "W/\"JzQ003JxVmNPZ2FBWxTT0h5d2pEdVN4akI1UStjRzVUTHVCeUZkR3cvWfV
aU1E9MTswMDsn\"",
        "Level_1_No": "10",
        "Level_2_No": "100",
        "No": "102",
        "Level_1_Name": "Nõukogu",
        "Level_2_Name": "Juhatus",
        "Name": "Ostuosakond",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""
    },
    {
        "@odata.etag": "W/\"JzQ001NITDROMWtGRU9oSUdkNzNCZTNscXU1cnBodi92SzN0TlJlW1BxdWZ
nYTA9MTswMDsn\"",
        "Level_1_No": "10",
        "Level_2_No": "100",
        "No": "103",
        "Level_1_Name": "Nõukogu",
        "Level_2_Name": "Juhatus",
        "Name": "Müügiosakond",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""
    },
    {
        "@odata.etag": "W/\"JzQ003JFNWd50V1YRUk3YmdIUnE1dEE5U1ZKTVFmNwG4Q1U4bnY2N0pVZHB
rZm89MTswMDsn\"",
        "Level_1_No": "10",
        "Level_2_No": "100",
        "No": "104",
        "Level_1_Name": "Nõukogu",
        "Level_2_Name": "Juhatus",
        "Name": "Turundus",
        "Name_English": "",
        "Manager_No": "",
        "Closed": false,
        "Dimension_Value": ""
    },
    {

```

```

"@odata.etag": "W/\\"JzQ003kyYWZtNk9YcFduVFJSZ09RSEQ5TWxDL01UdS9zeUh1TUJvU3VVdnF
pYXM9MTswMDSn\"",
  "Level_1_No": "10",
  "Level_2_No": "100",
  "No": "105",
  "Level_1_Name": "Nõukogu",
  "Level_2_Name": "Juhatus",
  "Name": "Tugiüksus",
  "Name_English": "",
  "Manager_No": "",
  "Closed": false,
  "Dimension_Value": ""
}
]
}

```

## 5.20 Struktuuri tase 4

Andmed loetakse BC-st tabelist 24002097 (PLK Payroll Level 4). Teenus annab infot ettevõtte 4 struktuuri taseme kohta.

Veebiteenuse lehe ID 2408496.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002097</b> <b>PLK Payroll Level 4</b>
Level_1_No	Code		Level 1 No
Level_2_No	Code		Level 2 No
Level_3_No	Code		Level 3 No
No	Code		No
Level_1_Name	Name		Level 1 Name
Level_2_Name	Name		Level 2 Name
Level_3_Name	Name		Level 3 Name
Name	Text		Name
Name_English	Text		Name English
Manager_No	Code		Manager No
Closed	Boolean	True/False	Closed
Dimension_Value	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/Company\('Tuuritaja%20AS'\)/Tase4](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/Company('Tuuritaja%20AS')/Tase4)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/$metadata#Company('Tuuritaja%20AS')/Tase4",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ00zdranJQR1VTUD1BUEEwdExGZGt1VmUvdnpUOTQ0bWhZbUZ4S1kwTnNXZ009MTswMDSn\"",
      "Level_1_No": "10",

```

```

    "Level_2_No": "100",
    "Level_3_No": "101",
    "No": "1011",
    "Level_1_Name": "Nõukogu",
    "Level_2_Name": "Juhatus",
    "Level_3_Name": "Raamatupidamine",
    "Name": "Pearaamatupidamine",
    "Name_English": "",
    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
  },
  {
    "@odata.etag": "W/\"JzQ0009wb2sza1RaUkZJbXFUK1pBRUJzTWxLa3hVQ3pEZHDhBUTNGM1h4Y0p
jK1k9MTswMDsn\"",
    "Level_1_No": "10",
    "Level_2_No": "100",
    "Level_3_No": "102",
    "No": "1022",
    "Level_1_Name": "Nõukogu",
    "Level_2_Name": "Juhatus",
    "Level_3_Name": "Ostuosakond",
    "Name": "EU",
    "Name_English": "",
    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
  },
  {
    "@odata.etag": "W/\"JzQ001BhWf1KdFE30GluNHFMMEZQbDFjQUZXcVNiqUg0TTBiZWtsVmFmR1I
vM0U9MTswMDsn\"",
    "Level_1_No": "10",
    "Level_2_No": "100",
    "Level_3_No": "102",
    "No": "1023",
    "Level_1_Name": "Nõukogu",
    "Level_2_Name": "Juhatus",
    "Level_3_Name": "Ostuosakond",
    "Name": "EE",
    "Name_English": "",
    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
  },
  {
    "@odata.etag": "W/\"JzQ003c4VGRNODY5ZURHTm5IN3NZanMwZm96bHdBVzFoWnd5dGt2TGFBRt
0Um89MTswMDsn\"",
    "Level_1_No": "10",
    "Level_2_No": "100",
    "Level_3_No": "103",
    "No": "1033",

```

```

    "Level_1_Name": "Nõukogu",
    "Level_2_Name": "Juhatus",
    "Level_3_Name": "Müügiosakond",
    "Name": "EU",
    "Name_English": "",
    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
  },
  ...

```

## 5.21 Lepingu liigid

Andmed loetakse BC-st tabelist 24002011 (PLK Payroll Empl. Contract). Antud teenuse abil on võimalik pärida BC-sse seadistatud töölepingu liike. Veebiteenuse lehe ID 24008315.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002011 PLK Payroll Empl. Contract
No	Code		No.
Description	Text		Description
Type	Option	Employment Contract/Contract/Board/Councillor/Contract Agreement/Alimony Recipient/Other	Type

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6%C3%B6lepinguLiigid](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6%C3%B6lepinguLiigid)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/T%C3%B6%C3%B6lepinguLiigid",
  "value": [
    {
      "@odata.etag": "W/\"JzQ001rV0pTUG9VdEpveTQ3UnFyZS8vdFlsdW50Q09GWUw3cy84bTV2eDI2U2c9MTswMDsn\"",
      "No": "10",
      "Description": "Määramata ajaks",
      "Type": "Employment Contract"
    },
    {
      "@odata.etag": "W/\"JzQ003pSSGxRb25McGQ5M3JzbDlxazhFLzBMdWg1d1k5NzQxM1lVaDNNV3VIaTA9MTswMDsn\"",
      "No": "11",
      "Description": "Määramata ajaks, osalise tööajaga",
      "Type": "Employment Contract"
    }
  ],
  ...

```

## 5.22 Töötaja dokumendid

Andmed loetakse BC-st tabelist 24002119 (PLK Employee Documents). Teenusega on võimalik pärida kõigile töötajatele seadistatud dokumente ning nende kehtivust. Veebiteenuse lehe ID 24008363.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002119 PLK Employee Documents</b>
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	<i>Mitmes dokument töötaja kohta</i>	Line No
<b>Employee_Name</b>	Text		Employee Name
<b>PLK_Employee_Status</b>	Option	<i>Active/Inactive/Prospect/Terminated</i>	PLK Employee Status
<b>Citizenship_Code</b>	Code		Citizenship Code
<b>Document_No</b>	Code		Document No
<b>Document_Type</b>	Code		Document Type
<b>Document_Type_Description</b>	Text		Document Type Description
<b>Document_Publisher</b>	Code		Document Publisher
<b>Document_Publisher_Name</b>	Text		Document Publisher Name
<b>Document_Valid_From</b>	Date		Document Valid From
<b>Document_Valid_To</b>	Date		Document Valid To
<b>Comment</b>	Text		Comment
<b>Locked</b>	Boolean	<i>True/False</i>	Locked
<b>Department_No</b>	Code		Department No.
<b>Department_Desc</b>	Text		Department Desc.
<b>Level_2_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 2 No.
<b>Level_2_Name</b>	Text		Level 2 Name
<b>Level_3_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 3 No.
<b>Level_3_Name</b>	Text		Level 3 Name
<b>Level_4_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 4 No.
<b>Level_4_Name</b>	Text		Level 4 Name
<b>Picture</b>	Blob		Attachment

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Documents](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Documents)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Documents",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000w4dGZh0TJCQXNLZGtBd2hHWjJicDNKRWowUjFYRDB5M2YxNnYxNW9GOUk9MTswMDSn\"",
      "Employee_No": "T0002",
      "Line_No": 1,
      "Employee_Name": "Kalle Malle",
      "PLK_Employee_Status": "Active",
      "Citizenship_Code": "",
      "Document_No": "A1233",
    }
  ]
}
```

```

    "Document_Type": "D02",
    "Document_Type_Description": "ID-kaart",
    "Document_Publisher": "",
    "Document_Publisher_Name": "",
    "Document_Valid_From": "2022-09-26",
    "Document_Valid_To": "2028-09-26",
    "Comment": "",
    "Locked": false,
    "Department_No": "10",
    "Department_Desc": "Nõukogu",
    "Level_2_No": "100",
    "Level_2_Name": "Juhatus",
    "Level_3_No": "103",
    "Level_3_Name": "Müügiosakond",
    "Level_4_No": "1034",
    "Level_4_Name": "EE",
    "Picture": ""
  },
  {
    "@odata.etag": "W/\"JzQ0024vUWVEZFBRWTVTa2VUM2hSKzVtODVpQ2RqaGZuT2J4N1hpQUZYM2Zrb0E9MTswMDsn\"",
    "Employee_No": "T0003",
    "Line_No": 1,
    "Employee_Name": "Teele Tuisk",
    "PLK_Employee_Status": "Active",
    "Citizenship_Code": "",
    "Document_No": "A11445",
    "Document_Type": "D01",
    "Document_Type_Description": "Pass",
    "Document_Publisher": "",
    "Document_Publisher_Name": "",
    "Document_Valid_From": "2020-09-05",
    "Document_Valid_To": "2026-08-14",
    "Comment": "",
    "Locked": false,
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Picture": ""
  }
]
}

```

## 5.23 Töötaja passiivsused

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Antud loendis kuvatakse kõiki passiivseid töötajaid.  
Veebiteenuse lehe ID 24008494.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002016 PLK Employee Status</b>
<b>Employee_No</b>	Code		Employee No.
<b>Status</b>	Option	<i>Inactive</i>	Status
<b>From_Date</b>	Date		From Date
<b>Description</b>	Text		Description
<b>To_Date</b>	Date		To Date
<b>Cause_of_Inactivity_Code</b>	Code		Cause of Inactivity Code
<b>Main_Contract_No</b>	Code		Main Contract No
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6%C3%B6tajaPassiivsused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6%C3%B6tajaPassiivsused)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/T%C3%B6%C3%B6tajaPassiivsused",
  "value": [
    {
      "@odata.etag": "W/\"JzQ002xpSStMZTzyRGtvWFVCekpWV1p1WEZ2SWdKMhUzdGw5SF1sUEQ0YVVHUKk9MTswMDSn\"",
      "Employee_No": "T0010",
      "Status": "Inactive",
      "From_Date": "2022-09-26",
      "Description": "Vanemapuhkus (kuni lapse 3.a saamiseni)",
      "To_Date": "0001-01-01",
      "Cause_of_Inactivity_Code": "LH00LD",
      "Main_Contract_No": "",
      "Entry_GUID": "7cf25fa9-d7e0-453e-b8b1-82e18feb16cf"
    }
  ]
}
```

## 5.24 Aktiivsed töötajad

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Päringsus kuvatakse ainult aktiivseid töötajaid.  
Veebiteenuse lehe ID 24008495.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002016 PLK Employee Status</b>
<b>Employee_No</b>	Code		Employee No.

Status	Option	Active	Status
From Date	Date		From Date
Description	Text		Description
To Date	Date		To Date
Initial Date	Date		Initial Date
Seniority Date	Date		Seniority Date
Grounds_for_Term_Code	Code		Grounds for Term_Code
Termination_Description	Text		Termination Description
Cause_of_Term_Code	Code		Cause of Term_Code
Cause_of_Term_Description	Text		Cause of Term Description
Remark	Text		Remark
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmployeeStatus](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/EmployeeStatus)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/EmployeeStatus",
  "value": [
    {
      "@odata.etag": "W/\"JzQ001o2Q295UWZ0Rks4RXRpY1FhdjZnOHRyUDdCc19uOHU0Q0xUW1kxOU1LWVt9MTswMDsn\"",
      "Employee_No": "T0001",
      "Status": "Active",
      "From_Date": "2022-03-01",
      "Description": "Leping",
      "To_Date": "2022-10-15",
      "Initial_Date": "0001-01-01",
      "Seniority_Date": "0001-01-01",
      "Grounds_for_Term_Code": "TA_80LG1",
      "Termination_Description": "$ 80 lg 1 tähtaja möödumine",
      "Cause_of_Term_Code": "",
      "Cause_of_Term_Description": "",
      "Remark": "",
      "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867633"
    },
    {
      "@odata.etag": "W/\"JzQ003pERXJoeVZYSHBwT3AxME5IOWVHVDBJyU3Axbi9LQU40a2ROSVhNS0JPNDg9MTswMDsn\"",
      "Employee_No": "T0001",
      "Status": "Active",
      "From_Date": "2022-10-01",
      "Description": "Leping",
      "To_Date": "0001-01-01",
      "Initial_Date": "0001-01-01",
      "Seniority_Date": "0001-01-01",
      "Grounds_for_Term_Code": "",
      "Termination_Description": "",
      "Cause_of_Term_Code": ""
    }
  ]
}
```



```

    "Cause_of_Term_Description": "",
    "Remark": "",
    "Entry_GUID": "67914410-2b81-4b0b-8855-e4b38cef0b97"
  },
  ...

```

## 5.25 Töötajate loend

Andmed loetakse BC-st tabelist 24002014. Võimaldab pärida kõigi töötajate üldandmeid töötajate loendist.

Veebiteenuse lehe ID 24012900.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>24002014</b>
No	Code		No
Personal_ID	Text		Personal ID
First_Name	Text		First Name
Last_Name	Text		Last Name
Birth_Date	Date		Birth Date
Deny_Birth_Date_Publish	Boolean	True/False	Deny Birth Date Publish
Sex	Option	Male/Female	Sex
Status	Boolean	True/False	Status
Employment_Date	Date		Employment Date
Termination_Date	Date		Termination Date
Inactive_Date	Date		Inactive Date
Job_Title	Text		Job Title
Job_Title_English	Text		Job Title English
Profession_Category_No	Code		Profession Category No
Profession_Category_Decs	Text		Profession Category Decs
Profession_Group_Code	Code		Profession Group Code
Profession_Group_Description	Text		Profession Group Description
Working_Factor	Decimal		Working Factor
Noviciate	Boolean	True/False	Noviciate
E-Mail	Text		E-Mail
Company_E-Mail	Text		Company E-Mail
Phone_No_1	Text		Phone No. 1
Phone_No_2	Text		Phone No. 2
Mobile_Phone_No_1	Text		Mobile Phone No. 1
Mobile_Phone_No_2	Text		Mobile Phone No. 2
Address	Text		Address
Address_2	Text		Address 2
City	Text		City
Post_Code	Code		Post Code
Country_Code	Code		Country Code
Seniority_Date	Date		Seniority Date
Level_1_No	Code		Level 1 No.
Level_1_Name	Text		Level 1 Name
Level_1_Name_English	Text		Level 1 Name English
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_2_Name	Text		Level 2 Name
Level_2_Name_English	Text		Level 2 Name English
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_3_Name	Text		Level 3 Name

<b>Level_3_Name_English</b>	Text		Level 3 Name English
<b>Level_4_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 4 No.
<b>Level_4_Name</b>	Text		Level 4 Name
<b>Level_4_Name_English</b>	Text		Level 4 Name English
<b>Manager_No</b>	Code		Manager No.
<b>Manager_Name</b>	Text		Manager Name
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Custom_Field_1</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 1
<b>Custom_Field_2</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 2
<b>Custom_Field_3</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 3
<b>Custom_Field_4</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 4
<b>Custom_Field_5</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 5
<b>Custom_Field_6</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 6
<b>Custom_Field_7</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 7
<b>Custom_Field_8</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud</i>	Custom Field 8

		<i>väärtustega või sisestatava tekstiga väärtusi</i>	
<b>Custom_Field_9</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 9
<b>I_Statistics_Group_Code</b>	Code		I Statistics Group Code
<b>II_Statistics_Group_Code</b>	Code		II Statistics Group Code
<b>Picture</b>	Blob	<i>Töötaja pilt</i>	Picture
<b>SQL_Stamp</b>	BigInteger	*	SQL Timestamp
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Blocked</b>	Boolean	<i>True/False</i>	Blocked
<b>Sch_From_Filter</b>	Date		Sch. From Filter
<b>Sch_To_Filter</b>	Date		Sch. To Filter
<b>Workstation code</b>	Code		Workstation code
<b>Workstation Address</b>	Text		
<b>Workstation Name</b>	Text		Workstation Name

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmpRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/EmpRead)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/EmpRead",
  "value": [
    {
      "@odata.etag": "W/\"JzQ003hLWUZhndVTSDA3ckt3UkJZQTJEOFpjZ2ZFdwYvNUE1U1RIWDNcNVU0dG89MTswMDsn\"",
      "No": "T0002",
      "Personal_ID": "36706225719",
      "First_Name": "Kalle",
      "Last_Name": "Malle",
      "Birth_Date": "1967-06-22",
      "Deny_Birth_Date_Publish": false,
      "Sex": "Male",
      "Status": "Active",
      "Employment_Date": "2022-03-01",
      "Termination_Date": "0001-01-01",
      "Inactive_Date": "0001-01-01",
      "Job_Title": "",
      "Job_Title_English": "",
      "Profession_Category_No": "",
      "Profession_Category_Decs": "",
      "Profession_Group_Code": "",
      "Profession_Group_Description": ""
    }
  ]
}
```

```

"Working_Factor": 1,
"Noviciate": false,
"E_Mail": "",
"Company_E_Mail": "Kalle@tuur.ee",
"Phone_No_1": "",
"Phone_No_2": "",
"Mobile_Phone_No_1": "",
"Mobile_Phone_No_2": "",
"Address": "",
"Address_2": "",
"City": "",
"Post_Code": "",
"County": "",
"Country_Code": "",
"Seniority_Date": "0001-01-01",
"Level_1_No": "10",
"Level_1_Name": "Nõukogu",
"Level_1_Name_English": "",
"Level_2_No": "100",
"Level_2_Name": "Juhatus",
"Level_2_Name_English": "",
"Level_3_No": "103",
"Level_3_Name": "Müügiosakond",
"Level_3_Name_English": "",
"Level_4_No": "1034",
"Level_4_Name": "EE",
"Level_4_Name_English": "",
"Manager_No": "",
"Manager_Name": "",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Custom_Field_1": "",
"Custom_Field_2": "",
"Custom_Field_3": "",
"Custom_Field_4": "",
"Custom_Field_5": "",
"Custom_Field_6": "",
"Custom_Field_7": "",
"Custom_Field_8": "",
"Custom_Field_9": "",
"Custom_Field_10": "",
"I_Statistics_Group_Code": "",
"II_Statistics_Group_Code": "",
"Picture": "",
"SQL_Timestamp": 54656480,
"Entry_GUID": "1f827038-8b46-4de5-ab0e-59e5d47314b6",
"Blocked": false,
"Sch_From_Filter": "",
"Sch_To_Filter": ""

```

},

...

## 5.26 Töötajate oskuste loend

Andmed loetakse BC-st tabelist PER Employee Skill 24008863. Võimaldab pärida kõigi ettevõtte töötajatele seadistatud oskusi ja nende tasemeid ja selle täitmist. Veebiteenuse lehe ID 24008492.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PER Employee Skill (24008863)</b>
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	Töötaja kohta oskuse rea number	Line No
<b>Employee_Name</b>	Text		Employee Name
<b>Employee_Status</b>	Option	Active/Inactive/Prospect/Terminated	Employee Status
<b>Skill_Type_Code</b>	Code		Skill Type Code
<b>Skill_Type_Description</b>	Text		Skill Type Description
<b>Skill_Code</b>	Code		Skill Code
<b>Skill_Description</b>	Text		Skill Description
<b>Skill_Level_Code</b>	Code		Skill Level Code
<b>Skill_Level_Description</b>	Text		Skill Level Description
<b>From_Date</b>	Date		From Date
<b>Until_Date</b>	Date		Until Date
<b>Requested_Level_Code</b>	Code		Requested Level Code
<b>Requested_Level_Description</b>	Text		Requested Level Description
<b>Comment</b>	Text		Comment
<b>Entry_GUID</b>	Guid		Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmployeeSkills](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/EmployeeSkills)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/EmployeeSkills",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0020rckNDVFg4bys4Lyt1dz1lN1hwVFZjdWRuTjVhMWhYt3BxMkdhZX1jSEE9MTswMDsn\"",
      "Employee_No": "T0002",
      "Line_No": 10000,
      "Employee_Name": "Kalle Malle",
      "Employee_Status": "Active",
      "Skill_Type_Code": "ARVUTI",
      "Skill_Type_Description": "Arvutiprogrammid",
      "Skill_Code": "EXCEL",
      "Skill_Description": " ",
      "Skill_Level_Code": "B",
      "Skill_Level_Description": "Spetsialisti/konsultandi",
    }
  ]
}
```

```

    "From_Date": "2022-09-01",
    "Until_Date": "0001-01-01",
    "Requested_Level_Code": "A",
    "Requested_Level_Description": "Arendaja",
    "Comment": "",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  {
    "@odata.etag": "W/\\"JzQ00zh0VU1FQXZXcVA1Nk5zK2xhTWFYTFIzQj1VM1AvbUI2SVVHV1dmU3R
Bdk09MTswMDsn\\",
    "Employee_No": "T0002",
    "Line_No": 20000,
    "Employee_Name": "Kalle Malle",
    "Employee_Status": "Active",
    "Skill_Type_Code": "KEELED",
    "Skill_Type_Description": "Keeled",
    "Skill_Code": "INGLISE",
    "Skill_Description": "Inglise keel",
    "Skill_Level_Code": "B",
    "Skill_Level_Description": "Spetsialisti/konsultandi",
    "From_Date": "0001-01-01",
    "Until_Date": "0001-01-01",
    "Requested_Level_Code": "D",
    "Requested_Level_Description": "Tavakasutaja",
    "Comment": "",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  {
    "@odata.etag": "W/\\"JzQ003FFSGZIdkQvei9LVEJuTUt2Y2t0cD10cnIxL211elU1dG1UNU0xMzB
DYk09MTswMDsn\\",
    "Employee_No": "T0003",
    "Line_No": 10000,
    "Employee_Name": "Teele Tuisk",
    "Employee_Status": "Active",
    "Skill_Type_Code": "ARVUTI",
    "Skill_Type_Description": "Arvutiprogrammid",
    "Skill_Code": "WORD",
    "Skill_Description": " ",
    "Skill_Level_Code": "B",
    "Skill_Level_Description": "Spetsialisti/konsultandi",
    "From_Date": "2022-09-01",
    "Until_Date": "0001-01-01",
    "Requested_Level_Code": "B",
    "Requested_Level_Description": "Spetsialisti/konsultandi",
    "Comment": "",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  }
]
}

```

## 5.27 Puhkuste ajakava žurnaal

Andmed loetakse BC-st tabelist PLK Payroll Holiday Sch. Lines 24002050. Antud teenusega on võimalik pärida puhkuste ajakava žurnaali andmeid.

Veebiteenuse lehe ID 24008490.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Holiday Sch. Lines (24002050)</b>
Entry_No	Integer		Entry No.
Journal_Batch_Name	Code	Töölehe nimetus	Journal Batch Name
Entry_GUID	Guid	*	Entry GUID
Employee_No	Code		Employee No.
Employee_Name	Text		Employee Name
Employee_Status	Option	Active/Inactive/Prospect/Derminated	Employee Status
Holiday_Code	Code		Holiday Code
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Days	Decimal		Quantity(Days)
Holiday_Payment	Option	Payday/Holiday/Monthly	Holiday Payment
Notes	Text		Notes
Posted	Boolean	True/False	Posted
Department_No	Code		Department No.
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_4_No	Code	Struktuuri taseme kood	Level 4 No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Holiday](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Holiday)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Holiday",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00zREeTRLQzM3Vm9TM1pBOXhkaG84Wk9oY29UMzJnNFVESWQ0Y05NdTE2ZGc9MTswMDsn\"",
      "Entry_No": 1,
      "Journal_Batch_Name": "2023",
      "Entry_GUID": "00000000-0000-0000-0000-000000000000",
      "Employee_No": "T0001",
      "Employee_Name": "Triinu Tuum",
      "Employee_Status": "Active",
      "Holiday_Code": "P_PUHKUS",
      "From_Date": "2023-06-05",
      "To_Date": "2023-06-11",
    }
  ]
}
```

```

      "Description": "Puhkus",
      "Days": 7,
      "Holiday_Payment": "Payday",
      "Notes": "",
      "Posted": false,
      "Department_No": "10",
      "Level_2_No": "100",
      "Level_3_No": "102",
      "Level_4_No": "1022"
    },
    {
      "@odata.etag": "W/\\"JzQ003VQZDZWnm5PMHN6bUdacG1rRH1ONHpNMkt0YUtSZHV6aFZ6dVhOWUN
meWM9MTswMDsn\"",
      "Entry_No": 2,
      "Journal_Batch_Name": "2023",
      "Entry_GUID": "00000000-0000-0000-0000-000000000000",
      "Employee_No": "T0002",
      "Employee_Name": "Kalle Malle",
      "Employee_Status": "Active",
      "Holiday_Code": "P_PUHKUS",
      "From_Date": "2023-03-20",
      "To_Date": "2023-03-26",
      "Description": "Puhkus",
      "Days": 7,
      "Holiday_Payment": "Payday",
      "Notes": "",
      "Posted": false,
      "Department_No": "10",
      "Level_2_No": "100",
      "Level_3_No": "103",
      "Level_4_No": "1034"
    },
    ...

```

## 5.28 Töötaja tööajatabeli kannete pärimine

Andmed saadakse BC tabelitest PLK Working Schedule Entries (24002101). Iga päringu rida on ühe töötaja tööajatabeli kande rida.

Veebiteenuse lehe ID 24008472.

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Working Schedule Entries (24002101)</b>
<b>Working_Schedule_Group_No</b>	Code		Working Schedule Group No
<b>Employee_No</b>	Code		Employee No.
<b>Date</b>	Date		Date
<b>Entry_No</b>	Integer	Kande number töötaja päeva kande kohta	Entry No
<b>Line_No</b>	Integer	Rea number töötaja päeva kande kohta	Line No
<b>Employee_Name</b>	Text		Employee Name



<b>Employee_Job_Title</b>	Text		Employee Job Title
<b>Planning_Month</b>	Date		Planning Month
<b>Planning_Month_Text</b>	Text		
<b>Month_Normal_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Evening_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Night_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Holiday_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Total_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Nominal_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Hours_Difference</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Day_Overtime_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Amount</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Quantity</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Weekday</b>	Option	Mo,Tu,We,Th,Fr,Sa,Su	Weekday
<b>Route_Code</b>	Code		Route Code
<b>Route_Version_Code</b>	Code		Route Version Code
<b>Route_Day_Code</b>	Date		Route Day Code
<b>Working_Shift_Code</b>	Code		Working Shift Code
<b>Since</b>	Time		Since
<b>Till</b>	Time		Till
<b>Hours</b>	Decimal		Hours
<b>Normal_Hours</b>	Decimal		Normal Hours
<b>Evening_Hours</b>	Decimal		Evening Hours
<b>Night_Hours</b>	Decimal		Night Hours
<b>Holiday_Hours</b>	Decimal		Holiday Hours
<b>Holiday_Normal_Hours</b>	Decimal		Holiday Normal Hours
<b>Holiday_Evening_Hours</b>	Decimal		Holiday Evening Hours
<b>Holiday_Night_Hours</b>	Decimal		Holiday Night Hours
<b>Break_Hours</b>	Decimal		Break Hours
<b>Break_Since</b>	Time		Break Since
<b>Break_Till</b>	Time		Break Till
<b>Break_Normal_Hours</b>	Decimal		Break Normal Hours
<b>Break_Evening_Hours</b>	Decimal		Break Evening Hours
<b>Break_Night_Hours</b>	Decimal		Break Night Hours
<b>Break_Holiday_Normal_Hours</b>	Decimal		Break Holiday Normal Hours
<b>Break_Holiday_Evening_Hours</b>	Decimal		Break Holiday Evening Hours
<b>Break_Holiday_Night_Hours</b>	Decimal		Break Holiday Night Hours
<b>Day_Overtime_Hours</b>	Decimal		Day Overtime Hours
<b>Shortened_Nominal_Hours</b>	Decimal		Shortened Nominal Hours
<b>Shortened_Holiday_Date</b>	Date		Shortened Holiday Date
<b>Entry_Type</b>	Code		Entry Type
<b>Percentage</b>	Decimal		Percentage

<b>Quantity</b>	Decimal		Quantity
<b>Hour_Cost</b>	Decimal		Hour Cost
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Comment</b>	Text		Comment
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Absence_Hours</b>	Decimal		Absence Hours
<b>PER_Job_No</b>	Code		PER Job No.
<b>PER_Job_Description</b>	Text		PER Job Description
<b>PER_Task_No</b>	Code		PER Task No.
<b>PER_Task_Description</b>	Text		PER Task Description
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Leader_No</b>	Code		Leader No
<b>Leader_Name</b>	Text		Leader Name
<b>Brigade_Code</b>	Code		Brigade Code
<b>Brigade_Name</b>	Text		Brigade Name
<b>Submitted</b>	Boolean	<i>True/False</i>	Submitted
<b>Submitted_Time</b>	Datetime		Submitted Time
<b>Accepted</b>	Boolean	<i>True/False</i>	Accepted
<b>Accepted_Time</b>	Datetime		Accepted Time
<b>Registered</b>	Boolean	<i>True/False</i>	Registered

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/IteraHolidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/IteraHolidayRequests)

Näidis päringu vastus:

```
{
  "@odata.etag": "W/\\"JzQ002E5R3VHYWp00VJuNHd1cnA0TWV1MkZzOUplYWsweEF5MTVSnnFzRlh
VaFk9MTswMDsn\\"",
  "Working_Schedule_Group_No": "VEDURIJUHT",
  "Employee_No": "T0002",
  "Date": "2022-07-04",
  "Entry_No": 2,
  "Line_No": 0,
  "Employee_Name": "Kalle Malle",
  "Employee_Job_Title": "",
  "Planning_Month": "2022-07-01",
  "Planning_Month_Text": "July 2022",
  "Month_Normal_Hours": 13,
  "Month_Evening_Hours": 10,
  "Month_Night_Hours": 3,
  "Month_Holiday_Hours": 0,
  "Month_Total_Hours": 26,
  "Month_Nominal_Hours": 168,
  "Month_Hours_Difference": -142,
  "Month_Day_Overtime_Hours": 0,
```

```

"Month_Amount": 0,
"Month_Quantity": 0,
"Weekday": "Mo",
"Route_Code": "KPA",
"Route_Version_Code": "RP",
"Route_Day_Code": "2022-07-04",
"Working_Shift_Code": "",
"Since": "20:00:00",
"Till": "21:00:00",
"Hours": 1,
"Normal_Hours": 0,
"Evening_Hours": 1,
"Night_Hours": 0,
"Holiday_Hours": 0,
"Holiday_Normal_Hours": 0,
"Holiday_Evening_Hours": 0,
"Holiday_Night_Hours": 0,
"Break_Hours": 0,
"Break_Since": "00:00:00",
"Break_Till": "00:00:00",
"Break_Normal_Hours": 0,
"Break_Evening_Hours": 0,
"Break_Night_Hours": 0,
"Break_Holiday_Normal_Hours": 0,
"Break_Holiday_Evening_Hours": 0,
"Break_Holiday_Night_Hours": 0,
"Day_Overtime_Hours": 0,
"Shortened_Nominal_Hours": 0,
"Shortened_Holiday_Date": "0001-01-01",
"Entry_Type": "TÖÖAEG_2",
"Percentage": 0,
"Quantity": 0,
"Hour_Cost": 0,
"Amount": 0,
"Description": "",
"Comment": "2-päevase tuuri tööaeg",
"Cause_of_Absence_Code": "",
"Absence_Hours": 0,
"PER_Job_No": "",
"PER_Job_Description": "",
"PER_Task_No": "",
"PER_Task_Description": "",
"PER_Task_Description_Employee": "",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Leader_No": "",
"Leader_Name": "",
"Brigade_Code": "",
"Brigade_Name": "",

```

```

    "Submitted": false,
    "Submitted_Time": "0001-01-01T00:00:00Z",
    "Accepted": false,
    "Accepted_Time": "0001-01-01T00:00:00Z",
    "Registered": false
  },

```

## 5.29 Töötajate palgalipikud

Andmed päritakse raportiga 24002000 PLK Employee Salary Report.

Veebiteenuse lehe ID 24008301.

Päringuga tuleb kindlasti kaasa anda filter Calculation\_Filter\_In. Vajadusel saab lisada ka töötaja numbrilise filtri.

Välja nimetus	Tüüp	Märkus	Andmed aruandest <b>24002000 PLK Employee Salary Report</b>
<b>No</b>	Code		
<b>Calculation_Filter_In</b>	Code	Formaadis '2022-09'	
<b>Department_No</b>	Code		
<b>CalculationFilter</b>	Code		
<b>SalaryReportB64</b>	Base64		

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Palgalipikud?\\$filter=Calculation\\_Filter\\_In eq '2022-09'](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Palgalipikud?$filter=Calculation_Filter_In eq '2022-09')

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Palgalipikud",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000UzTDZva01LeWpQUFQwVG81VnIyWGc3QTZvVjMvVFcVZd2FaNlWwVzYyLzQ9MTswMDsn\"",
      "No": "T0003",
      "Calculation_Filter_In": "",
      "Department_No": "10",
      "CalculationFilter": "2022-09",
      "SalaryReportB64": "JVBERi0xLjMNCjEgMCBvYmoNC1svUERGIC9UZXB0IC9JbWFnZUIgLT01tYWd1QyAvSW1hZ2VJXQ0KZW5kb2JqDQo2IDAgb2JqDQo8PCAvTGVuZ3RoIDE4NjMgLT0ZpbHRlciAvRmxhdGVEZWNvZGUGPj4gc3RyZWZtDQpYCBVa227cNhB9D+B/4KNTpCyHdWVBgRR1iyBB2sSb9qHpw8arBBvvOo531f5+hzeJuqwkyy2CvYTL4ZyZORwORz579JVwS4XUBCQFI4jSmha8IBYEVVKQu5L8SW70HjFaaCD5+90nIgwFVhAjCipMgSsxqgXhghplneTHM1wff/STJIRJRrtJoNMkv/xPK/LDL4IUtCgKsvpImp+HKqTi1IAIq1eIUFCu3EoFZYUgqw05f/72j4vL1fPVu58fk9VnsvqOXKz0Hr05hRcMRbANYKWo5rqHGIowLUFW4KctwCyBUS5UC/PLF69fvYc/X1zMRR29zAE1SQIIumCWoC3Cqgh6UBAKQRmYwLKh5+0cQY5oDV01oLaUCdEW/OrdEmaJMAvCLJfMNV6SxPS8JDRHxknnJW4VfVgVcCadx5b10We3363sFNfnHGqrc56SZiikqEHLTN41UzETZ2Vm8iVmKsmo1WLSzK9E8hByhpvRIj8RqCqM081Yj4B21IAceWeJAaBWF171obw91vsP5R2uy3lPt+A8+DMqB9zV3p8DytWQcvSXxISCyv1SSuXanzEmDGPmKrwUfpcSX5vwyUQYy39XF18afy/x5cYAP53cx+a3Zt6PXXvq+EV7tEz6x5kjB8pxxc9SK1rmnHNJRd+HMX7aYnIwdjR+Ey6M8dOfpNaY6EFtg/XSZpZD9EzmVe8ZG7zKPsSxJM
    }
  ]
}

```

PxxaL3ZRyDsKab78dwgioymehtdtXzckoGyWTVzbHEy+EUUbnJ5/AE4eJKJ8ma1I6RdUJvImuud1Xtqv36+tDTm0jVMnchqQSSybTU8gLPThnaWM0pY9PDN6Y2huJJH2kFGHLA0AOPn0X8rsLL0ULgmL6K9IubtqZROboBI+wHuEpoKpjJUSMzoNBqYqdzjINUKE7nmhAMPu9IkJHm9ot0x62Ytz72cWdwTiFdj3ucQDv/fXr5893Q02nQIJ7jNIZyjrfdhDuy76bQpn2XoT2x70bP4YQ304db7o3FVQI8xuKpsw2NFYv9m07/ln95F25N3ty/w+ydQFuzd4Z/vfjbXxGsIv+Qv/7G/20cfYUrf3FDWGV3nvcalmP7MjlfNk4ECvhtihW0Jloqq9aevMyekwvTtUgM2F1BAU4Bfq/09zVk2meAbvtncZdPJz8Y6Cbma5a3Peq8BHZ7tR9rxIfEe50zfgxLdx17L5VVk+Z/

...

## 6. PALK 365 JA PERSONAL 365 GET JA POST TEENUSED

All pool kirjeldatud teenuseid on võimalik kasutada nii tabelisse kirjutamiseks, kui ka lugemiseks. GET- lugemiseks, POST- kirjutamiseks.

### 6.1 Palga ametikohad

Andmed loetakse ja kirjutatakse BC-sse tabelisse PLK Payroll Profession (24002009), kus on kirjeldatud kõik ettevõtte ametikohad.

Veebiteenuse lehe ID 24008314.

Välja nimetus	Tüüp	Märkus	Andmed tabelis <b>PLK Payroll Profession (24002009)</b>
<b>No</b>	Code		No
<b>Type</b>	Option	<i>Normal/Heading</i>	Type
<b>Name</b>	Text		Name
<b>Name_English</b>	Text		Name English
<b>Locked</b>	Boolean	<i>True/False</i>	Locked
<b>ISCO_Code</b>	Code		ISCO Code
<b>Statistical_Jobs_Class_Code</b>	Code		Statistical Jobs Class Code
<b>Structure_Code</b>	Code		Structure Code
<b>Structure_Subcode</b>	Code		Structure Subcode
<b>Profession_Group_Code</b>	Code		Profession Group Code
<b>Profession_Group_Description</b>	Text		Profession Group Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/SoapAmetid](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/SoapAmetid)

JSON näidis POST päringuks:

```
{
  "No": "4-004",
  "Type": "Heading",
  "Name": "Ostuosakond",
  "Name_English": "",
  "Locked": false,
  "ISCO_Code": "",
  "Statistical_Jobs_Class_Code": "",
  "Structure_Code": "",
```

```

    "Structure_Subcode": "",
    "Profession_Group_Code": "",
    "Profession_Group_Description": "",
    "Job_Description": ""
  }

```

Näidis päringute vastus:

POST

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/SoapAmetid/$entity",
  "@odata.etag": "W/\"JzQ002cyU0FjVlVTK2tsczNoSk5DMGhq0UVJcHZnbXRXT0pzRGczZmtTU3JVM2M9MTsWMDSn\"",
  "No": "4-004",
  "Type": "Heading",
  "Name": "Ostuosakond",
  "Name_English": "",
  "Locked": false,
  "ISCO_Code": "",
  "Statistical_Jobs_Class_Code": "",
  "Structure_Code": "",
  "Structure_Subcode": "",
  "Profession_Group_Code": "",
  "Profession_Group_Description": "",
  "Job_Description": ""
}

```

GET

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/SoapAmetid",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000Zh0FBETVNMmjhJREpHcVBzYS94SUxYb0piOW1qUG5Ma01PTVBrbzfVbjA9MTswMDSn\"",
      "No": "003",
      "Type": "Normal",
      "Name": "Raamatupidaja",
      "Name_English": "Head Accountant",
      "Locked": false,
      "ISCO_Code": "",
      "Statistical_Jobs_Class_Code": "24110002",
      "Structure_Code": "",
      "Structure_Subcode": "",
      "Profession_Group_Code": "",
      "Profession_Group_Description": "",
      "Job_Description": "Ettevõtte raamatupiamise korraldamine ja meeskonna juhtimine. Aastaruannete koostamine."
    },
    {

```

```

"@odata.etag": "W/\\"JzQ003YrMkdSc1Rpc2pNb3dEMEE4T0tKcndERj1xLysvUzBwYTRZUH1vUUN
UY289MTswMDSn\\",
  "No": "3-003",
  "Type": "Heading",
  "Name": "Raamatupidamine",
  "Name_English": "",
  "Locked": false,
  "ISCO_Code": "",
  "Statistical_Jobs_Class_Code": "",
  "Structure_Code": "",
  "Structure_Subcode": "",
  "Profession_Group_Code": "",
  "Profession_Group_Description": "",
  "Job_Description": ""
}
]
}

```

## 6.2 Passiivsuse põhjused

Andmed loetakse ja kirjutatakse BC-sse tabelisse PLK Payroll Cause of Inactive (24002003). Veebiteenuse lehe ID 24008493.

Välja nimetus	Tüüp	Märkus	Andmed tabelis PLK <b>Payroll Cause of Inactive (24002003)</b>
No	Code		No
Description	Text		Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/Company\('Tuuritaja%20AS'\)/PassiivsuseP%C3%B5hjustused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjustused)

JSON näidis:

```

{
  "No": "PUH",
  "Description": "Isapuhkus"
}

```

Näidis päringu vastus:

POST

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/$metadata#Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjustused/$entity",
  "@odata.etag": "W/\\"JzQ003huQU9GOU1vM3QvZ21iaWhPRG15azIxrHpWbjV0TEMzbFc4bk1Iczl6aHM9MTswMDSn\\",
  "No": "PUH",
  "Description": "Isapuhkus"
}

```

GET

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjused",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00zhTYmRGrytJUGpSdDhCbm9pME9oS0NiYng0ewZDZG03ZjN6VFdhKy9rRVU9MTswMDSn\"",
      "No": "AJAT",
      "Description": "Ajateenistus"
    },
    {
      "@odata.etag": "W/\"JzQ000JTcXNTbFdtdVgrdWJOMmRnRHF6ZlNhVW9nMURCOS9qU1lLbzR6OUUrMUU9MTswMDSn\"",
      "No": "LHOOLD",
      "Description": "Vanemapuhkus (kuni lapse 3.a saamiseni)"
    }
  ]
}
```

## 7. PALK 365 JA PERSONAL 365 POST TEENUSED

Kannete kirjutamiseks BC tabelitesse kasutatakse JSON formaati ja POST päringut.

### 7.1 Palga kannete lisamine

Andmed kirjutatakse BC-sse tabelisse 24002035. Teenus kirjutab protsessi käigus kõigepealt andmed tabelisse 24002033 (PLK Payroll Journal Line) ning seejärel registreerib read automaatselt tabelisse 24002036 (PLK Payroll Registers).

Veebiteenuse lehe ID 24008308.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Payroll Ledger Entry 24002035</b>
<b>SOAP_Entry_No</b>		Primary Key ja pannakse automaatselt taustal kaasa POST toiminguga	
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Journal_Batch_Name</b>	Code	Töölehe nimetus	Journal Batch Name
<b>Document_No</b>	Code		Document No.
<b>Account_No</b>	Code		Account No
<b>Employee_No</b>	Code		Employee No.
<b>Posting_Date</b>	Date		Posting Date
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Remark</b>	Text		Remark
<b>Accounting_Period</b>	Code		Accounting Period
<b>Payment_Period</b>	Code		Payment Period



<b>Calculation_Period</b>	Code		Calculation Period
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Currency_Code</b>	Code		Currency Code
<b>Currency_Amount</b>	Decimal		Currency Amount

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PERSOAPJournalInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/PERSOAPJournalInsert)

JSON näidis:

```
{
  "SOAP_Entry_No": 1,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Journal_Batch_Name": "VAIKIMISI",
  "Document_No": "A124",
  "Account_No": "1223",
  "Employee_No": "T0004",
  "Posting_Date": "2022-09-30",
  "Amount": 100,
  "Description": "Lisatasu Stig",
  "Remark": "",
  "Accounting_Period": "2022-09",
  "Payment_Period": "2020-10",
  "Calculation_Period": "2021-09",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Currency_Code": "",
  "Currency_Amount": 0
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PERSOAPJournalInsert/$entity",
  "@odata.etag": "W/\\"JzQ000FEV2cyY2RUaHZNVUJDnkRYQWdBMDlVWkUwK1pUMnExOGljTWJ4LzlaNk09MTswMDsn\"",
  "SOAP_Entry_No": 4,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Journal_Batch_Name": "VAIKIMISI",
  "Document_No": "A124",
  "Account_No": "1223",
  "Employee_No": "T0004",
  "Posting_Date": "2022-09-30",
  "Amount": 100,
  "Description": "Lisatasu Stig",

```

```

"Remark": "",
"Accounting_Period": "2022-09",
"Payment_Period": "2020-10",
"Calculation_Period": "2021-09",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Currency_Code": "",
"Currency_Amount": 0
}

```

## 7.2 Töötaja lapse lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee Children (24002130).  
Veebiteenuse lehe ID 24008304.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Employee Children (24002130)</b>
<b>SOAP_Entry_No</b>		Primary Key ja pannakse automaatselt taustal kaasa POST toiminguga	
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Name</b>	Text		Name
<b>Personal_ID</b>	Code		Personal ID
<b>Birth_Date</b>	Date		Birth Date
<b>Sex</b>	Option	Male/Female	Sex
<b>Invalid</b>	Boolean	True/False	Invalid
<b>Comment</b>	Text		Comment
<b>Locked</b>	Boolean	True/False	Locked
<b>Delete_Entry</b>	Boolean	True/False	Delete Entry

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/KidsInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/KidsInsert)

JSON näidis:

```

{
  "SOAP_Entry_No" : 3,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Employee_No": "T0002",
  "Name": "Kertu Kuk",
  "Personal_ID": "467744444444",
  "Birth_Date": "2015-10-06",
  "Sex": "Male",
  "Invalid": false,

```

```

"Comment": "",
"Locked": false,
"Delete_Entry": false
}

```

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/KidsInsert/$entity",
  "@odata.etag": "W/\"JzQ00y9nRksxcU9Uei9SbGlaWVJZ3p1WkxCcWZoewtQVWFEdmJCS2RtTUlndUE9MTsWMDSn\"",
  "SOAP_Entry_No": 1,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Employee_No": "T0002",
  "Name": "Kertu Kukkk",
  "Personal_ID": "467744444444",
  "Birth_Date": "2015-10-06",
  "Sex": "Male",
  "Invalid": false,
  "Comment": "",
  "Locked": false,
  "Delete_Entry": false
}

```

### 7.3 Lepingute lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee Contracts (24002019).  
Veebiteenuse lehe ID 24008302.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Employee Contracts (24002019)</b>
<b>Employee_No</b>	Code		Employee No.
<b>Entry_Type</b>	Option	<i>Contract/Addendum</i>	Entry_Type
<b>Contract_No</b>	Code		Contract No
<b>Contract_Code</b>	Code	<i>Lepingu liigi tähis, seadusest tulenevad tähised</i>	Contract Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Profession_No</b>	Code		Profession No.
<b>Profession_Category_No</b>	Code		Profession Category No.
<b>Job_Title</b>	Text		Job Title
<b>Working_Factor</b>	Decimal		Working Factor
<b>Additional_Working_Factor</b>	Decimal		Additional Working Factor
<b>Grounds_for_Term_Code</b>	Code	<i>Lahkumise aluse tähis, seadusest tulenev</i>	Grounds for Term. Code

<b>Department_No</b>	Code		Department No.
<b>Level_2_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 2 No.
<b>Level_3_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 3 No.
<b>Level_4_No</b>	Code	<i>Struktuuri taseme kood</i>	Level 4 No.
<b>Delete_Entry</b>	Boolean	<i>True/False</i>	
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ContractInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/ContractInsert)

JSON näidis:

```
{
  "Employee_No": "T0004",
  "Entry_Type": "Contract",
  "Contract_No": "L000004",
  "Contract_Date": "2002-01-04",
  "Contract_Code": "11",
  "From_Date": "2022-04-01",
  "To_Date": "0001-01-01",
  "Description": "Määramata ajaks, osalise tööajaga",
  "Profession_No": "001",
  "Profession_Category_No": "",
  "Job_Title": "Tuuritaja",
  "Working_Factor": 1,
  "Additional_Working_Factor": 0,
  "Grounds_for_Term_Code": "",
  "Department_No": "",
  "Level_2_No": "",
  "Level_3_No": "",
  "Level_4_No": "",
  "Noviciate_Ending_Date": "2022-01-01",
  "Delete_Entry": false,
  "Entry_GUID": "00000000-0000-0000-0000-000000000002"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ContractInsert/$entity",
  "@odata.etag": "W/\"JzQ000NFU0dFQnB1d1RCbzEveTJMMk81VFZHaTFXbDI0U0pGWmF0NGhwN290dmM9MTs wMDsn\"",
  "SOAP_Entry_No": 2,
  "Entry_GUID": "00000000-0000-0000-0000-000000000002",
  "Employee_No": "T0004",
  "Entry_Type": "Contract",
  "Contract_No": "L000004",
  "Contract_Date": "2002-01-04",
  "Contract_Code": "11",
  "From_Date": "2022-04-01",
  "To_Date": "0001-01-01",
  "Description": "Määramata ajaks, osalise tööajaga",
}
```

```

"Profession_No": "001",
"Job_Title": "Tuuritaja",
"ISCO_Code": "",
"Working_Factor": 1,
"Additional_Working_Factor": 0,
"Profession_Category_No": "",
"Job_Description": "",
"Grounds_for_Term_Code": "",
"Department_No": "",
"Level_2_No": "",
"Level_3_No": "",
"Level_4_No": "",
"Noviciate_Ending_Date": "2022-01-01",
>Delete_Entry": false
}

```

## 7.4 Palgažurnaali lisa kande kirjutamine

Andmed kirjutatakse BC-sse tabelisse 24002033 (PLK Payroll Journal Line).  
Veebiteenuse lehe ID 24012906.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Payroll Journal Line 24002033</b>
Journal_Batch_Name	Code	Töölehe nimetus	Journal Batch Name
Line_No	Integer	Žurnaali rea number	Line No
Entry_GUID	Guid		Entry GUID
Account_No	Code		Account No
Employee_No	Code		Employee No.
Posting_Date	Date		Posting Date
Amount	Decimal		Amount
Description	Text		Description
Remark	Text	Märkus	Remark
Accounting_Period	Code		Accounting Period
Payment_Period	Code		Payment Period
Calculation_Period	Code		Calculation Period
Currency_Factor	Decimal		Currency Factor
Currency_Factor_Date	Date		Currency Factor Date
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
Currency_Code	Code		Currency Code
Currency_Amount	Decimal		Currency Amount

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/JournalInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/JournalInsert)

JSON näidis:

```
{
  "Entry_GUID": "00000000-0000-0000-0000-000000000004",
  "Journal_Batch_Name": "VAIKIMISI",
  "Line_No": 2000,
  "Account_No": "",
  "Employee_No": "T0004",
  "Posting_Date": "2022-09-23",
  "Amount": 200,
  "Description": "",
  "Remark": "",
  "Accounting_Period": "2022-09",
  "Payment_Period": "2022-09",
  "Calculation_Period": "2022-09",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Currency_Code": "",
  "Currency_Amount": 0
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/JournalInsert/$entity",
  "@odata.etag": "W/\\"JzQ0OzQ0Sm5Wbm1lK3RHaGVFSkV2R3hod2dGV3JhSzhBSkR0VktIVzVWQ21TUzg9MTsWMDSn\\\"",
  "Journal_Batch_Name": "VAIKIMISI",
  "Line_No": 100,
  "Entry_GUID": "00000000-0000-0000-0000-000000000004",
  "Account_No": "",
  "Employee_No": "T0004",
  "Posting_Date": "2022-09-23",
  "Amount": 200,
  "Description": "",
  "Remark": "",
  "Accounting_Period": "2022-09",
  "Payment_Period": "2022-09",
  "Calculation_Period": "2022-09",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Currency_Code": "",
  "Currency_Amount": 0
}
```

## 7.5 Panga lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse 24002017 (PLK Employee Banks).  
Veebiteenuse lehe ID 24008307.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>24002017 PLK Employee Banks</b>
<b>SOAP_Entry_No</b>			
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Grade_of_Class</b>	Integer	<i>Konto tähtsusjärjestus</i>	Grade of Class
<b>Bank_No</b>	Code	<i>Eelseadistatud pangakontod</i>	Bank No
<b>Bank_Account</b>	Code		Bank Account
<b>Percentage</b>	Decimal	<i>Defineerib, mitu % kantakse kuhu kontole</i>	Percentage
<b>Amount</b>	Decimal	<i>Defineerib, mis summa kantakse kuhu kontole</i>	Amount
<b>Description</b>	Text	<i>Makse saaja nimi</i>	Description
<b>IBAN</b>	Code		IBAN
<b>Reference_No</b>	Code		Reference_No
<b>Payment_Amount</b>	Decimal		Payment Amount
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Delete_Entry</b>	Boolean	<i>True/False</i>	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PangaLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/PangaLisamine)

JSON näidis:

```
{
  "Employee_No": "T0004",
  "Grade_of_Class": 10000,
  "Bank_No": "LHV",
  "Bank_Account": "",
  "Percentage": 0,
  "Amount": 0,
  "IBAN": "korrektneIBANKood",
  "Reference_No": "",
  "Payment_Amount": 0,
  "Description": "Triinu Kuur",
  "From_Date": "0001-01-01",
  "To_Date": "0001-01-01",
  "Entry_GUID": "00000000-0000-0000-0000-000000000007",
  "Delete_Entry": false
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Pangalisamine/$entity",
  "@odata.etag": "W/\"JzQ0031p0FRNNDd0MUpidHZPWTBLZFRCMVFxaUQ1VTdsM1VoQ2RuVG85b1lVMWc9MTsWMDSn\"",
  "SOAP_Entry_No": 2,
  "Entry_GUID": "00000000-0000-0000-0000-000000000007",
  "Employee_No": "T0004",
  "Grade_of_Class": 10000,
  "Bank_No": "LHV",
  "Bank_Account": "",
  "Percentage": 0,
  "Amount": 0,
  "Description": "Triinu Kuur",
  "IBAN": "korrektneIBANKood",
  "Reference_No": "",
  "Payment_Amount": 0,
  "From_Date": "0001-01-01",
  "To_Date": "0001-01-01",
  "Delete_Entry": false
}
```

## 7.6 Töötaja parameetrite lisamine

Andmed kirjutatakse BC-sse tabelisse 24002021 (PLK Employee Parameters).  
Veebiteenuse lehe ID 24008303.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>24002021 PLK Employee Parameters</b>
<b>SOAP_Entry_No</b>			
<b>Entry_GUID</b>	Guid	Lisatakse päringu käigus automaatselt ja ei pea kaasa andma	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Parameter_No</b>	Code	Parameetri tähis	Parameter No
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Delete_Entry</b>	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ParameetriLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/ParameetriLisamine)

JSON näidis:



```

{
    "SOAP_Entry_No": 2,
    "Entry_GUID": "00000000-0000-0000-0000-000000000002",
    "Employee_No": "T0002",

    "Parameter_No": "PENSIONAR",
    "From_Date": "2056-04-01",
    "To_Date": "0001-01-01",
    "Description": "Pensionär alates 07.04.2056"
}

```

Näidis päringu vastus:

```

{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ParameetriLisamine/$entity",
    "@odata.etag": "W/\"JzQ003o4NytU0ZaWmNRTG1CRzRoK0VFd0R4UmhxT3VkcmZVTFZnekpjaW4zSms9MTs wMDsn\"",
    "SOAP_Entry_No": 2,
    "Entry_GUID": "00000000-0000-0000-0000-000000000002",
    "Employee_No": "T0002",
    "Parameter_No": "PENSIONAR",
    "From_Date": "2056-04-01",
    "To_Date": "0001-01-01",
    "Description": "Pensionär alates 07.04.2056",
    "Delete_Entry": false
}

```

## 7.7 Puhkuseajakava lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Payroll Holiday Sch. Lines (24002050).

Veebiteenuse lehe ID 24008491.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse 24002050 PLK Payroll Holiday Sch. Lines
SOAP_Entry_No	Integer		
Journal_Batch_Name	Code	Töölehe nimetus, mis peab olema eelnevalt BC-sse loodud	Journal Batch Name
Entry_GUID	Guid	*	Entry GUID
Employee_No	Code		Employee No.
Holiday_Code	Code		Holiday Code
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Holiday_Payment	Option	Payday/Holiday/Monthly	Holiday Payment
Child_No	Code		Child No.
Notes	Text		Notes
Delete_Entry	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/holidayScheduleInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/holidayScheduleInsert)

JSON näidis:

```
{
  "SOAP_Entry_No": 2,
  "Journal_Batch_Name": "2023",
  "Entry_GUID": "00000000-0000-0000-0000-000000000000",
  "Employee_No": "T0002",
  "Holiday_Code": "P_PUHKUS",
  "From_Date": "2023-07-05",
  "To_Date": "2023-07-11",
  "Description": "Puhkus",
  "Holiday_Payment": "Payday",
  "Child_No": 0,
  "Notes": "Asendab Mari"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/holidayScheduleInsert/$entity",
  "@odata.etag": "W/\"JzQ002owaG94ejJoR0Z1bEU5MC9kVxSewFrewZHQW1ZWjdIVjQ1M0k3VWZGOW89MTs wMDsn\"",
  "SOAP_Entry_No": 2,
  "Journal_Batch_Name": "2023",
  "Employee_No": "T0002",
  "Holiday_Code": "P_PUHKUS",
  "From_Date": "2023-07-05",
  "To_Date": "2023-07-11",
  "Description": "Puhkus",
  "Holiday_Payment": "Payday",
  "Child_No": 0,
  "Notes": "Asendab Mari",
  "Entry_GUID": "fb052813-1bdb-4dfb-add2-92996eff832e",
  "Delete_Entry": false
}
```

## 7.8 Puudumiste lisamine töötajale

Andmed kirjutatakse BC-sse esmalt tabelisse PLK Payroll Absence Jrn Line (24002027).

Protsessi käigus registreeritakse puudumine automaatselt ning andmed jõuavad tabelisse PLK Payroll Registers (24002036). Täpsemad kirjed on näha tabelis PLK Payroll Abs. Ledger Entry (24002028).

Veebiteenuse lehe ID 24012901.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Abs. Ledger Entry 24002028
---------------	------	--------	---

<b>Log_Entry_No</b>			
<b>Journal_Batch_Name</b>	Code		Journal Batch Name
<b>Employee_No</b>	Code		Employee No.
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Description</b>	Text		Description
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Holiday_Payment</b>	Option	<i>Payday/Holiday/Montly</i>	Holiday Payment
<b>Notes</b>	Text		Notes
<b>Sharepoint_Entry_No</b>	BigInteger		Sharepoint Entry No.
<b>Entry_GUID</b>	Code		Entry GUID
<b>Delete_Entry</b>	Boolean	<i>True/False</i>	
<b>Child_No</b>	Code		Child No.
<b>Child_Name</b>	Code		Child Name
<b>Child_Personal_ID</b>	Integer		Child Personal ID
<b>Child_Birth_Date</b>	Date		Child Birth Date
<b>No_Posting</b>	Boolean	<i>True/False</i>	
<b>Applied_Entry_GUID</b>	Guid	<i>Seotud kande Guid</i>	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PuudLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/PuudLisamine)

JSON näidis:

```
{
  "Journal_Batch_Name": "VAIKIMISI",
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Employee_No": "T0004",
  "Cause_of_Absence_Code": "P_PUHKUS",
  "From_Date": "2022-10-14",
  "To_Date": "2022-10-17",
  "Description": "Puhkus",
  "Holiday_Payment": " ",
  "Notes": "",
  "Sharepoint_Entry_No": 0,
  "Delete_Entry": false,
  "Child_No": 0,
  "Child_Name": "",
  "Child_Personal_ID": "",
  "Child_Birth_Date": "0001-01-01",
  "No_Posting": false
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PuudLisamine/$entity",

```

```

"@odata.etag": "W/\\"JzQ003crTGEzZmpaQStYM3k3a0hRUGNzU1FQRTZKTjd0L2F2K1lWWFpTVWhoYTg9MTs
wMDsn\\",
  "Log_Entry_No": 3,
  "Journal_Batch_Name": "VAIKIMISI",
  "Employee_No": "T0004",
  "Cause_of_Absence_Code": "P_PUHKUS",
  "From_Date": "2022-10-14",
  "To_Date": "2022-10-17",
  "Description": "Puhkus",
  "Holiday_Payment": " ",
  "Notes": "",
  "Sharepoint_Entry_No": 0,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Delete_Entry": false,
  "Child_No": 0,
  "Child_Name": "",
  "Child_Personal_ID": "",
  "Child_Birth_Date": "0001-01-01",
  "No_Posting": false,
  "Applied_Entry_GUID": "00000000-0000-0000-0000-000000000000"
}

```

## 7.9 Seisundi lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse PLK Employee Status (24002016).  
Veebiteenuse lehe ID 24008306.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Employee Status (24002016)</b>
<b>Employee_No</b>	Code		Employee No.
<b>Status</b>	Option	<i>Active/Inactive/Prospect/Terminated</i>	Status
<b>From_Date</b>	Date		From Date
<b>Description</b>	Text		Description
<b>Initial_Date</b>	Date		Initial Date
<b>To_Date</b>	Date		To Date
<b>Cause_of_Inactivity_Code</b>	Code		Cause of Inactivity Code
<b>Remark</b>	Text		Remark
<b>Cov_Working_Register_ID</b>	Code	<i>Tööregistri ID</i>	Cov. Working Register ID
<b>Amount</b>	Decimal		Amount
<b>Grounds_for_Term_Code</b>	Code		Grounds for Term. Code
<b>Cause_of_Term_Code</b>	Code		Cause of Term. Code
<b>Cause_of_Term_Description</b>	Text		Cause of Term. Description
<b>Entry_GUID</b>	Guid	<i>Genereeritakse automaatselt</i>	Entry GUID

<b>SOAP_Entry_No</b>	Integer		
<b>Delete_Entry</b>	Boolean	<i>True/False</i>	
<b>Previous_Contract</b>	Code		Previous Contract

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/SeisundiLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/SeisundiLisamine)

JSON näidis:

```
{
  "Employee_No": "T0003",
    "Status": "Active",
    "From_Date": "2022-03-01",
    "Description": "Leping",
    "Initial_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Cause_of_Inactivity_Code": "",
    "Remark": "",
    "Cov_Working_Register_ID": "1112",
    "Amount": 0,
    "Grounds_for_Term_Code": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Previous_Contract": "",
    "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867636"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/SeisundiLisamine/$entity",
  "@odata.etag": "W/\\"JzQ00zRDYzR6N2540ExRbkV2dnpYODUrMTdvUm9MV2RzVk9J6dzZLQ3h0ekN4aVv9MTs wMDsn\\\"",
  "SOAP_Entry_No": 2,
  "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867636",
  "Employee_No": "T0003",
  "Status": "Active",
  "Description": "Leping",
  "Initial_Date": "0001-01-01",
  "From_Date": "2022-03-01",
  "To_Date": "0001-01-01",
  "Cause_of_Inactivity_Code": "",
  "Grounds_for_Term_Code": "",
  "Cause_of_Term_Code": "",
  "Cause_of_Term_Description": "",
  "Remark": "",
  "Cov_Working_Register_ID": "1112",
  "Amount": 0,
  "Previous_Contract": "",
  "Delete_Entry": false
}
```

}

## 7.10 Tasu lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse PLK Employee Salaries (24002020).  
Veebiteenuse lehe ID 24008305.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee Salaries (24002020)
Employee_No	Code		Employee No.
Salary_No	Code	Eelseadistatud palga tähis	Salary No.
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Amount	Decimal		Amount
Connected_Employee_No	Code	Seotud töötaja	Connected Employee No.
Payment_Code	Code	Väljamakse liigi tähis	Payment Code
Annual_Salary	Decimal		Annual Salary
Entry_GUID	Guid	*	Entry GUID
SOAP_Entry_No	Integer		
Delete_Entry	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuurit aja%20AS'\)/TasuLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuurit aja%20AS')/TasuLisamine)

JSON näidis:

```
{
  "Employee_No": "T0001",
  "Salary_No": "TASU_KUUPALK",
  "From_Date": "2022-04-01",
  "To_Date": "0001-01-01",
  "Description": "Kuupalk, päevapõhine arvestus",
  "Amount": 1000,
  "Connected_Employee_No": "",
  "Payment_Code": "10",
  "Annual_Salary": 0,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/TasuLisamine/$entity",
  "@odata.etag": "W/\\"JzQ003VpN1RIR1JiaFRXV2ZVZm1yME50cVZaYUJ0ZUtrR3l0QnZqZmhmOTN5eWs9MTs wMDsn\\\"",
  "SOAP_Entry_No": 1,
}
```

```

"Entry_GUID": "00000000-0000-0000-0000-000000000001",
"Employee_No": "T0001",
"Salary_No": "TASU_KUUPALK",
"From_Date": "2022-04-01",
"To_Date": "0001-01-01",
"Description": "Kuupalk, päevapõhine arvestus",
"Amount": 1000,
"Connected_Employee_No": "",
"Payment_Code": "10",
"Annual_Salary": 0,
"Delete_Entry": false
}

```

## 7.11 Tööajatabeli kannete lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Working Schedule Employee (24002100).  
Veebiteenuse lehe ID 24008489.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Working Schedule Employee (24002100)</b>
Working_Schedule_Group_No	Code		Working Schedule Group No
Employee_No	Code		Employee No.
Date	Date		Date
Working_Shift_Code	Code		Working Shift Code
Since	Time		Since
Till	Time		Till
Hours	Decimal		Hours
Break_Hours	Decimal		Break Hours
Day_Overtime_Hours	Decimal		Day Overtime Hours
Entry_Type	Code		Entry Type
Percentage	Decimal		Percentage
Quantity	Decimal		Quantity
Hour_Cost	Decimal		Hour Cost
Amount	Decimal		Amount
Description	Text		Description
Comment	Text		Comment
Cause_of_Absence_Code	Code		Cause of Absence Code
Absence_Hours	Decimal		Absence Hours
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
Retain_Time	Boolean	Antakse vastusega kaasa	
Log_Entry_No	Integer	Antakse vastusega kaasa	
Entry_GUID	Guid	Antakse vastusega kaasa	

<b>Delete_Entry</b>	Boolean	<i>Antakse vastusega kaasa</i>	
<b>Delete_Employee</b>	Boolean	<i>Antakse vastusega kaasa</i>	
<b>Delete_Month</b>	Boolean	<i>Antakse vastusega kaasa</i>	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/WorkingSched\\_Insert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/WorkingSched_Insert)

JSON näidis:

```
{
  "Working_Schedule_Group_No": "VEDURIJUHT",
  "Employee_No": "T0003",
  "Date": "2022-10-01",
  "Working_Shift_Code": "UU",
  "Since": "15:50:00",
  "Till": "20:40:00",
  "Hours": 4.84,
  "Break_Hours": 0,
  "Day_Overtime_Hours": 0,
  "Entry_Type": "TÖÖAEG_2",
  "Percentage": 0,
  "Quantity": 0,
  "Amount": 0,
  "Description": "",
  "Comment": "2-päevase tuuri tööaeg",
  "Cause_of_Absence_Code": "",
  "Absence_Hours": 0,
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": ""
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/WorkingSched_Insert/$entity",
  "@odata.etag": "W/\"JzQ00ysyZjc4TUVuWXYk00Z05ZbFYzdldtakFVeU9NYjNiU3d0Yl02cWtIQjA9MTsWMDsn\"",
  "Log_Entry_No": 1,
  "Working_Schedule_Group_No": "VEDURIJUHT",
  "Employee_No": "T0003",
  "Date": "2022-10-01",
  "Entry_Type": "TÖÖAEG_2",
  "Working_Shift_Code": "UU",
  "Retain_Time": false,
  "Since": "15:50:00",
  "Till": "20:40:00",
  "Hours": 4.84,
  "Break_Hours": 0,
  "Cause_of_Absence_Code": ""
}
```



```

    "Absence_Hours": 0,
    "Percentage": 0,
    "Day_Overtime_Hours": 0,
    "Quantity": 0,
    "Amount": 0,
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Description": "",
    "Comment": "2-päevase tuuri tööaeg",
    "Entry_GUID": "4ecae2f1-df06-4b2f-8cd5-4d5abc7beddb",
    "Delete_Entry": false,
    "Delete_Employee": false,
    "Delete_Month": false
  }

```

## 7.12 Tööajatabeli projekti lisamine

Andmed kirjutatakse BC-sse tabelisse PER Working Schedule Job Task (24013066). Andmete edastamine eeldab, et projekt on eelnevalt loodud BC tabelisse PER Working Schedule Job (24013069). Teenus kirjeldab BC-s Palga tööajatabeli projektide ülesandeid. Veebiteenuse lehe ID 24008485.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PER Working Schedule Job Task (24013066)</b> .
<b>Job_No</b>	Code		PER Job No.
<b>Task_No</b>	Code		PER Task No.
<b>Description</b>	Text		Description
<b>Sorting_No</b>	Code	Sorteerimise järjekorra nr tabelis	Sorting No.
<b>Task_Type_Code</b>	Code		Task Type Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Connected_Job_No</b>	Code		Connected Job No.
<b>Connected_Task_No</b>	Code		Connected Task No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/WorkingScheduleTask](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/WorkingScheduleTask)

JSON näidis:

```

{
  "Job_No": "01",

```

```

"Task_No": "1.1",
"Description": "Kaare tn 7",
"Sorting_No": "2",
"Task_Type_Code": "",
"From_Date": "2022-11-01",
"To_Date": "2024-01-01",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Connected_Job_No": "",
"Connected_Task_No": ""
}

```

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Workingscheduletask/$entity",
  "@odata.etag": "W/\"JzQ003RENXJZVkpZ0pLM2NWQkh0Y203VVp20DVHR20zcGMzek4yMmFwcGIzckE9MTsWMDSn\"",
  "Job_No": "01",
  "Task_No": "1.1",
  "Description": "Kaare tn 7",
  "Sorting_No": "2",
  "Task_Type_Code": "",
  "From_Date": "2022-11-01",
  "To_Date": "2024-01-01",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Connected_Job_No": "",
  "Connected_Task_No": ""
}

```

## 7.13 Töötajate lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Payroll Employee (24002014).  
Veebiteenuse lehe ID 24008300.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Payroll Employee (24002014)</b>
<b>No</b>	Code		No
<b>Personal_ID</b>	Text		Personal ID
<b>First_Name</b>	Text		First Name
<b>Last_Name</b>	Text		Last Name
<b>Birth_Date</b>	Date		Birth Date
<b>Sex</b>	Option	Male/Female	Sex
<b>E-Mail</b>	Text		E-Mail

<b>Company_E_Mail</b>	Text		Company E-Mail
<b>Phone_No_1</b>	Text		Phone No. 1
<b>Phone_No_2</b>	Text		Phone No. 2
<b>Mobile_Phone_No_1</b>	Text		Mobile Phone No. 1
<b>Mobile_Phone_No_2</b>	Text		Mobile Phone No. 2
<b>Address</b>	Text		Address
<b>Address_2</b>	Text		Address 2
<b>City</b>	Text		City
<b>Post_Code</b>	Code		Post Code
<b>Country_Code</b>	Code		Country Code
<b>Seniority_Date</b>	Date		Seniority Date
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Custom_Field_1</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 1
<b>Custom_Field_2</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 2
<b>Custom_Field_3</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 3
<b>Custom_Field_4</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 4
<b>Custom_Field_5</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 5
<b>Custom_Field_6</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 6
<b>Custom_Field_7</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega</i>	Custom Field 7

		<i>või sisestatava tekstiga väärtusi</i>	
<b>Custom_Field_8</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 8
<b>Custom_Field_9</b>	Code	<i>Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi</i>	Custom Field 9
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Delete_Entry</b>	Boolean	<i>True/False</i>	
<b>SOAP_Entry_No</b>	Integer		

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuurit aja%20AS'\)/EmployeeInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuurit aja%20AS')/EmployeeInsert)

JSON näidis:

```
{
  "No": "T0007",
  "Personal_ID": "36706225714",
  "First_Name": "Hans",
  "Last_Name": "Kukk",
  "Birth_Date": "1966-06-22",
  "Sex": "Male",
  "E-Mail": "",
  "Company_E-Mail": "hans.kukk@tuur.ee",
  "Phone_No_1": "",
  "Phone_No_2": "",
  "Mobile_Phone_No_1": "5677890",
  "Mobile_Phone_No_2": "",
  "Address": "Kase tee 34",
  "Address_2": "",
  "City": "Tallinn",
  "Post_Code": "44567",
  "County": "",
  "Country_Code": "",
  "Seniority_Date": "0001-01-01",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Custom_Field_1": "",
  "Custom_Field_2": "",
  "Custom_Field_3": "",
  "Custom_Field_4": ""
}
```

```

        "Custom_Field_5": "",
        "Custom_Field_6": "",
        "Custom_Field_7": "",
        "Custom_Field_8": "",
        "Custom_Field_9": "",
        "Custom_Field_10": "",
        "Entry_GUID": "1f827038-8b46-4de5-ab0e-59e5d47314b7"
    }

```

Näidis päringu vastus:

```

{
    "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/EmployeeInsert/$entity",
    "@odata.etag": "W/\\"JzQ001V3am9TUVdRUElNemJDZDI4dkx1M1dTAVdKUmxJOXdfOWx3R11ONHFXekk9MTs wMDsn\"",
    "SOAP_Entry_No": 1,
    "Entry_GUID": "1f827038-8b46-4de5-ab0e-59e5d47314b7",
    "No": "T0007",
    "Personal_ID": "36706225714",
    "First_Name": "Hans",
    "Last_Name": "Kukk",
    "Birth_Date": "1966-06-22",
    "Sex": "Male",
    "E-Mail": "",
    "Company_E-Mail": "hans.kukk@tuur.ee",
    "Phone_No_1": "",
    "Phone_No_2": "",
    "Mobile_Phone_No_1": "5677890",
    "Mobile_Phone_No_2": "",
    "Address": "Kase tee 34",
    "Address_2": "",
    "City": "Tallinn",
    "Post_Code": "44567",
    "County": "",
    "Country_Code": "",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Workstation_Code": "",
    "Seniority_Date": "0001-01-01",
    "Custom_Field_1": "",
    "Custom_Text_Field_1": "",
    "Custom_Field_2": "",
    "Custom_Text_Field_2": "",
    "Custom_Field_3": "",
    "Custom_Text_Field_3": "",
    "Custom_Field_4": "",
    "Custom_Text_Field_4": "",
    "Custom_Field_5": "",
    "Custom_Text_Field_5": "",
    "Custom_Field_6": "",

```

```

"Custom_Text_Field_6": "",
"Custom_Field_7": "",
"Custom_Text_Field_7": "",
"Custom_Field_8": "",
"Custom_Text_Field_8": "",
"Custom_Field_9": "",
"Custom_Text_Field_9": "",
"Custom_Field_10": "",
"Custom_Text_Field_10": "",
"Delete_Entry": false
}

```

## 7.14 Väliste projektide lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee External Projects (24012901).  
Veebiteenuse lehe ID 24012965.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Employee External Projects (24012901)</b>
<b>Entry_No</b>	Integer	Pannakse automaatselt päringu külge	
<b>Entry_GUID</b>	Guid	Pannakse automaatselt päringu külge	Entry GUID
<b>Country_Code</b>	Code		Country Code
<b>External_Project_No</b>	Code		External Project No.
<b>Employee_No</b>	Code		Employee No.
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Days</b>	Integer		Days
<b>Closed</b>	Boolean	True/False	Closed
<b>Delete</b>	Boolean	True/False	
<b>Status_Message</b>	Text	Veateate tagastuse sisestuseks	
<b>Status_Error</b>	Boolean	Kas oli error või ei ehk True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ExternalProjects](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/ExternalProjects)

JSON näidis:

```

{
  "Employee_No": "T0004",
  "Country_Code": "",
  "External_Project_No": "111",
  "From_Date": "2023-01-01",
  "To_Date": "2024-01-01",
  "Days": 0,
  "Closed": false,
  "Entry_GUID": "6ab2eb22-1a34-441e-b876-6e9282d67750"
}

```

}

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ExternalProjects/$entity",
  "@odata.etag": "W/\"JzQ001JhNUx3QkY3WGJrZ2NMLzI5MTFuMlhVdWxRaWg1Y0YwTUdnRkx4MjRoQ1U9MTsWMDsn\"",
  "Entry_No": 3,
  "Entry_GUID": "6ab2eb22-1a34-441e-b876-6e9282d67750",
  "Country_Code": "",
  "External_Project_No": "111",
  "Employee_No": "T0004",
  "From_Date": "2023-01-01",
  "To_Date": "2024-01-01",
  "Days": 0,
  "Closed": false,
  "Delete": false,
  "Status_Message": "Entry inserted",
  "Status_Error": false
}
```

## 7.15 Tööajatabeli projekti ülesande lisamine

Andmed kirjutatakse BC-sse tabelisse PER Working Schedule Job (24013069).

Veebiteenuse lehe ID 24008486.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PER Working Schedule Job (24013069)</b>
<b>Job_No</b>	Code		PER Job No.
<b>Main_Job_No</b>	Code		Main Job No.
<b>Description</b>	Text		Description
<b>Sorting_No</b>	Code	Sorteerimise järjekorra nr tabelis	Sorting No.
<b>Task_Batch_No</b>	Code		Task Batch No
<b>Responsible_No</b>	Code		Responsible No.
<b>Split_Type</b>	Option	Percentage/Proportional	Split Type
<b>Split_Insert_Type</b>	Option	Keep/Zero/Remaining	Split Insert Type
<b>Percentage</b>	Decimal		Percentage
<b>Expected_Hour_Cost</b>	Decimal		Expected Hour Cost
<b>Substitute_No</b>	Code		Substitute No.
<b>Closed</b>	Boolean	True/False	Closed
<b>Payroll_Dimension_1_Code</b>	Code		Payroll Dimension 1 Code
<b>Payroll_Dimension_2_Code</b>	Code		Payroll Dimension 2 Code
<b>Payroll_Dimension_3_Code</b>	Code		Payroll Dimension 3 Code
<b>Payroll_Dimension_4_Code</b>	Code		Payroll Dimension 4 Code
<b>Connected_Job_No</b>	Code		Connected Job No.
<b>Connected_Task_No</b>	Code		Connected Task No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6%C3%B6ajatabelProjekt](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6%C3%B6ajatabelProjekt)

JSON näidis:

```
{
  "Job_No": "02",
  "Description": "Kuuri tn 2",
  "Task_Batch_No": "",
  "Responsible_No": "T0004",
  "Split_Type": "Percentage",
  "Split_Insert_Type": "Keep",
  "Percentage": 0,
  "Expected_Hour_Cost": 0,
  "Substitute_No": "T0010",
  "Closed": false,
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Connected_Job_No": "",
  "Connected_Task_No": ""
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/T%C3%B6%C3%B6ajatabelProjekt/$entity",
  "@odata.etag": "W/\\"JzQ002ZZcVQwSjdQZmVXRm9UYjZWRlhYUjZKMzJpUytzbkdXMGPBU0FhTDY5LzQ9MTsWMDsn\"",
  "Job_No": "02",
  "Main_Job_No": "",
  "Description": "Kuuri tn 2",
  "Task_Batch_No": "",
  "Responsible_No": "T0004",
  "Split_Type": "Percentage",
  "Split_Insert_Type": "Keep",
  "Percentage": 0,
  "Expected_Hour_Cost": 0,
  "Substitute_No": "T0010",
  "Closed": false,
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Connected_Job_No": "",
  "Connected_Task_No": ""
}
```

## 7.16 Asendamiste saatmine BC-sse



Andmed kirjutatakse BC tabelisse PLK Payroll Subst. Led. Entry (24002099).

Veebiteenuse lehe ID 24012979.

JSON-i loomisel tuleb andmed võtta tabelist 24002028, kellele soovitakse asendust BC-sse saata.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Payroll Subst. Led. Entry (24002099)</b>
<b>Log_Entry_No</b>	Integer	Kande number tabelis	Abs. Entry No.
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Substituent_No</b>	Code		Substituent No.
<b>Description</b>	Text		Description
<b>Absence_Entry_GUID</b>	Guid	Entry GUID tabelist 24002028 puhkuse kandega kokku viimiseks	Entry GUID
<b>Response_Text</b>	Text	24002028 tabelisse sisestatud Entry No.välja väärtus	Entry No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Substitution](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Substitution)

JSON näidis:

```
{
  "Log_Entry_No": "2",
  "From_Date": "2022-07-15",
  "To_Date": "2022-07-17",
  "Substituent_No": "T0004",
  "Description": "Asendab klienti AS Sisu",
  "Absence_Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
  "Response_Text": "Entry No. 1"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Substitution/$entity",
  "@odata.etag": "W/\"JzQ00281Zi9ZUmtSTHdmWWhwSTd1SHdXVDlzaWx0TTFYaHpyaVhVaU1wVEo4VTA9MTsWMDSn\"\"",
  "Log_Entry_No": 2,
  "From_Date": "2022-07-15",
  "To_Date": "2022-07-17",
  "Substituent_No": "T0004",
  "Description": "Asendab klienti AS Sisu",
  "Absence_Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
  "Response_Text": "Entry No. 1"
}
```

## 8. REST API PÄRINGUD

## 8.1 Rest API päringu üld selgitused

---

Teenuste üldpäringu aadress:

GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/)

Vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata",
  "value": [
    {
      "name": "entityDefinitions",
      "kind": "EntitySet",
      "url": "entityDefinitions"
    },
    {
      "name": "companies",
      "kind": "EntitySet",
      "url": "companies"
    },
    {
      "name": "subscriptions",
      "kind": "EntitySet",
      "url": "subscriptions"
    },
    {
      "name": "holidayRequests",
      "kind": "EntitySet",
      "url": "holidayRequests"
    },
    {
      "name": "holidayRequestsShort",
      "kind": "EntitySet",
      "url": "holidayRequestsShort"
    }
  ]
}
```

Ettevõtte Id päring (sellega saab ettevõtte ID-d, mida URL-is kasutada, et vajadusel teha päringud teise ettevõttesse, nt. testettevõttesse):

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies)

Vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies",
  "value": [
    {
```

```

      "id": "e5b4a36e-b3b3-eb11-b82e-000d3a2059de",
      "systemVersion": "18.0.23013.23795",
      "name": "2021 DEMO",
      "displayName": "",
      "businessProfileId": "",
      "systemCreatedAt": "2021-05-13T06:21:21.167Z",
      "systemCreatedBy": "00000000-0000-0000-0000-000000000001",
      "systemModifiedAt": "2021-05-13T06:21:21.167Z",
      "systemModifiedBy": "00000000-0000-0000-0000-000000000001"
    },
    {
      "id": "c28ad877-e1b3-eb11-b82e-000d3a2059de",
      "systemVersion": "18.0.23013.23795",
      "name": "2021 M_DEMO",
      "displayName": "",
      "businessProfileId": "",
      "systemCreatedAt": "2021-05-13T11:50:54.027Z",
      "systemCreatedBy": "00000000-0000-0000-0000-000000000001",
      "systemModifiedAt": "2021-05-13T11:50:54.027Z",
      "systemModifiedBy": "00000000-0000-0000-0000-000000000001"
    },
  ],
  {
    "id": "b706f204-4dc5-ec11-b83d-000d3a2059de",
    "systemVersion": "18.0.23013.23795",
    "name": "Tuuritaja AS",
    "displayName": "Tuuritaja AS",
    "businessProfileId": "",
    "systemCreatedAt": "2022-04-26T10:38:33.777Z",
    "systemCreatedBy": "ea67b200-0503-412b-8f4e-63c70aed8345",
    "systemModifiedAt": "2022-04-26T10:40:14.023Z",
    "systemModifiedBy": "ea67b200-0503-412b-8f4e-63c70aed8345"
  },
]

```

Õige ettevõtte pihta tehtava päringu jaoks tuleb ettevõtte ID panna anda päringuga kaasa nt GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de))

Vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies/$entity",
  "id": "b706f204-4dc5-ec11-b83d-000d3a2059de",
  "systemVersion": "18.0.23013.23795",
  "name": "Tuuritaja AS",
  "displayName": "Tuuritaja AS",
  "businessProfileId": "",
  "systemCreatedAt": "2022-04-26T10:38:33.777Z",
  "systemCreatedBy": "ea67b200-0503-412b-8f4e-63c70aed8345",
  "systemModifiedAt": "2022-04-26T10:40:14.023Z",
  "systemModifiedBy": "ea67b200-0503-412b-8f4e-63c70aed8345"
}

```

Filtri kasutamise näidis:

GET:

http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\_Itera\_Payroll365/Absences/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/holidayRequestsShort?\$filter=StartingDate gt 2021-03-01

Vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/holidayRequestsShort",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00zFKUws2MnA1VmxyUT16bnpoR1FUSjZiVmFPN0RMbDNHVmxLR3paUm1WS2s9MTswMDsn\"",
      "EmployeeNo": "T0003",
      "StartingDate": "2021-04-01",
      "EndingDate": "2021-04-10",
      "EmployeeName": "Kati Karu",
      "EmployeeEmail": "aile.pahkel@ettevote.ee",
      "Substitutions": "Eedit Kekk"
    },
    {
      "@odata.etag": "W/\"JzQ000EwZmpwbHdOVn1KYThqNks3bU9kVkfTTm51V3lIT1ZkNTRBRVpaQ1JiTE09MTswMDsn\"",
      "EmployeeNo": "T0043",
      "StartingDate": "2021-03-08",
      "EndingDate": "2021-03-28",
      "EmployeeName": "Herta Lai",
      "EmployeeEmail": "",
      "Substitutions": ""
    }
  ]
}
```

## 8.2 Puhkuse taotluste lühi päring

Puhkuse taotlusi on võimalik pärida BC-st lehelt PER Payroll Request (24013072).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PER Payroll Request (24013072)</b>
<b>EmployeeNo</b>	Code		Employee No.
<b>StartingDate</b>	Date		Starting Date
<b>EndingDate</b>	Date		Ending Date
<b>EmployeeName</b>	Text		Full Name
<b>EmployeeEmail</b>	Text		Employee E-mail
<b>Substitutions</b>	Text	Andmed tabelist PER Request Substitution (24013053)	Substitutions

Näidis päringu aadress:

http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\_Itera\_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequestsShort

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequestsShort",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00YtSRW14cGJDRVJBR1ZsZX1HNI9XcWsyQkswMnR5U0xtb2hUNjZLREJ JV2c9MTswMDsn\"",
      "EmployeeNo": "T0003",
      "StartingDate": "2022-10-03",
      "EndingDate": "2022-10-09",
      "EmployeeName": "Teele Tuisk",
      "EmployeeEmail": "",
      "Substitutions": ""
    },
    {
      "@odata.etag": "W/\"JzQ002RjSk5GdTg3M1FYVFZreEduSEZKcnY0VWhwc1B4RFQyRm1sNHJtQVA 3RXc9MTswMDsn\"",
      "EmployeeNo": "T0003",
      "StartingDate": "2023-05-08",
      "EndingDate": "2023-05-14",
      "EmployeeName": "Teele Tuisk",
      "EmployeeEmail": "",
      "Substitutions": ""
    }
  ]
}
```

### 8.3 Puhkuste taotluste päring

Andmeid päritakse BC lehelt PER Payroll Request (24013072).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PER Payroll Request (24013072)</b>
<b>EmployeeNo</b>	Code		Employee No.
<b>StartingDate</b>	Date		Starting Date
<b>EndingDate</b>	Date		Ending Date
<b>HolidayTypeCode</b>	Code		Holiday Type
<b>ApprovalStatus</b>	Option	<i>New/Rejected/Waiting Approval/Approved/Submitted/Completed/Canceled</i>	Approval Status
<b>EmployeeName</b>	Text		Full Name
<b>Level1No</b>	Code		Level 1 No.
<b>Level2No</b>	Code		Level 2 No.

<b>Level3No</b>	Code		Level 3 No
<b>Level4No</b>	Code		Level 4 No.
<b>EmployeeEmail</b>	Text		Employee E-mail
<b>HolidayTypeDescription</b>	Text		Holiday Type Description
<b>Days</b>	Decimal		Days
<b>Substitutions</b>	Text	<i>Andmed tabelist PER Request Substitution (24013053)</i>	Substitutions
<b>RequestNo</b>	Code		Request No
<b>RequestInfo</b>	Text		Request Info
<b>RequestURL</b>			

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/holidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequests)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequests",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000dqNU10OU1DUE9UQzRtdGk3SH1zQm1FNGVRewZaeFZYS1lsQ1pZYmR6N289MTswMDsn\"",
      "EmployeeNo": "T0003",
      "StartingDate": "2022-10-03",
      "EndingDate": "2022-10-09",
      "HolidayTypeCode": "P_PUHKUS",
      "ApprovalStatus": "Approved",
      "EmployeeName": "Teele Tuisk",
      "Level1No": "10",
      "Level2No": "100",
      "Level3No": "101",
      "Level4No": "1011",
      "EmployeeEmail": "",
      "HolidayTypeDescription": "Põhipuhkus",
      "Days": 7,
      "Substitutions": "",
      "RequestNo": "PUH0001",
      "RequestInfo": "Põhipuhkus 03.10.22 - 09.10.22",
      "RequestURL": "http://palk.westeurope.cloudapp.azure.com:8016/PALK18APPTTEST/?company=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADE%3d"
    },
    {
      "@odata.etag": "W/\"JzQ003hzRkhBa2s4Y0hHTlIrcm9SVHRHL2FHTjF1cw10S3lKcw1KTjdirkZrTkk9MTswMDsn\"",
      "EmployeeNo": "T0003",
      "StartingDate": "2023-05-08",
      "EndingDate": "2023-05-14",
      "HolidayTypeCode": "P_PUHKUS",

```

```

    "ApprovalStatus": "Approved",
    "EmployeeName": "Teele Tuisk",
    "Level1No": "10",
    "Level2No": "100",
    "Level3No": "101",
    "Level4No": "1011",
    "EmployeeEmail": "",
    "HolidayTypeDescription": "Põhipuhkus",
    "Days": 7,
    "Substitutions": "",
    "RequestNo": "PUH0002",
    "RequestInfo": "Põhipuhkus 08.05.23 - 14.05.23",
    "RequestURL": "http://palk.westeurope.cloudapp.azure.com:8016/PALK18APPTTEST/?company=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAADI%3d"
  }
}

```

## 8.4 Töötajate loend

Päring võimaldab pärida kõiki ettevõtte töötajaid. Andmed päritakse lehelt PLK Payroll Employee (24002014).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Employee (24002014)</b>
<b>No</b>	Code		No
<b>Status</b>	Option	<i>Active/Inactive/Prospect/Terminated</i>	Status
<b>employeeName</b>	Text		Full Name
<b>jobTitle</b>	Text		Job Title
<b>employmentDate</b>	Date		Employment Date
<b>Seniority</b>	Date		Seniority Date
<b>workAnniversary</b>	Boolean	<i>True/False</i>	
<b>birthDate</b>	Date		Birth Date
<b>Age</b>	Decimal		Age
<b>level1No</b>	Code		Level 1 No.
<b>level2No</b>	Code	<i>Struktuuri taseme kood</i>	Level 2 No.
<b>level3No</b>	Code	<i>Struktuuri taseme kood</i>	Level 3 No.
<b>level4No</b>	Code	<i>Struktuuri taseme kood</i>	Level 4 No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/employees](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/employees)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/employees",
  "value": [
    {

```

```

"@odata.etag": "W/\"JzQ00zJJdFpEVFkrSEk5QX1sVkp3VGZiaXRdDHN6bnFRWTMvUk1vRzU3Z1d
vTVU9MTswMDSn\"",
  "employeeNo": "T0001",
  "status": "Active",
  "employeeName": "Triinu Tuur",
  "jobTitle": "Tuuritaja",
  "employmentDate": "2022-03-01",
  "seniority": 0,
  "workAnniversary": false,
  "birthDate": "1991-04-07",
  "age": 31.0,
  "level1No": "10",
  "level2No": "100",
  "level3No": "102",
  "level4No": "1022"
},
...

```

## 8.5 Tagasi lükatud maksed

Teenus võimaldab kirjutada BC tabelisse PLK Payroll Payment Register (24008816) ebaõnnestunud panga makseid. Lisaks genereeritakse makse ebaõnnestumise kohta Palgaregistri kanne tabelisse PLK Payroll Registers (24002036).

Välja nimetus	Tüüp	Märkus	Andmed tabelisse <b>PLK Payroll Registers (24002036)</b> ja <b>PLK Payroll Payment Register (24008816)</b>
<b>soapEntryNo</b>	Integer		
<b>Filename</b>	Text		
<b>fileInBase64</b>	Text		

Ebaõnnestunud makse faili näidis:

```

<Document>
<CstmrPmtStsRpt>
<GrpHdr>
  <MsgId>4013840</MsgId>
  <CreDtTm>2022-07-26T11:21:59.864+03:00</CreDtTm>
<InitgPty>
<Id>
<OrgId>
  <AnyBIC>EPBEEE2XXXX</AnyBIC>
  </OrgId>
  </Id>
  </InitgPty>
</GrpHdr>
<OrgnlGrpInfAndSts>
  <OrgnlMsgId>PALK365-FAIL1</OrgnlMsgId>
  <OrgnlMsgNmId>pain.001.001.08</OrgnlMsgNmId>
  <GrpSts>RJCT</GrpSts>
  </OrgnlGrpInfAndSts>

```



```
<OrgnPmtInfAndSts>
  <OrgnPmtInfId>PALK365-MAKSEJUHIS-0002</OrgnPmtInfId>
  <TxInfAndSts>
    <OrgnInstrId>PALKx573x1</OrgnInstrId>
    <OrgnEndToEndId>PALKx573x1</OrgnEndToEndId>
    <TxSts>RJCT</TxSts>
  <StsRsnInf>
    <Orgtr>
      <Id>
        <OrgId>
          <AnyBIC>EPBEEE2XXXX</AnyBIC>
        </OrgId>
      </Id>
    </Orgtr>
  </StsRsnInf>
  <Rsn>
    <Cd>AGNT</Cd>
  </Rsn>
  <AddtlInf>Agent in the payment workflow is incorrect</AddtlInf>
</TxInfAndSts>
</OrgnPmtInfAndSts>
</CstmrPmtStsRpt>
</Document>
```

JSON näidis andmete kirjutamiseks:

[illegible]

Näidis päringu aadress:



		<i>Cancellation/Splitting/Import/E-mail/Report/Rejected Payment</i>	
<b>description</b>	Text		Description
<b>creatingTime</b>	DateTime		Creating Time
<b>deleted</b>	Boolean	<i>True/False</i>	Deleted
<b>fileInBase64</b>	Text		

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/registers](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/registers)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/registers",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0021lNEdoOGRXdU9pdFIRvYtBT0JYM011cjlQODhZNU51VmVuMjIMXBxMmc9MTswMDsn\"",
      "no": 1,
      "type": "Registration",
      "description": "Registreerimine",
      "creatingTime": "2022-04-27T06:56:06.513Z",
      "deleted": true,
      "fileInBase64": ""
    },
    {
      "@odata.etag": "W/\"JzQ002wyTFNmXZSdWxpTlRXVWNoMmd6dE4xN2ZLWTQ5anM1cTE5QkhPek5ncG89MTswMDsn\"",
      "no": 2,
      "type": "Registration",
      "description": "Tööaeg - 2 päevane tuur",
      "creatingTime": "2022-04-27T06:57:39.477Z",
      "deleted": true,
      "fileInBase64": ""
    },
    {
      "@odata.etag": "W/\"JzQ000RZcUJoczY0cEdjazdKb3I5VWt4Uk1HTEFQdEtZU1BzU2pOTS9GaFZzQ1U9MTswMDsn\"",
      "no": 3,
      "type": "Registration",
      "description": "Registreerimine",
      "creatingTime": "2022-04-27T07:02:14.22Z",
      "deleted": true,
      "fileInBase64": ""
    },
    {
      "@odata.etag": "W/\"JzQ0021rK2ErQTBvYtZTU3NzBoVU5JSHdCQnJZNmpKaw10RwtEbjRVR1ZamM9MTswMDsn\"",
      "no": 4,
      "type": "Registration",

```

```

      "description": "Registreerimine",
      "creatingTime": "2022-04-27T07:09:49.68Z",
      "deleted": true,
      "fileInBase64": ""
    },
    ...

```

## 8.7 Töötajate sünnipäevade ja tööjuubelite päring

Päring võimaldab pärida töötajate sünnipäevi ja nende tööstaaži andmeid. Andmed päritakse lehel PLK Payroll Employee (24002014).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Employee (24002014)</b>
No	Code		No
Status	Option	Active/Inactive/Prospect/Terminated	Status
employeeName	Text		Full Name
jobTitle	Text		Job Title
employmentDate	Date		Employment Date
Seniority	Date		Seniority Date
workAnniversary	Boolean	True/False	
birthDate	Date		Birth Date
Age	Decimal		Age
level1No	Code		Level 1 No.
level2No	Code	Struktuuri taseme kood	Level 2 No.
level3No	Code	Struktuuri taseme kood	Level 3 No.
level4No	Code	Struktuuri taseme kood	Level 4 No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/employees](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/employees)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/employees",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00zJJdFpEVFkrSEk5QXlsVkp3VGZiaXRdHN6bnFRWTMvUk1vRzU3Z1dvTVU9MTswMDsn\"",
      "employeeNo": "T0001",
      "status": "Active",
      "employeeName": "Triinu Tuur",
      "jobTitle": "Tuuritaja",
      "employmentDate": "2022-03-01",
      "seniority": 0,
      "workAnniversary": false,
      "birthDate": "1991-04-07",
      "age": 31.0,
      "level1No": "10",

```

```
"level2No": "100",
"level3No": "102",
"level4No": "1022"
```

## 8.8 Palgakontode päring

Päring võimaldab pärida palgakontodel olevaid andmeid. Andmed päritakse lehelt PLK Payroll Accounts (24002044).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Accounts (24002044)</b>
No	Code		No
Name	Text		Name
AccountType	Option	Kinnitamine / Summeerimine / Pealkiri / Väljamaks	Account Type
Totaling	Text		Totaling
Blocked	Boolean	True/False	Blocked
PostingGroup	Code		Posting Group
PaymentType	Code	Väljamakse liik	Default Payment Type
Amount	Decimal		Amount
BalanceAmount	Decimal		Balance Amount
Description	Text		Description
Marked	Boolean		Marked
SystemCreatedAt	DateTime		SystemCreatedAt
SystemId	GUID		\$systemid
SystemModifiedAt	DateTime		SystemModifiedAt
Timestamp	Binginteger		SQL Timestamp

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollAccounts](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollAccounts)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollAccounts",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ000drN1ExTFdHTEVWM1Y5bXRUFUVRbW5TWncvaUZWOExoa3FMTkNQVFdrTDA9MTswMDsn\\"",
      "AccountNo": "1000",
      "Name": "ARVESTATUD TULUD",
      "AccountType": "Heading",
      "Totaling": "",
      "Blocked": false,
      "PostingGroup": "",
      "PaymentType": "",
      "Amount": 0,
      "BalanceAmount": 0,
      "Description": ""
    }
  ]
}
```

```

    "Marked": false,
    "SystemCreatedAt": "0001-01-01T00:00:00Z",
    "SystemId": "45972b92-e519-eb11-b823-000d3a2059de",
    "SystemModifiedAt": "0001-01-01T00:00:00Z",
    "Timestamp": 21084176
  }
]
}

```

## 8.9 Palgakannete päring

Päring võimaldab pärida palgakannete andmeid töötajate lõikes. Andmed päritakse lehel PLK Payroll Ledger Entries (24002049).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Ledger Entries (24002049)</b>
EntryNo	Integr, PK		Entry No
AccountNo	Code		Account No
EmployeeNo	Code		Employee No
PostingDate	Date		Posting Date
AccountingPeriod	Code		Accounting Period
PaymentPeriod	Code		Payment Period
CalculationPeriod	Code		Calculation Period
DocumentNo	Code		Document No
Amount	Decimal		Amount
Description	Text		Description
Type	Option	Tavaline/Lisakanne	Type
Remark	Text	Märkus	Remark
WorkingScheduleGroupNo	Code		Working Schedule Group No
CurrencyCode	Code		Currency Code
CurrencyFactor	Decimal		Currency Factor
CurrencyAmount	Decimal		Currency Amount
EmployeeName	Text		Employee Name
MainContractNo	Code		Main Contract No
VehicleRegistrationPlate	Code		Vehicle Registration Plate
BankNo	Code		Bank No
Dimension1	Code		Payroll Dimension 1 Code
Dimension2	Code		Payroll Dimension 2 Code
Dimension3	Code		Payroll Dimension 3 Code
Dimension4	Code		Payroll Dimension 4 Code
SystemCreatedAt	DateTime		SystemCreatedAt
SystemId	GUID		\$systemid
SystemModifiedAt	DateTime		SystemModifiedAt
Timestamp	Binginteger		SQL Timestamp
EntryGUID	GUID		Entry GUID

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollEntries](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollEntries)

Näidis päringu vastus:

```
{
```

```

"@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST
/api/BCS_Itera_Payroll1365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-
000d3a2059de)/payrollEntries",
"value": [
  {
    "@odata.etag": "W/\\"JzQ000RueXFZSk9aMFJSczFwR1JSRUYramNpWVA1ZTBHcWtKYkx
pL2N6OTlFems9MTswMDsn\"",
    "EntryNo": 1,
    "AccountNo": "5010",
    "EmployeeNo": "T0001",
    "PostingDate": "2020-09-30",
    "AccountingPeriod": "2020-09",
    "PaymentPeriod": "2020-10",
    "CalculationPeriod": "2020-09",
    "DocumentNo": "PALK 30.09.20",
    "Amount": 176,
    "Description": "Töötatud tavatunnid",
    "Type": "Normal",
    "Remark": "",
    "WorkingScheduleGroupNo": "",
    "CurrencyCode": "",
    "CurrencyFactor": 0,
    "CurrencyAmount": 0,
    "EmployeeName": "Kalle Tamm",
    "MainContractNo": "",
    "VehicleRegistrationPlate": "",
    "BankNo": "",
    "Dimension1": "1050",
    "Dimension2": "",
    "Dimension3": "",
    "Dimension4": "",
    "Dimension5": "",
    "Dimension6": "",
    "Dimension7": "",
    "Dimension8": "",
    "SystemCreatedAt": "0001-01-01T00:00:00Z",
    "SystemId": "fc606260-7a29-eb11-b824-000d3a2059de",
    "SystemModifiedAt": "0001-01-01T00:00:00Z",
    "Timestamp": 21152955,
    "EntryGUID": "c71f9a1f-fbe3-4c94-a53f-878aa2621fa6"
  }
]
}

```

## 8.10 Väravalogide päring

Päring võimaldab lugeda, kirjutada, kustutada ja muuta väravalogi kandeid tööajatabelites. Andmeid päritakse lehelt PLK Employee Permit Log (24002129).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Permit Log (24002129)</b>
---------------	------	--------	--

<b>entryNo</b>	Integr, PK		Entry No
<b>gateNo</b>	Code		Gate No
<b>employeeNo</b>	Code		Employee No
<b>cardNo</b>	Integr		Card No
<b>enteringTime</b>	DateTime		Entering Time
<b>leavingTime</b>	DateTime		Leaving Time
<b>approved</b>	Boolean		Approved
<b>systemCreatedEntry</b>	Boolean		System Created Entry

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/permitLogs](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/permitLogs)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/permitLogs",
  "value": []
}
```

## 8.11 Arvestusperioodi kanded

Päring võimaldab pärida arvestusperioodi kohta kannete arvu ning kõige väiksema ja kõige suurema kande numbri. Andmeid päritakse lehelt PLK Payroll Periods (24002034).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Periods (24002034)</b>
<b>No</b>	Code, PK		No
<b>beginningDate</b>	Date		Beginning Date
<b>endingDate</b>	Date		Ending Date
<b>description</b>	Text		Description
<b>firstEntryNo</b>	Integr.		First Entry No.
<b>lastEntryNo</b>	Integr.		Last Entry No.
<b>payrollEntries</b>	Integr.		Payroll Entries
<b>closed</b>	Boolean		Closed

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollPeriods](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollPeriods)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollPeriods",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ0OzhxaGNsZUhtR09RS1FZN2NKSFNXd0dPbnFOc1kzNnpFbnJQU2dqK0htb1U9MTswMDsn\"",
      "no": "2017-01",
      "beginningDate": "2017-01-01",
      "endingDate": "2017-01-31",
    }
  ]
}
```



```

    "description": "jaanuar 2017",
    "firstEntryNo": 0,
    "lastEntryNo": 0,
    "payrollEntries": 0,
    "closed": true
  }
]
}

```

## 8.12 Infoliikide kanded

Päring võimaldab lugeda infoliikidesse salvestatud kandeid. Andmeid päritakse lehelt PLK Payroll Info Entries (24002062).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Periods (24002034)</b>
<b>EmployeeNo</b>	Code, PK		Employee No
<b>EmployeeName</b>	Text		Employee Name
<b>InfoNo</b>	Code, PK	Tuleneb infoliigi kaardilt	Info No
<b>InfoName</b>	Text	Tuleneb infoliigi kaardilt	Info Name
<b>LineNo</b>	Integr, PK		Line No
<b>Date1</b>	Date		Date1
<b>Date2</b>	Date		Date2
<b>Date3</b>	Date		Date3
<b>Code1</b>	Code		Code1
<b>Code2</b>	Code		Code2
<b>Code3</b>	Code		Code3
<b>Code4</b>	Code		Code4
<b>Decimal1</b>	Decimal		Decimal1
<b>Decimal2</b>	Decimal		Decimal2
<b>Text1</b>	Text		Text1
<b>Text2</b>	Text		Text2
<b>Text3</b>	Text		Text3
<b>Text4</b>	Text		Text4
<b>Text5</b>	Text		Text5
<b>Text6</b>	Text		Text6

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/employeeInfos](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/employeeInfos)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/employeeInfos",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0001LQnBsVTzhbGg1Z2NLUU8xVUJTbC9ISzFvd3ZFeFBpYX1yCHB3Q2E1bGc9MTswMDsn\"",

```

```

    "EmployeeNo": "T001",
    "InfoNo": "VESTLUSED",
    "LineNo": 10000,
    "EmployeeName": "Karmen Kaks",
    "InfoName": "Arenguestlused",
    "Date1": "2020-04-09",
    "Date2": "2020-09-30",
    "Date3": "0001-01-01",
    "Code1": "",
    "Code2": "ERAKORRALINE VESTLUS",
    "Code3": "",
    "Code4": "",
    "Decimal1": 0,
    "Decimal2": 0,
    "Text1": "Siim Susi",
    "Text2": "Erakorraline vestlus",
    "Text3": "",
    "Text4": "",
    "Text5": "",
    "Text6": ""
  }
}
]
}

```

### 8.13 Puhkuste ajakava lugemise teenus

Päring võimaldab lugeda infot puhkuste ajakavast. Andmeid päritakse lehelt PLK Payroll Holiday Schedule (24002078).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Periods (24002034)</b>
journalBatchName	Code		Journal Batch Name
entryNo	Integr.		Entry No
entryGUID	GUID		Entry GUID
employeeNo	Code		Employee No
employeeName	Text		Employee Name
employeeStatus	Option		Employee Status
holidayCode	Code		Holiday Code
fromDate	Date		From Date
toDate	Date		To Date
Description	Text		Description
quantityDays	Decimal		Quantity
holidayPayment	Option		Holiday Payment
notes	Text		Notes
professionNo	Code		Profession No
professionDesc	Text		Profession Desc.
departmentNo	Code		Department No.
departmentDesc	Text		Department Desc.
level2No	Code		Level 2 No.
Level2Name	Text		Level 2 Name
level3No	Code		Level 3 No.
Level3Name	Text		Level 3 Name
level4No	Code		Level 4 No.

Level4Name	Text		Level 4 Name
------------	------	--	--------------

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/holidayScheduleLines?](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines?)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines",
  "value": [
    {
      "@odata.etag": "W/\\"JzIwOzE1NTE2NTQwODczMjE0ODk5NzY4MTswMDsn\\\"",
      "entryNo": 1,
      "journalBatchName": "2019",
      "entryGUID": "00000000-0000-0000-0000-000000000000",
      "employeeNo": "T001",
      "employeeName": "Karmen Kaks",
      "employeeStatus": "Inactive",
      "holidayCode": "P_PUHKUS",
      "fromDate": "2019-08-05",
      "toDate": "2019-08-08",
      "description": "Puhkus",
      "quantityDays": 4,
      "holidayPayment": "Payday",
      "notes": "",
      "professionNo": "1020-02",
      "professionDesc": "Vanemraamatupidaja",
      "departmentNo": "10",
      "departmentDesc": "Finantsosakond",
      "level2No": "1020",
      "Level2Name": "Raamatupidamine",
      "level3No": "",
      "Level3Name": "",
      "level4No": "",
      "Level4Name": ""
    }
  ]
}
```

## 8.14 Puudumiste žurnaali lugemine

Päring võimaldab lugeda infot Puudumiste žurnalist. Andmed loetakse lehelt PLK Payroll Absence Jrn Line (24002027).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Periods (24002034)</b>
journalBatchName	Code		Journal Batch Name
entryNo	Integr.		Entry No
entryGUID	GUID		Entry GUID

<b>employeeNo</b>	Code		Employee No
<b>employeeName</b>	Text		Employee Name
<b>holidayCode</b>	Code		Holiday Code
<b>fromDate</b>	Date		From Date
<b>toDate</b>	Date		To Date
<b>Description</b>	Text		Description
<b>quantityDays</b>	Decimal		Quantity
<b>holidayPayment</b>	Option		Holiday Payment
<b>notes</b>	Text		Notes
<b>professionNo</b>	Code		Profession No
<b>professionDesc</b>	Text		Profession Desc.
<b>departmentNo</b>	Code		Department No.
<b>departmentDesc</b>	Text		Department Desc.
<b>level2No</b>	Code		Level 2 No.
<b>Level2Name</b>	Text		Level 2 Name
<b>level3No</b>	Code		Level 3 No.
<b>Level3Name</b>	Text		Level 3 Name
<b>level4No</b>	Code		Level 4 No.
<b>Level4Name</b>	Text		Level 4 Name

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/holidayScheduleLines?](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines?)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines",
  "value": [
    {
      "@odata.etag": "W/\"JzIwOzE1NTE2NTQwODczMjE0ODk5NzY4MTswMDsn\"",
      "entryNo": 1,
      "journalBatchName": "2019",
      "entryGUID": "00000000-0000-0000-0000-000000000000",
      "employeeNo": "T001",
      "employeeName": "Karmen Kaks",
      "employeeStatus": "Inactive",
      "holidayCode": "P_PUHKUS",
      "fromDate": "2019-08-05",
      "toDate": "2019-08-08",
      "description": "Puhkus",
      "quantityDays": 4,
      "holidayPayment": "Payday",
      "notes": "",
      "professionNo": "1020-02",
      "professionDesc": "Vanemraamatupidaja",
      "departmentNo": "10",
      "departmentDesc": "Finantsosakond",
      "level2No": "1020",
      "Level2Name": "Raamatupidamine",
      "level3No": "",
      "Level3Name": ""
    }
  ]
}
```

```

    "level4No": "",
    "level4Name": ""
  }
]
}

```

## 8.15 Puudumiste asendajate lugemise teenus

Päring võimaldab lugeda andmeid puudumiste asendajate kohta. Andmed loetakse lehelt PLK Payroll Subst. Jnl. Entry (24002158).

Välja nimetus	Tüüp	Märkus	Andmed tabelist <b>PLK Payroll Periods (24002034)</b>
<b>journalType</b>	Option		Journal Type
<b>journalBatchName</b>	Code		Journal Batch Name
<b>jnlEntryNo</b>	Integr.		Jnl. Entry No
<b>substituentNo</b>	Code		Substituent No
<b>substituentName</b>	Text		Substituent Name
<b>fromDate</b>	Date		From Date
<b>toDate</b>	Date		To Date
<b>Description</b>	Text		Description

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/substitutionsJournal?](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/substitutionsJournal?)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/substitutionsJournal",
  "value": [
    {
      "@odata.etag": "W/\\"JzIwOzE0MzIwMjcYMDewNTczOTcxNTQxMTswMDsn\"",
      "journalType": "Absence",
      "journalBatchName": "PUHKUSED",
      "jnlEntryNo": 10000,
      "entryNo": 10000,
      "substituentNo": "A002",
      "substituentName": "Kuldar Petersell",
      "fromDate": "2023-02-27",
      "toDate": "2023-02-28",
      "description": ""
    }
  ]
}

```