

# HRM4Baltic veebiteenuste dokumentatsioon

# Sisukord

<b>Sisukord .....</b>	<b>2</b>
<b>1. Liidese ulatus .....</b>	<b>5</b>
<b>2. Dokumendis kasutatud lühendite selgitused .....</b>	<b>6</b>
<b>3. Selgitused veebiliidese ühenduse ja tehnoloogia kohta .....</b>	<b>6</b>
<b>4. HRM4Baltics GET teenused .....</b>	<b>6</b>
4.1. Puudumiste žurnaal .....	6
4.2. Koolituste loend .....	8
4.3. Koolitusel osalejad .....	10
4.4. Lahkumise alused .....	12
4.5. Töötajate lapsed .....	13
4.6. Lepingute loend .....	14
4.7. Töötajate palgad .....	17
4.8. Palgakontode loend .....	18
4.9. Töötaja pangakontode loend .....	20
4.10. Parameetrid .....	22
4.11. Palgažurnaali read .....	23
4.12. Puhkusetaotlused .....	25
4.13. Puhkuste saldo ajalugu .....	26
4.14. Puudumiste asendajad .....	28
4.15. Puudumiste loend .....	30
4.16. Töötajate seisund .....	32
4.17. Struktuuri tase 1 .....	34
4.18. Struktuuri tase 2 .....	35
4.19. Struktuuri tase 3 .....	36
4.20. Struktuuri tase 4 .....	38

4.21.	Lepingu liigid .....	40
4.22.	Töötaja dokumendid .....	40
4.23.	Töötaja passiivsused.....	43
4.24.	Aktiivsed töötajad.....	43
4.25.	Töötajate loend.....	45
4.26.	Töötajate oskuste loend .....	49
4.27.	Puhkuste ajakava žurnaal .....	52
4.28.	Töötaja tööajatabeli kannete pärimine.....	53
4.29.	Töötajate palgalipikud .....	58
4.30	Veebiteenus palgakannete lugemiseks.....	59
5.	<i>HRM4Baltics GET ja POST teenused .....</i>	<i>61</i>
5.1.	Palga ametikohad .....	61
5.2.	Passiivsuse põhjused .....	63
6.	<i>HRM4Baltics POST teenused .....</i>	<i>64</i>
6.1.	Palga kannete lisamine .....	64
6.2.	Töötaja lapse lisamine .....	66
6.3.	Lepingute lisamine .....	67
6.4.	Palgažurnaali lisa kande kirjutamine.....	69
6.5.	Panga lisamine töötajale.....	71
6.6.	Töötaja parameetrite lisamine .....	72
6.7.	Puhkuseajakava lisamine .....	73
6.8.	Puudumiste lisamine töötajale .....	75
6.9.	Seisundi lisamine töötajale .....	76
6.10.	Tasu lisamine töötajale.....	78
6.11.	Tööajatabeli kannete lisamine .....	79
6.12.	Tööajatabeli projekti lisamine.....	82
6.13.	Töötajate lisamine ja töötaja andmete uuendamine.....	83

6.14.	Väliste projektide lisamine .....	88
6.15.	Tööajatabeli projekti ülesande lisamine .....	89
6.16.	Asendamiste saatmine BC-sse .....	91
7.	<i>Rest api päringud</i> .....	92
7.1.	Rest API päringu üld selgitused .....	92
7.2.	Puhkuse taotluste lühi päring.....	95
7.3.	Puhkuste taotluste päring .....	96
7.4.	Töötajate loend .....	97
7.5.	Tagasi lükatud maksed .....	103
7.6.	Palgaregistri päring.....	105
7.7.	Töötajate sünnipäevade ja tööjuubelite päring.....	106
7.8.	Palgakontode päring .....	107
7.9.	Palgakannete päring .....	109
7.10.	Väraalogide päring .....	110
7.11.	Arvestusperioodi kanded.....	113
7.12.	Infoliikide kanded .....	114
7.13.	Puhkuste ajakava lugemise teenus .....	115
7.14.	Puudumiste žurnaali lugemine .....	116
7.15.	Puudumiste asendajate lugemise teenus .....	118
7.16.	Ettevõtte kõigi töötajad päring .....	119
7.17.	Ettevõtte puudumiste päring iseteenindusest .....	123
7.18.	Tööajatabeli kanded .....	125
7.19.	Andmeedastuse staatuse muutmise .....	129

## 1. Liidese ulatus

Odata päringu kaudu jagatakse ja kirjutatakse ERP'i järgnevad andmed:

Puudumiste žurnaal  
Koolitused ja seal osalejad  
Lahkumise alused  
Töötajate lapsed  
Töötajate lepingud  
Töötajate palgad  
Palgakontod  
Töötajate palgalipikud  
Töötajate pangad  
Töötajate parameetrid  
Palgažurnaali read  
Puhkuse taotlused  
Puhkuste saldo ajalugu  
Puudumiste asendajad  
Puudumiste lugemine  
Töötaja seisund  
Struktuuri tasemed 1,2,3,4.  
Lepingu liigid  
Töötajate dokumendid  
Töötajate passiivsused  
Töötajate töösuhe  
Töötajate loend  
Töötajate oskused  
Töötajate puhkuste ajakava  
Ametikohad  
Palgalipikud  
Töötajate passiivsuse põhjused  
Palga kannete lisamine ja registreerimine  
Laste lisamine  
Lepingute lisamine  
Palgažurnaali andmete lisamine  
Töötaja panga lisamine  
Parameetrite lisamine  
Puhkuste ajakava lisamine  
Puudumiste lisamine  
Töötasu lisamine  
Töötajate tabeli kannete lisamine  
Töötajate lisamine  
Välise projektide lisamine töötajate tabelisse  
Töötajate tabeli projekti ülesande lisamine  
Tagasi lükatud maksete kirjutamine  
Palgaregistri päring

## 2. Dokumendis kasutatud lühendite selgitused

Odata	Veebiteenuses kasutatav veebi protokoll
BC	Microsoft Business Central 365
Basic Auth.	Autentimise viis
OAuth 2.0	Autentimise viis
JSON	Veebiteenuse andme formaat

## 3. Selgitused veebiliidese ühenduse ja tehnoloogia kohta

Veebiteenused on loodud OData, SoaP ja API veebi protokollidele. Kasutatakse HTTP päringut ja kirjutamise/lugemise vastus kuvatakse JSON formaadis.

Veebiteenuse näidis päringud on tehtud Postman lahenduses, kus on kasutatud Basic Autentimist. Kasutajanimi ja parool võetakse BC-st kasutaja kaardilt väljadelt Kasutajanimi ja Parool. Basic autentimist on võimalik kasutada ainult Business Centrali on-prem versioonis.

OAuth 2.0 autentimise kasutamiseks on vaja seadistada AAD's vajalik rakendus ning siduda see Microsoft Business Central 365 keskkonnas.

## 4. HRM4Baltics GET teenused

Andmete lugemiseks BC-st kasutatakse GET päringut.

### 4.1. Puudumiste žurnaal

Andmed loetakse BC-st tabelist 24002027 (PLK Payroll Absence Jrn Line).  
Veebiteenuse lehe ID 24008416.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Absence Jrn Line 24002027
<b>Journal_Batch_Name</b>	Code		Journal Batch Name
<b>Entry_No</b>	Integer		Entry No.
<b>Entry_GUID</b>	Code		Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Employee_Name</b>	Text		Employee Name
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Description</b>	Text		Description
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date

Days	Decimal		Days
Quantity_Days	Days		Quantity
Quantity_Working_Days	Decimal		Quantity Working Days
Child_No	Integer		Child No.
Child_Name	Text		Child Name
Holidays	Decimal		Holidays
Hours	Decimal		Hours
Holiday_Payment	Option	Payday/Holiday/Monthly	Holiday Payment
Notes	Text		Notes
Sharepoint_Entry_No	BigInteger		Sharepoint Entry No.
Main_Contract_No	Code		Main Contract No
Payroll_Dimension_1_Code	Code	Palgadimensioon	Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code	Palgadimensioon	Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code	Palgadimensioon	Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code	Palgadimensioon	Payroll Dimension 4 Code
Department_No	Code		Department No.
Department_Desc	Text		Department Desc.
Level_2_No	Code	Struktuuriüksus	Level 2 No.
Level_2_Name	Text		Level 2 Name
Level_3_No	Code	Struktuuriüksus	Level 3 No.
Level_3_Name	Text		Level 3 Name
Level_4_No	Code	Struktuuriüksus	Level 4 No.
Level_4_Name	Text		Level 4 Name

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/AbsenceJournalRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/AbsenceJournalRead)

Näidis vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/AbsenceJournalRead",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ001JWZnpSSUNHdmFmMn14UUdNM2ZXOW53UjMvbvHRRReEdsZ2o5QkgzYVVTSms9MTswMDsn\"",
      "Journal_Batch_Name": "VAIKIMISI",
      "Entry_No": 10000,
      "Entry_GUID": "00000000-0000-0000-0000-000000000000",
      "Employee_No": "T0003",
      "Employee_Name": "Teele Tuisk",
      "Cause_of_Absence_Code": "P_PUHKUS",
    }
  ]
}
```

```

    "Description": "Puhkus",
    "From_Date": "2022-09-14",
    "To_Date": "2022-09-17",
    "Days": 4,
    "Quantity_Days": 4,
    "Quantity_Working_Days": 3,
    "Child_No": 0,
    "Child_Name": "",
    "Holidays": 0,
    "Hours": 32,
    "Holiday_Payment": " ",
    "Notes": "",
    "Sharepoint_Entry_No": 0,
    "Main_Contract_No": "",
    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": ""
  }
]
}

```

## 4.2. Koolituste loend

Andmed loetakse BC-st tabelist 24008830 (PER Payroll Training). Antud leht annab välja BC-sse sisestatud koolituste loendi.  
Veebiteenuse lehe ID 24008364.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER Payroll Training 24008830
<b>No</b>	Code		No.
<b>Name</b>	Text		Name
<b>Area_Code</b>	Code	Koolituse valdkonna tähis	Area Code
<b>Area_Name</b>	Text	Koolituse valdkonna nimi	Area Name
<b>Subtype_Code</b>	Code	Alamliigi tähis, näiteks ettevõtte sisene koolitus	Subtype Code
<b>Subtype_Name</b>	Name		Subtype Name



Training_Plan_Type	Option	Planned/Unplanned/Extraordinary	Training Plan Type
Training_Company_Name	Text		Training Company Name
Educators	Text		Educators
Internal	Boolean	True/False	Internal
Multi_Companies	Boolean	True/False	Multi Companies
Status	Option	Open/Closed/Canselled	Status
From_Date	Date		From Date
To_Date	Date		To Date
Academic_Hours	Integer		Academic Hours
Training_Amount	Decimal		Training Amount
Count_of_Participants	Integer		Count of Participants
Related_No	Code	Seotud koolituse number	Related No
Skill_Type_Code	Code	Oskuse liigi tähis	Skill Type Code
Skill_Code	Code	Oskuse tähis	Skill Code
Skill_Level_Code	Code	Oskuse taseme tähis	Skill Level Code
Feedback	Text		Feedback

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Koolitused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Koolitused)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Koolitused",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00zk3MwWvdzdZSktOVXZSMDFBtk5BZ2RndFhFT1lZNhdQzV2OURSRk1TdGs9MTswMDsn\"",
      "No": "K000003",
      "Name": "Raamatupidamise ABC",
      "Area_Code": "FINANTS",
      "Area_Name": "Finantsalased teadmised",
      "Type_Code": "KOOLITUS",
      "Type_Name": "Koolitus",
      "Subtype_Code": "",
      "Subtype_Name": "",
      "Training_Plan_Type": "Unplanned",
      "Training_Company_No": "V00010",
      "Training_Company_Name": "Koolitaja AS",
      "Educators": "Tiina Tiir",
    }
  ]
}
```

```

    "Internal": true,
    "Multi_Companies": true,
    "Status": "Open",
    "From_Date": "2022-09-19",
    "To_Date": "2022-09-30",
    "Academic_Hours": 16,
    "Training_Amount": 0,
    "Count_of_Participants": 1,
    "Related_No": "",
    "Skill_Type_Code": "TÖÖALASED",
    "Skill_Code": "RMT",
    "Skill_Level_Code": "SPETSIALIST",
    "Feedback": ""
  }
]
}

```

### 4.3. Koolitusel osalejad

Andmed loetakse BC-st tabelist 24008439 (PER Training Participants) ja 24008830 (PER Payroll Training). Antud teenusega on võimalik kätte saada kõigil koolitustel osalenud töötajate nimekiri.

Veebiteenuse lehe ID 24008365.

Välja nimetus	Tüüp	Märkus	Andmed tabelitest 24008439 PER Training Participants ja 24008830 PER Payroll Training
Training_No	Code		Training No
Line_Code	Code		Line Code
Line_No	Integer	Töötaja rea number osalejate nimekirjas	Line No
Training_Name	Text	Koolituse nimetus	Name
Training_Area_Code	Code		Training Area Code
Training_Area_Name	Text		Training Area Name
Training_Type_Code	Code		Training Type Code
Training_Type_Name	Text		Training Type Name
Training_Subtype_Code	Code		Training Subtype Code
Training_Subtype_Name	Text		Training Subtype Text
Participated	Boolean	True/False	Participated

From_Date	Date		From Date
To_Date	Date		To Date
Employee_No	Code		Employee No.
Employee_Name	Text		Employee Name
Feedback	Text		Feedback
Department_No	Code		Department No.
Department_Desc	Text		Department Desc.
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_2_Name	Text		Level 2 Name
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_3_Name	Text		Level 3 Name
Level_4_No	Code	Struktuuri taseme kood	Level 4 No.
Level_4_Name	Text		Level 4 Name
Profession_No	Code		Profession No.
Profession_Desc	Text		Profession Desc.
Training_Plan_Type	Option	Planned/Unplanned/Extraordinary	Training Plan Type
Skill_Type_Code	Code	Oskuse liigi tähis	Skill Type Code
Skill_Code	Code	Oskuse tähis	Skill Code
Skill_Level_Code	Code	Oskuse taseme tähis	Skill Level Code
Academic_Hours	Integer		Academic Hours
Credit_Points	Decimal	Ainepunktid	Credit Points
Valid_From	Date	Dokumendi kehtivusaeg	Valid From
Valid_To	Date	Dokumendi kehtivusaeg	Valid To
Document_No	Code		Document No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Koolituselosalejad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Koolituselosalejad)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Koolituselosalejad",
  "value": [
    {
      "@odata.etag": "W/\"JzQ003FiT1FZN3B2aFc4Z1p6Ly9HU1IrQWZyT1BGTElsMU5TbkdkjVnA40HJrZUK9MTswMDsn\"",
      "Training_No": "K000003",
      "Line_Code": "",
      "Line_No": 1,
      "Training_Name": "Raamatupidamise ABC",
      "Training_Area_Code": "FINANTS",
    }
  ]
}
```

```

    "Training_Area_Name": "Finantsalased teadmised",
    "Training_Type_Code": "KOOLITUS",
    "Training_Type_Name": "Koolitus",
    "Training_Subtype_Code": "",
    "Training_Subtype_Name": "",
    "Participated": true,
    "From_Date": "2022-09-19",
    "To_Date": "2022-09-30",
    "Employee_No": "T0003",
    "Employee_Name": "Teele Tuisk",
    "Feedback": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Profession_No": "",
    "Profession_Desc": "",
    "Training_Plan_Type": "Unplanned",
    "Skill_Type_Code": "TÖÖALASED",
    "Skill_Code": "RMT",
    "Skill_Level_Code": "SPETSIALIST",
    "Academic_Hours": 16,
    "Credit_Points": 3,
    "Valid_From": "0001-01-01",
    "Valid_To": "0001-01-01",
    "Document_No": ""
  }
}
}

```

#### 4.4. Lahkumise alused

Andmed loetakse BC-st tabelist 24002004 (PLK Payroll Grounds for Termini.). Antud teenuses on kirjeldatud kõik seadusest tulenevad lahkumise alused töötaja töölepingu lõpetamisel. Veebiteenuse lehe ID 24008313.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002004 PLK Payroll Grounds for Termini.
<b>No</b>	Code		No.
<b>Description</b>	Text		Description
<b>Employee_Initiative</b>	Boolean	True/False	Employee Initiative
<b>Employer_Initiative</b>	Boolean	True/False	Employer Initiative
<b>Law_Section</b>	Text		Law Section

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/LahkumiseAlused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/LahkumiseAlused)

Näidis päringu vastus:

```
{
  "@odata.etag": "W/\"JzQ000U5TFY2Kzd5cWRrY2xneTF0U1Y5dVN3ZHpGYStEdTNFUnpNT3hkVWhsTm89MTswMDsn\"",
  "No": "TA_79",
  "Description": "§ 79 poolte kokkuleppel",
  "Employee_Initiative": false,
  "Employer_Initiative": true,
  "Law_Section": "§ 79"
},
{
  "@odata.etag": "W/\"JzQ003JrNULKeGZhUGhSN015Yjk1ZDU3MjAwQTVCa1RPTVRkd01KQkJQV0E4NzQ9MTswMDsn\"",
  "No": "TA_80LG1",
  "Description": "§ 80 lg 1 tähtaja möödumine",
  "Employee_Initiative": false,
  "Employer_Initiative": true,
  "Law_Section": "§ 80lg1"
},
{
  "@odata.etag": "W/\"JzQ000FpSzh1cGtiMUD3Z3d4Ump2amh6NEhWK1hPWG1XVWJCenlhaDdWak1ZQ1U9MTswMDsn\"",
  "No": "TA_86LG1",
  "Description": "§ 86 lg 1 ülesütlemine katseajal",
  "Employee_Initiative": false,
  "Employer_Initiative": true,
  "Law_Section": "§ 86lg1"
},
...

```

#### 4.5. Töötajate lapsed

Andmed loetakse BC-st tabelist 24002130 (PLK Employee Children). Antud tabelis kuvatakse kõiki BC-sse sisestatud töötajate lapsi.

Veebiteenuse lehe ID 24012904.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002130 PLK Employee Children
Employee_No	Code		Employee No.
Line_No	Integer		Line No.
Name	Text		Name
Personal_ID	Code		Personal ID
Birth_Date	Date		Birth Date
Sex	Option	Female/Male	Sex
Invalid	Boolean	True/False	Invalid
Comment	Text		Comment

Locked	Boolean	True/False	Locked
SQL_Stamp	BigInteger	*	SQL Timestamp
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ChildrenRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/ChildrenRead)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ChildrenRead",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0009nSWJxTmFjYlBsd21BQ05PQVBXR1QycTM5VUNsRjdaVUJoK3pvU1F4YVU9MTswMDsn\"",
      "Employee_No": "T0002",
      "Line_No": 1,
      "Name": "Hannes Kask",
      "Personal_ID": "63212434433",
      "Birth_Date": "2020-09-05",
      "Sex": "Male",
      "Invalid": false,
      "Comment": "",
      "Locked": false,
      "SQL_Stamp": 54511248,
      "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
      "@odata.etag": "W/\"JzQ00095bEJUaGFBcko2WUpTcjIMMkVVcVN0c1N4aEt6R0ptbmVqdDYxZ1pPbFk9MTswMDsn\"",
      "Employee_No": "T0003",
      "Line_No": 1,
      "Name": "Uku Tuisk",
      "Personal_ID": "62344400122",
      "Birth_Date": "2018-05-01",
      "Sex": " ",
      "Invalid": false,
      "Comment": "",
      "Locked": false,
      "SQL_Stamp": 54511284,
      "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    }
  ]
}
```

#### 4.6. Lepingute loend

Andmed loetakse BC-st tabelist 24002019 (PLK Employee Contracts). Kuvatakse ettevõtte kõigi töötajate lepingute loendit.

Veebiteenuse lehe ID 24008312.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002019 PLK Employee Contracts
Employee_No	Code		Employee No.
Line_No	Integer	Lapse rea number töötaja kohta	Line No
Entry_Type	Option	Leping/Lepingu lisa	Entry_Type
Contract_No	Code		Contract No
Contract_Code	Code	Lepingu liigi tähis, seadusest tulenevad tähised	Contract Code
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Profession_No	Code		Profession No.
Profession_Category_No	Code		Profession Category No.
Job_Title	Text		Job Title
Working_Factor	Decimal		Working Factor
Additional_Working_Factor	Decimal		Additional Working Factor
Grounds_for_Term_Code	Code	Lahkumise aluse tähis, seadusest tulenev	Grounds for Term. Code
Cov_Working_Register_ID	Code	Tööregistri ID	Cov. Working Register ID
Department_No	Code		Department No.
Department_Desc	Text		Department Desc.
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_2_Name	Text		Level 2 Name
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_3_Name	Text		Level 3 Name
Level_4_No	Code	Struktuuri taseme kood	Level 4 No.
Level_4_Name	Text		Level 4 Name
Get_Novice_Date	Date		Novice Ending Date
SQL_Timestamp	BigInteger	*	SQL Timestamp
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Lepingud](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Lepingud)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Lepingud",
  "value": [
    {
      "@odata.etag": "W/\"JzQ001c0eTlKZE16UXM5YkZxNUozcCtKWkpuNWc5MzcxZmlwaGIwQ1VWdXdQQTg9MTswMDsn\"",
      "Employee_No": "T0001",
      "Line_No": 10000,
      "Entry_Type": "Contract",
      "Contract_No": "L000001",
      "Contract_Date": "0001-01-01",
      "Contract_Code": "11",
      "From_Date": "2022-04-01",
      "To_Date": "0001-01-01",
      "Description": "Määramata ajaks, osalise tööajaga",
      "Profession_No": "001",
      "Profession_Category_No": "",
      "Job_Title": "Tuuritaja",
      "Working_Factor": 1,
      "Additional_Working_Factor": 0,
      "Grounds_for_Term_Code": "",
      "Cov_Working_Register_ID": "",
      "Department_No": "",
      "Department_Desc": "",
      "Level_2_No": "",
      "Level_2_Name": "",
      "Level_3_No": "",
      "Level_3_Name": "",
      "Level_4_No": "",
      "Level_4_Name": "",
      "Get_Novice_Date": "2022-08-02",
      "SQL_Timestamp": 52851820,
      "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
      "@odata.etag": "W/\"JzQ001Rrc3Z0OGR6SmJhdWp5b0p1VUdLYUQwdnhxQWVuK2pjQmhIdGhLRkVTdGs9MTswMDsn\"",
      "Employee_No": "T0002",
      "Line_No": 10000,
      "Entry_Type": "Contract",
      "Contract_No": "L000002",
      "Contract_Date": "0001-01-01",
      "Contract_Code": "10",
      "From_Date": "2022-03-01",
      "To_Date": "0001-01-01",
      "Description": "Määramata ajaks",
      "Profession_No": "",
      "Profession_Category_No": "",
      "Job_Title": ""
    }
  ]
}
```



```

    "Working_Factor": 1,
    "Additional_Working_Factor": 0,
    "Grounds_for_Term_Code": "",
    "Cov_Working_Register_ID": "",
    "Department_No": "",
    "Department_Desc": "",
    "Level_2_No": "",
    "Level_2_Name": "",
    "Level_3_No": "",
    "Level_3_Name": "",
    "Level_4_No": "",
    "Level_4_Name": "",
    "Get_Novice_Date": "2022-07-02",
    "SQL_Timestamp": 52851821,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },

```

#### 4.7. Töötajate palgad

Andmed loetakse BC-st tabelist 24002020 (PLK Employee Salaries). Antud tabelist saab kätte kõigile töötajatele seadistatud töötasud.

Veebiteenuse lehe ID 24008310.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002020 PLK Employee Salaries
<b>Employee_No</b>	Code		Employee No.
<b>Line_No</b>	Integer	Tasude rea number töötaja töötasu kohta	Line No.
<b>Salary_No</b>	Code	Eelseadistatud palga tähis	Salary No.
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Amount</b>	Decimal		Amount
<b>Connected_Employee_No</b>	Code	Seotud töötaja	Connected Employee No.
<b>Payment_Code</b>	Code	Väljamakse liigi tähis	Payment Code
<b>Annual_Salary</b>	Decimal		Annual Salary
<b>Entry_GUID</b>	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Palgad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Palgad)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Palgad",

```

```

"value": [
  {
    "@odata.etag": "W/\"JzQ00205TEtOSmdHcjlnREcwNkc3Yk5FcnduWlpaemVhTHRuzGVBMytwNTZ
    UZEk9MTswMDsn\"",
    "Employee_No": "T0001",
    "Line_No": 10000,
    "Salary_No": "TASU_KUUPALK",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Kuupalk, päevapõhine arvestus",
    "Amount": 2000,
    "Connected_Employee_No": "",
    "Payment_Code": "10",
    "Annual_Salary": 0,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  {
    "@odata.etag": "W/\"JzQ00zFlWW50TVd00WhDM09PdGsyMm96MUN6cnZ4Skk2WXZvQ3pVRctvbGR
    ma2s9MTswMDsn\"",
    "Employee_No": "T0002",
    "Line_No": 10000,
    "Salary_No": "TASU_KUUPALK",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Kuupalk, päevapõhine arvestus",
    "Amount": 2000,
    "Connected_Employee_No": "",
    "Payment_Code": "10",
    "Annual_Salary": 0,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  ...

```

#### 4.8. Palgakontode loend

Andmed loetakse BC-st tabelist 24002030 (PLK Payroll Accounts). Antud päringuga saab kätte palgakontode loendi ning võimaldab seadistada teatud parameetritele filtreid. Veebiteenuse lehe ID 24008378.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002030 PLK Payroll Accounts
<b>No</b>	Code		No.
<b>Name</b>	Text		Name
<b>Amount</b>	Decimal		Amount
<b>Employee_Filter</b>	Code		Employee Filter
<b>Accounting_Filter</b>	Code		Accounting Filter

Payment_Filter	Code		Payment Filter
Date_Filter	Date		Date Filter
Type_Filter	Option	Registering/Total/Heading/Payment	Type Filter
Payroll_Dimension_1_Filter	Code		Payroll Dimension 1 Filter
Payroll_Dimension_2_Filter	Code		Payroll Dimension 2 Filter
Payroll_Dimension_3_Filter	Code		Payroll Dimension 3 Filter
Payroll_Dimension_4_Filter	Code		Payroll Dimension 4 Filter
Bank_Register_Filter	Integer		Bank Register Filter
Payment_Code_Filter	Code		Payment Code Filter
Main_Contract_Filter	Code		Main Contract Filter

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Palgakontod](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Palgakontod)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Palgakontod",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0OzRaNVVfDHBFRytEcWhxK3VjbTRvemJYMLpBOHlBTfptb0J0QmI1bHI2MFE9MTswMDsn\"",
      "No": "1000",
      "Name": "ARVESTATUD TULUD",
      "Amount": 0,
      "Employee_Filter": "",
      "Accounting_Filter": "",
      "Payment_Filter": "",
      "Calculation_Filter": "",
      "Date_Filter": "",
      "Type_Filter": "",
      "Payroll_Dimension_1_Filter": "",
      "Payroll_Dimension_2_Filter": "",
      "Payroll_Dimension_3_Filter": "",
      "Payroll_Dimension_4_Filter": "",
      "Bank_Register_Filter": ""
    }
  ]
}
```

```

    "Payment_Code_Filter": "",
    "Main_Contract_Filter": ""
  },
  {
    "@odata.etag": "W/\\"JzQ002dvL0FHHWRtQkIvd2lud243bkg5RVozMUxLR1YyY1grUGttMlFCdGN
NdmM9MTswMDsn\"",
    "No": "1010",
    "Name": "-- Puhkuse ja keskm.palga alus",
    "Amount": 0,
    "Employee_Filter": "",
    "Accounting_Filter": "",
    "Payment_Filter": "",
    "Calculation_Filter": "",
    "Date_Filter": "",
    "Type_Filter": "",
    "Payroll_Dimension_1_Filter": "",
    "Payroll_Dimension_2_Filter": "",
    "Payroll_Dimension_3_Filter": "",
    "Payroll_Dimension_4_Filter": "",
    "Bank_Register_Filter": "",
    "Payment_Code_Filter": "",
    "Main_Contract_Filter": ""
  },
  ...

```

#### 4.9. Töötaja pangakontode loend

Andmed loetakse BC-st tabelist 24002017 (PLK Employee Banks). Teenusega saadetakse töötajatele seadistatud pangakontod. Veebiteenuse lehe ID 24008311.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002017 PLK Employee Banks
<b>Employee_No</b>	Code		Employee No.
<b>Grade_of_Class</b>	Integer	Konto tähtsusjärjestus	Grade of Class
<b>Bank_No</b>	Code	Eelseadistatud pangakontod	Bank No
<b>Bank_Account</b>	Code		Bank Account
<b>Percentage</b>	Decimal	Defineerib, mitu % kantakse kuhu kontole	Percentage
<b>Amount</b>	Decimal	Defineerib, mis summa kantakse kuhu kontole	Amount
<b>IBAN</b>	Code		IBAN
<b>Reference_No</b>	Code	Viitenumber	Reference_No
<b>Payment_Amount</b>	Decimal		Payment Amount
<b>Description</b>	Text	Makse saaja nimi	Description

From_Date	Date		From Date
To_Date	Date		To Date
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Bank](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Bank)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Bank",
  "value": [
    {
      "@odata.etag": "W/\"JzQ001sVXIxbk8xc0JsakVjRVhUZHB1SSs5emNXc1BKNTNLcmtrOEQ5T11ITjQ9MTswMDsn\"",
      "Employee_No": "T0001",
      "Grade_of_Class": 10000,
      "Bank_No": "LHV",
      "Bank_Account": "",
      "Percentage": 0,
      "Amount": 0,
      "IBAN": "454343533335",
      "Reference_No": "",
      "Payment_Amount": 0,
      "Description": "Triinu Kuur",
      "From_Date": "0001-01-01",
      "To_Date": "0001-01-01",
      "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
      "@odata.etag": "W/\"JzQ00zBHcXRPQndSQXdzT2R1YU5PRVRwaS9MdTRtZk4rUlBGWHN2TU1xV0Rjd009MTswMDsn\"",
      "Employee_No": "T0002",
      "Grade_of_Class": 10000,
      "Bank_No": "SEB",
      "Bank_Account": "",
      "Percentage": 0,
      "Amount": 0,
      "IBAN": "44332224555522",
      "Reference_No": "",
      "Payment_Amount": 0,
      "Description": "Kalle Malle",
      "From_Date": "0001-01-01",
      "To_Date": "0001-01-01",
      "Entry_GUID": "00000000-0000-0000-0000-000000000000"
    },
    {
      "@odata.etag": "W/\"JzQ003c1MnImQUdySnh1NU02SGtFaEFZS0dFdnNBSGptOHV1bG9INWtzYlRrWUE9MTswMDsn\"",
      "Employee_No": "T0003",
      "Grade_of_Class": 10000,
```

```

    "Bank_No": "LHV",
    "Bank_Account": "",
    "Percentage": 0,
    "Amount": 0,
    "IBAN": "224446643333",
    "Reference_No": "",
    "Payment_Amount": 0,
    "Description": "Teele Tuisk",
    "From_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  }
}
...

```

#### 4.10. Parameetrid

Andmed loetakse BC-st tabelist 24002021 (PLK Employee Parameters). Antud teenusega edastatakse kõigi töötajate kohta seadistatud parameetrid. Veebiteenuse lehe ID 24012905.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002021 PLK Employee Parameters
Employee_No	Code		Employee No.
Line_No	Integer	Parameetri rea number töötaja kohta	Line No
Parameter_No	Code	Parameetri tähis	Parameter No
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
SQL_Timestamp	BigInteger	*	SQL Timestamp
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/SOAPParameters](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/SOAPParameters)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/SOAPParameters",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ00zVFT1JswG1uUjZHUJ6Sm1VTW1kcXVIdEgzZnhLaVBybEIVQnh2aWV TNlU9MTswMDsn\"",
      "Employee_No": "T0001",
      "Line_No": 10000,

```

```

    "Parameter_No": "PENSIONAR",
    "From_Date": "2056-04-01",
    "To_Date": "0001-01-01",
    "Description": "Pensionär alates 07.04.2056",
    "SQL_Stamp": 45211834,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  {
    "@odata.etag": "W/\"JzQ0029NNz1FVz1MZVdEMzJLcG1Bb3ZOWWYyN0dCSEcxbUxveE9mYXhyakx
0S1U9MTswMDsn\"",
    "Employee_No": "T0001",
    "Line_No": 20000,
    "Parameter_No": "LISA7",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "7 päeva eriiselooga töö eest diisel-
elektri - ja instruktoredurijuhile",
    "SQL_Stamp": 45211913,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  {
    "@odata.etag": "W/\"JzQ001ZMeGFTZncxZ2tEM0huYmZURnN4NENHa0c1aHMvc1dqTjRRWmJkc11
TVGs9MTswMDsn\"",
    "Employee_No": "T0001",
    "Line_No": 30000,
    "Parameter_No": "RESERV28",
    "From_Date": "2022-03-01",
    "To_Date": "0001-01-01",
    "Description": "Puhkusereserv 28 päeva",
    "SQL_Stamp": 45211926,
    "Entry_GUID": "00000000-0000-0000-0000-000000000000"
  },
  ...

```

#### 4.11. Palgažurnaali read

Andmed loetakse BC-st tabelist 24002033 (PLK Payroll Journal Line). Antud teenusega on võimalik pärida sisestatud registreerimata Palgažurnaali ridu. Veebiteenuse lehe ID 24008415.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002033 PLK Payroll Journal Line
Journal_Batch_Name	Code	Töölehe nimetus	Journal Batch Name
Line_No	Integer	Žurnaali rea number	Line No
Entry_GUID	Guid	*	Entry GUID
Type	Option	Normal/Additional	Type
Employee_No	Code		Employee No.
Employee_Name	Text		Employee Name

Employee_Status	Option	Prospect/Active/Inactive/Terminated	Employee Status
Account_NO	Code		Account No
Document_No	Code	Žurnaali töölehe dokumendi number	Document No
Accounting_Period	Code		Accounting Period
Payment_Period	Code		Payment Period
Calculation_Period	Code		Calculation Period
Amount	Decimal		Amount
Description	Text		Description
Remark	Text	Märkus	Remark
Show_Remark_In_Payroll_Report	Boolean	True/False	Show Remark In Payroll Report
Payment_Code	Code		Payment Code
Currency_Code	Code		Currency Code
Currency_Factor	Decimal		Currency Factor
Currency_Factor_Date	Date		Currency Factor Date
Manual_Currency	Boolean	True/False	Manual Currency
Currency_Amount	Decimal		Currency Amount
Main_Contract_No	Code		Main Contract No
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
PER_Job_No	Code		PER Job No
PER_Job_Description	Text		PER Job Description
PER_Task_No	Code		PER Task No
PER_Task_Description	Text		PER Task Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PayrollJournalRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/PayrollJournalRead)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PayrollJournalRead",
  "value": [
    {
```



```

"@odata.etag": "W/\"JzQ001J3MDdwZ0hDWHVDRVJERzVlelkWmFWeG1HK3JkNFJrVxGemtKWjZ
nVHM9MTswMDsn\"",
  "Journal_Batch_Name": "VAIKIMISI",
  "Line_No": 10000,
  "Entry_GUID": "00000000-0000-0000-0000-000000000000",
  "Type": "Normal",
  "Employee_No": "T0003",
  "Employee_Name": "Teele Tuisk",
  "Employee_Status": "Active",
  "Account_No": "",
  "Document_No": "PALK 23.09.22",
  "Posting_Date": "2022-09-23",
  "Accounting_Period": "2022-09",
  "Payment_Period": "2022-09",
  "Calculation_Period": "2022-09",
  "Amount": 15,
  "Description": "",
  "Remark": "",
  "Show_Remark_In_Payroll_Report": false,
  "Payment_Code": "10",
  "Currency_Code": "",
  "Currency_Factor": 0,
  "Currency_Factor_Date": "0001-01-01",
  "Manual_Currency": false,
  "Currency_Amount": 0,
  "Main_Contract_No": "",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "PER_Job_No": "",
  "PER_Job_Description": "",
  "PER_Task_No": "",
  "PER_Task_Description": ""
}
]
}

```

#### 4.12. Puhkusetootlused

Andmed loetakse BC-st tabelist 24013072 (PER Payroll Request). Antud pärguga on võimalik kätte saada kõik BC-s töötajate poolt esitatud puhkusetootlused. Veebiteenuse lehe ID 2408487.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24013072 PER Payroll Request
<b>Request_No</b>	Code		Request No
<b>Employee_No</b>	Code		Employee No.
<b>Full_Name</b>	Text		Full Name

Level_1_No	Code	Struktuuri taseme kood	Level 1 No.
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_4_No	Code	Struktuuri taseme kood	Level 4 No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/HolidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/HolidayRequests)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/HolidayRequests",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ0025TY1BHd0Z1bwZqZHJOeVBIOW9iWHhIamp1NwxSemxud1RBTvNoSUC2bkE9MTswMDsn\"",
      "Request_No": "PUH0001",
      "Employee_No": "T0003",
      "Full_Name": "Teele Tuisk",
      "Level_1_No": "",
      "Level_2_No": "",
      "Level_3_No": "",
      "Level_4_No": "",
      "Holiday_Type": "P_PUHKUS",
      "Holiday_Type_Description": "Põhipuhkus",
      "Starting_Date": "2022-10-03",
      "Ending_Date": "2022-10-09",
      "Days": 7,
      "Substitution": "",
      "Request_Info": "Põhipuhkus 03.10.22 - 09.10.22",
      "Request_URL": "http://palk.westeurope.cloudapp.azure.com:8016/PALK18APPTTEST/?company=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAawADE%3d",
      "Approval_Status": "Approved"
    }
  ]
}
```

#### 4.13. Puhkuste saldo ajalugu

Andmed loetakse BC-st tabelist PLK Holiday Balance History (24012923).

Veebiteenuse lehe ID 24012992.

Uuenenud kanded tekivad tööjärjekorra 24002043 käivitamisel. Tööjärjekorda on võimalik käivitada nii päeva, kuu, kui ka aasta lõikes.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Holiday Balance History (24012923)
Entry_No	Integer		Entry No
Employee_No	Code		Employee No
Balance_Date	Date		Balance Date
Balance_Type	Code	Day/Month/Year	Balance Type
Last_Date_Modified	Date		Date Added
Balance_Amount_1	Decimal		Balance Amount_1
Balance_Amount_2	Decimal		Balance Amount_2
Balance_Amount_3	Decimal		Balance Amount_3
Balance_Amount_4	Decimal		Balance Amount_4
Balance_Amount_5	Decimal		Balance Amount_5
Balance_Amount_6	Decimal		Balance Amount_6
Balance_Amount_7	Decimal		Balance Amount_7
Balance_Amount_8	Decimal		Balance Amount_8
Balance_Amount_9	Decimal		Balance Amount_9
Balance_Amount_10	Decimal		Balance Amount_10
Balance_Amount_11	Decimal		Balance Amount_11
Balance_Amount_12	Decimal		Balance Amount_12
Balance_Amount_13	Decimal		Balance Amount_13
Balance_Amount_14	Decimal		Balance Amount_14
Balance_Amount_15	Decimal		Balance Amount_15
Balance_Amount_16	Decimal		Balance Amount_16
Balance_Amount_17	Decimal		Balance Amount_17
Balance_Amount_18	Decimal		Balance Amount_18
Balance_Amount_19	Decimal		Balance Amount_19
Balance_Amount_20	Decimal		Balance Amount_20
Balance_Amount_21	Decimal		Balance Amount_21
Balance_Amount_22	Decimal		Balance Amount_22
Balance_Amount_23	Decimal		Balance Amount_23
Balance_Amount_24	Decimal		Balance Amount_24
Balance_Amount_25	Decimal		Balance Amount_25
Balance_Amount_26	Decimal		Balance Amount_26
Balance_Amount_27	Decimal		Balance Amount_27
Balance_Amount_28	Decimal		Balance Amount_28
Balance_Amount_29	Decimal		Balance Amount_29
Balance_Amount_30	Decimal		Balance Amount_30
Balance_Amount_31	Decimal		Balance Amount_31
Balance_Amount_32	Decimal		Balance Amount_32

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PuhAjalugu](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/PuhAjalugu)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PuhAjalugu",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ002pmc3FMZExCcU1VYzVQdnhxYUhdMzdXcFFVHYxRDNUYWI5VXN3ZXF2a0k9MTswMDsn\"",
      "Entry_No": 1,
      "Employee_No": "T0001",
      "Balance_Date": "2022-10-17",
      "Balance_Type": "DAY",
      "Last_Date_Modified": "2022-10-17",
      "Balance_Amount_1": -16.7386301369863014,
      "Balance_Amount_2": 0,
      "Balance_Amount_3": 0,
      "Balance_Amount_4": 0,
      "Balance_Amount_5": 0,
      "Balance_Amount_6": 0,
      "Balance_Amount_7": 0,
      "Balance_Amount_8": 0,
      "Balance_Amount_9": 0,
      "Balance_Amount_10": 0,
      "Balance_Amount_11": 0,
      "Balance_Amount_12": 0,
      "Balance_Amount_13": 0,
      "Balance_Amount_14": 0,
      "Balance_Amount_15": 0,
      "Balance_Amount_16": 0,
      "Balance_Amount_17": 0,
      "Balance_Amount_18": 0,
      "Balance_Amount_19": 0,
      "Balance_Amount_20": 0,
      "Balance_Amount_21": 0,
      "Balance_Amount_22": 0,
      "Balance_Amount_23": 0,
      "Balance_Amount_24": 0,
      "Balance_Amount_25": 0,
      "Balance_Amount_26": 0,
      "Balance_Amount_27": 0,
      "Balance_Amount_28": 0,
      "Balance_Amount_29": 0,
      "Balance_Amount_30": 0,
      "Balance_Amount_31": 0,
      "Balance_Amount_32": 0
    },
    ...
  ]
}
```

#### 4.14. Puudumiste asendajad

Andmed loetakse BC-st tabelist 24002099 (PLK Payroll Subst. Led. Entry). Kuvatakse puudumise asendajat puudumise kande kohta.

Veebiteenuse lehe ID 24008379.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002099 PLK Payroll Subst. Led. Entry
Abs_Entry_No	Code	Puudumise kande number	Abs Entry No
Entry_No	Code	Asenduse kande number puudumise kohta	Entry No
Employee_No	Code		Employee No.
Substituent_No	Code		Substituent_No
Substituent_Name	Text		Substituent_Name
From_Date	Date		From Date
To_Date	Date		To Date
Cause_of_Absence_Code	Code		Cause of Absence Code
Description	Text		Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Asendajad](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Asendajad)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Asendajad",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000IyaU8zaEVPdHc4R2pZaVZzVGtMOE9FQTRNWERvTHRHCw05S041dGZuZUK9MTswMDsn\"",
      "Abs_Entry_No": 1,
      "Entry_No": 10000,
      "Employee_No": "T0001",
      "Substituent_No": "T0004",
      "Substituent_Name": "Stig Segasaar",
      "From_Date": "2022-07-15",
      "To_Date": "2022-07-17",
      "Cause_of_Absence_Code": "P_PUHKUS",
      "Description": "Asendab klienti AS Sisu"
    },
    {
      "@odata.etag": "W/\"JzQ0005rYXhqb3psY2J6YmYzQWN5cGQ5MmZza3BSUjdjcnc1NFhxcWpoQ2JFVWM9MTswMDsn\"",
      "Abs_Entry_No": 6,
      "Entry_No": 10000,
      "Employee_No": "T0002",
      "Substituent_No": "T0003",
```

```

    "Substituent_Name": "Teele Tuisk",
    "From_Date": "2022-08-22",
    "To_Date": "2022-09-11",
    "Cause_of_Absence_Code": "P_PUHKUS",
    "Description": ""
  },
  {
    "@odata.etag": "W/\\"JzQ0001QUWkxTTZKcWt2Ymc1VDBLcUZCQUdCT09kOXlwanlzWitJWkZnbTh
YZ1U9MTswMDsn\\",
    "Abs_Entry_No": 8,
    "Entry_No": 10000,
    "Employee_No": "T0003",
    "Substituent_No": "T0004",
    "Substituent_Name": "Stig Segasaar",
    "From_Date": "2022-09-14",
    "To_Date": "2022-09-17",
    "Cause_of_Absence_Code": "P_PUHKUS",
    "Description": "Asendus puhkuseks"
  }
]
}

```

#### 4.15. Puudumiste loend

Andmed loetakse BC-st tabelist 24002028 (PLK Payroll Abs. Ledger Entry). Antud teenuse kaudu on võimalik kätte saada kogu ettevõttes registreeritud puudumiste nimekiri koos asendajate infoga.

Veebiteenuse lehe ID 24012902.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002028 PLK Payroll Abs. Ledger Entry ja 24002099 PLK Payroll Subst. Led. Entry
Entry_No	Integer		Entry No.
Employee_No	Code		Employee No.
Employee_Name	Text		Employee Name
Cause_of_Absence_Code	Code		Cause of Absence Code
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Quantity_Days	Integer		Quantity(Days)
Quantity_Working_Days	Integer		Quantity(Working Days)
Sharepoint_Entry_No	BigInteger		Sharepoint Entry No.
Holiday_Payment	Option	Payday/Holiday/Monthly	Holiday Payment
Notes	Text		Notes
Child_No	Integer		Child No.
Child_Name	Text		Child Name

SQL_Timestamp	BigInteger	*	SQL Timestamp
Entry_GUID	Guid	*	Entry GUID
Applied_Abs_Ledg_Entry_No	Integer	Seotud puudumise kande number jätkuhaiguslehe sidumiseks.	Applied Abs.Ledg.Entry No.
SubstitutionTextSimple		Andmed võetakse Palga asendamise andmikust. Väärtus : Substituent No.	
SubstitutionTextFull		Andmed võetakse Palga asendamise andmikust. Väärtus : Substituent No., Substituent Name, Form-to Date.	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/AbsRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/AbsRead)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/AbsRead",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ002NGWmoyK0xsVkhZZnhkc0liTWJnOC9YVGE4eEdGV3VMVG40QVptSU9UeTg9MTswMDsn\"",
      "Entry_No": 1,
      "Employee_No": "T0001",
      "Employee_Name": "Triinu Tuur",
      "Cause_of_Absence_Code": "P_PUHKUS",
      "From_Date": "2022-07-15",
      "To_Date": "2022-07-17",
      "Description": "Puhkus",
      "Quantity_Days": 3,
      "Quantity_Working_Days": 1,
      "Sharepoint_Entry_No": 0,
      "Holiday_Payment": " ",
      "Notes": "",
      "Child_No": 0,
      "Child_Name": "",
      "SQL_Timestamp": 48267006,
      "Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
      "Applied_Abs_Ledg_Entry_No": 0,
    }
  ]
}
```

```

    "SubstitutionTextSimple": "T0004",
    "SubstitutionTextFull": "T0004 Stig Segasaar (07/15/22-07/17/22)"
  },
  {
    "@odata.etag": "W/\"JzQ0001GUldDdE5hQmpOaktwQWFJQkRWS2VXV1pKR1M3dTNod1E3SVE5MHR3V289MTswMDsn\"",
    "Entry_No": 2,
    "Employee_No": "T0002",
    "Employee_Name": "Kalle Malle",
    "Cause_of_Absence_Code": "V_TPTASU",
    "From_Date": "2022-03-06",
    "To_Date": "2022-03-07",
    "Description": "Tasustatud tervisepäev",
    "Quantity_Days": 2,
    "Quantity_Working_Days": 1,
    "Sharepoint_Entry_No": 0,
    "Holiday_Payment": " ",
    "Notes": "",
    "Child_No": 0,
    "Child_Name": "",
    "SQL_Stamp": 50339357,
    "Entry_GUID": "3ccdbd0a-24c1-4bab-b583-f4689e0313b2",
    "Applied_Abs_Ledg_Entry_No": 0,
    "SubstitutionTextSimple": "",
    "SubstitutionTextFull": ""
  },

```

#### 4.16. Töötajate seisund

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Antud teenusega on võimalik pärida kõigi töötajate seisundit. Veebiteenuse lehe ID 24008309.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002016 PLK Employee Status
<b>Employee_No</b>	Code		Employee No.
<b>Status</b>	Option	Active/Inactive/Prospect /Terminated	Status
<b>From_Date</b>	Date		From Date
<b>Description</b>	Text		Description
<b>Initial_Date</b>	Date		Initial Date
<b>To_Date</b>	Date		To Date
<b>Cause_of_Inactivity_Code</b>	Code		Cause of Inactivity Code
<b>Remark</b>	Text		Remark
<b>Cov_Working_Register_ID</b>	Code	Tööregistri ID	Cov. Working Register ID
<b>Amount</b>	Decimal		Amount
<b>Main_Contract_No</b>	Code		Main Contract No.



Grounds_for_Term_Code	Code		Grounds for Term. Code
Termination_Description	Text		Termination Description
Cause_of_Term_Code	Code		Cause of Term. Code
Cause_of_Term_Description	Text		Cause of Term. Description
Department_No_internal_use	Code		Department No. (internal use)
Job_Title_internal_use	Text		Job Title (internal use)
Department_Name_internal_use	Text		Department Name (internal use)
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Seisund](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Seisund)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Seisund",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00zVHMWJqSFdMbFVKs0h3WkJ5dEhaVkrURU9XOGV1RkdZL2RyM1VCdHVyVHc9MTswMDsn\"",
      "Employee_No": "T0001",
      "Status": "Active",
      "From_Date": "2022-03-01",
      "Description": "Leping",
      "Initial_Date": "0001-01-01",
      "To_Date": "0001-01-01",
      "Cause_of_Inactivity_Code": "",
      "Remark": "",
      "Cov_Working_Register_ID": "",
      "Amount": 0,
      "Main_Contract_No": "",
      "Grounds_for_Term_Code": "",
      "Termination_Description": "",
      "Cause_of_Term_Code": "",
      "Cause_of_Term_Description": "",
      "Department_No_internal_use": "",
      "Job_Title_internal_use": "",
      "Department_Name_internal_use": "",
      "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867633"
    },
    {
      "@odata.etag": "W/\"JzQ000drU29Iekw0SG9EdHB6MTRpZnhCVG1HSH1HTjIxeEdnRHBrb1UxeHhnR1E9MTswMDsn\"",
      "Employee_No": "T0002",
```

```

    "Status": "Active",
    "From_Date": "2022-03-01",
    "Description": "Leping",
    "Initial_Date": "0001-01-01",
    "To_Date": "0001-01-01",
    "Cause_of_Inactivity_Code": "",
    "Remark": "",
    "Cov_Working_Register_ID": "",
    "Amount": 0,
    "Main_Contract_No": "",
    "Grounds_for_Term_Code": "",
    "Termination_Description": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Department_No_internal_use": "",
    "Job_Title_internal_use": "",
    "Department_Name_internal_use": "",
    "Entry_GUID": "e6183e37-e183-4a99-8bee-183d74ac01bd"
  },

```

...

#### 4.17. Struktuuri tase 1

Andmed loetakse BC-st tabelist 24002010 (PLK Payroll Department). Teenus annab infot ettevõtte 1 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008499.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002010 PLK Payroll Department
<b>No</b>	Code		No.
<b>Name</b>	Text		Name
<b>Name_English</b>	Text		Name English
<b>Manager_No</b>	Code		Manager No
<b>Closed</b>	Boolean	True/False	Closed
<b>Dimension_Value</b>	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase1](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Tase1)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Tase1",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ002xqR3M1V3hWMEUeEVqZTNUcytvMXoxWFhSTUVTdGNGUjBKVFJURkc3b0k9MTswMDsn\"",
      "No": "10",
      "Name": "Nõukogu",
      "Name_English": ""
    }
  ]
}

```

```

    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
  }
]
}

```

#### 4.18. Struktuuri tase 2

Andmed loetakse BC-st tabelist 24002092 (PLK Payroll Level 2). Teenus annab infot ettevõtte 2 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008498.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002092 PLK Payroll Level 2
Level_1_No	Code		Level 1 No
No	Code		No
Level_1_Name	Name		Level 1 Name
Name	Text		Name
Name_English	Text		Name English
Manager_No	Code		Manager No
Closed	Boolean	True/False	Closed
Dimension_Value	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase2](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Tase2)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Tase2",
  "value": [
    {
      "@odata.etag": "W/\"JzQ002tyNnZTUnNOZk1YSXBCNjhmCHE1SHdmU1pBcXp6WGE2TD1xZFVDVjJPbUU9MTswMDsn\"",
      "Level_1_No": "10",
      "No": "100",
      "Level_1_Name": "Nõukogu",
      "Name": "Juhatus",
      "Name_English": "",
      "Manager_No": "",
      "Closed": false,
      "Dimension_Value": ""
    }
  ]
}

```

## 4.19. Struktuuri tase 3

Andmed loetakse BC-st tabelist 24002096 (PLK Payroll Level 3). Teenus annab infot ettevõtte 3 struktuuri taseme kohta.

Veebiteenuse lehe ID 24008497.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002096 PLK Payroll Level 3
Level_1_No	Code		Level 1 No
Level_2_No	Code		Level 2 No
No	Code		No
Level_1_Name	Name		Level 1 Name
Level_2_Name	Name		Level 2 Name
Name	Text		Name
Name_English	Text		Name English
Manager_No	Code		Manager No
Closed	Boolean	True/False	Closed
Dimension_Value	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase3](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Tase3)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Tase3",
  "value": [
    {
      "@odata.etag": "W/\"JzQ002FpN3Jra3FIeTNuNH1GVFh6UU8xY1h1cW1xL0dpQkVDZU42NjcvcZW5mMGs9MTswMDsn\"",
      "Level_1_No": "10",
      "Level_2_No": "100",
      "No": "101",
      "Level_1_Name": "Nõukogu",
      "Level_2_Name": "Juhatus",
      "Name": "Raamatupidamine",
      "Name_English": "",
      "Manager_No": "",
      "Closed": false,
      "Dimension_Value": ""
    },
    {
      "@odata.etag": "W/\"JzQ003JxVmNPZ2FBewxTT0h5d2pEdVN4akI1USTjRzVUTHVGeUZkR3cvWFVaU1E9MTswMDsn\"",
      "Level_1_No": "10",
      "Level_2_No": "100",
      "No": "102",
```

```
    "Level_1_Name": "Nõukogu",
    "Level_2_Name": "Juhatus",
    "Name": "Ostuosakond",
    "Name_English": "",
    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
  },
  {
    "@odata.etag": "W/\"JzQ001NITDROMwtGRU9oSudkNzNCZTNscXU1cnBodi92SzN0T1JlWlBxdWZ
nYTA9MTswMDsn\"",
    "Level_1_No": "10",
    "Level_2_No": "100",
    "No": "103",
    "Level_1_Name": "Nõukogu",
    "Level_2_Name": "Juhatus",
    "Name": "Müügiosakond",
    "Name_English": "",
    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
  },
  {
    "@odata.etag": "W/\"JzQ003JFNWd5OV1YRUk3YmdIUnE1dEE5U1ZKTVFmNWg4Q1U4bnY2N0pVZHB
rZm89MTswMDsn\"",
    "Level_1_No": "10",
    "Level_2_No": "100",
    "No": "104",
    "Level_1_Name": "Nõukogu",
    "Level_2_Name": "Juhatus",
    "Name": "Turundus",
    "Name_English": "",
    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
  },
  {
    "@odata.etag": "W/\"JzQ003kyYWZtNk9YcFduVFJSZ09RSEQ5TWxDL01UdS9zeUh1TUJvU3VVdnF
pYXM9MTswMDsn\"",
    "Level_1_No": "10",
    "Level_2_No": "100",
    "No": "105",
    "Level_1_Name": "Nõukogu",
    "Level_2_Name": "Juhatus",
    "Name": "Tugiüksus",
    "Name_English": "",
    "Manager_No": "",
    "Closed": false,
    "Dimension_Value": ""
  }
]
```

}

## 4.20. Struktuuri tase 4

Andmed loetakse BC-st tabelist 24002097 (PLK Payroll Level 4). Teenus annab infot ettevõtte 4 struktuuri taseme kohta.

Veebiteenuse lehe ID 2408496.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002097 PLK Payroll Level 4
Level_1_No	Code		Level 1 No
Level_2_No	Code		Level 2 No
Level_3_No	Code		Level 3 No
No	Code		No
Level_1_Name	Name		Level 1 Name
Level_2_Name	Name		Level 2 Name
Level_3_Name	Name		Level 3 Name
Name	Text		Name
Name_English	Text		Name English
Manager_No	Code		Manager No
Closed	Boolean	True/False	Closed
Dimension_Value	Code		Dimension Value

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Tase4](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Tase4)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Tase4",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0OzdranJQR1VTUD1BUEEwdExGZGt1VmUvdnpUOTQ0bWhZbUZ4S1kwTnNXZ009MTswMDsn\"",
      "Level_1_No": "10",
      "Level_2_No": "100",
      "Level_3_No": "101",
      "No": "1011",
      "Level_1_Name": "Nõukogu",
      "Level_2_Name": "Juhatus",
      "Level_3_Name": "Raamatupidamine",
      "Name": "Pearaamatupidamine",
      "Name_English": "",
      "Manager_No": "",
      "Closed": false,
      "Dimension_Value": ""
    }
  ],
}
```

```
"@odata.etag": "W/\\"JzQ009wb2sza1RaUkZJbXFUK1pBRUJzTWxLa3hVQ3pEZHdBUTNGM1h4Y0p
jK1k9MTswMDsn\"",
  "Level_1_No": "10",
  "Level_2_No": "100",
  "Level_3_No": "102",
  "No": "1022",
  "Level_1_Name": "Nõukogu",
  "Level_2_Name": "Juhatus",
  "Level_3_Name": "Ostuosakond",
  "Name": "EU",
  "Name_English": "",
  "Manager_No": "",
  "Closed": false,
  "Dimension_Value": ""
},
{
  "@odata.etag": "W/\\"JzQ001BhWf1KdFE30GluNHFMMEZQbDFjQUZXcVNiQUg0TTBiZWtsVmFmR1I
vM0U9MTswMDsn\"",
  "Level_1_No": "10",
  "Level_2_No": "100",
  "Level_3_No": "102",
  "No": "1023",
  "Level_1_Name": "Nõukogu",
  "Level_2_Name": "Juhatus",
  "Level_3_Name": "Ostuosakond",
  "Name": "EE",
  "Name_English": "",
  "Manager_No": "",
  "Closed": false,
  "Dimension_Value": ""
},
{
  "@odata.etag": "W/\\"JzQ003c4VGRNODY5ZURHTm5IN3NZanMwZm96bHdBVzFownd5dGt2TGFBRt
0Um89MTswMDsn\"",
  "Level_1_No": "10",
  "Level_2_No": "100",
  "Level_3_No": "103",
  "No": "1033",
  "Level_1_Name": "Nõukogu",
  "Level_2_Name": "Juhatus",
  "Level_3_Name": "Müügiesakond",
  "Name": "EU",
  "Name_English": "",
  "Manager_No": "",
  "Closed": false,
  "Dimension_Value": ""
},
...

```

#### 4.21. Lepingu liigid

Andmed loetakse BC-st tabelist 24002011 (PLK Payroll Empl. Contract). Antud teenuse abil on võimalik pärida BC-sse seadistatud töölepingu liike. Veebiteenuse lehe ID 24008315.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002011 PLK Payroll Empl. Contract
No	Code		No.
Description	Text		Description
Type	Option	Employment Contract/Contract/Board/Councillor/Contract Agreement/Alimony Recipient/Other	Type

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6%C3%B6lepinguLiigid](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6%C3%B6lepinguLiigid)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/T%C3%B6%C3%B6lepinguLiigid",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0001rV0pTUG9VdEpveTQ3UnFyZS8vdFlsdW50Q09GWUw3cy84bTV2eDI2U2c9MTswMDsn\"",
      "No": "10",
      "Description": "Määramata ajaks",
      "Type": "Employment Contract"
    },
    {
      "@odata.etag": "W/\"JzQ003pSSGxRb25McGQ5M3JzbDlxazhFLzBMdWg1d1k5NzQxM1lVaDNVN3VIaTA9MTswMDsn\"",
      "No": "11",
      "Description": "Määramata ajaks, osalise tööajaga",
      "Type": "Employment Contract"
    }
  ],
  ...
}
```

#### 4.22. Töötaja dokumendid

Andmed loetakse BC-st tabelist 24002119 (PLK Employee Documents). Teenusega on võimalik pärida kõigile töötajatele seadistatud dokumente ning nende kehtivust. Veebiteenuse lehe ID 24008363.



Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002119 PLK Employee Documents
Employee_No	Code		Employee No.
Line_No	Integer	Mitmes dokument töötaja kohta	Line No
Employee_Name	Text		Employee Name
PLK_Employee_Status	Option	Active/Inactive/Prospect /Terminated	PLK Employee Status
Citizenship_Code	Code		Citizenship Code
Document_No	Code		Document No
Document_Type	Code		Document Type
Document_Type_Descripti on	Text		Document Type Description
Document_Publisher	Code		Document Publisher
Document_Publisher_Nam e	Text		Document Publisher Name
Document_Valid_From	Date		Document Valid From
Document_Valid_To	Date		Document Valid To
Comment	Text		Comment
Locked	Boolea n	True/False	Locked
Department_No	Code		Department No.
Department_Desc	Text		Department Desc.
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_2_Name	Text		Level 2 Name
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_3_Name	Text		Level 3 Name
Level_4_No	Code	Struktuuri taseme kood	Level 4 No.
Level_4_Name	Text		Level 4 Name
Picture	Blob		Attachment

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Documents](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Documents)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Documents",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000w4dGZhOTJCQXNLZGtBd2hHWjJicDNKRWowUjFYRDB5M2YxNnYxNW9GOUk9MTswMDsn\"",
      "Employee_No": "T0002",
      "Line_No": 1,
      "Employee_Name": "Kalle Malle",

```

```
"PLK_Employee_Status": "Active",
"Citizenship_Code": "",
"Document_No": "A1233",
"Document_Type": "D02",
"Document_Type_Description": "ID-kaart",
"Document_Publisher": "",
"Document_Publisher_Name": "",
"Document_Valid_From": "2022-09-26",
"Document_Valid_To": "2028-09-26",
"Comment": "",
"Locked": false,
"Department_No": "10",
"Department_Desc": "Nõukogu",
"Level_2_No": "100",
"Level_2_Name": "Juhatus",
"Level_3_No": "103",
"Level_3_Name": "Müügiesakond",
"Level_4_No": "1034",
"Level_4_Name": "EE",
"Picture": ""
},
{
  "@odata.etag": "W/\"JzQ0024vUWVEZFBRWTVTa2VUM2hSKzVtODVpQ2RqaGZuT2J4N1hpQUZYM2Zrb0E9MTswMDsn\"",
  "Employee_No": "T0003",
  "Line_No": 1,
  "Employee_Name": "Teele Tuisk",
  "PLK_Employee_Status": "Active",
  "Citizenship_Code": "",
  "Document_No": "A11445",
  "Document_Type": "D01",
  "Document_Type_Description": "Pass",
  "Document_Publisher": "",
  "Document_Publisher_Name": "",
  "Document_Valid_From": "2020-09-05",
  "Document_Valid_To": "2026-08-14",
  "Comment": "",
  "Locked": false,
  "Department_No": "",
  "Department_Desc": "",
  "Level_2_No": "",
  "Level_2_Name": "",
  "Level_3_No": "",
  "Level_3_Name": "",
  "Level_4_No": "",
  "Level_4_Name": "",
  "Picture": ""
}
]
```

#### 4.23. Töötaja passiivsused

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Antud loendis kuvatakse kõiki passiivseid töötajaid.

Veebiteenuse lehe ID 24008494.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002016 PLK Employee Status
Employee_No	Code		Employee No.
Status	Option	Inactive	Status
From_Date	Date		From Date
Description	Text		Description
To_Date	Date		To Date
Cause_of_Inactivity_Code	Code		Cause of Inactivity Code
Main_Contract_No	Code		Main Contract No
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6%C3%B6tajaPassiivsused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6%C3%B6tajaPassiivsused)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/T%C3%B6%C3%B6tajaPassiivsused",
  "value": [
    {
      "@odata.etag": "W/\\"JzQ002xpSStMZTzyRGtvWFVCekpWV1p1WEZ2SWdKMHUzdGw5SF1sUEQ0YVVHUKk9MTswMDsn\"",
      "Employee_No": "T0010",
      "Status": "Inactive",
      "From_Date": "2022-09-26",
      "Description": "Vanemapuhkus (kuni lapse 3.a saamiseni)",
      "To_Date": "0001-01-01",
      "Cause_of_Inactivity_Code": "LH00LD",
      "Main_Contract_No": "",
      "Entry_GUID": "7cf25fa9-d7e0-453e-b8b1-82e18feb16cf"
    }
  ]
}
```

#### 4.24. Aktiivsed töötajad

Andmed loetakse BC-st tabelist 24002016 (PLK Employee Status). Päringus kuvatakse ainult aktiivseid töötajaid.

Veebiteenuse lehe ID 24008495.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002016 PLK Employee Status
Employee_No	Code		Employee No.
Status	Option	Active	Status
From_Date	Date		From Date
Description	Text		Description
To_Date	Date		To Date
Initial_Date	Date		Initial Date
Seniority_Date	Date		Seniority Date
Grounds_for_Term_Code	Code		Grounds for Term_Code
Termination_Description	Text		Termination Description
Cause_of_Term_Code	Code		Cause of Term_Code
Cause_of_Term_Description	Text		Cause of Term Description
Remark	Text		Remark
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmployeeStatus](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/EmployeeStatus)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/EmployeeStatus",
  "value": [
    {
      "@odata.etag": "W/\"JzQ001o2Q295UWZ0Rks4RXRpY1FhdjZnOHRyUDdCc19uOHU0Q0xUW1kxOU1LWVt9MTswMDsn\"",
      "Employee_No": "T0001",
      "Status": "Active",
      "From_Date": "2022-03-01",
      "Description": "Leping",
      "To_Date": "2022-10-15",
      "Initial_Date": "0001-01-01",
      "Seniority_Date": "0001-01-01",
      "Grounds_for_Term_Code": "TA_80LG1",
      "Termination_Description": "§ 80 lg 1 tähtaja möödumine",
      "Cause_of_Term_Code": "",
      "Cause_of_Term_Description": "",
      "Remark": "",
      "Entry_GUID": "602feb9f-ec43-47d0-a954-eecefd867633"
    },
    {
      "@odata.etag": "W/\"JzQ003pERXJoeVZYSHBwT3AxME5IOWVHVDBjU3Axbi9LQU40a2ROSvhNS0JPNDg9MTswMDsn\"",
      "Employee_No": "T0001",
```

```

    "Status": "Active",
    "From_Date": "2022-10-01",
    "Description": "Leping",
    "To_Date": "0001-01-01",
    "Initial_Date": "0001-01-01",
    "Seniority_Date": "0001-01-01",
    "Grounds_for_Term_Code": "",
    "Termination_Description": "",
    "Cause_of_Term_Code": "",
    "Cause_of_Term_Description": "",
    "Remark": "",
    "Entry_GUID": "67914410-2b81-4b0b-8855-e4b38cef0b97"
  },
  ...

```

#### 4.25. Töötajate loend

Andmed loetakse BC-st tabelist 24002014. Võimaldab pärida kõigi töötajate üldandmeid töötajate loendist.

Veebiteenuse lehe ID 24012900.

Välja nimetus	Tüüp	Märkus	Andmed tabelist 24002014
No	Code		No
Personal_ID	Text		Personal ID
First_Name	Text		First Name
Last_Name	Text		Last Name
Birth_Date	Date		Birth Date
Deny_Birth_Date_Publish	Boolean	True/False	Deny Birth Date Publish
Sex	Option	Male/Female	Sex
Status	Boolean	True/False	Status
Employment_Date	Date		Employment Date
Termination_Date	Date		Termination Date
Inactive_Date	Date		Inactive Date
Job_Title	Text		Job Title
Job_Title_English	Text		Job Title English
Profession_Category_No	Code		Profession Category No
Profession_Category_Decs	Text		Profession Category Decs
Profession_Group_Code	Code		Profession Group Code
Profession_Group_Description	Text		Profession Group Description
Working_Factor	Decimal		Working Factor
Noviciate	Boolean	True/False	Noviciate
E_Mail	Text		E-Mail
Company_E_Mail	Text		Company E-Mail
Phone_No_1	Text		Phone No. 1
Phone_No_2	Text		Phone No. 2
Mobile_Phone_No_1	Text		Mobile Phone No. 1
Mobile_Phone_No_2	Text		Mobile Phone No. 2

<b>Address</b>	Text		<b>Address</b>
<b>Address_2</b>	Text		<b>Address 2</b>
<b>City</b>	Text		<b>City</b>
<b>Post_Code</b>	Code		<b>Post Code</b>
<b>Country_Code</b>	Code		<b>Country Code</b>
<b>Seniority_Date</b>	Date		<b>Seniority Date</b>
<b>Level_1_No</b>	Code		<b>Level 1 No.</b>
<b>Level_1_Name</b>	Text		<b>Level 1 Name</b>
<b>Level_1_Name_English</b>	Text		<b>Level 1 Name English</b>
<b>Level_2_No</b>	Code	Struktuuri taseme kood	<b>Level 2 No.</b>
<b>Level_2_Name</b>	Text		<b>Level 2 Name</b>
<b>Level_2_Name_English</b>	Text		<b>Level 2 Name English</b>
<b>Level_3_No</b>	Code	Struktuuri taseme kood	<b>Level 3 No.</b>
<b>Level_3_Name</b>	Text		<b>Level 3 Name</b>
<b>Level_3_Name_English</b>	Text		<b>Level 3 Name English</b>
<b>Level_4_No</b>	Code	Struktuuri taseme kood	<b>Level 4 No.</b>
<b>Level_4_Name</b>	Text		<b>Level 4 Name</b>
<b>Level_4_Name_English</b>	Text		<b>Level 4 Name English</b>
<b>Manager_No</b>	Code		<b>Manager No.</b>
<b>Manager_Name</b>	Text		<b>Manager Name</b>
<b>Payroll_Dimension_1_Code</b>	Code		<b>Payroll Dimension 1 Code</b>
<b>Payroll_Dimension_2_Code</b>	Code		<b>Payroll Dimension 2 Code</b>
<b>Payroll_Dimension_3_Code</b>	Code		<b>Payroll Dimension 3 Code</b>
<b>Payroll_Dimension_4_Code</b>	Code		<b>Payroll Dimension 4 Code</b>
<b>Custom_Field_1</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	<b>Custom Field 1</b>
<b>Custom_Field_2</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	<b>Custom Field 2</b>
<b>Custom_Field_3</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud	<b>Custom Field 3</b>

		väärtustega või sisestatava tekstiga väärtusi	
<b>Custom_Field_4</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 4
<b>Custom_Field_5</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 5
<b>Custom_Field_6</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 6
<b>Custom_Field_7</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 7
<b>Custom_Field_8</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 8
<b>Custom_Field_9</b>	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 9
<b>I_Statistics_Group_Code</b>	Code		I Statistics Group Code

II_Statistics_Group_Code	Code		II Statistics Group Code
Picture	Bloob	Töötaja pilt	Picture
SQL_Stamp	BigInteger	*	SQL Timestamp
Entry_GUID	Guid	*	Entry GUID
Blocked	Boolean	True/False	Blocked
Sch_From_Filter	Date		Sch. From Filter
Sch_To_Filter	Date		Sch. To Filter
Workstation code	Code		Workstation code
Workstation Address	Text		
Workstation Name	Text		Workstation Name

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmpRead](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/EmpRead)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/EmpRead",
  "value": [
    {
      "@odata.etag": "W/\"JzQ003hLWUZhdnVTSDA3ckt3UKJZQTJEOfpjZ2ZFdwYvNUE1U1RIWDNCNVU0dG89MTswMDsn\"",
      "No": "T0002",
      "Personal_ID": "36706225719",
      "First_Name": "Kalle",
      "Last_Name": "Malle",
      "Birth_Date": "1967-06-22",
      "Deny_Birth_Date_Publish": false,
      "Sex": "Male",
      "Status": "Active",
      "Employment_Date": "2022-03-01",
      "Termination_Date": "0001-01-01",
      "Inactive_Date": "0001-01-01",
      "Job_Title": "",
      "Job_Title_English": "",
      "Profession_Category_No": "",
      "Profession_Category_Decss": "",
      "Profession_Group_Code": "",
      "Profession_Group_Description": "",
      "Working_Factor": 1,
      "Noviciate": false,
      "E_Mail": "",
      "Company_E_Mail": "Kalle@tuur.ee",
      "Phone_No_1": "",
      "Phone_No_2": "",
      "Mobile_Phone_No_1": "",
      "Mobile_Phone_No_2": "",
      "Address": ""
    }
  ]
}
```



```
"Address_2": "",
"City": "",
"Post_Code": "",
"County": "",
"Country_Code": "",
"Seniority_Date": "0001-01-01",
"Level_1_No": "10",
"Level_1_Name": "Nõukogu",
"Level_1_Name_English": "",
"Level_2_No": "100",
"Level_2_Name": "Juhatus",
"Level_2_Name_English": "",
"Level_3_No": "103",
"Level_3_Name": "Müügiesakond",
"Level_3_Name_English": "",
"Level_4_No": "1034",
"Level_4_Name": "EE",
"Level_4_Name_English": "",
"Manager_No": "",
"Manager_Name": "",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Custom_Field_1": "",
"Custom_Field_2": "",
"Custom_Field_3": "",
"Custom_Field_4": "",
"Custom_Field_5": "",
"Custom_Field_6": "",
"Custom_Field_7": "",
"Custom_Field_8": "",
"Custom_Field_9": "",
"Custom_Field_10": "",
"I_Statistics_Group_Code": "",
"II_Statistics_Group_Code": "",
"Picture": "",
"SQL_Stamp": 54656480,
"Entry_GUID": "1f827038-8b46-4de5-ab0e-59e5d47314b6",
"Blocked": false,
"Sch_From_Filter": "",
"Sch_To_Filter": ""
},
...
```

#### 4.26. Töötajate oskuste loend

Andmed loetakse BC-st tabelist PER Employee Skill 24008863. Võimaldab pärida kõigi ettevõtte töötajatele seadistatud oskusi ja nende tasemeid ja selle täitmist. Veebiteenuse lehe ID 24008492.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER Employee Skill (24008863)
Employee_No	Code		Employee No.
Line_No	Integer	Töötaja kohta oskuse rea number	Line No
Employee_Name	Text		Employee Name
Employee_Status	Option	Active/Inactive/Prospect/Terminated	Employee Status
Skill_Type_Code	Code		Skill Type Code
Skill_Type_Description	Text		Skill Type Description
Skill_Code	Code		Skill Code
Skill_Description	Text		Skill Description
Skill_Level_Code	Code		Skill Level Code
Skill_Level_Description	Text		Skill Level Description
From_Date	Date		From Date
Until_Date	Date		Until Date
Requested_Level_Code	Code		Requested Level Code
Requested_Level_Description	Text		Requested Level Description
Comment	Text		Comment
Entry_GUID	Guid		Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/EmployeeSkills](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/EmployeeSkills)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/EmployeeSkills",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0020rckNDVFg4bys4Lyt1dz1lN1hwVFZjdWRuTjVkJmMwhyT3BxMkdhZX1jSEE9MTswMDsn\"",
      "Employee_No": "T0002",
      "Line_No": 10000,
      "Employee_Name": "Kalle Malle",
      "Employee_Status": "Active",
      "Skill_Type_Code": "ARVUTI",
      "Skill_Type_Description": "Arvutiprogrammid",
    }
  ]
}
```

```
"Skill_Code": "EXCEL",
"Skill_Description": " ",
"Skill_Level_Code": "B",
"Skill_Level_Description": "Spetsialisti/konsultandi",
"From_Date": "2022-09-01",
"Until_Date": "0001-01-01",
"Requested_Level_Code": "A",
"Requested_Level_Description": "Arendaja",
"Comment": "",
"Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
{
  "@odata.etag": "W/\\"JzQ00zh0VU1FQXZXcVA1Nk5zK2xhTWFYTFIzQjlVM1AvbUI2SVVHV1dmU3R
Bdk09MTswMDsn\"",
  "Employee_No": "T0002",
  "Line_No": 20000,
  "Employee_Name": "Kalle Malle",
  "Employee_Status": "Active",
  "Skill_Type_Code": "KEELED",
  "Skill_Type_Description": "Keeled",
  "Skill_Code": "INGLISE",
  "Skill_Description": "Inglise keel",
  "Skill_Level_Code": "B",
  "Skill_Level_Description": "Spetsialisti/konsultandi",
  "From_Date": "0001-01-01",
  "Until_Date": "0001-01-01",
  "Requested_Level_Code": "D",
  "Requested_Level_Description": "Tavakasutaja",
  "Comment": "",
  "Entry_GUID": "00000000-0000-0000-0000-000000000000"
},
{
  "@odata.etag": "W/\\"JzQ003FFSGZIdkQvei9LVEJuTUt2Y2t0cDl0cnIxE211eLU1dG1UNU0xMzB
DYk09MTswMDsn\"",
  "Employee_No": "T0003",
  "Line_No": 10000,
  "Employee_Name": "Teele Tuisk",
  "Employee_Status": "Active",
  "Skill_Type_Code": "ARVUTI",
  "Skill_Type_Description": "Arvutiprogrammid",
  "Skill_Code": "WORD",
  "Skill_Description": " ",
  "Skill_Level_Code": "B",
  "Skill_Level_Description": "Spetsialisti/konsultandi",
  "From_Date": "2022-09-01",
  "Until_Date": "0001-01-01",
  "Requested_Level_Code": "B",
  "Requested_Level_Description": "Spetsialisti/konsultandi",
  "Comment": "",
  "Entry_GUID": "00000000-0000-0000-0000-000000000000"
}
```

```

    ]
}

```

#### 4.27. Puhkuste ajakava žurnaali

Andmed loetakse BC-st tabelist PLK Payroll Holiday Sch. Lines 24002050. Antud teenusega on võimalik pärida puhkuste ajakava žurnaali andmeid.

Veebiteenuse lehe ID 24008490.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Holiday Sch. Lines (24002050)
Entry_No	Integer		Entry No.
Journal_Batch_Name	Code	Töölehe nimetus	Journal Batch Name
Entry_GUID	Guid	*	Entry GUID
Employee_No	Code		Employee No.
Employee_Name	Text		Employee Name
Employee_Status	Option	Active/Inactive/Prospect/Derminated	Employee Status
Holiday_Code	Code		Holiday Code
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Days	Decimal		Quantity(Days)
Holiday_Payment	Option	Payday/Holiday/Monthly	Holiday Payment
Notes	Text		Notes
Posted	Boolean	True/False	Posted
Department_No	Code		Department No.
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_4_No	Code	Struktuuri taseme kood	Level 4 No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Holiday](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Holiday)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/Holiday",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00zREeTRLQzM3Vm9TM1pBOXhkaG84Wk9oY29UMzJnNFVESWQ0Y05NdTE2ZGc9MTswMDsn\"",
      "Entry_No": 1,

```

```

    "Journal_Batch_Name": "2023",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000",
    "Employee_No": "T0001",
    "Employee_Name": "Triinu Tuum",
    "Employee_Status": "Active",
    "Holiday_Code": "P_PUHKUS",
    "From_Date": "2023-06-05",
    "To_Date": "2023-06-11",
    "Description": "Puhkus",
    "Days": 7,
    "Holiday_Payment": "Payday",
    "Notes": "",
    "Posted": false,
    "Department_No": "10",
    "Level_2_No": "100",
    "Level_3_No": "102",
    "Level_4_No": "1022"
  },
  {
    "@odata.etag": "W/\\"JzQ003VQZDZWnm5PMHN6bUdacG1rRH1ONHpNMkt0YUtSZHV6aFZ6dVhOWUN
meWM9MTswMDsn\\",
    "Entry_No": 2,
    "Journal_Batch_Name": "2023",
    "Entry_GUID": "00000000-0000-0000-0000-000000000000",
    "Employee_No": "T0002",
    "Employee_Name": "Kalle Malle",
    "Employee_Status": "Active",
    "Holiday_Code": "P_PUHKUS",
    "From_Date": "2023-03-20",
    "To_Date": "2023-03-26",
    "Description": "Puhkus",
    "Days": 7,
    "Holiday_Payment": "Payday",
    "Notes": "",
    "Posted": false,
    "Department_No": "10",
    "Level_2_No": "100",
    "Level_3_No": "103",
    "Level_4_No": "1034"
  },
  ...

```

#### 4.28. Töötaja tööajatabeli kannete pärimine

Andmed saadakse BC tabelitest PLK Working Schedule Entries (24002101). Iga päringu rida on ühe töötaja tööajatabeli kande rida.  
Veebiteenuse lehe ID 24008472.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Working Schedule Entries (24002101)
<b>Working_Schedule_Group_No</b>	Code		Working Schedule Group No
<b>Employee_No</b>	Code		Employee No.
<b>Date</b>	Date		Date
<b>Entry_No</b>	Integer	Kande number töötaja päeva kande kohta	Entry No
<b>Line_No</b>	Integer	Rea number töötaja päeva kande kohta	Line No
<b>Employee_Name</b>	Text		Employee Name
<b>Employee_Job_Title</b>	Text		Employee Job Title
<b>Planning_Month</b>	Date		Planning Month
<b>Planning_Month_Text</b>	Text		
<b>Month_Normal_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Evening_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Night_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Holiday_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Total_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Nominal_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Hours_Difference</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Day_Overtime_Hours</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Amount</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	
<b>Month_Quantity</b>	Decimal	Arvutatav väli kuu tundide kirjeldamiseks	

<b>Weekday</b>	Option	Mo,Tu,We,Th,Fr,Sa,Su	<b>Weekday</b>
<b>Route_Code</b>	Code		Route Code
<b>Route_Version_Code</b>	Code		Route Version Code
<b>Route_Day_Code</b>	Date		Route Day Code
<b>Working_Shift_Code</b>	Code		Working Shift Code
<b>Since</b>	Time		Since
<b>Till</b>	Time		Till
<b>Hours</b>	Decimal		Hours
<b>Normal_Hours</b>	Decimal		Normal Hours
<b>Evening_Hours</b>	Decimal		Evening Hours
<b>Night_Hours</b>	Decimal		Night Hours
<b>Holiday_Hours</b>	Decimal		Holiday Hours
<b>Holiday_Normal_Hours</b>	Decimal		Holiday Normal Hours
<b>Holiday_Evening_Hours</b>	Decimal		Holiday Evening Hours
<b>Holiday_Night_Hours</b>	Decimal		Holiday Night Hours
<b>Break_Hours</b>	Decimal		Break Hours
<b>Break_Since</b>	Time		Break Since
<b>Break_Till</b>	Time		Break Till
<b>Break_Normal_Hours</b>	Decimal		Break Normal Hours
<b>Break_Evening_Hours</b>	Decimal		Break Evening Hours
<b>Break_Night_Hours</b>	Decimal		Break Night Hours
<b>Break_Holiday_Normal_Hours</b>	Decimal		Break Holiday Normal Hours
<b>Break_Holiday_Evening_Hours</b>	Decimal		Break Holiday Evening Hours
<b>Break_Holiday_Night_Hours</b>	Decimal		Break Holiday Night Hours
<b>Day_Overtime_Hours</b>	Decimal		Day Overtime Hours
<b>Shortened_Nominal_Hours</b>	Decimal		Shortened Nominal Hours
<b>Shortened_Holiday_Date</b>	Date		Shortened Holiday Date
<b>Entry_Type</b>	Code		Entry Type
<b>Percentage</b>	Decimal		Percentage
<b>Quantity</b>	Decimal		Quantity
<b>Hour_Cost</b>	Decimal		Hour Cost
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Comment</b>	Text		Comment
<b>Cause_of_Absence_Code</b>	Code		Cause of Absence Code
<b>Absence_Hours</b>	Decimal		Absence Hours
<b>PER_Job_No</b>	Code		PER Job No.
<b>PER_Job_Description</b>	Text		PER Job Description

PER_Task_No	Code		PER Task No.
PER_Task_Description	Text		PER Task Description
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
Leader_No	Code		Leader No
Leader_Name	Text		Leader Name
Brigade_Code	Code		Brigade Code
Brigade_Name	Text		Brigade Name
Submitted	Boolean	True/False	Submitted
Submitted_Time	Datetime		Submitted Time
Accepted	Boolean	True/False	Accepted
Accepted_Time	Datetime		Accepted Time
Registered	Boolean	True/False	Registered

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/IteraHolidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/IteraHolidayRequests)

Näidis päringu vastus:

```
{
  "@odata.etag": "W/\"JzQ002E5R3VHYWp0OVJuNHd1cnA0TWV1MkZzOUpLYWsweEF5MTVSNNfzRlhVaFk9MTswMDsn\"",
  "Working_Schedule_Group_No": "VEDURIJUHT",
  "Employee_No": "T0002",
  "Date": "2022-07-04",
  "Entry_No": 2,
  "Line_No": 0,
  "Employee_Name": "Kalle Malle",
  "Employee_Job_Title": "",
  "Planning_Month": "2022-07-01",
  "Planning_Month_Text": "July 2022",
  "Month_Normal_Hours": 13,
  "Month_Evening_Hours": 10,
  "Month_Night_Hours": 3,
  "Month_Holiday_Hours": 0,
  "Month_Total_Hours": 26,
  "Month_Nominal_Hours": 168,
  "Month_Hours_Difference": -142,
  "Month_Day_Overtime_Hours": 0,
  "Month_Amount": 0,
  "Month_Quantity": 0,
  "Weekday": "Mo",
  "Route_Code": "KPA",
}
```



```
"Route_Version_Code": "RP",
"Route_Day_Code": "2022-07-04",
"Working_Shift_Code": "",
"Since": "20:00:00",
"Till": "21:00:00",
"Hours": 1,
"Normal_Hours": 0,
"Evening_Hours": 1,
"Night_Hours": 0,
"Holiday_Hours": 0,
"Holiday_Normal_Hours": 0,
"Holiday_Evening_Hours": 0,
"Holiday_Night_Hours": 0,
"Break_Hours": 0,
"Break_Since": "00:00:00",
"Break_Till": "00:00:00",
"Break_Normal_Hours": 0,
"Break_Evening_Hours": 0,
"Break_Night_Hours": 0,
"Break_Holiday_Normal_Hours": 0,
"Break_Holiday_Evening_Hours": 0,
"Break_Holiday_Night_Hours": 0,
"Day_Overtime_Hours": 0,
"Shortened_Nominal_Hours": 0,
"Shortened_Holiday_Date": "0001-01-01",
"Entry_Type": "TÖÖAEG_2",
"Percentage": 0,
"Quantity": 0,
"Hour_Cost": 0,
"Amount": 0,
"Description": "",
"Comment": "2-päevase tuuri tööaeg",
"Cause_of_Absence_Code": "",
"Absence_Hours": 0,
"PER_Job_No": "",
"PER_Job_Description": "",
"PER_Task_No": "",
"PER_Task_Description": "",
"PER_Task_Description_Employee": "",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Leader_No": "",
"Leader_Name": "",
"Brigade_Code": "",
"Brigade_Name": "",
"Submitted": false,
"Submitted_Time": "0001-01-01T00:00:00Z",
"Accepted": false,
"Accepted_Time": "0001-01-01T00:00:00Z",
```

```
"Registered": false
},
```

#### 4.29. Töötajate palgalipikud

Andmed päritakse raportiga 24002000 PLK Employee Salary Report.

Veebiteenuse lehe ID 24008301.

Päringuga tuleb kindlasti kaasa anda filter Calculation\_Filter\_In. Vajadusel saab lisada ka töötaja numbri filtri.

Välja nimetus	Tüüp	Märkus	Andmed aruandest 24002000 PLK Employee Salary Report
No	Code		
Calculation_Filter_In	Code	Formaadis '2022-09'	
Department_No	Code		
CalculationFilter	Code		
SalaryReportB64	Base64		

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/Company\('Tuuritaja%20AS'\)/Palgalipikud?\\$filter=Calculation\\_Filter\\_In eq '2022-09'](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/Company('Tuuritaja%20AS')/Palgalipikud?$filter=Calculation_Filter_In eq '2022-09')

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/$metadata#Company('Tuuritaja%20AS')/Palgalipikud",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000UzTDZva01LeWpQUFQwVG81VnIyWGC3QZTzVjMvcVFZd2FaNWwVzYyLzQ9MTswMDsn\"",
      "No": "T0003",
      "Calculation_Filter_In": "",
      "Department_No": "10",
      "CalculationFilter": "2022-09",
      "SalaryReportB64": "JVBERi0xLjMNCjEgMCBvYmoNC1svUERIGIC9UZxh0IC9JbWFnZUIgL0ltYWd1QyAvSW1hZ2VJXQ0KZW5kb2JqDQo2IDAgb2JqDQo8PCAvTGluZ3RoIDE4NjMgLEZpbHRlciAvRm9hdGVEZWVnZGUGPj4gc3RyZWFTDQpYCBva227cNhb9D+B/4KNTpCyHdwVBGRRIiyBB2sSb9qHpw8arBBvv0o53lf5+hzeJuqwkyy2CvYTL4ZyZORwOrz579JVwS4XUBCQFI4jSmha8IBYEVVKQu5L8SW7OHjFaaCD5+90nIgwFVhAjCipMgSsxqgXhghplneTHM1wff/STJIRJRrtJoNMkv/xPK/LDL4IUtCgKsvpImp+HKqTi1IAIq1eIUFCu3EoFZYUgqw05f/72j4vL1fPVu58fk9VnsvqOXKz0Hr05hRcMRbANYKWo5rqHGIowLUFW4KctwCyBUS5UC/PLF69fvyC/X1zMRR29zAE1SQIIumCwoC3Cqgh6UBAKQRmYwIKh5+0cQY5oDV01oLaUCdEW/OrdEmaJMAVCLJfMNV6SxSP8JDRHxknnJW4VfgVcCadx5b10We3363sFNfnHGqrc56SZiikqEHLTN41UzETZ2Vm8iVmKsmo1WLSzK9E8hByhpvRIj8RqCqM081Yj4B21IAceWeJAaBWF17lobw9lvsP5R2uY3lPt+A8+DMqB9zV3p8DytWQcvSXxISCyv1SSuXanzEmDGPmKrwUfpcSX5vwyUQYy39XF18afy/x5cYAP53cx+a3Zt6PXXvq+EV7tEzX65kjB8xpxc9SK1rmnHNJRd+HMX7aYnIwdJR+Ey6M8d0FpNaY6EFtg/XSZpZD9EzmVe8ZG7zKPsSxJMpxxal3ZRYDsKab78dwgioymehtdtXzckoGyWTVzBHEy+EUUbnJ5/AE4eJKJ8ma1I6RdUJvImuud1Xtqv36+tDTm0jVMnchqQSSybTU8gLPThnawMOpY9PDN6Y2huJJH2kFGHLA0APn0X8rsLL0ULgmL6K9IubtqZR0boBI+wHuEpoKpjJUSMzonBYqdzjINUKE7nmhAMPu9IkJHm9ot0x62Ytzt72cWdwTiFdj3ucQDv/fXr5893Q02nQIj7jNIzYjrfdhdDuy76bQpn2XoT2x70bP4YQ304db7o3FVQI8xuKpsw2NFYv9m07/1n95F25N3ty/w+ydQFuzd4Z/vfjbXxGsIv+Qv/7G/20cfYUrf3
```

FDWGVl3nvcalmP7Mj1fNk4ECvhtihW0Jloqq9aevMyekwvTtUgM2F1BAU4Bfq/09zVk2meAbvtncZdPJz8Y6Cbma5a3  
Peq8BHZ7tR9rxIfEe50zfgxLdx17L5Vvk+Z/

...

### 4.30 Veebiteenus palgakannete lugemiseks

Teenus võimaldab lugeda palgakannete andmeid tabelist PLK Payroll Ledger Entry (24002035).

Veebiteenuse lehe ID 24017190 "PER SOAP Payroll Entries".

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Ledger Entry (24002035).
<b>EntryNo</b>	Integer		Entry No.
<b>AccountNo</b>	Code		Account No.
<b>EmployeeNo</b>	Code		Employee No.
<b>PostingDate</b>	Date		Posting Date
<b>AccountingPeriod</b>	Code		Accounting Period
<b>PaymentPeriod</b>	Code		Payment Period
<b>CalculationPeriod</b>	Code		Calculation Period
<b>DocumentNo</b>	Code		Document No
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Type</b>	Option	Tavaline/Lisakanne	Type
<b>Remark</b>	Text		Remark
<b>WorkingScheduleGroupNo</b>	Code		Working Schedule Group No.
<b>CurrencyCode</b>	Code		Currency Code
<b>CurrencyFactor</b>	Decimal		Currency Factor
<b>CurrencyAmount</b>	Decimal		Currency Amount
<b>EmployeeName</b>	Text		Employee Name
<b>MainContractNo</b>	Code		Main Contract No.
<b>VehicleRegistrationPlate</b>	Code		Vehicle Registration Plate
<b>BankNo</b>	Code		Bank No.
<b>Dimension1</b>	Code	Palgadimensioon	Payroll Dimension 1 Code
<b>Dimension2</b>	Code	Palgadimensioon	Payroll Dimension 2 Code
<b>Dimension3</b>	Code	Palgadimensioon	Payroll Dimension 3 Code
<b>Dimension4</b>	Code	Palgadimensioon	Payroll Dimension 4 Code
<b>Dimension5</b>	Code	Palgadimensioon	Payroll Dimension 5 Code
<b>Dimension6</b>	Code	Palgadimensioon	Payroll Dimension 6 Code

Dimension7	Code	Palgadimensioon	Payroll Dimension 7 Code
Dimension8	Code	Palgadimensioon	Payroll Dimension 8 Code
SystemCreatedAt	Date Time		System Created At
SystemId	GUID		SystemId
SystemModifiedAt	Date Time		SystemModifiedAt
Timestamp	BigInteger		SQL Timestamp
EntryGUID	GUID		Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/ODataV4/Company\('DEMO%20AS'\)/PayrollEntries](http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/ODataV4/Company('DEMO%20AS')/PayrollEntries)

Näidis päringu vastus:

```
{
  "@odata.context":
    "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/ODataV4/$metadata#Company('DEMO%20AS')/PayrollEntries",
  "value": [
    {
      "@odata.etag": "W/\\"JzE50zI4MjEyMDA5MDMwNjQ2OTgxNTQxOzAwOyc=\\"",
      "EntryNo": 1,
      "AccountNo": "4010",
      "EmployeeNo": "T001",
      "PostingDate": "2019-09-30",
      "AccountingPeriod": "2019-09",
      "PaymentPeriod": "2019-10",
      "CalculationPeriod": "2019-09",
      "DocumentNo": "PALK 30.09.19",
      "Amount": 21,
      "Description": "Normtööpäevi kuus",
      "Type": "Normal",
      "Remark": "",
      "WorkingScheduleGroupNo": "",
      "CurrencyCode": "",
      "CurrencyFactor": 0,
      "CurrencyAmount": 0,
      "EmployeeName": "Mari Murakas",
      "MainContractNo": "",
      "VehicleRegistrationPlate": "",
      "BankNo": "",
      "Dimension1": "FIN",
      "Dimension2": "RMP",
      "Dimension3": "",
      "Dimension4": "",
      "Dimension5": "",
      "Dimension6": ""
    }
  ]
}
```

```

    "Dimension7": "",
    "Dimension8": "",
    "SystemCreatedAt": "0001-01-01T00:00:00Z",
    "SystemId": "489d19d7-57e0-e911-80f5-00155d420cda",
    "SystemModifiedAt": "0001-01-01T00:00:00Z",
    "Timestamp": 21277146,
    "EntryGUID": "b77944dd-25b6-487e-955f-d7c756a3b8ae"
  },

```

## 5. HRM4Baltics GET ja POST teenused

All pool kirjeldatud teenuseid on võimalik kasutada nii tabelisse kirjutamiseks, kui ka lugemiseks. GET- lugemiseks, POST- kirjutamiseks.

### 5.1. Palga ametikohad

Andmed loetakse ja kirjutatakse BC-sse tabelisse PLK Payroll Profession (24002009), kus on kirjeldatud kõik ettevõtte ametikohad.

Veebiteenuse lehe ID 24008314.

Välja nimetus	Tüüp	Märkus	Andmed tabelis PLK Payroll Profession (24002009)
No	Code		No
Type	Option	Normal/Heading	Type
Name	Text		Name
Name_English	Text		Name English
Locked	Boolean	True/False	Locked
ISCO_Code	Code		ISCO Code
Statistical_Jobs_Class_Code	Code		Statistical Jobs Class Code
Structure_Code	Code		Structure Code
Structure_Subcode	Code		Structure Subcode
Profession_Group_Code	Code		Profession Group Code
Profession_Group_Description	Text		Profession Group Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/Company\('Tuuritaja%20AS'\)/SoapAmetid](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/Company('Tuuritaja%20AS')/SoapAmetid)

JSON näidis POST päringuks:

```

{
  "No": "4-004",
  "Type": "Heading",
  "Name": "Ostuosakond",
  "Name_English": "",
  "Locked": false,

```

```
"ISCO_Code": "",
"Statistical_Jobs_Class_Code": "",
"Structure_Code": "",
"Structure_Subcode": "",
"Profession_Group_Code": "",
"Profession_Group_Description": "",
"Job_Description": ""
}
```

Näidis päringute vastus:

POST

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/SoapAmetid/$entity",
  "@odata.etag": "W/\"JzQ002cyU0FjVlVTK2tsczNoSk5DMGhqOUVJcHZnbXRXT0pzRGczZmtTU3JVM2M9MTswMDsn\"",
  "No": "4-004",
  "Type": "Heading",
  "Name": "Ostuosakond",
  "Name_English": "",
  "Locked": false,
  "ISCO_Code": "",
  "Statistical_Jobs_Class_Code": "",
  "Structure_Code": "",
  "Structure_Subcode": "",
  "Profession_Group_Code": "",
  "Profession_Group_Description": "",
  "Job_Description": ""
}
```

GET

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/SoapAmetid",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000Zh0FBETVNMmjhJREpHcVBzYS94SUXYb0piOW1qUG5Ma01PTVBrbzFvbJA9MTswMDsn\"",
      "No": "003",
      "Type": "Normal",
      "Name": "Raamatupidaja",
      "Name_English": "Head Accountant",
      "Locked": false,
      "ISCO_Code": "",
      "Statistical_Jobs_Class_Code": "24110002",
      "Structure_Code": "",
      "Structure_Subcode": "",
      "Profession_Group_Code": "",
      "Profession_Group_Description": "",
      "Job_Description": "Ettevõtte raamatupiamise korraldamine ja meeskonna juhtimine. Aastaruannete koostamine."
    }
  ]
}
```

```
    },
    {
      "@odata.etag": "W/\"JzQ003YrMkdSc1Rpc2pNb3dEMEE4T0tKcndERjlxLysvUzBwYTRZUH1vUUNUY289MTswMDsn\"",
      "No": "3-003",
      "Type": "Heading",
      "Name": "Raamatupidamine",
      "Name_English": "",
      "Locked": false,
      "ISCO_Code": "",
      "Statistical_Jobs_Class_Code": "",
      "Structure_Code": "",
      "Structure_Subcode": "",
      "Profession_Group_Code": "",
      "Profession_Group_Description": "",
      "Job_Description": ""
    }
  ]
}
```

## 5.2. Passiivsuse põhjused

Andmed loetakse ja kirjutatakse BC-sse tabelisse PLK Payroll Cause of Inactive (24002003). Veebiteenuse lehe ID 24008493.

Välja nimetus	Tüüp	Märkus	Andmed tabelis PLK Payroll Cause of Inactive (24002003)
No	Code		No
Description	Text		Description

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PassiivsuseP%C3%B5hjustused](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjustused)

JSON näidis:

```
{
  "No": "PUH",
  "Description": "Isapuhkus"
}
```

Näidis päringu vastus:

POST

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hjustused/$entity",
  "@odata.etag": "W/\"JzQ003huQU9GOU1vM3QvZ21iaWhPRGl5azIxRHpwbjV0TEMzbFc4bk1Iczl6aHM9MTswMDsn\"",
  "No": "PUH",
  "Description": "Isapuhkus"
}
```

GET

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/$metadata#Company('Tuuritaja%20AS')/PassiivsuseP%C3%B5hused",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00zhTYmRGRytJUGpSdDhCbm9pME9oS0NiYng0ewZDZG03ZjN6VdhKy9rRVU9MTswMDsn\"",
      "No": "AJAT",
      "Description": "Ajateenistus"
    },
    {
      "@odata.etag": "W/\"JzQ000JTcXNTbFdtdVgrdWJOMmRnRHF6ZlNhVW9nMURCOS9qU1lLbzR6OUUrMUU9MTswMDsn\"",
      "No": "LH00LD",
      "Description": "Vanemapuhkus (kuni lapse 3.a saamiseni)"
    }
  ]
}
```

## 6. HRM4Baltics POST teenused

Kannete kirjutamiseks BC tabelitesse kasutatakse JSON formaati ja POST päringut.

### 6.1. Palga kannete lisamine

Andmed kirjutatakse BC-sse tabelisse 24002035. Teenus kirjutab protsessi käigus kõigepealt andmed tabelisse 24002033 (PLK Payroll Journal Line) ning seejärel registreerib read automaatselt tabelisse 24002036 (PLK Payroll Registers).  
Veebiteenuse lehe ID 24008308.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Ledger Entry 24002035
<b>SOAP_Entry_No</b>		Primary Key ja pannakse automaatselt taustal kaasa POST toiminguga	
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Journal_Batch_Name</b>	Code	Töölehe nimetus	Journal Batch Name
<b>Document_No</b>	Code		Document No.
<b>Account_No</b>	Code		Account No
<b>Employee_No</b>	Code		Employee No.
<b>Posting_Date</b>	Date		Posting Date
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Remark</b>	Text		Remark



Accounting_Period	Code		Accounting Period
Payment_Period	Code		Payment Period
Calculation_Period	Code		Calculation Period
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
Currency_Code	Code		Currency Code
Currency_Amount	Decimal		Currency Amount

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PERSOAPJournalInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/PERSOAPJournalInsert)

JSON näidis:

```
{
  "SOAP_Entry_No": 1,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Journal_Batch_Name": "VAIKIMISI",
  "Document_No": "A124",
  "Account_No": "1223",
  "Employee_No": "T0004",
  "Posting_Date": "2022-09-30",
  "Amount": 100,
  "Description": "Lisatasu Stig",
  "Remark": "",
  "Accounting_Period": "2022-09",
  "Payment_Period": "2020-10",
  "Calculation_Period": "2021-09",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Currency_Code": "",
  "Currency_Amount": 0
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PERSOAPJournalInsert/$entity",
  "@odata.etag": "W/\\"JzQ000FEV2cyY2RUaHZNVUJDNkRYQWdBMDlVWkUwK1pUMnExOGljTWJ4LzlaNk09MTsWMDSn\\\"",
  "SOAP_Entry_No": 4,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Journal_Batch_Name": "VAIKIMISI",
}
```

```

"Document_No": "A124",
"Account_No": "1223",
"Employee_No": "T0004",
"Posting_Date": "2022-09-30",
"Amount": 100,
"Description": "Lisatasu Stig",
"Remark": "",
"Accounting_Period": "2022-09",
"Payment_Period": "2020-10",
"Calculation_Period": "2021-09",
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": "",
"Currency_Code": "",
"Currency_Amount": 0
}

```

## 6.2. Töötaja lapse lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee Children (24002130).  
Veebiteenuse lehe ID 24008304.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee Children (24002130)
<b>SOAP_Entry_No</b>		Primary Key ja pannakse automaatselt taustal kaasa POST toiminguga	
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Name</b>	Text		Name
<b>Personal_ID</b>	Code		Personal ID
<b>Birth_Date</b>	Date		Birth Date
<b>Sex</b>	Option	Male/Female	Sex
<b>Invalid</b>	Boolean	True/False	Invalid
<b>Comment</b>	Text		Comment
<b>Locked</b>	Boolean	True/False	Locked
<b>Delete_Entry</b>	Boolean	True/False	Delete Entry

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/KidsInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/KidsInsert)

JSON näidis:

```

{
  "SOAP_Entry_No" : 3,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Employee_No": "T0002",

```

```

"Name": "Kertu Kukk",
"Personal_ID": "467744444444",
"Birth_Date": "2015-10-06",
"Sex": "Male",
"Invalid": false,
"Comment": "",
"Locked": false,
"Delete_Entry": false
}

```

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/$metadata#Company('Tuuritaja%20AS')/KidsInsert/$entity",
  "@odata.etag": "W/\\"JzQ0y9nRksxcU9Uei9SbGlaWVJZ3plWkxCcWZoeWtQVWFEdmJCS2RtTUIndUE9MTsWMDsn\"",
  "SOAP_Entry_No": 1,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Employee_No": "T0002",
  "Name": "Kertu Kukk",
  "Personal_ID": "467744444444",
  "Birth_Date": "2015-10-06",
  "Sex": "Male",
  "Invalid": false,
  "Comment": "",
  "Locked": false,
  "Delete_Entry": false
}

```

### 6.3. Lepingute lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee Contracts (24002019).  
Veebiteenuse lehe ID 24008302.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee Contracts (24002019)
<b>Employee_No</b>	Code		Employee No.
<b>Entry_Type</b>	Option	Contract/Addendum	Entry Type
<b>Contract_No</b>	Code		Contract No
<b>Contract_Code</b>	Code	Lepingu liigi tähis, seadusest tulenevad tähised	Contract Code
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Description</b>	Text		Description
<b>Profession_No</b>	Code		Profession No.
<b>Profession_Category_No</b>	Code		Profession Category No.
<b>Job_Title</b>	Text		Job Title
<b>Working_Factor</b>	Decimal		Working Factor

Additional_Working_Factor	Decimal		Additional Working Factor
Grounds_for_Term_Code	Code	Lahkumise aluse tähis, seadusest tulenev	Grounds for Term. Code
Department_No	Code		Department No.
Level_2_No	Code	Struktuuri taseme kood	Level 2 No.
Level_3_No	Code	Struktuuri taseme kood	Level 3 No.
Level_4_No	Code	Struktuuri taseme kood	Level 4 No.
Delete_Entry	Boolean	True/False	
Entry_GUID	Guid	*	Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ContractInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/ContractInsert)

JSON näidis:

```
{
  "Employee_No": "T0004",
  "Entry_Type": "Contract",
  "Contract_No": "L000004",
  "Contract_Date": "2002-01-04",
  "Contract_Code": "11",
  "From_Date": "2022-04-01",
  "To_Date": "0001-01-01",
  "Description": "Määramata ajaks, osalise tööajaga",
  "Profession_No": "001",
  "Profession_Category_No": "",
  "Job_Title": "Tuuritaja",
  "Working_Factor": 1,
  "Additional_Working_Factor": 0,
  "Grounds_for_Term_Code": "",
  "Department_No": "",
  "Level_2_No": "",
  "Level_3_No": "",
  "Level_4_No": "",
  "Noviciate_Ending_Date": "2022-01-01",
  "Delete_Entry": false,
  "Entry_GUID": "00000000-0000-0000-0000-000000000002"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ContractInsert/$entity",
  "@odata.etag": "W/\"JzQ000NFU0dFQnB1d1RCbzEveTJMMk81VFZHaTFXbDI0U0pGwMF0NGhwN290dmM9MTs wMDsn\"",
  "SOAP_Entry_No": 2,
  "Entry_GUID": "00000000-0000-0000-0000-000000000002",
}
```

```

"Employee_No": "T0004",
"Entry_Type": "Contract",
"Contract_No": "L000004",
"Contract_Date": "2002-01-04",
"Contract_Code": "11",
"From_Date": "2022-04-01",
"To_Date": "0001-01-01",
"Description": "Määramata ajaks, osalise tööajaga",
"Profession_No": "001",
"Job_Title": "Tuuritaja",
"ISCO_Code": "",
"Working_Factor": 1,
"Additional_Working_Factor": 0,
"Profession_Category_No": "",
"Job_Description": "",
"Grounds_for_Term_Code": "",
"Department_No": "",
"Level_2_No": "",
"Level_3_No": "",
"Level_4_No": "",
"Noviciate_Ending_Date": "2022-01-01",
>Delete_Entry": false
}

```

#### 6.4. Palgažurnaali lisa kande kirjutamine

Andmed kirjutatakse BC-sse tabelisse 24002033 (PLK Payroll Journal Line).  
Veebiteenuse lehe ID 24012906.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Journal Line 24002033
Journal_Batch_Name	Code	Töölehe nimetus	Journal Batch Name
Line_No	Integer	Žurnaali rea number	Line No
Entry_GUID	Guid		Entry GUID
Account_No	Code		Account No
Employee_No	Code		Employee No.
Posting_Date	Date		Posting Date
Amount	Decimal		Amount
Description	Text		Description
Remark	Text	Märkus	Remark
Accounting_Period	Code		Accounting Period
Payment_Period	Code		Payment Period
Calculation_Period	Code		Calculation Period
Currency_Factor	Decimal		Currency Factor
Currency_Factor_Date	Date		Currency Factor Date
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code

Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
Currency_Code	Code		Currency Code
Currency_Amount	Decimal		Currency Amount

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/JournalInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/JournalInsert)

JSON näidis:

```
{
  "Entry_GUID": "00000000-0000-0000-0000-000000000004",
  "Journal_Batch_Name": "VAIKIMISI",
  "Line_No": 2000,
  "Account_No": "",
  "Employee_No": "T0004",
  "Posting_Date": "2022-09-23",
  "Amount": 200,
  "Description": "",
  "Remark": "",
  "Accounting_Period": "2022-09",
  "Payment_Period": "2022-09",
  "Calculation_Period": "2022-09",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Currency_Code": "",
  "Currency_Amount": 0
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/JournalInsert/$entity",
  "@odata.etag": "W/\"JzQ00zQ0Sm5Wbm1lK3RHaGVFSkV2R3hod2dGV3JhSzhBSkR0VktIVzVWQ2lTUzg9MTs wMDsn\"",
  "Journal_Batch_Name": "VAIKIMISI",
  "Line_No": 100,
  "Entry_GUID": "00000000-0000-0000-0000-000000000004",
  "Account_No": "",
  "Employee_No": "T0004",
  "Posting_Date": "2022-09-23",
  "Amount": 200,
  "Description": "",
  "Remark": "",
  "Accounting_Period": "2022-09",
  "Payment_Period": "2022-09",
  "Calculation_Period": "2022-09",
}
```

```

    "Payroll_Dimension_1_Code": "",
    "Payroll_Dimension_2_Code": "",
    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Currency_Code": "",
    "Currency_Amount": 0
}

```

## 6.5. Panga lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse 24002017 (PLK Employee Banks).  
Veebiteenuse lehe ID 24008307.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse 24002017 PLK Employee Banks
<b>SOAP_Entry_No</b>			
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Grade_of_Class</b>	Integer	Konto tähtsusjärjestus	Grade of Class
<b>Bank_No</b>	Code	Eelseadistatud pangakontod	Bank No
<b>Bank_Account</b>	Code		Bank Account
<b>Percentage</b>	Decimal	Defineerib, mitu % kantakse kuhu kontole	Percentage
<b>Amount</b>	Decimal	Defineerib, mis summa kantakse kuhu kontole	Amount
<b>Description</b>	Text	Makse saaja nimi	Description
<b>IBAN</b>	Code		IBAN
<b>Reference_No</b>	Code		Reference_No
<b>Payment_Amount</b>	Decimal		Payment Amount
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Delete_Entry</b>	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/PangaLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/PangaLisamine)

JSON näidis:

```
{
```

```

    "Employee_No": "T0004",
    "Grade_of_Class": 10000,
    "Bank_No": "LHV",
    "Bank_Account": "",
    "Percentage": 0,

```

```

"Amount": 0,
"IBAN": "korrektneIBANKood",
"Reference_No": "",
"Payment_Amount": 0,
"Description": "Triinu Kuur",
"From_Date": "0001-01-01",
"To_Date": "0001-01-01",
"Entry_GUID": "00000000-0000-0000-0000-000000000007",
"Delete_Entry": false
}

```

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/PangaLisamine/$entity",
  "@odata.etag": "W/\\"JzQ003lpOFRNNDd0MUpidHZPWTBLZFRMVFxaUQ1VTdsMlVoQ2RuVG85b1lVMWc9MTs wMDSn\\\"",
  "SOAP_Entry_No": 2,
  "Entry_GUID": "00000000-0000-0000-0000-000000000007",
  "Employee_No": "T0004",
  "Grade_of_Class": 10000,
  "Bank_No": "LHV",
  "Bank_Account": "",
  "Percentage": 0,
  "Amount": 0,
  "Description": "Triinu Kuur",
  "IBAN": " korrektneIBANKood",
  "Reference_No": "",
  "Payment_Amount": 0,
  "From_Date": "0001-01-01",
  "To_Date": "0001-01-01",
  "Delete_Entry": false
}

```

## 6.6. Töötaja parameetrite lisamine

Andmed kirjutatakse BC-sse tabelisse 24002021 (PLK Employee Parameters).

Veebiteenuse lehe ID 24008303.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse 24002021 PLK Employee Parameters
<b>SOAP_Entry_No</b>			
<b>Entry_GUID</b>	Guid	Lisatakse päringu käigus automaatselt ja ei pea kaasa andma	Entry GUID
<b>Employee_No</b>	Code		Employee No.
<b>Parameter_No</b>	Code	Parameetri tähis	Parameter No
<b>From_Date</b>	Date		From Date



To_Date	Date		To Date
Description	Text		Description
Delete_Entry	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ParameetriLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/ParameetriLisamine)

JSON näidis:

```
{
  "SOAP_Entry_No": 2,
  "Entry_GUID": "00000000-0000-0000-0000-000000000002",
  "Employee_No": "T0002",

  "Parameter_No": "PENSIONAR",
  "From_Date": "2056-04-01",
  "To_Date": "0001-01-01",
  "Description": "Pensionär alates 07.04.2056"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ParameetriLisamine/$entity",
  "@odata.etag": "W/\\"JzQ003o4NytMj0ZaWmNRTG1CRzRoK0Vd0R4UmhxT3VkcMzVTFZnekpjaw4zSms9MTsWMDsn\\\"",
  "SOAP_Entry_No": 2,
  "Entry_GUID": "00000000-0000-0000-0000-000000000002",
  "Employee_No": "T0002",
  "Parameter_No": "PENSIONAR",
  "From_Date": "2056-04-01",
  "To_Date": "0001-01-01",
  "Description": "Pensionär alates 07.04.2056",
  "Delete_Entry": false
}
```

## 6.7. Puhkuseajakava lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Payroll Holiday Sch. Lines (24002050).  
Veebiteenuse lehe ID 24008491.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse 24002050 PLK Payroll Holiday Sch. Lines
SOAP_Entry_No	Integer		
Journal_Batch_Name	Code	Töolehe nimetus, mis peab olema eelnevalt BC-sse loodud	Journal Batch Name
Entry_GUID	Guid	*	Entry GUID

Employee_No	Code		Employee No.
Holiday_Code	Code		Holiday Code
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Holiday_Payment	Option	Payday/Holiday/Monthly	Holiday Payment
Child_No	Code		Child No.
Notes	Text		Notes
Delete_Entry	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/holidayScheduleInsert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/holidayScheduleInsert)

JSON näidis:

```
{
  "SOAP_Entry_No": 2,
  "Journal_Batch_Name": "2023",
  "Entry_GUID": "00000000-0000-0000-0000-000000000000",
  "Employee_No": "T0002",
  "Holiday_Code": "P_PUHKUS",
  "From_Date": "2023-07-05",
  "To_Date": "2023-07-11",
  "Description": "Puhkus",
  "Holiday_Payment": "Payday",
  "Child_No": 0,
  "Notes": "Asendab Mari"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/holidayScheduleInsert/$entity",
  "@odata.etag": "W/\"JzQ002owaG94ejJoR0ZlbEU5MC9kVxSewFrewZHQWlZWjdIVjQ1M0k3VWZGOW89MTswMDsn\"",
  "SOAP_Entry_No": 2,
  "Journal_Batch_Name": "2023",
  "Employee_No": "T0002",
  "Holiday_Code": "P_PUHKUS",
  "From_Date": "2023-07-05",
  "To_Date": "2023-07-11",
  "Description": "Puhkus",
  "Holiday_Payment": "Payday",
  "Child_No": 0,
  "Notes": "Asendab Mari",
  "Entry_GUID": "fb052813-1bdb-4dfb-add2-92996efff832e",
  "Delete_Entry": false
}
```

## 6.8. Puudumiste lisamine töötajale

Andmed kirjutatakse BC-sse esmalt tabelisse PLK Payroll Absence Jrn Line (24002027).  
Protsessi käigus registreeritakse puudumine automaatselt ning andmed jõuavad tabelisse  
PLK Payroll Registers (24002036). Täpsemad kirjed on näha tabelis PLK Payroll Abs. Ledger  
Entry (24002028).

Veebiteenuse lehe ID 24012901.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Abs. Ledger Entry 24002028
Log_Entry_No			
Journal_Batch_Name	Code		Journal Batch Name
Employee_No	Code		Employee No.
Cause_of_Absence_Code	Code		Cause of Absence Code
Description	Text		Description
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Hours	Decimal		Hours
Holiday_Payment	Option	Payday/Holiday/ Monthly	Holiday Payment
Notes	Text		Notes
Sharepoint_Entry_No	BigInteger		Sharepoint Entry No.
Entry_GUID	Code		Entry GUID
Delete_Entry	Boolean	True/False	
Child_No	Code		Child No.
Child_Name	Code		Child Name
Child_Personal_ID	Integer		Child Personal ID
Child_Birth_Date	Date		Child Birth Date
No_Posting	Boolean	True/False	
Applied_Entry_GUID	Guid	Seotud kande Guid	

Näidis päringu aadress:

[http://PALKBC:7548/PALK21APPTTEST/ODataV4/Company\('%C3%9CIIe%20AS'\)/SOAPAbsenceInsertPost](http://PALKBC:7548/PALK21APPTTEST/ODataV4/Company('%C3%9CIIe%20AS')/SOAPAbsenceInsertPost)

JSON näidis:

```
{  
  "Journal_Batch_Name": "VAIKIMISI",  
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",  
  "Employee_No": "T007",  
  "Cause_of_Absence_Code": "P_PUHKUS",  
  "From_Date": "2024-10-15",  
  "To_Date": "2024-10-15",  
}
```

```
"Description": "Puhkus",
"Hours": 5,
"Holiday_Payment": " ",
"Notes": "",
"Sharepoint_Entry_No": 0,
"Delete_Entry": false,
"Child_No": 0,
"Child_Name": "",
"Child_Personal_ID": "",
"Child_Birth_Date": "0001-01-01",
"No_Posting": false
}
```

Näidis päringu vastus:

```
{
  "@odata.context":
    "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/odata/v4/$metadata#Company('DEMO%20AS')/AbsenceIns_andPost/$entity",
  "@odata.etag": "W/\"JzIwOzE3OTc0NTc2MjczMdA4MDk3NzcyMTswMDsn\"",
  "Log_Entry_No": 6,
  "Journal_Batch_Name": "VAIKIMISI",
  "Employee_No": "T007",
  "Cause_of_Absence_Code": "P_PUHKUS",
  "From_Date": "2024-10-15",
  "To_Date": "2024-10-15",
  "Description": "Puhkus",
  "Hours": 5,
  "Holiday_Payment": " ",
  "Notes": "",
  "Sharepoint_Entry_No": 0,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Delete_Entry": false,
  "Child_No": 0,
  "Child_Name": "",
  "Child_Personal_ID": "",
  "Child_Birth_Date": "0001-01-01",
  "No_Posting": false,
  "Applied_Entry_GUID": "00000000-0000-0000-0000-000000000000"
}
```

## 6.9. Seisundi lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse PLK Employee Status (24002016).

Veebiteenuse lehe ID 24008306. Seisundi uuendamiseks on võimalik uuendada nii töösuhte, kui ka passiivsuse lehti. Kasutades teenust töötaja töösuhte lõpetamiseks ning lisades staatuse väärtuseks „Inactive“, lõpetatakse ka töötajaga seotud teised parameetrid näiteks leping, töötasud, parameetrid.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee Status (24002016)
Employee_No	Code		Employee No.
Status	Option	Active/Inactive/Prospect /Terminated	Status
From_Date	Date		From Date
Description	Text		Description
Initial_Date	Date		Initial Date
To_Date	Date		To Date
Cause_of_Inactivity_Code	Code		Cause of Inactivity Code
Remark	Text		Remark
Cov_Working_Register_ID	Code	Tööregistri ID	Cov. Working Register ID
Amount	Decimal		Amount
Grounds_for_Term_Code	Code		Grounds for Term. Code
Cause_of_Term_Code	Code		Cause of Term. Code
Cause_of_Term_Description	Text		Cause of Term. Description
Entry_GUID	Guid	Genereeritakse automaatselt	Entry GUID
SOAP_Entry_No	Integer		
Delete_Entry	Boolean	True/False	
Previous_Contract	Code		Previous Contract

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/SeisundiLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/SeisundiLisamine)

JSON näidis:

```
{
  "Employee_No": "T0003",
  "Status": "Active",
  "From_Date": "2022-03-01",
  "Description": "Leping",
  "Initial_Date": "0001-01-01",
  "To_Date": "0001-01-01",
  "Cause_of_Inactivity_Code": "",
  "Remark": "",
  "Cov_Working_Register_ID": "1112",
  "Amount": 0,
  "Grounds_for_Term_Code": "",
  "Cause_of_Term_Code": "",
  "Cause_of_Term_Description": "",
  "Previous_Contract": "",
  "Entry_GUID": "602feb9f-ec43-47d0-a954-eecedf867636"
```

}

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/$metadata#Company('Tuuritaja%20AS')/Seisundilisamine/$entity",
  "@odata.etag": "W/\\"JzQ00zRDYzR6N2540ExRbkV2dnpYODUrMTdvUm9MV2RzVkJ6dzZLQ3hOekN4aVkJ9MTsWMDsn\\"",
  "SOAP_Entry_No": 2,
  "Entry_GUID": "602feb9f-ec43-47d0-a954-eeecedf867636",
  "Employee_No": "T0003",
  "Status": "Active",
  "Description": "Leping",
  "Initial_Date": "0001-01-01",
  "From_Date": "2022-03-01",
  "To_Date": "0001-01-01",
  "Cause_of_Inactivity_Code": "",
  "Grounds_for_Term_Code": "",
  "Cause_of_Term_Code": "",
  "Cause_of_Term_Description": "",
  "Remark": "",
  "Cov_Working_Register_ID": "1112",
  "Amount": 0,
  "Previous_Contract": "",
  "Delete_Entry": false
}

```

## 6.10. Tasu lisamine töötajale

Andmed kirjutatakse BC-sse tabelisse PLK Employee Salaries (24002020).  
Veebiteenuse lehe ID 24008305.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee Salaries (24002020)
Employee_No	Code		Employee No.
Salary_No	Code	Eelseadistatud palga tähis	Salary No.
From_Date	Date		From Date
To_Date	Date		To Date
Description	Text		Description
Amount	Decimal		Amount
Connected_Employee_No	Code	Seotud töötaja	Connected Employee No.
Payment_Code	Code	Väljamakse liigi tähis	Payment Code
Annual_Salary	Decimal		Annual Salary
Entry_GUID	Guid	*	Entry GUID
SOAP_Entry_No	Integer		
Delete_Entry	Boolean	True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/TasuLisamine](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/TasuLisamine)

JSON näidis:

```
{
  "Employee_No": "T0001",
  "Salary_No": "TASU_KUUPALK",
  "From_Date": "2022-04-01",
  "To_Date": "0001-01-01",
  "Description": "Kuupalk, päevapõhine arvestus",
  "Amount": 1000,
  "Connected_Employee_No": "",
  "Payment_Code": "10",
  "Annual_Salary": 0,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/TasuLisamine/$entity",
  "@odata.etag": "W/\"JzQ003VpN1RIRlJiaFRXV2ZVZm1yME50cVZaYUJ0ZUtrR3l0QnZqZmhmOTN5eWs9MTsWMDSn\"",
  "SOAP_Entry_No": 1,
  "Entry_GUID": "00000000-0000-0000-0000-000000000001",
  "Employee_No": "T0001",
  "Salary_No": "TASU_KUUPALK",
  "From_Date": "2022-04-01",
  "To_Date": "0001-01-01",
  "Description": "Kuupalk, päevapõhine arvestus",
  "Amount": 1000,
  "Connected_Employee_No": "",
  "Payment_Code": "10",
  "Annual_Salary": 0,
  "Delete_Entry": false
}
```

## 6.11. Tööajatabeli kannete lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Working Schedule Employee (24002100).  
Veebiteenuse lehe ID 24008489.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Working Schedule Employee (24002100)
Working_Schedule_Group_No	Code		Working Schedule Group No
Employee_No	Code		Employee No.

Date	Date		Date
Working_Shift_Code	Code		Working Shift Code
Since	Time		Since
Till	Time		Till
Hours	Decimal		Hours
Break_Hours	Decimal		Break Hours
Day_Overtime_Hours	Decimal		Day Overtime Hours
Entry_Type	Code		Entry Type
Percentage	Decimal		Percentage
Quantity	Decimal		Quantity
Hour_Cost	Decimal		Hour Cost
Amount	Decimal		Amount
Description	Text		Description
Comment	Text		Comment
Cause_of_Absence_Code	Code		Cause of Absence Code
Absence_Hours	Decimal		Absence Hours
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
Retain_Time	Boolean	Antakse vastusega kaasa	
Log_Entry_No	Integer	Antakse vastusega kaasa	
Entry_GUID	Guid	Antakse vastusega kaasa	
Delete_Entry	Boolean	Antakse vastusega kaasa	
Delete_Employee	Boolean	Antakse vastusega kaasa	
Delete_Month	Boolean	Antakse vastusega kaasa	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/WorkingSched Insert](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/WorkingSched Insert)

JSON näidis:

```
{
  "Working_Schedule_Group_No": "VEDURIJUHT",
  "Employee_No": "T0003",
  "Date": "2022-10-01",
```



```
"Working_Shift_Code": "UU",
"Since": "15:50:00",
"Till": "20:40:00",
"Hours": 4.84,
"Break_Hours": 0,
"Day_Overtime_Hours": 0,
"Entry_Type": "TÖÖAEG_2",
"Percentage": 0,
"Quantity": 0,
"Amount": 0,
"Description": "",
"Comment": "2-päevase tuuri tööaeg",
"Cause_of_Absence_Code": "",
"Absence_Hours": 0,
"Payroll_Dimension_1_Code": "",
"Payroll_Dimension_2_Code": "",
"Payroll_Dimension_3_Code": "",
"Payroll_Dimension_4_Code": ""
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/WorkingSched_Insert/$entity",
  "@odata.etag": "W/\"JzQ00ysyZjc4TUUVuWXFyYk00Z05ZbFYzdldtakFVeU9NYjNiU3d0Ylo2cWtIQjA9MTsWMDSn\"",
  "Log_Entry_No": 1,
  "Working_Schedule_Group_No": "VEDURIJUHT",
  "Employee_No": "T0003",
  "Date": "2022-10-01",
  "Entry_Type": "TÖÖAEG_2",
  "Working_Shift_Code": "UU",
  "Retain_Time": false,
  "Since": "15:50:00",
  "Till": "20:40:00",
  "Hours": 4.84,
  "Break_Hours": 0,
  "Cause_of_Absence_Code": "",
  "Absence_Hours": 0,
  "Percentage": 0,
  "Day_Overtime_Hours": 0,
  "Quantity": 0,
  "Amount": 0,
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Description": "",
  "Comment": "2-päevase tuuri tööaeg",
  "Entry_GUID": "4ecae2f1-df06-4b2f-8cd5-4d5abc7beddb",
  "Delete_Entry": false,
}
```

```

    "Delete_Employee": false,
    "Delete_Month": false
}

```

## 6.12. Tööajatabeli projekti lisamine

Andmed kirjutatakse BC-sse tabelisse PER Working Schedule Job Task (24013066). Andmete edastamine eeldab, et projekt on eelnevalt loodud BC tabelisse PER Working Schedule Job (24013069). Teenus kirjeldab BC-s Palga tööajatabeli projektide ülesandeid. Veebiteenuse lehe ID 24008485.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PER Working Schedule Job Task (24013066).
Job_No	Code		PER Job No.
Task_No	Code		PER Task No.
Description	Text		Description
Sorting_No	Code	Sorteerimise järjekorra nr tabelis	Sorting No.
Task_Type_Code	Code		Task Type Code
From_Date	Date		From Date
To_Date	Date		To Date
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
Connected_Job_No	Code		Connected Job No.
Connected_Task_No	Code		Connected Task No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Workingscheduletask](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Workingscheduletask)

JSON näidis:

```

{
  "Job_No": "01",
  "Task_No": "1.1",
  "Description": "Kaare tn 7",
  "Sorting_No": "2",
  "Task_Type_Code": "",
  "From_Date": "2022-11-01",
  "To_Date": "2024-01-01",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": ""
}

```

```

    "Payroll_Dimension_3_Code": "",
    "Payroll_Dimension_4_Code": "",
    "Connected_Job_No": "",
    "Connected_Task_No": ""
  }

```

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odata/v4/$metadata#Company('Tuuritaja%20AS')/Workingscheduletask/$entity",
  "@odata.etag": "W/\"JzQ003RENXJZVkpKZ0pLM2NWQkh0Y203VVp2ODVHR20zcGMzek4yMmFwcGIzckE9MTsWMDSn\"",
  "Job_No": "01",
  "Task_No": "1.1",
  "Description": "Kaare tn 7",
  "Sorting_No": "2",
  "Task_Type_Code": "",
  "From_Date": "2022-11-01",
  "To_Date": "2024-01-01",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Connected_Job_No": "",
  "Connected_Task_No": ""
}

```

### 6.13. Töötajate lisamine ja töötaja andmete uuendamine

Andmed kirjutatakse BC-sse tabelisse PLK Payroll Employee (24002014).  
Veebiteenuse lehe ID 24008300.

Andmete esmakordsel saatmisel võib päringuga kaasa lisada töötajale soovitud Entry GUID väärtuse. Kui seda päringuga kaasa ei anta, loob BC töötajale ise Entry GUID väljale väärtuse. Juba olemas oleva töötaja andmete muutmiseks BC-s tuleb päringuga kaasa anda Entry GUID väärtus, mis on töötajal tabelis 24002014.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Employee (24002014)
No	Code		No
Personal_ID	Text		Personal ID
First_Name	Text		First Name
Last_Name	Text		Last Name
Birth_Date	Date		Birth Date
Sex	Option	Male/Female	Sex
E_Mail	Text		E-Mail
Company_E_Mail	Text		Company E-Mail
Default_E_mail_Type	Option	Company/Personal/None	Default E-mail type
Phone_No_1	Text		Phone No. 1

Phone_No_2	Text		Phone No. 2
Mobile_Phone_No_1	Text		Mobile Phone No. 1
Mobile_Phone_No_2	Text		Mobile Phone No. 2
Address	Text		Address
Address_2	Text		Address 2
City	Text		City
Post_Code	Code		Post Code
Country_Code	Code		Country Code
Manager_No	Code		Manager No
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
Payroll_Dimension_5_Code	Code		Payroll Dimension 5 Code
Payroll_Dimension_6_Code	Code		Payroll Dimension 6 Code
Payroll_Dimension_7_Code	Code		Payroll Dimension 7 Code
Payroll_Dimension_8_Code	Code		Payroll Dimension 8 Code
Workstation_Code	Code		Workstation Code
Seniority_Date	Date		Seniority Date
Custom_Field_1	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 1
Custom_Text_Field_1	Text		Custom Field Text Value
Custom_Field_2	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 2
Custom_Text_Field_2	Text		Custom Field Text Value 2
Custom_Field_3	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 3

Custom_Text_Field_3	Text		Custom Field Text Value 3
Custom_Field_4	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 4
Custom_Text_Field_4	Text		Custom Field Text Value 4
Custom_Field_5	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 5
Custom_Text_Field_5	Text		Custom Field Text Value 5
Custom_Field_6	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 6
Custom_Text_Field_6	Text		Custom Field Text Value 6
Custom_Field_7	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 7
Custom_Text_Field_7	Text		Custom Field Text Value 7
Custom_Field_8	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 8
Custom_Text_Field_8	Text		Custom Field Text Value 8
Custom_Field_9	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega või sisestatava tekstiga väärtusi	Custom Field 9
Custom_Text_Field_9	Text		Custom Field Text Value 9
Custom_Field_10	Code	Võimaldab seadistada kliendi poolt eel defineeritud väärtustega	Custom Field 10

		või sisestatava tekstiga väärtusi	
Custom_Text_Field_10	Text		Custom Field Text Value 10
Entry_GUID	Guid	*	Entry GUID
Delete_Entry	Boolean	True/False	
SOAP_Entry_No	Integer		

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/ODataV4/Company\('Ülle%20AS'\)/EmployeeInserit](http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/ODataV4/Company('Ülle%20AS')/EmployeeInserit)

JSON näidis:

{

```
"No": "TRI-0259",
  "Personal_ID": "",
  "First_Name": "Kaari",
  "Last_Name": "Savila",
  "Birth_Date": "1991-01-01",
  "Sex": "Female",
  "E-Mail": "sille@rt.ee",
  "Company_E-Mail": "",
  "Default_E-mail_Type": "None",
  "Phone_No_1": "",
  "Phone_No_2": "",
  "Mobile_Phone_No_1": "55446677",
  "Mobile_Phone_No_2": "",
  "Address": "Saate tee 12",
  "Address_2": "",
  "City": "Tallinn",
  "Post_Code": "11223",
  "County": "",
  "Country_Code": "",
  "Manager_No": "A001",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Payroll_Dimension_5_Code": "",
  "Payroll_Dimension_6_Code": "",
  "Payroll_Dimension_7_Code": "",
  "Payroll_Dimension_8_Code": "",
  "Workstation_Code": "TLN",
  "Seniority_Date": "0001-01-01",
  "Custom_Field_1": "",
  "Custom_Text_Field_1": "",
  "Custom_Field_2": "",
  "Custom_Text_Field_2": "",
  "Custom_Field_3": "",
```

```
        "Custom_Text_Field_3": "",
        "Custom_Field_4": "",
        "Custom_Text_Field_4": "",
        "Custom_Field_5": "",
        "Custom_Text_Field_5": "",
        "Custom_Field_6": "",
        "Custom_Text_Field_6": "",
        "Custom_Field_7": "",
        "Custom_Text_Field_7": "",
        "Custom_Field_8": "",
        "Custom_Text_Field_8": "",
        "Custom_Field_9": "",
        "Custom_Text_Field_9": "",
        "Custom_Field_10": "",
        "Custom_Text_Field_10": ""

    }
}
```

### Näidis päringu vastus:

```
{
  "@odata.context":
    "http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/ODataV4/$metadata#Company('%C3%9C1le%20AS')/EmployeeInsert/$entity",
  "@odata.etag": "W/\\"JzIwOzEwOTk2NjQ5NDQ1MzU2NDMwNzg3MTswMDsn\"",
  "SOAP_Entry_No": 7,
  "Entry_GUID": "00000000-0000-0000-0000-000000000000",
  "No": "TRI-0259",
  "Personal_ID": "",
  "First_Name": "Kaari",
  "Last_Name": "Savila",
  "Birth_Date": "1991-01-01",
  "Sex": "Female",
  "E-Mail": "sille@rt.ee",
  "Company_E-Mail": "",
  "Default_E-mail_Type": "None",
  "Phone_No_1": "",
  "Phone_No_2": "",
  "Mobile_Phone_No_1": "55446677",
  "Mobile_Phone_No_2": "",
  "Address": "Saate tee 12",
  "Address_2": "",
  "City": "Tallinn",
  "Post_Code": "11223",
  "County": "",
  "Country_Code": "",
  "Manager_No": "A001",
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Payroll_Dimension_5_Code": ""
}
```

```

"Payroll_Dimension_6_Code": "",
"Payroll_Dimension_7_Code": "",
"Payroll_Dimension_8_Code": "",
"Workstation_Code": "TLN",
"Seniority_Date": "0001-01-01",
"Custom_Field_1": "",
"Custom_Text_Field_1": "",
"Custom_Field_2": "",
"Custom_Text_Field_2": "",
"Custom_Field_3": "",
"Custom_Text_Field_3": "",
"Custom_Field_4": "",
"Custom_Text_Field_4": "",
"Custom_Field_5": "",
"Custom_Text_Field_5": "",
"Custom_Field_6": "",
"Custom_Text_Field_6": "",
"Custom_Field_7": "",
"Custom_Text_Field_7": "",
"Custom_Field_8": "",
"Custom_Text_Field_8": "",
"Custom_Field_9": "",
"Custom_Text_Field_9": "",
"Custom_Field_10": "",
"Custom_Text_Field_10": "",
"Delete_Entry": false
}

```

## 6.14. Välise projektide lisamine

Andmed kirjutatakse BC-sse tabelisse PLK Employee External Projects (24012901).  
Veebiteenuse lehe ID 24012965.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Employee External Projects (24012901)
<b>Entry_No</b>	Integer	Pannakse automaatselt päringu külge	
<b>Entry_GUID</b>	Guid	*	Entry GUID
<b>Country_Code</b>	Code		Country Code
<b>External_Project_No</b>	Code		External Project No.
<b>Employee_No</b>	Code		Employee No.
<b>From_Date</b>	Date		From Date
<b>To_Date</b>	Date		To Date
<b>Days</b>	Integer		Days
<b>Closed</b>	Boolean	True/False	Closed



Delete	Boolean	True/False	
Status_Message	Text	Veateate tagastuse sisestuseks	
Status_Error	Boolean	Kas oli error või ei ehk True/False	

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/ExternalProjects](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/ExternalProjects)

JSON näidis:

```
{
  "Employee_No": "T0004",
  "Country_Code": "",
  "External_Project_No": "111",
  "From_Date": "2023-01-01",
  "To_Date": "2024-01-01",
  "Days": 0,
  "Closed": false,
  "Entry_GUID": "6ab2eb22-1a34-441e-b876-6e9282d67750"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/ExternalProjects/$entity",
  "@odata.etag": "W/\"JzQ001JhNUx3QkY3WGJrZ2NMLzI5MTFuMlhVdWxRaWg1Y0YwTUdnRkx4MjRoQ1U9MTsWMDsn\"",
  "Entry_No": 3,
  "Entry_GUID": "6ab2eb22-1a34-441e-b876-6e9282d67750",
  "Country_Code": "",
  "External_Project_No": "111",
  "Employee_No": "T0004",
  "From_Date": "2023-01-01",
  "To_Date": "2024-01-01",
  "Days": 0,
  "Closed": false,
  "Delete": false,
  "Status_Message": "Entry inserted",
  "Status_Error": false
}
```

## 6.15. Töajatabeli projekti ülesande lisamine

Andmed kirjutatakse BC-sse tabelisse PER Working Schedule Job (24013069).

Veebiteenuse lehe ID 24008486.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PER Working Schedule Job (24013069)
Job_No	Code		PER Job No.

Main_Job_No	Code		Main Job No.
Description	Text		Description
Sorting_No	Code	Sorteerimise järjekorra nr tabelis	Sorting No.
Task_Batch_No	Code		Task Batch No
Responsible_No	Code		Responsible No.
Split_Type	Option	Percentage/Proportional	Split Type
Split_Insert_Type	Option	Keep/Zero/Remaining	Split Insert Type
Percentage	Decimal		Percentage
Expected_Hour_Cost	Decimal		Expected Hour Cost
Substitute_No	Code		Substitute No.
Closed	Boolean	True/False	Closed
Payroll_Dimension_1_Code	Code		Payroll Dimension 1 Code
Payroll_Dimension_2_Code	Code		Payroll Dimension 2 Code
Payroll_Dimension_3_Code	Code		Payroll Dimension 3 Code
Payroll_Dimension_4_Code	Code		Payroll Dimension 4 Code
Connected_Job_No	Code		Connected Job No.
Connected_Task_No	Code		Connected Task No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/T%C3%B6%C3%B6ajatabelProjekt](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/T%C3%B6%C3%B6ajatabelProjekt)

JSON näidis:

```
{
  "Job_No": "02",
  "Description": "Kuuri tn 2",
  "Task_Batch_No": "",
  "Responsible_No": "T0004",
  "Split_Type": "Percentage",
  "Split_Insert_Type": "Keep",
  "Percentage": 0,
  "Expected_Hour_Cost": 0,
  "Substitute_No": "T0010",
  "Closed": false,
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Connected_Job_No": "",
  "Connected_Task_No": ""
}
```

Näidis päringu vastus:

```
{
```

```

"@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/$metadata#Company('Tuuritaja%20AS')/T%C3%B6%C3%B6ajatabelProjekt/$entity",
"@odata.etag": "W/\\"JzQ002ZZcVQwSjdQZmVXRm9UYjZwRlhYUjZKMzJpUytzbkdXMgpBU0FhTDY5LzQ9MTsWMDsn\\\"",
  "Job_No": "02",
  "Main_Job_No": "",
  "Description": "Kuuri tn 2",
  "Task_Batch_No": "",
  "Responsible_No": "T0004",
  "Split_Type": "Percentage",
  "Split_Insert_Type": "Keep",
  "Percentage": 0,
  "Expected_Hour_Cost": 0,
  "Substitute_No": "T0010",
  "Closed": false,
  "Payroll_Dimension_1_Code": "",
  "Payroll_Dimension_2_Code": "",
  "Payroll_Dimension_3_Code": "",
  "Payroll_Dimension_4_Code": "",
  "Connected_Job_No": "",
  "Connected_Task_No": ""
}

```

## 6.16. Asendamiste saatmine BC-sse

Andmed kirjutatakse BC tabelisse PLK Payroll Subst. Led. Entry (24002099).

Veebiteenuse lehe ID 24012979.

JSON-i loomisel tuleb andmed võtta tabelist 24002028, kellele soovitakse asendust BC-sse saata.

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Subst. Led. Entry (24002099)
Log_Entry_No	Integer	Kande number tabelis	Abs. Entry No.
From_Date	Date		From Date
To_Date	Date		To Date
Substituent_No	Code		Substituent No.
Description	Text		Description
Absence_Entry_GUID	Guid	Entry GUID tabelist 24002028 puhkuse kandega kokku viimiseks	Entry GUID
Response_Text	Text	24002028 tabelisse sisestatud Entry No.välja väärtus	Entry No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company\('Tuuritaja%20AS'\)/Substitution](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/ODataV4/Company('Tuuritaja%20AS')/Substitution)

JSON näidis:

```
{
  "Log_Entry_No": "2",
  "From_Date": "2022-07-15",
  "To_Date": "2022-07-17",
  "Substituent_No": "T0004",
  "Description": "Asendab klienti AS Sisu",
  "Absence_Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
  "Response_Text": "Entry No. 1"
}
```

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/odataV4/$metadata#Company('Tuuritaja%20AS')/Substitution/$entity",
  "@odata.etag": "W/\"JzQ00281Zi9ZUmtSTHdmWWhwSTd1SHdXVDlzaWwOTTFYaHpyaVhVaU1wVEo4VTA9MTsWMDSn\"",
  "Log_Entry_No": 2,
  "From_Date": "2022-07-15",
  "To_Date": "2022-07-17",
  "Substituent_No": "T0004",
  "Description": "Asendab klienti AS Sisu",
  "Absence_Entry_GUID": "ac7d59ca-d491-4c8b-bb72-41a8443189ec",
  "Response_Text": "Entry No. 1"
}
```

## 7. Rest api päringud

### 7.1. Rest API päringu üld selgitused

Teenuste üldpäringu aadress:

GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/)

Vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata",
  "value": [
    {
      "name": "entityDefinitions",
      "kind": "EntitySet",
      "url": "entityDefinitions"
    },
    {
      "name": "companies",
      "kind": "EntitySet",
      "url": "companies"
    }
  ],
}
```

```

{
  "name": "subscriptions",
  "kind": "EntitySet",
  "url": "subscriptions"
},
{
  "name": "holidayRequests",
  "kind": "EntitySet",
  "url": "holidayRequests"
},
{
  "name": "holidayRequestsShort",
  "kind": "EntitySet",
  "url": "holidayRequestsShort"
}
]
}

```

Ettevõtte Id päring (sellega saab ettevõtte ID-d, mida URL-is kasutada, et vajadusel teha päringud teise ettevõttesse, nt. testettevõttesse):

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies)

Vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies",
  "value": [
    {
      "id": "e5b4a36e-b3b3-eb11-b82e-000d3a2059de",
      "systemVersion": "18.0.23013.23795",
      "name": "2021 DEMO",
      "displayName": "",
      "businessProfileId": "",
      "systemCreatedAt": "2021-05-13T06:21:21.167Z",
      "systemCreatedBy": "00000000-0000-0000-0000-000000000001",
      "systemModifiedAt": "2021-05-13T06:21:21.167Z",
      "systemModifiedBy": "00000000-0000-0000-0000-000000000001"
    },
    {
      "id": "c28ad877-e1b3-eb11-b82e-000d3a2059de",
      "systemVersion": "18.0.23013.23795",
      "name": "2021 M_DEMO",
      "displayName": "",
      "businessProfileId": "",
      "systemCreatedAt": "2021-05-13T11:50:54.027Z",
      "systemCreatedBy": "00000000-0000-0000-0000-000000000001",
      "systemModifiedAt": "2021-05-13T11:50:54.027Z",
      "systemModifiedBy": "00000000-0000-0000-0000-000000000001"
    },
    {
      "id": "b706f204-4dc5-ec11-b83d-000d3a2059de",

```

```
"systemVersion": "18.0.23013.23795",
"name": "Tuuritaja AS",
"displayName": "Tuuritaja AS",
"businessProfileId": "",
"systemCreatedAt": "2022-04-26T10:38:33.777Z",
"systemCreatedBy": "ea67b200-0503-412b-8f4e-63c70aed8345",
"systemModifiedAt": "2022-04-26T10:40:14.023Z",
"systemModifiedBy": "ea67b200-0503-412b-8f4e-63c70aed8345"
},
```

Õige ettevõtte pihta tehtava päringu jaoks tuleb ettevõtte ID panna anda päringuga kaasa nt

GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de))

Vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies/$entity",
  "id": "b706f204-4dc5-ec11-b83d-000d3a2059de",
  "systemVersion": "18.0.23013.23795",
  "name": "Tuuritaja AS",
  "displayName": "Tuuritaja AS",
  "businessProfileId": "",
  "systemCreatedAt": "2022-04-26T10:38:33.777Z",
  "systemCreatedBy": "ea67b200-0503-412b-8f4e-63c70aed8345",
  "systemModifiedAt": "2022-04-26T10:40:14.023Z",
  "systemModifiedBy": "ea67b200-0503-412b-8f4e-63c70aed8345"
}
```

Filtri kasutamise näidis:

GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/holidayRequestsShort?\\$filter=StartingDate gt 2021-03-01](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/holidayRequestsShort?$filter=StartingDate gt 2021-03-01)

Vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/holidayRequestsShort",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0OzFKUWs2MnA1VmxyUTl6bnpoR1FUSjZiVmFPN0RMbDNHVmxLR3paUm1WS2s9MTswMDsn\"",
      "EmployeeNo": "T0003",
      "StartingDate": "2021-04-01",
      "EndingDate": "2021-04-10",
      "EmployeeName": "Kati Karu",
      "EmployeeEmail": "aile.pahkel@ettevote.ee",
      "Substitutions": "Eedit Kekk"
    },
    {
      "@odata.etag": "W/\"JzQ0O0EwZmpwbHdOVn1KYThqNks3bU9kVkfFTTm51V3l1IT1ZkNTRBRVpaQ1JiTE09MTswMDsn\"",

```

```

    "EmployeeNo": "T0043",
    "StartingDate": "2021-03-08",
    "EndingDate": "2021-03-28",
    "EmployeeName": "Herta Lai",
    "EmployeeEmail": "",
    "Substitutions": ""
  }
]
}

```

## 7.2. Puhkuse taotluste lühi päring

Puhkuse taotlusi on võimalik pärida BC-st lehelt PER Payroll Request (24013072).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER Payroll Request (24013072)
EmployeeNo	Code		Employee No.
StartingDate	Date		Starting Date
EndingDate	Date		Ending Date
EmployeeName	Text		Full Name
EmployeeEmail	Text		Employee E-mail
Substitutions	Text	Andmed tabelist PER Request Substitution (24013053)	Substitutions

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/holidayRequestsShort](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequestsShort)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequestsShort",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00ytSRWl4cGJDRVJBR1ZsZXlHNi9XcWsyQksWmR5U0xtb2hUNjZLREJ JV2c9MTswMDsn\"",
      "EmployeeNo": "T0003",
      "StartingDate": "2022-10-03",
      "EndingDate": "2022-10-09",
      "EmployeeName": "Teele Tuisk",
      "EmployeeEmail": "",
      "Substitutions": ""
    },
    {
      "@odata.etag": "W/\"JzQ002RjSk5GdTg3MlFYVFZreEduSEZKcnY0VWhwc1B4RFQyRm1sNHJtQVA 3RXc9MTswMDsn\"",
      "EmployeeNo": "T0003",
      "StartingDate": "2023-05-08",

```

```

    "EndingDate": "2023-05-14",
    "EmployeeName": "Teele Tuisk",
    "EmployeeEmail": "",
    "Substitutions": ""
  }
]
}

```

### 7.3. Puhkuste taotluste päring

Andmeid päritakse BC lehelt PER Payroll Request (24013072).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER Payroll Request (24013072)
EmployeeNo	Code		Employee No.
StartingDate	Date		Starting Date
EndingDate	Date		Ending Date
HolidayTypeCode	Code		Holiday Type
ApprovalStatus	Option	New/Rejected/Waiting Approval/Approved/Submitted /Completed/Canceled	Approval Status
EmployeeName	Text		Full Name
Level1No	Code		Level 1 No.
Level2No	Code		Level 2 No.
Level3No	Code		Level 3 No.
Level4No	Code		Level 4 No.
EmployeeEmail	Text		Employee E-mail
HolidayTypeDescription	Text		Holiday Type Description
Days	Decimal		Days
Substitutions	Text	Andmed tabelist PER Request Substitution (24013053)	Substitutions
RequestNo	Code		Request No.
RequestInfo	Text		Request Info
RequestURL			

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(b706f204-4dc5-ec11-b83d-000d3a2059de\)/holidayRequests](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequests)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-000d3a2059de)/holidayRequests",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000dqNU100U1DUE9UQzRtdGk3SH1zQm1FNGVRewZaeFZYs1lsQ1pZYmR6N289MTswMDsn\"",

```



```

      "EmployeeNo": "T0003",
      "StartingDate": "2022-10-03",
      "EndingDate": "2022-10-09",
      "HolidayTypeCode": "P_PUHKUS",
      "ApprovalStatus": "Approved",
      "EmployeeName": "Teele Tuisk",
      "Level1No": "10",
      "Level2No": "100",
      "Level3No": "101",
      "Level4No": "1011",
      "EmployeeEmail": "",
      "HolidayTypeDescription": "Põhipuhkus",
      "Days": 7,
      "Substitutions": "",
      "RequestNo": "PUH0001",
      "RequestInfo": "Põhipuhkus 03.10.22 - 09.10.22",
      "RequestURL": "http://palk.westeurope.cloudapp.azure.com:8016/PALK18APPTTEST/?company=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADE%3d"
    },
    {
      "@odata.etag": "W/\\"JzQ003hzRkhBa2s4Y0hHTlIrcm9SVHRHL2FHTjFlcWl0S3lKcWlKTjdirkZrTkk9MTswMDsn\"",
      "EmployeeNo": "T0003",
      "StartingDate": "2023-05-08",
      "EndingDate": "2023-05-14",
      "HolidayTypeCode": "P_PUHKUS",
      "ApprovalStatus": "Approved",
      "EmployeeName": "Teele Tuisk",
      "Level1No": "10",
      "Level2No": "100",
      "Level3No": "101",
      "Level4No": "1011",
      "EmployeeEmail": "",
      "HolidayTypeDescription": "Põhipuhkus",
      "Days": 7,
      "Substitutions": "",
      "RequestNo": "PUH0002",
      "RequestInfo": "Põhipuhkus 08.05.23 - 14.05.23",
      "RequestURL": "http://palk.westeurope.cloudapp.azure.com:8016/PALK18APPTTEST/?company=Tuuritaja%20AS&page=24008329&bookmark=25%3bEGluAQJ7%2f1AAVQBIADAAMAAwADI%3d"
    }
  ]
}

```

#### 7.4. Töötajate loend

Päring võimaldab pärida kõiki ettevõtte töötajaid. Andmed päritakse lehelt PLK Payroll Employee (24002014).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Employee (24002014)
No	Code		No
PersonalID	Text		Personal ID
FirstName	Text		First Name
LastName	Text		Last Name
FullName	Text		Full Name
PreviousName	Text		Previous Name
Status	Option	Active/ Inactive/Prospect /Terminated	Status
BirthDate	Date		BirthDate
DenyBirthDatePublish	Boolean	Yes/No	Deny Birth Date Publish
Sex	Option	Male/Female	Sex
UserID	Code		User ID
NonResident	Boolean	Yes/No	Non-Resident
CitizenshipCode	Code		Citizenship Code
CitizenshipName	Text		Citizenship Name
NativeLanguageCode	Code		Native Language Code
NativeLanguageName	Text		Native Language Name
Address	Text		Address
Address2	Text		Address2
City	Text		City
PostCode	Code		Post Code
County	Text		County
CountryCode	Code		Country Code
PersonalPhoneNo	Text		Phone No. 1
CompanyPhoneNo	Text		Phone No. 2
PersonalMobilePhoneNo	Text		Mobile Phone No. 1
CompanyMobilePhoneNo	Text		Mobile Phone No. 2
E-Mail	Text		E-Mail
CompanyE-Mail	Text		Company E-Mail
Blocked	Boolean	Yes/No	Blocked
JobTitle	Text		Job Title
JobTitleEnglish	Text		Job Title(English)
WorkingRoomNo	Text		Working Room No.
MainContractNo	Code		Main Contract No.
Noviciate	Boolean	Yes/No	Noviciate
AdditionalWorkingFactor	Decimal		Additional Working Factor
WorkingFactor	Decimal		Working Factor
NoviciateEndingDate	Date		Noviciate Ending Date

<b>SeniorityDate</b>	Date		Seniority Date
<b>EmploymentDate</b>	Date		Employment Date
<b>EmploymentContractCode</b>	Code		Emplymt. Contract Code
<b>TerminationDate</b>	Date		Termination Date
<b>WorkstationCode</b>	Code		Workstation Code
<b>WorkstationName</b>	Text		Workstation Name
<b>ManagerNo</b>	Code		Manager No
<b>ManagerName</b>	Text		Manager Name
<b>ManagerJob</b>	Text		Manager Job
<b>Level1No</b>	Code		Level 1 No.
<b>Level1Name</b>	Text		Level 1 Name
<b>Level2No</b>	Code		Level 2 No.
<b>Level2Name</b>	Text		Level 2 Name
<b>Level3No</b>	Code		Level 3 No.
<b>Level3Name</b>	Text		Level 3 Name
<b>Level4No</b>	Code		Level 4 No.
<b>Level4Name</b>	Text		Level 4 Name
<b>Statistics1Code</b>	Code		I Statistics Group Code
<b>Statistics2Code</b>	Code		II Statistics Group Code
<b>Dimension1Code</b>	Code		Dimension 1 Code
<b>Dimension2Code</b>	Code		Dimension 2 Code
<b>Dimension3Code</b>	Code		Dimension 3 Code
<b>Dimension4Code</b>	Code		Dimension 4 Code
<b>Dimension5Code</b>	Code		Dimension 5 Code
<b>Dimension6Code</b>	Code		Dimension 6 Code
<b>Dimension7Code</b>	Code		Dimension 7 Code
<b>Dimension8Code</b>	Code		Dimension 8 Code
<b>Dimension1Name</b>	Code		Dimension 1 Name
<b>Dimension2Name</b>	Code		Dimension 2 Name
<b>Dimension3Name</b>	Code		Dimension 3 Name
<b>Dimension4Name</b>	Code		Dimension 4 Name
<b>Dimension5Name</b>	Code		Dimension 5 Name
<b>Dimension6Name</b>	Code		Dimension 6 Name
<b>Dimension7Name</b>	Code		Dimension 7 Name
<b>Dimension8Name</b>	Code		Dimension 8 Name
<b>CustomField1</b>	Code		Custom Field 1
<b>CustomField2</b>	Code		Custom Field 2
<b>CustomField3</b>	Code		Custom Field 3
<b>CustomField4</b>	Code		Custom Field 4
<b>CustomField5</b>	Code		Custom Field 5
<b>CustomField6</b>	Code		Custom Field 6
<b>CustomField7</b>	Code		Custom Field 7
<b>CustomField8</b>	Code		Custom Field 8

CustomField9	Code		Custom Field 9
CustomField10	Code		Custom Field 10
CustomTextField	Text		Custom Text Field
CustomTextField2	Text		Custom Text Field 2
CustomTextField3	Text		Custom Text Field 3
CustomTextField4	Text		Custom Text Field 4
CustomTextField5	Text		Custom Text Field 5
CustomTextField6	Text		Custom Text Field 6
CustomTextField7	Text		Custom Text Field 7
CustomTextField8	Text		Custom Text Field 8
CustomTextField9	Text		Custom Text Field 9
CustomTextField10	Text		Custom Text Field 10
PrevHealthCheck	Date	Info tabelist PER Health Certificate (24008854)	Health Check Date
NextHealtCheck	Date	Info tabelist PER Health Certificate (24008854)	Next Health Check Date
Picture	BLOB		Picture
SystemCreatedAt	DateTime		System Created At
SystemId	GUID		System Id
SystemModifiedAt	DateTime		System Modified At
Timestamp	BigInteger		SQL Timestamp
EntryGUID	GUID		Entry GUID

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/payrollEmployees](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/payrollEmployees)

Näidis päringu vastus:

```
{
  "@odata.context":
    "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/payrollEmployees",
  "value": [
    {
      "@odata.etag": "W/\\"JzE40zMyNTQyNjMzMjc1MjQ5MjM5NDE7MDA7Jw==\\"",
      "No": "A002",
      "PersonalID": "38710010356",
      "FirstName": "Kuldar",
      "LastName": "Petersell",
      "FullName": "Kuldar Petersell",
      "PreviousName": "",
      "Status": "Active",
      "BirthDate": "1987-10-01",
      "DenyBirthDatePublish": false,
      "Sex": "Male",
      "UserID": "KADRIKEKK",
      "NonResident": false,
    }
  ]
}
```

```
"CitizenshipCode": "EE",
"CitizenshipName": "Eesti",
"NativeLanguageCode": "ETI",
"NativeLanguageName": "Eesti",
"Address": "Muru 2-3",
"Address2": "",
"City": "Tallinn",
"PostCode": "10110",
"County": "Harju maakond",
"CountryCode": "EE",
"PersonalPhoneNo": "",
"CompanyPhoneNo": "",
"PersonalMobilePhoneNo": "59 88 99 776",
"CompanyMobilePhoneNo": "",
"EMail": "yllek@itera.ee",
"CompanyEMail": "",
"Blocked": false,
"JobTitle": "Müügidirektor",
"JobTitleEnglish": "Sales Director",
"WorkingRoomNo": "",
"MainContractNo": "",
"Noviciate": false,
"AdditionalWorkingFactor": 0,
"WorkingFactor": 0.5,
"NoviciateEndingDate": "0001-01-01",
"SeniorityDate": "0001-01-01",
"EmploymentDate": "2017-10-03",
"EmploymentContractCode": "11",
"TerminationDate": "0001-01-01",
"WorkstationCode": "TLN",
"WorkstationName": "Tallinna kontor",
"ManagerNo": "A001",
"ManagerName": "Holger Saviauk",
"ManagerJob": "",
"Level1No": "13",
"Level1Name": "Müügiosakond",
"Level2No": "1302",
"Level2Name": "Jaemüük",
"Level3No": "",
"Level3Name": "",
"Level4No": "",
"Level4Name": "",
"Statistics1Code": "",
"Statistics2Code": "",
"Dimension1Code": "JAE",
"Dimension2Code": "JK0001",
"Dimension3Code": "",
"Dimension4Code": "",
"Dimension5Code": "",
"Dimension6Code": "",
"Dimension7Code": "",
```

```
"Dimension8Code": "",
"Dimension1Name": "Jaemüügi osakond",
"Dimension2Name": "JK0001",
"Dimension3Name": "",
"Dimension4Name": "",
"Dimension5Name": "",
"Dimension6Name": "",
"Dimension7Name": "",
"Dimension8Name": "",
"CustomField1": "",
"CustomField2": "",
"CustomField3": "",
"CustomField4": "",
"CustomField5": "",
"CustomField6": "",
"CustomField7": "",
"CustomField8": "",
"CustomField9": "",
"CustomField10": "",
"CustomTextField": "",
"CustomTextField2": "",
"CustomTextField3": "",
"CustomTextField4": "",
"CustomTextField5": "",
"CustomTextField6": "",
"CustomTextField7": "",
"CustomTextField8": "",
"CustomTextField9": "",
"CustomTextField10": "",
"PrevHealthCheck": "2022-03-01",
"NextHealthCheck": "0001-01-01",
"Picture":
"/9j/4AAQSkZJRgABAgEAAAAD/2wBDAAGBwgHBgkICAgKCgkLDhcPDg0NDhwUFREXIH4jIyEeICA
lKjUtJScyKCAgLj8vMjc5PDw8JC1CRkE6RjU7PDn/2wBDAQoKCg4MDhsPDxs5JiAmOTk50Tk50Tk
50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tk50Tn/wgARCAF2AX0DACIAAREBAhEB/8Q
AGwAAAQMBAAQAAAAAAAAAAAAAAAAAUBAYBAgf/xAAaAQADAQEBAQAAAAAAAAAAAAAAAAAQIDBAUG/9oADAM
AAAEQAHAFAAfpZ5a+Z3rFkydYsgKT3B6MWFUdSRjywoh3fF0fVWewczdgoy0j35gsYReqWTu+qXbVrxU
kos9qeQtSQUKmpadnJzlg46rlgCvUZwd0RcZ99/BZxoArGgCsveQp5zZZNNjc6zwawZiFoyELesQF3b4
C/rDgUC0vTiicRp0bduiL2XutL4mpQv4xAU2LvQo8viKPboFEvAUS8BRLWFvGi53z3Zd4usItAMqrHK
RHvPtLCeqZq2LIAAAAADikr4Fht497FC9RdJqqbKmiaa/Rb8zQzVIABWwAzMtaT0HPPprpzoAAAAAAC8
+VSKV6o55dM/emhqXmn09M16TTgZlVoEkvSNFj0kAAvpsqmRIwQxo4+RANriR3oR17mebvy+faGqf3YZ
J0GgA0Z9L5HkamsU5bpjvopvqPn1msvoZzt5AAAcA8+lydF9vn6Umxgtbc4BSAQBZx7/MzV1r8221Rq+
86PiljQghqN62YvY16uY2ZUY+s9yerQc0gAAAAAAchmThnNWqr56uce9zka9mrB04chU0wuCroMzKXUS
VdEum4UWnJnRhIGuAEIS52/Ui7me0Uz2zu2x0360TUd8e1RBPAPFP3c9hmIX/...
"SystemCreatedAt": "2022-01-26T07:29:49.457Z",
"SystemId": "5beddabd-797e-ec11-b837-000d3a2059de",
"SystemModifiedAt": "2025-02-10T05:00:02.28Z",
"Timestamp": 75701615,
"EntryGUID": "2c684e70-f19f-4a7b-ab7b-823ac3d7bc12"
},
...
```

## 7.5. Tagasi lükatud maksed

Teenus võimaldab kirjutada BC tabelisse PLK Payroll Payment Register (24008816) ebaõnnestunud panga makseid. Lisaks genereeritakse makse ebaõnnestumise kohta Palgaregistri kanne tabelisse PLK Payroll Registers (24002036).

Välja nimetus	Tüüp	Märkus	Andmed tabelisse PLK Payroll Registers (24002036) ja PLK Payroll Payment Register (24008816)
soapEntryNo	Integer		
Filename	Text		
fileInBase64	Text		

Ebaõnnestunud makse faili näidis:

```

<Document>
<CstmrPmtStsRpt>
<GrpHdr>
  <MsgId>4013840</MsgId>
  <CreDtTm>2022-07-26T11:21:59.864+03:00</CreDtTm>
<InitgPty>
<Id>
<OrgId>
  <AnyBIC>EPBEEE2XXXX</AnyBIC>
  </OrgId>
  </Id>
  </InitgPty>
</GrpHdr>
<OrgnlGrpInfAndSts>
  <OrgnlMsgId>PALK365-FAIL1</OrgnlMsgId>
  <OrgnlMsgNmId>pain.001.001.08</OrgnlMsgNmId>
  <GrpSts>RJCT</GrpSts>
  </OrgnlGrpInfAndSts>
<OrgnlPmtInfAndSts>
  <OrgnlPmtInfId>PALK365-MAKSEJUHIS-0002</OrgnlPmtInfId>
<TxInfAndSts>
  <OrgnlInstrId>PALKx573x1</OrgnlInstrId>
  <OrgnlEndToEndId>PALKx573x1</OrgnlEndToEndId>
  <TxSts>RJCT</TxSts>
<StsRsnInf>
<Orgtr>
<Id>
<OrgId>
  <AnyBIC>EPBEEE2XXXX</AnyBIC>
  </OrgId>
  </Id>
  </Orgtr>
<Rsn>
  <Cd>AGNT</Cd>
  </Rsn>
  <AddtlInf>Agent in the payment workflow is incorrect</AddtlInf>
  </StsRsnInf>
</TxInfAndSts>

```

```
</OrgnPmtInfAndSts>  
</CstmrPmtStsRpt>  
</Document>
```

JSON näidis andmete kirjutamiseks:

```
{  
  "Filename": "Pangamakse 247.xml",  
  "FileInBase64": "PD94bWwgdmVyc2lvbj0iMS4wIiBlbmNvZGluZz0iVVRGLTgiIHN0YW5kYWxvbmU9Inllcy  
I/Pg0KPERvY3VtZW50DQogICAgG1sbnM9InVybjppc286c3RkOmlzbzoyMDAyMjp0ZWNoOnhzZDpwYWluLjAwMi4wM  
DEuMTIiP0KICAgIDxDc3RtclBtdFN0c1JwdD4NCiAgICAgICAgPEdycEhkcj4NCiAgICAgICAgICAgIDxNc2dJZD40  
MDEzODQwPC9Nc2dJZD4NCiAgICAgICAgICAgIDxDcmVEdFRtPjIwMjItMDctMjZUMTE6MjE6NTkuODY0KzAzOjAwPC9  
DcmVEdFRtP0KICAgICAgICAgICAgPEluaXRnUHR5Pg0KICAgICAgICAgICAgICAgIDxJZD4NCiAgICAgICAgICAgIC  
AgICAgICAgPE9yZ0lkPg0KICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
g0KICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
L0luaXRnUHR5Pg0KICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gICAgPE9yZ25sTXNnSWQ+UEFMSzM2NS1GQUlMMTwwT3JnbmNc2dJZD4NCiAgICAgICAgICAgIDxPcmduE1zZ05tSW  
Q+cGFpb14wMDEuMDAxLjA4PC9PcmduE1zZ05tSWQ+DQogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgIC  
iAgICAgICAgPC9PcmduE1zZ05tSWQ+UEFMSzM2NS1GQUlMMTwwT3JnbmNc2dJZD4NCiAgICAgICAgICAgICAgICAg  
ICAgPE9yZ25sUG10SW5mSWQ+UEFMSzM2NS1GQUlMMTwwT3JnbmNc2dJZD4NCiAgICAgICAgICAgICAgICAgICAg  
gICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
RySWQ+DQogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
QogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
ICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gPC9S24+DQogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
BpcyBpbmNvcnJlY3Q0L0FkZHR5SW5mPg0KICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
C9UeEluZkFuZFN0c24NCiAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
PC9Eb2N1bWVudD4="}
```

Näidis päringu aadress:

POST:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(f0c56148-6111-ec11-b830-000d3a2059de\)/rejectedPayments](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(f0c56148-6111-ec11-b830-000d3a2059de)/rejectedPayments)

Näidis päringu vastus:

```
{  
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(f0c56148-6111-ec11-b830-000d3a2059de)/rejectedPayments/$entity",  
  "@odata.etag": "W/\"JzQ0Zhd1dYXRJmnc0KzdfM2xVTDZ0YTVLV0RSL0ZlVC9qbzJYMETMUK1TWDA9MTswMDsn\"",  
  "soapEntryNo": 1,  
  "Filename": "Pangamakse 247.xml",  
  "FileInBase64": "PD94bWwgdmVyc2lvbj0iMS4wIiBlbmNvZGluZz0iVVRGLTgiIHN0YW5kYWxvbmU9Inllcy  
I/Pg0KPERvY3VtZW50DQogICAgG1sbnM9InVybjppc286c3RkOmlzbzoyMDAyMjp0ZWNoOnhzZDpwYWluLjAwMi4wM  
DEuMTIiP0KICAgIDxDc3RtclBtdFN0c1JwdD4NCiAgICAgICAgPEdycEhkcj4NCiAgICAgICAgICAgIDxNc2dJZD40  
MDEzODQwPC9Nc2dJZD4NCiAgICAgICAgICAgIDxDcmVEdFRtPjIwMjItMDctMjZUMTE6MjE6NTkuODY0KzAzOjAwPC9  
DcmVEdFRtP0KICAgICAgICAgICAgPEluaXRnUHR5Pg0KICAgICAgICAgICAgICAgIDxJZD4NCiAgICAgICAgICAgIC  
AgICAgICAgPE9yZ0lkPg0KICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
g0KICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
L0luaXRnUHR5Pg0KICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gICAgPE9yZ25sTXNnSWQ+UEFMSzM2NS1GQUlMMTwwT3JnbmNc2dJZD4NCiAgICAgICAgICAgIDxPcmduE1zZ05tSW  
Q+cGFpb14wMDEuMDAxLjA4PC9PcmduE1zZ05tSWQ+DQogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgIC  
iAgICAgICAgPC9PcmduE1zZ05tSWQ+UEFMSzM2NS1GQUlMMTwwT3JnbmNc2dJZD4NCiAgICAgICAgICAgICAgICAg  
ICAgPE9yZ25sUG10SW5mSWQ+UEFMSzM2NS1GQUlMMTwwT3JnbmNc2dJZD4NCiAgICAgICAgICAgICAgICAgICAg  
gICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
RySWQ+DQogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
QogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
ICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
gPC9S24+DQogICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
BpcyBpbmNvcnJlY3Q0L0FkZHR5SW5mPg0KICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
C9UeEluZkFuZFN0c24NCiAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg  
PC9Eb2N1bWVudD4="}
```



[illegible]

## 7.6. Palgaregistri päring

Andmed päritakse lehelte PLK Payroll Registers (24002036).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Registers (24002036)
<b>no</b>	Integer		No.
<b>type</b>	Option	Registration/Calculation/Absence/Absences Cancellation/Bank Transfer/Tax Report/Pay Slip/Notification/G/L Posting/Export/Export Cancellation/Splitting/Import/E- mail/Report/Rejected Payment	Type
<b>description</b>	Text		Description
<b>creatingTime</b>	DateTime		Creating Time
<b>deleted</b>	Boolean	True/False	Deleted
<b>fileInBase64</b>	Text		

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\[b706f204-4dc5-ec11-b83d-000d3a2059de\]\)/registers](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies[b706f204-4dc5-ec11-b83d-000d3a2059de])/registers)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS
_Itera_Payroll365/Payroll/v2.0/$metadata#companies(b706f204-4dc5-ec11-b83d-
000d3a2059de)/registers",
  "value": [
    {
      "@odata.etag": "W/\"JzQ00211NEdoOGRXdU9pdFIRvYtBT0JYM011cjlQODhZNUS1VmVuMjIMXB
xMmc9MTswMDsn\""
```

```

    "no": 1,
    "type": "Registration",
    "description": "Registreerimine",
    "creatingTime": "2022-04-27T06:56:06.513Z",
    "deleted": true,
    "fileInBase64": ""
  },
  {
    "@odata.etag": "W/\"JzQ002wyTFNm dXZSdWxpTlRXVWNoMmd6dE4xN2ZLWTQ5anM1cTE5QkhPek5
ncG89MTswMDsn\"",
    "no": 2,
    "type": "Registration",
    "description": "Tööaeg - 2 päevane tuur",
    "creatingTime": "2022-04-27T06:57:39.477Z",
    "deleted": true,
    "fileInBase64": ""
  },
  {
    "@odata.etag": "W/\"JzQ000RZcUJocZy0cEdjazdKb3I5VWt4Uk1HTEFQdEtZU1BzU2pOTS9GaFZ
zQ1U9MTswMDsn\"",
    "no": 3,
    "type": "Registration",
    "description": "Registreerimine",
    "creatingTime": "2022-04-27T07:02:14.2Z",
    "deleted": true,
    "fileInBase64": ""
  },
  {
    "@odata.etag": "W/\"JzQ002lrK2ErQTByQnVtZTU3NzBoVU5JSHdCQnJZNmpKaw10RWtEbjRVRlZ
ZamM9MTswMDsn\"",
    "no": 4,
    "type": "Registration",
    "description": "Registreerimine",
    "creatingTime": "2022-04-27T07:09:49.68Z",
    "deleted": true,
    "fileInBase64": ""
  },
  ...

```

## 7.7. Töötajate sünnipäevade ja tööjuubelite päring

Päring võimaldab pärida töötajate sünnipäevi ja nende tööstaaži andmeid. Andmed päritakse lehelt PLK Payroll Employee (24002014).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Employee (24002014)
<b>employeeNo</b>	Code		No
<b>Status</b>	Option	Active/Inactive/Prospect/Terminated	Status
<b>employeeName</b>	Text		Full Name

jobTitle	Text		Job Title
companyEmail			Company E-mail
employmentDate	Date		Employment Date
Seniority	Date		Seniority
workAnniversary	Boolean	True, kui Seniority jagub 10-ga/ False- kõik muud juhud	Seniority
birthDate	Date		Birth Date
Age	Decimal		Age
level1No	Code		Level 1 No.
level2No	Code	Struktuuri taseme kood	Level 2 No.
level3No	Code	Struktuuri taseme kood	Level 3 No.
level4No	Code	Struktuuri taseme kood	Level 4 No.

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/employeeBirthdays](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/employeeBirthdays)

Näidis päringu vastus:

```
{
  "@odata.context":
    "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/employeeBirthdays",
  "value": [
    {
      "@odata.etag":
        "W/\\"JzQ003VqbWZvWUNkb2RlMGR3Y3BPRHJCUUdBelRHely0Qm1VdnJWdDZWbHp5eGs9MTswMDsn\"",
      "employeeNo": "T0002",
      "status": "Active",
      "employeeName": "Ilmar Sepp",
      "jobTitle": "Vahetuse vanem",
      "companyEMail": "",
      "employmentDate": "2020-01-07",
      "seniority": 3.0,
      "workAnniversary": false,
      "birthDate": "1994-04-25",
      "age": 29.0,
      "level1No": "1050",
      "level2No": "",
      "level3No": "",
      "level4No": ""
    },
    ...
  ]
}
```

## 7.8. Palgakontode päring

Päring võimaldab pärida palgakontodel olevaid andmeid. Andmed päritakse lehelt PLK Payroll Accounts (24002044).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Accounts (24002044)
No	Code		No
Name	Text		Name
AccountType	Option	Kinnitamine / Summeerimine / Pealkiri / Väljamaks	Account Type
Totaling	Text		Totaling
Blocked	Boolean	True/False	Blocked
PostingGroup	Code		Posting Group
PaymentType	Code	Väljamakse liik	Default Payment Type
Amount	Decimal		Amount
BalanceAmount	Decimal		Balance Amount
Description	Text		Description
Marked	Boolean		Marked
SystemCreatedAt	DateTime		SystemCreatedAt
SystemId	GUID		\$systemid
SystemModifiedAt	DateTime		SystemModifiedAt
Timestamp	Binginteger		SQL Timestamp

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollAccounts](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollAccounts)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollAccounts",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000drN1ExTFdHTEVWM1Y5bXRFRUWVRbW5TWncvaUZWOExoa3FMTkNQVFdrTDA9MTswMDsn\"",
      "AccountNo": "1000",
      "Name": "ARVESTATUD TULUD",
      "AccountType": "Heading",
      "Totaling": "",
      "Blocked": false,
      "PostingGroup": "",
      "PaymentType": "",
      "Amount": 0,
      "BalanceAmount": 0,
      "Description": "",
      "Marked": false,
      "SystemCreatedAt": "0001-01-01T00:00:00Z",
      "SystemId": "45972b92-e519-eb11-b823-000d3a2059de",
      "SystemModifiedAt": "0001-01-01T00:00:00Z",
    }
  ]
}
```

```

    "Timestamp": 21084176
  }
]
}

```

## 7.9. Palgakannete päring

Päring võimaldab pärida palgakannete andmeid töötajate lõikes. Andmed päritakse lehelt PLK Payroll Ledger Entries (24002049).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Ledger Entries (24002049)
<b>EntryNo</b>	Integr, PK		Entry No
<b>AccountNo</b>	Code		Account No
<b>EmployeeNo</b>	Code		Employee No
<b>PostingDate</b>	Date		Posting Date
<b>AccountingPeriod</b>	Code		Accounting Period
<b>PaymentPeriod</b>	Code		Payment Period
<b>CalculationPeriod</b>	Code		Calculation Period
<b>DocumentNo</b>	Code		Document No
<b>Amount</b>	Decimal		Amount
<b>Description</b>	Text		Description
<b>Type</b>	Option	Tavaline/Lisakanne	Type
<b>Remark</b>	Text	Märkus	Remark
<b>WorkingScheduleGroupNo</b>	Code		Working Schedule Group No
<b>CurrencyCode</b>	Code		Currency Code
<b>CurrencyFactor</b>	Decimal		Currency Factor
<b>CurrencyAmount</b>	Decimal		Currency Amount
<b>EmployeeName</b>	Text		Employee Name
<b>MainContractNo</b>	Code		Main Contract No
<b>VehicleRegistrationPlate</b>	Code		Vehicle Registration Plate
<b>BankNo</b>	Code		Bank No
<b>Dimension1</b>	Code		Payroll Dimension 1 Code
<b>Dimension2</b>	Code		Payroll Dimension 2 Code
<b>Dimension3</b>	Code		Payroll Dimension 3 Code
<b>Dimension4</b>	Code		Payroll Dimension 4 Code
<b>SystemCreatedAt</b>	DateTime		SystemCreatedAt
<b>SystemId</b>	GUID		\$systemid
<b>SystemModifiedAt</b>	DateTime		SystemModifiedAt
<b>Timestamp</b>	Binginteger		SQL Timestamp
<b>EntryGUID</b>	GUID		Entry GUID

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollEntries](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollEntries)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST
/api/BCS_Itera_Payroll1365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-
000d3a2059de)/payrollEntries",
  "value": [
    {
      "@odata.etag": "W/\"JzQ000RueXFZSk9aMFJSzczFwR1JSRUYramNpWVA1ZTBHcWtKYkx
pL2N6OTlFems9MTswMDsn\"",
      "EntryNo": 1,
      "AccountNo": "5010",
      "EmployeeNo": "T0001",
      "PostingDate": "2020-09-30",
      "AccountingPeriod": "2020-09",
      "PaymentPeriod": "2020-10",
      "CalculationPeriod": "2020-09",
      "DocumentNo": "PALK 30.09.20",
      "Amount": 176,
      "Description": "Töötatud tavatunnid",
      "Type": "Normal",
      "Remark": "",
      "WorkingScheduleGroupNo": "",
      "CurrencyCode": "",
      "CurrencyFactor": 0,
      "CurrencyAmount": 0,
      "EmployeeName": "Kalle Tamm",
      "MainContractNo": "",
      "VehicleRegistrationPlate": "",
      "BankNo": "",
      "Dimension1": "1050",
      "Dimension2": "",
      "Dimension3": "",
      "Dimension4": "",
      "Dimension5": "",
      "Dimension6": "",
      "Dimension7": "",
      "Dimension8": "",
      "SystemCreatedAt": "0001-01-01T00:00:00Z",
      "SystemId": "fc606260-7a29-eb11-b824-000d3a2059de",
      "SystemModifiedAt": "0001-01-01T00:00:00Z",
      "Timestamp": 21152955,
      "EntryGUID": "c71f9a1f-fbe3-4c94-a53f-878aa2621fa6"
    }
  ]
}
```

## 7.10. Väravalogide päring

Päring võimaldab lugeda, kirjutada, kustutada ja muuta väravalogi kandeid tööajatabelites. Andmeid päritakse lehelt PLK Employee Permit Log (24002084).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Permit Log (24002084)
entryNo	Integr, PK		Entry No
gateNo	Code		Gate No
employeeNo	Code		Employee No
cardNo	Integr		Card No
enteringTime	DateTime		Entering Time
leavingTime	DateTime		Leaving Time
approved	Boolean		Approved
systemCreatedEntry	Boolean		System Created Entry

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/permitLogs](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs)

Näidis päringu vastus:

```
{
  "@odata.context":
    "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs",
  "value": [
    {
      "@odata.etag": "W/\"JzE40zI2Mjg4ODgyODI4MzgzMzMjE7MDA7Jw==\"",
      "entryNo": 2,
      "gateNo": "",
      "employeeNo": "A001",
      "cardNo": "1",
      "enteringTime": "2022-05-31T21:00:00Z",
      "leavingTime": "2022-06-01T02:00:00Z",
      "approved": false,
      "systemCreatedEntry": false
    },
    ...
  ]
}
```

Näidis päringu aadress POST:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/permitLogs](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs)

JSON näidis:

```
{
  "entryNo": 9,
  "gateNo": "1",
  "employeeNo": "A001",
  "cardNo": "",
  "enteringTime": "2025-02-15T08:30:00+02:00",
  "leavingTime": "2025-02-15T17:30:00+02:00",
  "approved": true,
  "systemCreatedEntry": false
}
```

```
}
```

Päringu vastus:

```
{
  "@odata.context":
    "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs/$entity",
  "@odata.etag": "W/\"JzE40zI3NTM30TU4NzEwMDUxNDI1NjE7MDA7Jw==\"",
  "entryNo": 8,
  "gateNo": "1",
  "employeeNo": "A001",
  "cardNo": "",
  "enteringTime": "2025-01-01T07:00:00Z",
  "leavingTime": "2025-01-01T12:00:00Z",
  "approved": true,
  "systemCreatedEntry": false
}
```

Väralalogi kande uuendamiseks tuleb kasutada PUT/PATCH käsku ja võtta entryNo body-st ära ja panna hoopis url:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/permitLogs\(entryNo=ENTRYNOSIIA\)](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs(entryNo=ENTRYNOSIIA))

OData Put/patchi puhul on ka vaja lisada selline HTTP header nagu If-Match ja selle väärtuseks on odata.etag (tuleb päringu body-s kaasa kui teed GET päringu, mi on selline: "@odata.etag": "W/\"JzE40zI3NTY4MzI0NDEyMTYwMDQwOTE7MDA7Jw==\"", sealt tuleks eemaldada välimised jutumärgid, jutumärkide ees olevad kaldkriipsud lõpptulemus If-Match: W/\"JzE40zI3NTY4MzI0NDEyMTYwMDQwOTE7MDA7Jw=="

Näidis Postmanis

Päring POST:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/permitLogs\(entryNo=10\)](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs(entryNo=10))

JSON:

```
{
  "gateNo": "1",
  "employeeNo": "A001",
  "cardNo": "",
  "enteringTime": "2025-02-15T08:30:00+02:00",
  "leavingTime": "2025-02-15T20:30:00+02:00",
  "approved": false,
  "systemCreatedEntry": false
}
```

Päringu vastus:

```
{
  "@odata.context":
    "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/permitLogs/$entity",
  "@odata.etag": "W/\"JzE40zI3NTY5MTQ2NjM1MzUzMTE5NDE7MDA7Jw==\"",

```



```

    "entryNo": 10,
    "gateNo": "1",
    "employeeNo": "A001",
    "cardNo": "",
    "enteringTime": "2025-02-15T06:30:00Z",
    "leavingTime": "2025-02-15T18:30:00Z",
    "approved": false,
    "systemCreatedEntry": false
  }

```

### 7.11. Arvestusperioodi kanded

Päring võimaldab pärida arvestusperioodi kohta kannete arvu ning kõige väiksema ja kõige suurema kande numbri. Andmeid päritakse lehelt PLK Payroll Periods (24002034).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Periods (24002034)
No	Code, PK		No
beginningDate	Date		Beginning Date
endingDate	Date		Ending Date
description	Text		Description
firstEntryNo	Integr.		First Entry No.
lastEntryNo	Integr.		Last Entry No.
payrollEntries	Integr.		Payroll Entries
closed	Boolean		Closed

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollPeriods](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollPeriods)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollPeriods",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0OzhxaGNsZUhtR09RS1FZN2NKSFNXd0dPbnFOc1kzNnpFbnJQU2dqK0htb1U9MTswMDsn\"",
      "no": "2017-01",
      "beginningDate": "2017-01-01",
      "endingDate": "2017-01-31",
      "description": "jaanuar 2017",
      "firstEntryNo": 0,
      "lastEntryNo": 0,
      "payrollEntries": 0,
      "closed": true
    }
  ]
}

```

## 7.12. Infoliikide kanded

Päring võimaldab lugeda infoliikidesse salvestatud kandeid. Andmeid päritakse lehelt PLK Payroll Info Entries (24002062).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Info Entries (24002062)
EmployeeNo	Code, PK		Employee No
EmployeeName	Text		Employee Name
InfoNo	Code, PK	Tuleneb infoliigi kaardilt	Info No
InfoName	Text	Tuleneb infoliigi kaardilt	Info Name
LineNo	Integr, PK		Line No
Date1	Date		Date1
Date2	Date		Date2
Date3	Date		Date3
Code1	Code		Code1
Code2	Code		Code2
Code3	Code		Code3
Code4	Code		Code4
Decimal1	Decimal		Decimal1
Decimal2	Decimal		Decimal2
Text1	Text		Text1
Text2	Text		Tex2
Text3	Text		Text3
Text4	Text		Text4
Text5	Text		Text5
Text6	Text		Text6

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS\\_Itera\\_Payroll365/Employee/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/employeeInfos](http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/employeeInfos)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7258/PALK18APPTTEST/api/BCS_Itera_Payroll365/Employee/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/employeeInfos",
  "value": [
    {
      "@odata.etag": "W/\"JzQ0001LQnBsVTZhbgG1Z2NLUU8xVUJTBc9ISzFvd3ZFeFBpYX1yCHB3Q2E1bGc9MTswMDsn\"",
      "EmployeeNo": "T001",
      "InfoNo": "VESTLUSED",
      "LineNo": 10000,
      "EmployeeName": "Karmen Kaks",
    }
  ]
}
```

```

    "InfoName": "Arenguvestlused",
    "Date1": "2020-04-09",
    "Date2": "2020-09-30",
    "Date3": "0001-01-01",
    "Code1": "",
    "Code2": "ERAKORRALINE VESTLUS",
    "Code3": "",
    "Code4": "",
    "Decimal1": 0,
    "Decimal2": 0,
    "Text1": "Siim Susi",
    "Text2": "Erakorraline vestlus",
    "Text3": "",
    "Text4": "",
    "Text5": "",
    "Text6": ""
  }
}

```

### 7.13. Puhkuste ajakava lugemise teenus

Päring võimaldab lugeda infot puhkuste ajakavast. Andmeid päritakse lehelt PLK Payroll Holiday Schedule (24002078).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Holiday Schedule (24002078)
<b>journalBatchName</b>	Code		Journal Batch Name
<b>entryNo</b>	Integr.		Entry No
<b>entryGUID</b>	GUID		Entry GUID
<b>employeeNo</b>	Code		Employee No
<b>employeeName</b>	Text		Employee Name
<b>employeeStatus</b>	Option		Employee Status
<b>holidayCode</b>	Code		Holiday Code
<b>fromDate</b>	Date		From Date
<b>toDate</b>	Date		To Date
<b>Description</b>	Text		Description
<b>quantityDays</b>	Decimal		Quantity
<b>holidayPayment</b>	Option		Holiday Payment
<b>notes</b>	Text		Notes
<b>professionNo</b>	Code		Profession No
<b>professionDesc</b>	Text		Profession Desc.
<b>departmentNo</b>	Code		Department No.
<b>departmentDesc</b>	Text		Department Desc.
<b>level2No</b>	Code		Level 2 No.
<b>Level2Name</b>	Text		Level 2 Name
<b>level3No</b>	Code		Level 3 No.
<b>Level3Name</b>	Text		Level 3 Name

level4No	Code		Level 4 No.
Level4Name	Text		Level 4 Name

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/holidayScheduleLines](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines",
  "value": [
    {
      "@odata.etag": "W/\"JzIwOzE1NTE2NTQwODczMjE0ODk5NzY4MTswMDsn\"",
      "entryNo": 1,
      "journalBatchName": "2019",
      "entryGUID": "00000000-0000-0000-0000-000000000000",
      "employeeNo": "T001",
      "employeeName": "Karmen Kaks",
      "employeeStatus": "Inactive",
      "holidayCode": "P_PUHKUS",
      "fromDate": "2019-08-05",
      "toDate": "2019-08-08",
      "description": "Puhkus",
      "quantityDays": 4,
      "holidayPayment": "Payday",
      "notes": "",
      "professionNo": "1020-02",
      "professionDesc": "Vanemraamatupidaja",
      "departmentNo": "10",
      "departmentDesc": "Finantsosakond",
      "level2No": "1020",
      "Level2Name": "Raamatupidamine",
      "level3No": "",
      "Level3Name": "",
      "level4No": "",
      "Level4Name": ""
    }
  ]
}
```

## 7.14. Puudumiste žurnaali lugemine

Päring võimaldab lugeda infot Puudumiste žurnalist. Andmed loetakse lehelt PLK Payroll Absence Jrn Line (24002027).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Absence Jrn Line (24002027)
journalBatchName	Code		Journal Batch Name
entryNo	Integr.		Entry No
entryGUID	GUID		Entry GUID
employeeNo	Code		Employee No
employeeName	Text		Employee Name
holidayCode	Code		Holiday Code
fromDate	Date		From Date
toDate	Date		To Date
Description	Text		Description
quantityDays	Decimal		Quantity
holidayPayment	Option		Holiday Payment
notes	Text		Notes
professionNo	Code		Profession No
professionDesc	Text		Profession Desc.
departmentNo	Code		Department No.
departmentDesc	Text		Department Desc.
level2No	Code		Level 2 No.
Level2Name	Text		Level 2 Name
level3No	Code		Level 3 No.
Level3Name	Text		Level 3 Name
level4No	Code		Level 4 No.
Level4Name	Text		Level 4 Name

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/holidayScheduleLines](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines)

Näidis päringu vastus:

```
{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/holidayScheduleLines",
  "value": [
    {
      "@odata.etag": "W/\"JzIwOzE1NTE2NTQwODczMjE0ODk5NzY4MTswMDsn\"",
      "entryNo": 1,
      "journalBatchName": "2019",
      "entryGUID": "00000000-0000-0000-0000-000000000000",
      "employeeNo": "T001",
      "employeeName": "Karmen Kaks",
      "employeeStatus": "Inactive",
      "holidayCode": "P_PUHKUS",
      "fromDate": "2019-08-05",
      "toDate": "2019-08-08",
      "description": "Puhkus",
    }
  ]
}
```

```

    "quantityDays": 4,
    "holidayPayment": "Payday",
    "notes": "",
    "professionNo": "1020-02",
    "professionDesc": "Vanemraamatupidaja",
    "departmentNo": "10",
    "departmentDesc": "Finantsosakond",
    "level2No": "1020",
    "Level2Name": "Raamatupidamine",
    "level3No": "",
    "Level3Name": "",
    "level4No": "",
    "Level4Name": ""
  }
}
]
}

```

## 7.15. Puudumiste asendajate lugemise teenus

Päring võimaldab lugeda andmeid puudumiste asendajate kohta. Andmed loetakse lehelt PLK Payroll Subst. Jnl. Entry (24002158).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Subst. Jnl. Entry (24002158)
<b>journalType</b>	Option		Journal Type
<b>journalBatchName</b>	Code		Journal Batch Name
<b>jnlEntryNo</b>	Integr.		Jnl. Entry No
<b>substituentNo</b>	Code		Substituent No
<b>substitutentName</b>	Text		Substituent Name
<b>fromDate</b>	Date		From Date
<b>toDate</b>	Date		To Date
<b>Description</b>	Text		Description

Näidis päringu aadress GET:

[http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/substitutionsJournal](http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/substitutionsJournal)

Näidis päringu vastus:

```

{
  "@odata.context": "http://palk.westeurope.cloudapp.azure.com:7548/PALK21APPTTEST/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/substitutionsJournal",
  "value": [
    {
      "@odata.etag": "W/\\"JzIwOzE0MzIwMjcYMDExNTczOTcxNTQxMTswMDsn\"",
      "journalType": "Absence",
      "journalBatchName": "PUHKUSED",
      "jnlEntryNo": 10000,
      "entryNo": 10000,
      "substituentNo": "A002",

```

```

    "substituentName": "Kuldar Petersell",
    "fromDate": "2023-02-27",
    "toDate": "2023-02-28",
    "description": ""
  }
]
}

```

## 7.16. Ettevõtte kõigi töötajad päring

Päring võimaldab pärida kõiki ettevõtte töötajaid, sh lahkunud töötajaid. Andmed päritakse lehelte PLK Payroll Employee (24002014).

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Payroll Employee (24002014)
No	Code		No
PersonalID	Text		Personal ID
FirstName	Text		First Name
LastName	Text		Last Name
FullName	Text		Full Name
PreviousName	Text		Previous Name
Status	Option	Active/ Inactive/Prospect /Terminated	Status
BirthDate	Date		BirthDate
DenyBirthDatePublish	Boolean	Yes/No	Deny Birth Date Publish
Sex	Option	Male/Female	Sex
UserID	Code		User ID
NonResident	Boolean	Yes/No	Non-Resident
CitizenshipCode	Code		Citizenship Code
CitizenshipName	Text		Citizenship Name
NativeLanguageCode	Code		Native Language Code
NativeLanguageName	Text		Native Language Name
Address	Text		Address
Address2	Text		Address2
City	Text		City
PostCode	Code		Post Code
County	Text		County
CountryCode	Code		Country Code
PersonalPhoneNo	Text		Phone No. 1
CompanyPhoneNo	Text		Phone No. 2
PersonalMobilePhoneNo	Text		Mobile Phone No. 1
CompanyMobilePhoneNo	Text		Mobile Phone No. 2
E-Mail	Text		E-Mail
CompanyE-Mail	Text		Company E-Mail

<b>Blocked</b>	Boolean	Yes/No	Blocked
<b>JobTitle</b>	Text		Job Title
<b>JobTitleEnglish</b>	Text		Job Title(English)
<b>WorkingRoomNo</b>	Text		Working Room No.
<b>MainContractNo</b>	Code		Main Contract No.
<b>Noviciate</b>	Boolean	Yes/No	Noviciate
<b>AdditionalWorkingFactor</b>	Decimal		Additional Working Factor
<b>WorkingFactor</b>	Decimal		Working Factor
<b>NoviciateEndingDate</b>	Date		Noviciate Ending Date
<b>SeniorityDate</b>	Date		Seniority Date
<b>EmploymentDate</b>	Date		Employment Date
<b>EmploymentContractCode</b>	Code		Emplymt. Contract Code
<b>TerminationDate</b>	Date		Termination Date
<b>WorkstationCode</b>	Code		Workstation Code
<b>WorkstationName</b>	Text		Workstation Name
<b>ManagerNo</b>	Code		Manager No
<b>ManagerName</b>	Text		Manager Name
<b>ManagerJob</b>	Text		Manager Job
<b>Level1No</b>	Code		Level 1 No.
<b>Level1Name</b>	Text		Level 1 Name
<b>Level2No</b>	Code		Level 2 No.
<b>Level2Name</b>	Text		Level 2 Name
<b>Level3No</b>	Code		Level 3 No.
<b>Level3Name</b>	Text		Level 3 Name
<b>Level4No</b>	Code		Level 4 No.
<b>Level4Name</b>	Text		Level 4 Name
<b>Statistics1Code</b>	Code		I Statistics Group Code
<b>Statistics2Code</b>	Code		II Statistics Group Code
<b>Dimension1Code</b>	Code		Dimension 1 Code
<b>Dimension2Code</b>	Code		Dimension 2 Code
<b>Dimension3Code</b>	Code		Dimension 3 Code
<b>Dimension4Code</b>	Code		Dimension 4 Code
<b>Dimension5Code</b>	Code		Dimension 5 Code
<b>Dimension6Code</b>	Code		Dimension 6 Code
<b>Dimension7Code</b>	Code		Dimension 7 Code
<b>Dimension8Code</b>	Code		Dimension 8 Code
<b>Dimension1Name</b>	Code		Dimension 1 Name
<b>Dimension2Name</b>	Code		Dimension 2 Name
<b>Dimension3Name</b>	Code		Dimension 3 Name
<b>Dimension4Name</b>	Code		Dimension 4 Name
<b>Dimension5Name</b>	Code		Dimension 5 Name



Dimension6Name	Code		Dimension 6 Name
Dimension7Name	Code		Dimension 7 Name
Dimension8Name	Code		Dimension 8 Name
CustomField1	Code		Custom Field 1
CustomField2	Code		Custom Field 2
CustomField3	Code		Custom Field 3
CustomField4	Code		Custom Field 4
CustomField5	Code		Custom Field 5
CustomField6	Code		Custom Field 6
CustomField7	Code		Custom Field 7
CustomField8	Code		Custom Field 8
CustomField9	Code		Custom Field 9
CustomField10	Code		Custom Field 10
CustomTextField	Text		Custom Text Field
CustomTextField2	Text		Custom Text Field 2
CustomTextField3	Text		Custom Text Field 3
CustomTextField4	Text		Custom Text Field 4
CustomTextField5	Text		Custom Text Field 5
CustomTextField6	Text		Custom Text Field 6
CustomTextField7	Text		Custom Text Field 7
CustomTextField8	Text		Custom Text Field 8
CustomTextField9	Text		Custom Text Field 9
CustomTextField10	Text		Custom Text Field 10
PrevHealthCheck	Date	Info tabelist PER Health Certificate (24008854)	Health Check Date
NextHealtCheck	Date	Info tabelist PER Health Certificate (24008854)	Next Health Check Date
SystemCreatedAt	DateTime		System Created At
SystemId	GUID		System Id
SystemModifiedAt	DateTime		System Modified At
Timestamp	BigInteger		SQL Timestamp
EntryGUID	GUID		Entry GUID
PostingGroup	Code		Posting Group

Näisid päringu aadress:

[https://palktest.itera.ee:8348/PALK20APPTTESTAAD/api/BCS Itera Payroll365/Employee/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/payrollEmployeesAll](https://palktest.itera.ee:8348/PALK20APPTTESTAAD/api/BCS Itera Payroll365/Employee/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/payrollEmployeesAll)

Näidis päringu vastus:

```
{
  "@odata.etag": "W/\"JzE50zE30TgzMTA5NzUzMzM0NjAwMzg0zAw0yc=\\\"",
  "no": "11",
  "personalID": "3445678900981",
  "firstName": "Hannes",
  "lastName": "Kool",
  "fullName": "Hannes Kool",
```

```
"previousName": "",
"status": "Active",
"birthDate": "1988-12-11",
"denyBirthDatePublish": false,
"sex": "Male",
"UserID": "",
"nonResident": false,
"citizenshipCode": "EE",
"citizenshipName": "Eesti",
"nativeLanguageCode": "ETI",
"nativeLanguageName": "Eesti",
"address": "Kase tee 12",
"address2": "",
"city": "Tallinn",
"postCode": "1244",
"county": "Harju maakond",
"countryCode": "EE",
"personalPhoneNo": "",
"companyPhoneNo": "",
"personalMobilePhoneNo": "",
"companyMobilePhoneNo": "554422331",
"eMail": "Hannes@hannes.ee",
"companyEMail": "",
"blocked": false,
"jobTitle": "",
"jobTitleEnglish": "",
"WorkingRoomNo": "1",
"mainContractNo": "",
"noviciate": true,
"additionalWorkingFactor": 0,
"WorkingFactor": 1,
"noviciateEndingDate": "2024-08-07",
"seniorityDate": "0001-01-01",
"employmentDate": "2024-04-08",
"employmentContractCode": "10",
"terminationDate": "0001-01-01",
"WorkstationCode": "TLN",
"WorkstationName": "Tallinn",
"managerNo": "T0001",
"managerName": "Kalle Kuusk",
"managerJob": "Turvajuht",
"level1No": "1060",
"level1Name": "Teenindus- ja juhtimiskeskus",
"level2No": "1061",
"level2Name": "Teeninduskeskus",
"level3No": "",
"level3Name": "",
"level4No": "",
"level4Name": "",
"statistics1Code": "",
"statistics2Code": "",
```

```
"dimension1Code": "1060",
"dimension2Code": "",
"dimension3Code": "",
"dimension4Code": "",
"dimension5Code": "",
"dimension6Code": "",
"dimension7Code": "",
"dimension8Code": "",
"dimension1Name": "Teenindus- ja juhtimiskeskus",
"dimension2Name": "",
"dimension3Name": "",
"dimension4Name": "",
"dimension5Name": "",
"dimension6Name": "",
"dimension7Name": "",
"dimension8Name": "",
"customField1": "M",
"customField2": "",
"customField3": "",
"customField4": "",
"customField5": "",
"customField6": "",
"customField7": "",
"customField8": "",
"customField9": "",
"customField10": "",
"customTextField": "",
"customTextField2": "",
"customTextField3": "",
"customTextField4": "",
"customTextField5": "",
"customTextField6": "",
"customTextField7": "",
"customTextField8": "",
"customTextField9": "",
"customTextField10": "",
"systemId": "29c06b34-f0f7-ee11-b858-000d3a2059de",
"timestamp": 44770756,
"entryGUID": "8631d5f3-49eb-4137-8891-4b43a60686f8",
"PrevHealthCheck": "2024-04-15",
"NextHealthCheck": "2026-04-11",
"systemCreatedAt": "2024-04-11T10:42:34.98Z",
"systemModifiedAt": "2024-04-15T10:25:58.197Z",
"PostingGroup": "KAUDNE"
},
...
```

## 7.17. Ettevõtte puudumiste päring iseteenindusest

Andmeid päritakse tabelist PER EP Absence (24008840). Päringuga on võimalik kätte saada iseteenindusportaali ettevõtte töötajate puudumiste info.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PER EP Absence (24008840)
EntryNo	Integer		Entry No
indentation	Integer		Indentation
employeeNo	Code		Employee No
employeeName	Text		Employee Name
fromDate	Date		From Date
toDate	Date		To Date
Description	Text		Description
days	Integer		Days
hours	Decimal		Hours
status	Option		Status
requestNo	Code		Request No
substituentNames	Text	Kuvatakse asendajaid 1,2,3,4	Substituent Name

Näidis päringu aadress:

[https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS\\_Itera\\_Payroll365/Absences/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/allAbsences](https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/Absences/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/allAbsences)

Näidis päringu vastus:

```
{
  "@odata.context":
  "https://palktest.itera.ee:8348/PALK20APPTESTAAD/api/BCS_Itera_Payroll365/Absences/v2.0/$metadata#companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/allAbsences",
  "value": [
    {
      "@odata.etag": "W/\"JzIwOzEwODM0OTcwMDIwODYzNDE2MTE0MTswMDsn\"",
      "entryNo": 3000000,
      "indentation": 0,
      "employeeNo": "T0009",
      "employeeName": "-",
      "fromDate": "2020-01-01",
      "toDate": "0001-01-01",
      "description": "Lapsehoolduspuhkus",
      "days": 0,
      "hours": 0,
      "status": "Inactive",
      "requestNo": "",
      "substituentNames": ""
    },
    {
      "@odata.etag": "W/\"JzIwOzEzOTk2ODU2Nzk4OTk5OTQ3MjU4MTswMDsn\"",
      "entryNo": 3000006,
      "indentation": 0,
      "employeeNo": "T0040",
      "employeeName": "-",
      "fromDate": "2020-09-01",
      "toDate": "0001-01-01",
    }
  ]
}
```

```

      "description": "Absence",
      "days": 0,
      "hours": 0,
      "status": "Inactive",
      "requestNo": "",
      "substituentNames": ""
    },
    ...

```

### 7.18. Tööajatabeli kanded

Andmeid päritakse tabelist PLK Working Schedule Entries (24002101). Päringuga on võimalik kätte saada kõigi tööajatabelite kanded töötaja kohta kande rea kaupa.

Välja nimetus	Tüüp	Märkus	Andmed tabelist PLK Working Schedule Entries (24002101)
<b>workingScheduleGroupNo</b>	Code		Working Schedule Group No
<b>employeeNo</b>	Code		Employee No.
<b>date</b>	Date		Date
<b>entryNo</b>	Integer		Entry No
<b>lineNo</b>	Integer		Line No
<b>employeeName</b>	Text		Employee Name
<b>employeeJobTitle</b>	Text		Employee Job Title
<b>weekday</b>	Option	E/T/K/N/R/L/P	Weekday
<b>entryType</b>	Code		Entry Type
<b>workingShiftCode</b>	Code		Working Shift Code
<b>since</b>	Time		Since
<b>till</b>	Time		Till
<b>hours</b>	Decimal		Hours
<b>normalHours</b>	Decimal		Normal Hours
<b>eveningHours</b>	Decimal		Evening Hours
<b>nightHours</b>	Decimal		Night Hours
<b>holidayHours</b>	Decimal		Holiday Hours
<b>holidayNormalHours</b>	Decimal		Holiday Normal Hours
<b>holidayEveningHours</b>	Decimal		Holiday Evening Hours
<b>holidayNightHours</b>	Decimal		Holiday Night Hours
<b>breakSince</b>	Time		Break Since
<b>breakTill</b>	Time		Break Till
<b>breakHours</b>	Decimal		Break Hours
<b>breakNormalHours</b>	Decimal		Break Normal Hours
<b>breakEveningHours</b>	Decimal		Break Evening Hours
<b>breakNightHours</b>	Decimal		Break Night Hours

<b>breakHolidayNormalHours</b>	Decimal		Break Holiday Normal Hours
<b>breakHolidayEveningHours</b>	Decimal		Break Holiday Evening Hours
<b>breakHolidayNightHours</b>	Decimal		Break Holiday Night Hours
<b>dayOvertimeHours</b>	Decimal		Day Overtime Hours
<b>shortenedNominalHours</b>	Decimal		Shortened Normal Hours
<b>quantity</b>	Decimal		Quantity
<b>hourCost</b>	Decimal		Hour Cost
<b>amount</b>	Decimal		Amount
<b>valueType</b>	Option	Tund/Kogus/Summa/Paus	Value Type
<b>percentage</b>	Decimal		Percentage
<b>causeOfAbsenceCode</b>	Code		Cause of Absence Code
<b>description</b>	Text		Description
<b>perJobNo</b>	Code		PER Job No.
<b>perJobDescription</b>	Text		PER Job Description
<b>perTaskNo</b>	Code		PER Task No.
<b>perTaskDescription</b>	Text		PER Task Description
<b>routeCode</b>	Code		Route Code
<b>routeVersionCode</b>	Code		Route Version Code
<b>routeDayCode</b>	Date		Route Day Code
<b>payrollDimension1Code</b>	Code		Payroll Dimension Code 1
<b>payrollDimension2Code</b>	Code		Payroll Dimension Code 2
<b>payrollDimension3Code</b>	Code		Payroll Dimension Code 3
<b>payrollDimension4Code</b>	Code		Payroll Dimension Code 4
<b>payrollDimension5Code</b>	Code		Payroll Dimension Code 5
<b>payrollDimension6Code</b>	Code		Payroll Dimension Code 6
<b>payrollDimension7Code</b>	Code		Payroll Dimension Code 7
<b>payrollDimension8Code</b>	Code		Payroll Dimension Code 8
<b>planAccepted</b>	Boolean	Yes/No	Plan Accepted
<b>submitted</b>	Boolean	Yes/No	Submitted
<b>accepted</b>	Boolean	Yes/No	Accepted
<b>acceptedTime</b>	DateTime		Accepted Time
<b>registered</b>	Boolean	Yes/No	Registered

comment	Text		Comment
entryGUID	GUID		Entry GUID
SystemCreatedAt	DateTime		System Created At
SystemModifiedAt	DateTime		System Modified At

Näidis päring:

[https://palktest.itera.ee:8348/PALK20APPTTESTAAD/api/BCS\\_Itera\\_Payroll365/WorkingSchedule/v2.0/companies\(e5b4a36e-b3b3-eb11-b82e-000d3a2059de\)/workingScheduleEntries](https://palktest.itera.ee:8348/PALK20APPTTESTAAD/api/BCS_Itera_Payroll365/WorkingSchedule/v2.0/companies(e5b4a36e-b3b3-eb11-b82e-000d3a2059de)/workingScheduleEntries)

Näidis päringu vastus:

```
{
  "@odata.etag": "W/\"JzE50zQ4NDA2NjczMjk5MzcwNTQyMTYxOzAwOyc=\"",
  "workingScheduleGroupNo": "002",
  "employeeNo": "T0006",
  "date": "2024-04-01",
  "entryNo": 1,
  "lineNo": 0,
  "employeeName": "Tatjana Müür",
  "employeeJobTitle": "Vahetuse vanem",
  "weekday": "Mo",
  "entryType": "RIKE_\\",
  "workingShiftCode": "",
  "since": "12:00:00",
  "till": "14:00:00",
  "hours": 0,
  "normalHours": 0,
  "eveningHours": 0,
  "nightHours": 0,
  "holidayHours": 0,
  "holidayNormalHours": 0,
  "holidayEveningHours": 0,
  "holidayNightHours": 0,
  "breakSince": "14:00:00",
  "breakTill": "16:00:00",
  "breakHours": 2,
  "breakNormalHours": 2,
  "breakEveningHours": 0,
  "breakNightHours": 0,
  "breakHolidayNormalHours": 0,
  "breakHolidayEveningHours": 0,
  "breakHolidayNightHours": 0,
  "dayOvertimeHours": 0,
  "shortenedNominalHours": 0,
  "quantity": 0,
  "hourCost": 0,
  "amount": 0,
  "valueType": "Hour",
  "percentage": 0,
  "causeOfAbsenceCode": "",
  "description": "",
  "perJobNo": ""
```

```
"perJobDescription": "",
"perTaskNo": "",
"perTaskDescription": "",
"routeCode": "ELEKTER",
"routeVersionCode": "E-R",
"routeDayCode": "2024-04-01",
"payrollDimension1Code": "1050",
"payrollDimension2Code": "",
"payrollDimension3Code": "",
"payrollDimension4Code": "",
"payrollDimension5Code": "",
"payrollDimension6Code": "",
"payrollDimension7Code": "",
"payrollDimension8Code": "",
"planAccepted": false,
"submitted": false,
"accepted": false,
"acceptedTime": "0001-01-01T00:00:00Z",
"registered": false,
"comment": "Rikketasu 2h",
"entryGUID": "ea343a52-5090-44d1-91e3-6a1b97cd6ec6",
"SystemCreatedAt": "2024-04-16T07:05:33.097Z",
"SystemModifiedAt": "2024-04-16T07:05:39.397Z"
},
{
  "@odata.etag": "W/\\"JzIwOzEyNzEyMTQ1ODcxNDk4NzgwnjQ3MTswMDsn\"",
  "workingScheduleGroupNo": "002",
  "employeeNo": "T0006",
  "date": "2024-04-02",
  "entryNo": 1,
  "lineNo": 0,
  "employeeName": "Tatjana Müür",
  "employeeJobTitle": "Vahetuse vanem",
  "weekday": "Tu",
  "entryType": "LISATASU",
  "workingShiftCode": "",
  "since": "00:00:00",
  "till": "00:00:00",
  "hours": 0,
  "normalHours": 0,
  "eveningHours": 0,
  "nightHours": 0,
  "holidayHours": 0,
  "holidayNormalHours": 0,
  "holidayEveningHours": 0,
  "holidayNightHours": 0,
  "breakSince": "00:00:00",
  "breakTill": "00:00:00",
  "breakHours": 0,
  "breakNormalHours": 0,
  "breakEveningHours": 0,
```



```
"breakNightHours": 0,
"breakHolidayNormalHours": 0,
"breakHolidayEveningHours": 0,
"breakHolidayNightHours": 0,
"dayOvertimeHours": 0,
"shortenedNominalHours": 0,
"quantity": 1,
"hourCost": 0,
"amount": 200,
"valueType": "Amount",
"percentage": 0,
"causeOfAbsenceCode": "",
"description": "",
"perJobNo": "",
"perJobDescription": "",
"perTaskNo": "",
"perTaskDescription": "",
"routeCode": "",
"routeVersionCode": "",
"routeDayCode": "0001-01-01",
"payrollDimension1Code": "1050",
"payrollDimension2Code": "",
"payrollDimension3Code": "",
"payrollDimension4Code": "",
"payrollDimension5Code": "",
"payrollDimension6Code": "",
"payrollDimension7Code": "",
"payrollDimension8Code": "",
"planAccepted": false,
"submitted": false,
"accepted": false,
"acceptedTime": "0001-01-01T00:00:00Z",
"registered": false,
"comment": "Lisatasu tööajatabelist",
"entryGUID": "44fb760c-1c71-4510-b723-a953c4870f08",
"SystemCreatedAt": "2024-04-16T07:06:12.28Z",
"SystemModifiedAt": "2024-04-16T07:06:34.017Z"
},
...
```

## 7.19. Andmeedastuse staatuse muutmine

Andmeedastuse staatuse uuenduste saatmine BC tabelisse PER API Register Import History(42008338).

Välja nimetus	Tüüp	Märkus	Andmed kirjutatakse tabelisse PER API Register Import Hist. (24008338)
SoapEntryNo	BigInteger		SOAP Entry No.

no	Integer	Veateated: <ul style="list-style-type: none"> <li>Kui No on täitmata: 'No. must be filled'</li> <li>Kui registri no-d ei ole võimalik BC-st leida Register No. %1 does not exist</li> </ul>	No.
dataSendingStatus	Option	Not Sent, Sent, Failure on Send, Send in Progress, On Hold, Canceled	Data Sending Status

Näidis päringu aadress:

[http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/api/BCS\\_Itera\\_Payroll365/Payroll/v2.0/companies\(77f87ebb-df3c-ec11-b834-000d3a2059de\)/updateRegisterDataSendingStatus](http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/updateRegisterDataSendingStatus)

Näidis päringu JSON:

```
{
  "no": 276,
  "dataSendingStatus": "Sent"
}
```

Näidis päringu vastus:

```
{
  "@odata.context":
"http://palk.westeurope.cloudapp.azure.com:7448/PALK20APPTTEST/api/BCS_Itera_Payroll365/Payroll/v2.0/$metadata#companies(77f87ebb-df3c-ec11-b834-000d3a2059de)/updateRegisterDataSendingStatus/$entity",
  "@odata.etag": "W/\\"JzIwOzExMjQ2MDY1ODIwODkwMzMxNDM3MTswMDsn\"",
  "soapEntryNo": 1,
  "no": 276,
  "dataSendingStatus": "Sent"
}
```