

planetmath.org

Math for the people, by the people.

weight (strings)

Canonical name Weightstrings

Date of creation 2013-03-22 15:13:17 Last modified on 2013-03-22 15:13:17 Owner GrafZahl (9234) Last modified by GrafZahl (9234)

Numerical id 6

Author GrafZahl (9234)

Entry type Definition
Classification msc 94A55
Synonym weight
Related topic KleeneStar

Defines Hamming weight

Let A be an alphabet, $a \in A$ a letter from A and $c \in A^*$ a string over a. Then the a-weight of c, denoted by $\operatorname{wt}_a(c)$, is the number of times a occurs in c.

If A is an abelian group, the Hamming weight $\operatorname{wt}(c)$ of c (no), often simply referred to as "weight", is the number of nonzero letters in c.

Examples

- Let $A = \{x, y, z\}$. In the string c := yxxzyyzxyzzyx, y occurs 5 times, so the y-weight $\operatorname{wt}_y(c) = 5$.
- Let $A = \mathbb{Z}_3 = \{0, 1, 2\}$ (an abelian group) and c := 002001200. Then $\operatorname{wt}_0(c) = 6$, $\operatorname{wt}_1(c) = 1$, $\operatorname{wt}_2(c) = 2$ and $\operatorname{wt}(c) = \operatorname{wt}_1(c) + \operatorname{wt}_2(c) = 3$.