

CODE ANALYSIS

SPACE	SPACE TYPE (function of space)	AREA (SF)	SF PER OCCUPANT	OCCUP. LOAD	WC REQUIRED	TOILETS
CLASSROOMS	EDUCATION	4246.13	50	212	1 per 50	4
OFFICES	BUSINESS	767.54	100	6	1 per 25	1
CONFERENCE	BUSINESS	324.29	100	22	1 per 25	1
DAYCARE	DAYCARE	1136.87	35	32	1 per 15	2

NOTE THAT ANY ASSEMBLY SPACES SUCH AS CONFERENCE / MEETING / COLLAB / HUDDLE / BREAK ROOMS SHOWN ARE LESS THAN 750 SF IN AREA AND THEREFORE CLASSIFIED AS A GROUP B OCCUPANCY ACCORDING TO IBC SECTION 303.1.2. SEE PLAN FOR OCCUPANT LOADS PER ROOM.

APPLICABLE CODES

INDIANA BUILDING CODE	2014 EDITION (IBC, 2012 EDITION, 675 IAC 13-2.6)
HANDICAPPED ACCESSIBILITY CODE	2014 INDIANA BUILDING CODE CHAPTER 11, ANSI A 117.1-2009, 675 IAC 13-2.6-12)
INDIANA FIRE CODE	2014 EDITION (IFC 2012 EDITION, 675 IAC 22-2.5)
INDIANA PLUMBING CODE	2012 EDITION (IPC 2006 EDITION, 675 IAC 16-1.4)
INDIANA ELECTRICAL CODE	2009 EDITION (2008 NFPA 70, 675 IAC 17-1.8)
INDIANA MECHANICAL CODE	2014 EDITION (IMC, 2012 EDITION, 675 IAC 18-1.6)
ENERGY CONSERVATION CODE	2010 (ASHREA 90.1, 2007 EDITION, 675 IAC 19.3)

SCOPE OF WORK	EDUCATION FACILITY
PREVIOUS USE OF SPACE	-

OCCUPANCY

OCCUPANCY CLASSIFICATION	E (EDUCATIONAL)
CHANGE OF OCCUPANCY CLASS	PARTIAL DAYCARE AREA??

ACTUAL BUILDING AREA

TOTAL BUILDING AREA	28,800 SF (MAIN FLOOR)	X	1 STORIES	=	28,800 SF
TOTAL PROJECT AREA	11,790 SF				
BUILDING AREA HEIGHT	-				

TABULAR OCCUPANT LOAD

OCCUPANT LOAD FACTOR	-
TOTAL OCCUPANT LOAD	272

EGRESS

NUMBER OF EXITS	REQUIRED: 2	PROVIDED: 4
-----------------	-------------	-------------

AUTOMATIC SPRINKLER SYSTEM

SPRINKLER SYSTEMS (YES/NO)	YES - EXISTING TO REMAIN
TOTAL AREA OF ACCESSORY USES	
TOTAL AREA ON THE FLOOR	28,800 SF
BUILDING CONSTRUCTION TYPE	II-B

INTERIOR WALL AND CEILING FINISH REQUIREMENTS

SEE FINISH SCHEDULE MATERIALS
ALL MATERIAL ARE CALSS A RATED

FIRE RESISTANT REQUIREMENTS

STRUCTURAL FRAME	
EXTERIOR BEARING WALLS	
INTERIOR BEARING WALLS	
EXTERIOR NON-BEARING WALLS	
INTERIOR NON-BEARING WALLS	
FLOOR CONSTRUCTION	
ROOF CONSTRUCTION	
SHAFTS	

FIRE RESISTANCE RATED CONSTRUCTION

RATED EXTERIOR WALLS	
FIRE SEPARATION DISTANCE	
UNPROTECTED OPENING AREA	





FIRE PROTECTION SYSTEMS

STANDPIPE SYSTEM	
PORTABLE FIRE EXTINGUISHERS	
FIRE ALARM AND DETECTION SYSTEMS	
SMOKE CONTROL SYSTEMS	
SMOKE AND HEAT VENTS	

TABULAR OCCUPANT LOAD

OCCUPANT LOAD FACTOR	
TOTAL OCCUPANT LOAD	

SYMBOLS

	KEYED NOTE
	ACCESSORY TAG
	ROOM TAG
	ROOM TAG
	ENLARGE PLAN
	BATT INSULATION
	NEW DOOR WITH DOOR NUMBER
	EXISTING DOOR
	DEMO'D DOOR
	DEMO'D WALL
	WALL TYPE

DRAWINGS

ARCHITECTURAL

A000	INDEX
A001	EXISTING FLOOR PLAN
A002	DEMOLITION PLAN
A003	LIFE SAFETY PLAN
A004	PROPOSAL FLOOR PLAN
A005	REFLECTED CEILING PLAN
A006	ENLARGE PLANS
A007	DOOR SCHEDULES
A008	WALL TYPES

ALTERATION AND/OR DUPLICATION OF THIS DOCUMENT IS PROHIBITED WITHOUT THE SPECIFIC CONSENT OF THIS PROJECT'S OWNER AND ALLEATO GROUP, LLC.

ALLEATO
GROUP
Your partner from the ground up.

8383 Craig Street St# 150,
Indianapolis, IN 46250
bcllymer@alleatgroup.com
T: 317 740 0099

GOODWILL BART

940 N MARR ROAD
COLUMBUS, IN 47201

[illegible]

COPYRIGHT: ALLEATO GROUP	
PROJ MANAGER:	B.C
CODE ANALYSIS AND SYMBOLS	
A.00	