

YOUR STORAGE SOLUTION



**"STORAGE
MADE
SIMPLE"**



STEEL RACKING SYSTEMS

2 in 1 Boltless Rack (5level)



Height:
1829mm

Decking Material:
Metal Shelf

Depth:
350mm

Loading Capacity:
100kgs USWL/level

Length:
900mm

Color:
White / Black



Boltless Racking System (1.5mm)

Height:

1220/1520/1840/2160/2440/3040mm

Depth:



300/450/600/750/900mm

Length:


600/900/1200/1500/1800/2400mm

Decking Material:

HDF Board / Plywood /
Metal Shelf



Cap Type Metal Shelf



Bending Metal Shelf

Loading Capacity:

100 - 400 kgs UDL per level



Color:

Blue & Yellow / Beige / Black



Gondola Rack



Gondola with Back Panel

Back Netting



Wall Gondola



End Gondola



Island Gondola

Wall / End Gondola

Height	1200mm , 1500mm , 1800mm , 2100mm , 2400mm
Length	900mm , 1200mm
Depth	350mm (Top Shelving) , 400mm (Bottom Shelving)

Island Gondola

Height	1200mm , 1500mm , 1800mm , 2100mm , 2400mm
Length	900mm , 1200mm
Depth	350mm (Top Shelving) , 400mm (Bottom Shelving)




Medium Duty




Racking System



Upright



Beam



Height:

1200/1500/1800/2400/3000/3600/4800mm

Depth:

300/600/900/1200mm

Length:

1500/1850/2460/2700mm

Decking Material:

Plywood / HDR Metal Shelf

Loading Capacity:

300 - 900 kgs UDL per level


Color:

Blue & Orange

Heavy Duty




Racking System




Upright


Box Beam



Base Plate




Decking Material



Hitech offers various type of heavy duty steel racking that can take weight up to 1-4tons. This is highly durable, stringently tested product.




Selective Racking System




Selective Racking System provides 100% accessibility and ensures smooth, practically obstacles-free and faultless stock rotation.

Hitech offers a full range of compatible accessories for various pallet types, sizes and weights for the system.




Plan View




Side Elevation

Double - Deep Racking System




Double-deep Racking System is designed to increase storage capacity and it is capable to store two pallets in a single-entry rack or four pallets deep in a double-entry rack.

This system is particularly beneficial when the throughput is low while fast movement of pallets is not critical. A special reaching truck with double-pantograph or extendable fork is needed for this racking system.



Plan View





Side Elevation


Drive In Racking System



This Drive In Racking System consists of blocks undivided by aisles which provides maximum storage capacity by using only minimum space. It designed to suit the storage of homogeneous products in large quantity efficiently. Picking and storage is facilitated by forklift trucks driving right into the racks. The picking and replenishing are carried out from one side.




Plan View




Side Elevation

Very Narrow Aisle(VNA) Racking System



Plan View




Side Elevation

This system maintains the essential 100% accessibility and outstanding goods protection feature to ensure quick picking rate and flawless stock rotation with the narrowest aisle.

Hitech's VNA System is designed carefully with no compromise on durability and safety. It features aisles that are marginally yet sufficiently wider than the loads, making full use of roof height to create ultimate storage capacity for space-concerned customers.

VNA forklift truck equipment that comes with either man-up or man-down cabins that are capable of reaching higher beam levels are used in this exceptionally competent system.



Heavy Duty Rack




Supported Platform


Hitech's heavy duty rack supported platform makes the storage and picking of small or medium sized goods more easy and cost effective.

Accessible by staircases and loading gates, the exposed areas of the platform are installed with safety handrails.

Structural steel staircase and steel floor joints for uniform strength



Plan View



Side Elevation

Superblock Rack




Supported Platform




Superblock Rack Supported Platform allows you to create office spaces on or below the foundation of the racking systems. Besides, you can also maximize your storage by using this platform.

You can choose among plywood, metal plank as the floor decking material.



Plan View




Side Elevation




Cantilever Racking System



Cantilever Racking System is designed specially to store your products that is long in size such as hollow pile, rubber pile, which length is around 3-6 meter.



Push Back Racking System



Push Back Rack is a first-in-last-out gravity storage system that use the carts which are pushed along the rails. the rails are installed at a certain slope inside the racking lanes. When it is loaded, the cart will slide on the rails because of the pallet's weight.

When loading the stock, load the first pallet on the top cart, then push the top pallet inside the rack, load the second pallet on the next cart, the following pallets are the same operation. During unloading, when the front pallet is removed, the next pallet rolls forward to the pick-face.

It doesn't need a forklift to go into the racking lanes, which reduces the risk of accidents and damage to the racks.



Pallet Flow




Racking System



Pallet flow rack is gravity flow storage system designed for first-in, first-out applications, which is suitable for perishable products. This system needs separate loading and unloading aisles,

The pallets travel from one aisle end to another with the rollers set on a slight slope downward from the load end to the unload end by gravity force. The forklifts do not have to move inside the racking lanes as the pallets will roll toward the unload end.

With this method, the first pallet that enters the level is the first to exit, which makes for perfect product rotation.



Automated Storage & Retrieval Systems



Automated Storage and Retrieval Systems (ASRS) leverage software, computers, and robotics to streamline handling, storing, and retrieving items in a warehouse. Different technologies and vehicles are applied to automate the retrieval and deposition of high-volume loads. Accurate, real-time inventory data eliminates the need for physical inventory inspections.





Radio Shuttle Racking System



Radio shuttle is a semi-automated storage and retrieval system that uses electric radio shuttle to runs inside the rails of racking lanes, with forklift pick up at the end. The loading and unloading of pallets into the racking lanes can be easily managed by a remote control.

Radio shuttle racks can be organized to suit both First-In-Last-Out and First-In-First-Out requirements. For the latter, pallets can be accessed at both ends of each lane.





Other



Plastic Pallet



Pallet Mesh



Pallet Tainers



Plastic Container




Stacker



Mobile Staircase



Other



Crash Barrier



Column Guard



Trolley



Pallet Truck



Oppa Rack



Gondola