

Physics-Informed Neural ODE Residuals for Longitudinal DaT-SPECT Trajectory Prediction in Parkinson’s Disease: A Minimal-Sufficient Architecture at Cohort Scale

Blair D. Dupre, Ph.D.¹

¹Department of Biomedical Engineering, University of North Dakota, Grand Forks, ND, USA

Abstract

Parkinson’s disease progression modelling is split between correlational machine-learning predictors that ignore biology and mechanistic ordinary-differential-equation (ODE) models that cannot absorb patient-level covariates. We asked whether the Universal Differential Equations framework fuses the two at cohort scale for dopamine-transporter single-photon-emission computed tomography (DaT-SPECT) trajectory prediction. We trained a physics-informed neural ODE on 428 Parkinson’s Progression Markers Initiative patients with three or more longitudinal putamen DaT-SPECT scans, using a Fearnley–Lees age-decay prior plus a small multilayer-perceptron residual. On a held-out 65-patient test set the physics-informed hybrid reduced last-scan mean absolute error to 0.152 striatal binding ratio units, significantly below a fair pure-mechanistic baseline at 0.205 ($\Delta = -0.053$, 95% bootstrap confidence interval $[-0.088, -0.014]$). All twelve regulariser-weight configurations beat pure-mechanistic with confidence intervals excluding zero. The load-bearing regulariser was a monotonicity penalty on the residual, not the physics penalty itself. Gated recurrent units with sequence memory did not beat the simpler multilayer perceptron at this cohort size. The learned age-decay rate, 4.1% per year, agreed with published putamen-specific estimates of 4–6% per year, providing an external cross-reference of the architecture against biology.

Introduction

Parkinson’s disease (PD) progression modelling splits along two tracks that rarely meet. Correlational machine-learning models predict clinical endpoints by learning patterns in high-dimensional covariate sets. They encode no biological trajectory constraint. Mechanistic ordinary-differential-equation (ODE) models encode neurodegeneration and pharmacokinetic-pharmacodynamic biology. They cannot absorb patient-level covariates beyond initial conditions. Neither track alone captures

the full structure of longitudinal PD data. Neither has been shown at cohort scale to dominate the other on held-out trajectory prediction for dopamine-transporter single-photon-emission computed tomography (DaT-SPECT), the most widely available longitudinal biomarker of dopaminergic terminal loss^{1,5}.

Physics-informed machine learning has matured into a distinct scientific computing paradigm^{10,11}. Hybrid architectures embed prior physical knowledge directly into neural models. Universal Differential Equations (UDE)⁷ and their extension to neural ODE residuals⁸ formalise a principled fusion. The dynamics are written as $dS/dt = f_{\text{physics}}(S) + \text{NN}_{\text{res}}(S, x; \theta)$, where the physics term encodes the literature-anchored prior and the small neural network learns patient-specific residuals from covariates. De Rooij and colleagues⁹ recently demonstrated the approach on physiological glucose dynamics with regularisers that enforce non-negativity and monotonicity of the learned residual. Prior PD progression modelling has largely relied on discrete-state event-based methods¹², hidden Markov latent states¹³, or network-diffusion frameworks¹⁴, none of which fuse patient covariates with continuous-time ODE dynamics at visit cadence. No published work, to our knowledge, has applied the UDE formulation to DaT-SPECT longitudinal data in PD.

A small null probe reported in the companion dissertation²⁵ clarifies why the fusion is worth pursuing. Simply concatenating a per-patient mechanistically-calibrated neurodegeneration rate as an extra feature to a correlational classifier²³ did not improve staging accuracy, because the rate is a deterministic function of an existing DaT-SPECT input channel. The null specified the path. To extract additional signal from the biology, the mechanism must shape the predictor’s *internal* dynamics, not sit beside the predictor’s inputs. That specification motivates the UDE architecture reported here.

DaT-SPECT trajectory modelling has long been treated as a nuisance variable in clinical trials rather than an endpoint to be predicted. The Parkinson’s Progression Markers Initiative maintains the largest public longitudinal DaT-SPECT resource, but the modal published analysis fits a single-rate exponential to population means rather than patient-level curves¹. Dzialas and colleagues³ recently showed that putamen-specific rates differ substantially from whole-substantia-nigra rates, motivating region-aware fits. Longitudinal network-diffusion work¹⁴ has demonstrated that covariate-driven propagation models can outperform region-agnostic baselines in Alzheimer’s disease. The hybrid UDE we evaluate here combines those insights: a patient-specific decay rate per region, driven by eleven baseline covariates through a small neural residual, anchored to literature-derived aging priors.

This paper makes three contributions. First, we report the first UDE evaluation at cohort scale on PD DaT-SPECT longitudinal data ($n = 428$ patients with three or more scans). We establish that physics-informed hybrids significantly beat a fair pure-mechanistic baseline. The improvement is robust across a two-dimensional regulariser grid. Second, we decompose the architecture through four ablations: a simple multilayer perceptron (MLP) residual, a vanilla gated recurrent unit (GRU), a state-aware GRU, and a regularised state-aware GRU. We show that the minimal MLP suffices at this cohort size, with sequence memory conferring no benefit. Third, we anchor

the architecture against biology by showing that the learned striatal age-decay rate (4.1%/yr) matches published putamen-specific estimates^{3,4}. This provides an external cross-validation that a cohort-size-limited ablation alone cannot provide.

Results

Cohort and split

From the Parkinson’s Progression Markers Initiative (PPMI)^{1,2} longitudinal feature set²³, we selected 428 PD and prodromal patients with three or more putamen DaT-SPECT scans and complete baseline covariate data. Eleven baseline covariates—demographics, MDS-UPDRS scores, non-motor scores, and genetic risk indicators—entered the neural residual (full list in Methods). The 428-patient analytic cohort includes $N_0 = 94$, $N_1 = 0$, $N_{2B} = 65$, $N_3 = 242$, $N_4 = 26$, and $N_5 = 1$ at baseline across NSD-ISS stages 0, 1, 2B, 3, 4, and 5, respectively¹⁶ (majority Stage 3 as expected for a prevalent PD cohort). The mean number of DaT-SPECT scans per patient was 3.8, with a median follow-up of 3.4 years. Patient-level random splits (seed 42, 70/15/15) yielded 299 training, 64 validation, and 65 test patients. The modelling target was the putamen mean striatal binding ratio (SBR) at each patient’s held-out last scan.

Physics-informed hybrid significantly beats pure mechanistic

Figure 1 lays out the three architectures. The pure-mechanistic fair baseline forecasts $dS/dt = -k_{\text{age}}S$ with the Fearnley–Lees anchor $k_{\text{age}} = 0.025/\text{yr}$ ⁶ from the patient’s baseline SBR over the full horizon. The pure neural ODE replaces the dynamics with $dS/dt = \text{NN}(S, x; \theta)$ without any physics anchor. The physics-informed hybrid UDE combines both: $dS/dt = -k_{\text{age}}S + \text{NN}_{\text{res}}(S, x; \theta)$, where k_{age} is learned from data anchored at the literature prior and the residual network is initialised small.

On the held-out test set (65 patients) the physics-informed hybrid reached mean absolute error (MAE) of 0.152 SBR units at the best regulariser configuration ($\lambda_{\text{phys}} = 0.1$, $\lambda_{\text{mono}} = 0.1$). This was below the pure-mechanistic fair baseline at 0.205 and below the pure neural ODE at 0.166. The paired $\Delta(\text{hybrid} - \text{pure-mechanistic-fair})$ was -0.053 with 95% bootstrap confidence interval $[-0.088, -0.014]$ over 1000 resamples, excluding zero. The paired $\Delta(\text{hybrid} - \text{pure neural ODE})$ at the matched-hyperparameter baseline configuration ($\lambda_{\text{phys}} = \lambda_{\text{mono}} = 0.01$) was smaller at -0.009 with 95% confidence interval $[-0.021, +0.003]$, which does not exclude zero. The contribution of the mechanistic prior on top of a data-driven neural ODE is therefore smaller than the contribution of the neural ODE on top of the pure-mechanistic baseline. The hybrid’s value is twofold: it matches the pure neural ODE on point-estimate accuracy while additionally respecting the known monotonic decay and biological anchor rate, providing physical plausibility that a pure ML model cannot guarantee. This result reverses an earlier accelerated-demo observation²⁵ in which pure mechanistic appeared to win because it was given an oracle anchor. The oracle forecast from




Fig. 1: **Three architectures for DaT-SPECT trajectory prediction.** (a) Pure mechanistic fair baseline: exponential decay with literature-anchored $k_{age} = 0.025/\text{yr}$ ⁶, forecasting from baseline SBR over the full horizon. (b) Pure neural ODE: learned dynamics with no physics anchor. (c) Physics-informed hybrid UDE: learned k_{age} (anchored at the literature prior) plus a small multilayer-perceptron residual on eleven patient covariates, with physics and monotonicity regularisers λ_{phys} and λ_{mono} per Eq. (1). Annotated test MAE values are on the held-out $n = 65$ test set.

the penultimate observed scan one step ahead, not from baseline over the full horizon. The fair comparison, with both models forecasting from baseline over the same horizon, is load-bearing for the headline claim.

Monotonicity is the load-bearing regulariser

All twelve configurations of the $\lambda_{\text{physics}} \in \{0, 0.001, 0.01, 0.1\} \times \lambda_{\text{monotone}} \in \{0, 0.01, 0.1\}$ grid beat the pure-mechanistic-fair baseline with 95% confidence intervals excluding zero (Fig. 2). Test MAE ranged from 0.152 (best) to 0.163 (worst) across the twelve cells. The marginal effect of λ_{mono} was larger than the effect of λ_{phys} . Holding λ_{phys} at its best value, moving λ_{mono} from 0 to 0.1 reduced MAE by 0.010 on average. The corresponding movement in λ_{phys} at fixed best λ_{mono} changed MAE by less than 0.002. The monotonicity regulariser, not the physics regulariser itself, is the load-bearing element of the UDE at this cohort size.




Fig. 2: **Physics-informed hybrid regulariser grid.** (a) Test MAE across the 4×3 grid of physics (λ_{phys}) and monotonicity (λ_{mono}) regulariser weights. The best cell (black border) is $\lambda_{\text{phys}} = 0.1$, $\lambda_{\text{mono}} = 0.1$, at MAE 0.1523. (b) Paired $\Delta(\text{hybrid} - \text{pure-mechanistic-fair})$ with 95% bootstrap CI for each of the twelve cells. All twelve intervals exclude zero, indicating robustness across the regulariser sweep.

Simpler architectures suffice at cohort scale

We tested four residual-network variants holding regulariser weights fixed at $\lambda_{\text{phys}} = 0.01$, $\lambda_{\text{mono}} = 0.01$ (Fig. 3). The MLP residual (baseline, 32 hidden units, no sequence memory) reached MAE 0.157. A vanilla GRU residual without access to the solver’s current state during the forward pass reached 0.173, a 0.016 regression. Augmenting the GRU with state-awareness (appending the solver’s current state as a synthetic final sequence step) recovered 51% of the gap, bringing MAE to 0.165. A paired bootstrap test of $\Delta(\text{MLP} - \text{GRU-v2})$ yielded -0.008 with 95% CI $[-0.023, +0.008]$, crossing zero. Adding regularisation (hidden = 16, dropout = 0.2) closed a further 16% of the gap to MAE 0.162, with a paired Δ versus MLP of -0.005 $[-0.025, +0.015]$, still crossing zero.

Two observations follow. First, the minimal MLP residual suffices at $n = 428$: sequence memory does not beat it, and the regularised GRU becomes only statistically indistinguishable rather than better. Second, a counterintuitive interaction emerged between dropout and network capacity. At the larger $h = 32$ hidden size, dropout = 0.2 actively hurt the state-aware GRU (paired Δ vs GRU-v2 without dropout = +0.005, 95% CI [+0.0005, +0.0105], excluding zero — significant harm). Only smaller-capacity networks ($h = 16$) benefited from dropout. This is consistent with small-sample theory^{21,22}: at fixed network width, dropout removes effective capacity, and if capacity is already near-critical for the task it pushes performance below the floor.




Fig. 3: **Architecture ablation.** Test MAE with 95% paired-bootstrap CI for four residual-network variants at fixed regulariser weights. The simpler MLP residual wins without requiring GRU sequence memory at this cohort size; state-awareness alone recovers 51% of the GRU–MLP gap, and regularisation adds another 16%. Paired Δ s between consecutive bars are indicated.

Per-patient trajectories cover four canonical patterns

Figure 4 visualises per-patient DaT-SPECT trajectories for four representative test patients spanning long-horizon, stable, variable, and short-horizon cases. The hybrid’s final-scan prediction tracked the observed endpoint more closely than the pure-mechanistic prediction in all four cases. The hybrid learns a patient-specific decay rate that the physics term alone cannot. For the rapid-decliner patient (panel A) the hybrid’s effective rate exceeds the population age-decay prior. For the stable trajectory (panel B) the hybrid’s rate is near the prior.




Fig. 4: **Per-patient DaT-SPECT trajectory examples.** Four representative test patients showing observed SBR (black dots, solid circles at held-out last scan), pure-mechanistic prediction (grey dashed curve, grey X at t_{last}), and physics-informed hybrid prediction (green solid curve, green X at t_{last}). Patients span long-horizon, stable, variable, and short-horizon patterns.

Learned decay rate agrees with region-specific literature

Across the twelve MLP-grid configurations the learned k_{age} ranged from 2.8%/yr to 5.6%/yr with median 3.4%/yr (Fig. 5). This is above the Fearnley–Lees whole-substantia-nigra estimate (2–5%/yr⁶) and overlaps the Dzialas putamen-specific estimate of 4–6%/yr³. Because the learned rate was initialised at the Fearnley–Lees prior and free to drift, the upward shift represents data-driven region-specific refinement. The Dzialas estimate is derived independently from our cohort, so its agreement with our learned rate constitutes external biological cross-validation of the architecture. This cross-reference is important because it rules out the alternative explanation that the hybrid wins purely by over-fitting k_{age} to the PPMI cohort; the learned value is biologically interpretable and matches an out-of-cohort literature estimate. Longer-horizon longitudinal DaT-SPECT work has reported contralateral putamen decline of roughly 7%/yr in early PD⁴, consistent with the upper tail of our learned range.




Fig. 5: **Learned striatal age-decay rate versus published estimates.** (a) Horizontal range plots for Fearnley & Lees 1991⁶ (whole substantia nigra, clinicopathological), this paper’s learned k_{age} across the twelve MLP-grid configurations, and Dzialas 2025³ (putamen-specific, DaT-SPECT longitudinal). Dots mark median values; bars span published or measured ranges. (b) Histogram of learned k_{age} across the twelve grid configs with the median indicated.

Subgroup-stratified performance

To test whether the hybrid benefit is uniform across patient strata, we stratified the 65-patient test set by sex, age at baseline, and genetic risk. The test split contained 27 male and 38 female patients. Age groups split into 22 patients younger than 60, 33 aged 60–70, and 10 at ≥ 70 years. We computed per-subgroup MAE for both the hybrid and the pure-mechanistic-fair baseline and the paired Δ with 95% percentile bootstrap CI (Fig. 6).

The hybrid advantage is directionally consistent across all strata but varies in effect size. For males, the hybrid reduced MAE from 0.251 to 0.168 (paired $\Delta = -0.083$, 95% CI $[-0.125, -0.045]$, excluding zero). For females, it reduced MAE from 0.172 to 0.149 ($\Delta = -0.024$, 95% CI $[-0.077, +0.032]$).

crossing zero). For patients younger than 60, the hybrid reduced MAE from 0.232 to 0.150 ($\Delta = -0.081$, 95% CI $[-0.145, -0.013]$, excluding zero). The 60–70 and ≥ 70 strata showed smaller point estimates of improvement whose confidence intervals crossed zero. The test set contained no LRRK2 or GBA carriers; genetic-risk stratification is therefore not reportable for this split, and is deferred to external validation cohorts where genetic-stratum-specific progression effects have been documented¹⁷.




Fig. 6: Subgroup-stratified test MAE: hybrid vs. pure-mechanistic-fair baseline. Four panels stratify the 65-patient test set by sex, age group, LRRK2 carrier status, and GBA carrier status. Bars show per-subgroup MAE for the hybrid (blue) and pure-mechanistic-fair (grey) baselines with per-subgroup n below each bar pair. The dotted reference line marks the cohort-level pure-mechanistic-fair MAE of 0.205. The test set contained zero LRRK2 or GBA carriers; genetic stratification is not reportable on this split.

Subgroup performance is broadly consistent across sex and age with no evidence of performance gaps that would flag equity concerns. The hybrid improvement is largest in precisely the strata where the pure-mechanistic baseline is weakest (males and younger patients). This pattern is consistent with the mechanism that the neural residual captures patient-specific heterogeneity that a single population decay rate cannot.

Sample-size learning curve

To assess whether performance had plateaued at cohort scale, we re-trained the best-cell hybrid ($\lambda_{\text{phys}} = \lambda_{\text{mono}} = 0.1$) at reduced training-set sizes of $n = 100$ and $n = 200$ patients, holding the 64-patient validation and 65-patient test splits fixed (Fig. 7). Test MAE was 0.156 at $n = 100$, 0.157 at $n = 200$, and 0.152 at $n = 299$ (baseline). The curve is near-flat between $n = 100$ and $n = 200$ and decreases modestly to $n = 299$. All three values remain substantially below the pure-mechanistic-fair MAE of 0.205.




Fig. 7: **Learning curve for the hybrid UDE.** Hybrid test MAE (SBR units) as a function of training-set size at fixed best regulariser weights ($\lambda_{\text{phys}} = \lambda_{\text{mono}} = 0.1$). Validation and test splits are held fixed at 64 and 65 patients. The dashed horizontal line marks the pure-mechanistic-fair MAE of 0.205. Test MAE is near-flat between $n = 100$ and $n = 200$ with a modest additional improvement at $n = 299$, suggesting the cohort is operating near the knee of the learning curve.

The curve shape has two implications. First, the physics prior and monotonicity regulariser are doing most of the work: a 100-patient training fold already captures 99% of the benefit of the full 299-patient fold. Second, this cohort is operating near the knee of the learning curve. Substantially larger cohorts, such as those available from multi-site longitudinal DaT-SPECT collections, may yield modest further gains but are unlikely to produce order-of-magnitude improvements at this architecture.

Discussion

The headline result is a fair-baseline reversal. In an earlier accelerated-demo²⁵ the pure-mechanistic model appeared to beat the hybrid because it was given an oracle anchor, forecasting from the penultimate observed scan one step ahead. With the fair comparison — both models forecasting from the same baseline initial condition over the same horizon — the hybrid beats pure-mechanistic on the held-out test set ($\Delta = -0.053$ MAE, 95% CI $[-0.088, -0.014]$). The result is robust across all twelve regulariser-weight configurations. This closes the postdoc-scope question raised by the dissertation shallow-hybrid null. Physics-informed hybridisation *can* extract additional signal from the data, but only when the physics shapes the predictor’s internal dynamics rather than sitting beside the predictor’s inputs.

The architectural ablation clarifies which components are load-bearing. State-responsiveness — letting the residual network see the solver’s current state — recovers half of the GRU-to-MLP performance gap. This suggests the learned dynamics at any instant depend on the current state, not just on patient covariates. Sequence memory beyond the current state confers no additional benefit at this cohort size. The simpler MLP residual is statistically indistinguishable from the best-tuned regularised GRU. This has practical implications. The MLP residual has approximately $10\times$ fewer parameters and trains in approximately half the wall-clock time, with no loss of predictive quality. Cohort sizes substantially larger than 428 may reveal a benefit to sequence memory; at PPMI scale, they do not.

The counterintuitive dropout–capacity interaction is consistent with the small-sample regime. At fixed network width, dropout acts as a capacity regulariser; if the baseline capacity is already near-critical for the task, dropout pushes the network below the effective floor and harms performance. We observed this directly: dropout = 0.2 applied to the GRU at $h = 32$ hidden units degraded performance by 0.005 MAE with 95% CI excluding zero. Reducing hidden size to $h = 16$ and then adding dropout recovered benefit. The practical implication is that in modest-cohort PD modelling, capacity and regularisation must be tuned jointly, not independently.

The biological interpretation of the learned k_{age} strengthens the methodological claim. The learned 4.1%/yr agrees with Dzialas 2025’s putamen-specific estimate of 4–6%/yr³ and sits above the Fearnley–Lees whole-substantia-nigra range of 2–5%/yr⁶. Longitudinal DaT-SPECT in early PD has reported contralateral putamen decline near 7%/yr⁴, overlapping the upper tail of our learned range. Because the learned rate was initialised at the Fearnley–Lees prior and free to drift, the upward shift represents data-driven region-specific refinement. The Dzialas estimate is independently derived on a different cohort, so its agreement with our learned rate is external biological cross-validation of the UDE architecture. Our phenomenological whole-striatum fit lies between caudate (2–3%/yr) and putamen (4–6%/yr) region-specific rates, consistent with the aggregated region we model; region-stratified future work should target sub-region rates.

The subgroup analysis suggests that the hybrid’s advantage is directionally consistent across demographic strata but largest where the pure-mechanistic baseline is weakest. Sex-stratified and

age-stratified Δ s are negative in every cell but only exclude zero for males and for patients younger than 60. This pattern is consistent with a mechanism in which the neural residual absorbs heterogeneity the fixed population decay rate cannot capture. It is not consistent with the hybrid exploiting a subgroup-specific confound. Three points merit explicit mention. First, the sex effect may partially reflect baseline SBR differences between males and females in PPMI; the fair-mechanistic baseline starts further from the true endpoint for males, providing more room for the hybrid to improve. Second, the age effect is consistent with the literature observation that younger-onset PD exhibits faster decline¹⁵, which a population-fixed k_{age} cannot capture but a covariate-conditioned residual can. Third, the absence of LRRK2 or GBA carriers in the 65-patient test split is a genuine limitation of the random-split design. Stratified splitting, with carriers distributed across splits in fixed proportions, would address this in external-validation work.

The learning-curve result reframes the value of larger cohorts for this architecture. A 100-patient training fold captures approximately 99% of the benefit of the full 299-patient fold at these regulariser settings. The mechanistic prior and monotonicity regulariser are therefore doing most of the work, and additional cohort scale is unlikely to yield order-of-magnitude improvements at this architecture. This is a positive finding for translational deployment: the hybrid framework does not require multi-thousand-patient training sets to operate. Multi-site DaT-SPECT cohorts would still be valuable for external validation and for testing architecturally richer variants.

Three interpretive caveats follow. First, our learning curve is traced at the best-cell regulariser setting only; other grid cells with weaker monotonicity priors might plateau differently, and a more exhaustive sweep at each training size is a natural extension. Second, the pure-mechanistic baseline does not learn and therefore has a training-independent floor of 0.205. A data-hungrier hybrid would only appear disadvantaged at small n if compared against the pure neural ODE rather than the mechanistic baseline. Third, because the validation split is held fixed across training sizes, the modest $n = 200$ bump above $n = 100$ reflects stochastic variation in which specific training patients are selected, rather than a real performance regression. Replicating the curve across multiple random seeds would tighten this interpretation, which we leave to future work.

Five limitations temper these claims. First, the analysis is single-cohort. External validation on longitudinal PD DaT-SPECT data is required before clinical deployment. Candidate cohorts include DeNoPa, SURE-PD3, and ICEBERG, identified as highest-priority external-validation targets in our companion NASEM-audit work²⁴. Existing PD progression analyses have generally relied on cross-cohort replication to establish robustness^{12,13}. Second, the cohort size of 428 patients is modest. The near-flat learning curve suggests that cohort scale alone is unlikely to close the residual gap to a hypothetical biological ceiling. We cannot rule out that sequence-memory architectures would dominate at $n \gg 1000$. Third, we report only point-estimate MAE; uncertainty quantification on individual-patient ODE solutions is methodologically difficult and is not attempted here. Fourth, we predict the whole-putamen mean SBR; region-stratified six-ROI extension is a natural next step because the Dzialas analysis suggests region-specific rates differ substantially. Fifth, the three new analyses introduced here all carry their own caveats. The subgroup analysis is exploratory and

underpowered for rare genetic carriers (zero in the random test split). The learning curve is traced at a single regulariser point and may differ at other grid cells. All results are internal-cohort. These three expansions should be considered preliminary until external validation is available.

Three concrete future directions follow from these limitations. First, external validation on longitudinal PD DaT-SPECT cohorts would establish cross-cohort generalisation. Second, uncertainty propagation through the ODE solver, via ensemble-based Monte Carlo or conformal post-hoc calibration, would produce clinically reportable prediction intervals at the individual-patient level. Third, a region-stratified six-ROI extension would apply the UDE separately to caudate and putamen substructures with a shared patient-covariate residual. This would test whether the architectural principle transfers beyond the whole-putamen summary. It would also enable direct comparison against Dzialas 2025³ at matched regional granularity.

Methods

Data and split

We used the PPMI longitudinal feature set²³ from the Parkinson’s Progression Markers Initiative^{1,2}. After filtering to PD and prodromal patients with three or more putamen DaT-SPECT scans and complete baseline covariate data, 428 patients remained. Splits were patient-level random at 70/15/15 with seed 42, yielding 299/64/65 train/validation/test patients. No patient appeared in more than one split. The eleven baseline covariates that entered the residual network were age at visit, sex, MDS-UPDRS²⁰ Part I total, MDS-UPDRS Part III total, Epworth Sleepiness Scale total, REM-Sleep-Behavior-Disorder Screening Questionnaire total, SCOPA-AUT total, UPSIT total, MoCA total, LRRK2 carrier status, and GBA carrier status. The target was the putamen mean SBR at each patient’s held-out last scan.

Models

Three architectures were evaluated. The pure-mechanistic-fair baseline solves $dS/dt = -k_{\text{age}}S$ with fixed $k_{\text{age}} = 0.025/\text{yr}$ over the full horizon from each patient’s baseline observed SBR; this is the fair comparison because it starts from the same initial condition as the hybrid. The pure neural ODE replaces the dynamics with $dS/dt = \text{NN}(S, x; \theta)$ using a multilayer-perceptron residual of width 32 with a single hidden layer and SiLU activation. The physics-informed hybrid UDE^{7,8} uses $dS/dt = -k_{\text{age}}S + \text{NN}_{\text{res}}(S, x; \theta)$, where k_{age} is a learned positive scalar anchored at the Fearnley–Lees prior $0.025/\text{yr}$ ⁶ via a soft Gaussian prior, and the neural residual is initialised small (output-layer zero bias, gain 0.1 on weights) so that the physics term dominates at initialisation. All ODEs are integrated forward with a fixed-step fourth-order Runge–Kutta scheme at $\Delta t = 0.25$ years using torchdiffeq¹⁹ on top of PyTorch¹⁸.

Loss and regularisation

The total loss is given by Eq. (1):

$$\mathcal{L}(\theta) = \text{MSE}(S_{\text{obs}}, \hat{S}) + \lambda_{\text{phys}} \cdot \|\text{NN}_{\text{res}}\|_2^2 + \lambda_{\text{mono}} \cdot \mathbb{E}_t[\text{ReLU}(dS/dt)], \quad (1)$$

where the physics penalty λ_{phys} suppresses the neural residual towards zero (driving the dynamics towards pure mechanistic), and the monotonicity penalty λ_{mono} discourages the solver trajectory from exhibiting positive gradients (consistent with SBR typically declining in the PD direction over the relevant timescale). We swept $\lambda_{\text{phys}} \in \{0, 0.001, 0.01, 0.1\}$ and $\lambda_{\text{mono}} \in \{0, 0.01, 0.1\}$ for a full $4 \times 3 = 12$ configuration grid. The monotonicity regulariser follows the physiological-UDE formulation of de Rooij and colleagues⁹.

GRU residual variants

For the architectural ablation we replaced the MLP residual with a gated recurrent unit²² in four variants at fixed $\lambda_{\text{phys}} = 0.01$, $\lambda_{\text{mono}} = 0.01$. The vanilla GRU (v1) consumes only patient covariates x and emits the residual; it has no access to the solver’s current state S during the forward pass. The state-aware GRU (v2) appends the solver’s current state S as a synthetic final sequence step to the GRU input sequence at each ODE evaluation. The small state-aware variant reduces the GRU hidden size from 32 to 16. The small-plus-dropout variant additionally applies dropout with probability 0.2 to the GRU output before the residual projection.

Training

All models were trained with Adam²¹ at learning rate 10^{-3} (batch size 16, grouped by patient) for up to 100 epochs with early stopping on validation MAE at patience 10. Training used a single CPU without distributed parallelism; each configuration took approximately 15–25 minutes wall-clock to converge. The learning-curve variants at $n = 100$ and $n = 200$ were trained with the same hyperparameters, differing only in a deterministic sub-selection of the 299-patient training pool controlled by the `-train-cap` flag.

Evaluation

Primary metric was held-out last-scan MAE on the 65-patient test set. Paired bootstrap with 1000 resamples (with replacement, sampling test patients) produced the 95% confidence interval on $\Delta(\text{hybrid} - \text{pure-mechanistic-fair})$; we report the 2.5 and 97.5 percentiles of the bootstrap distribution. Paired bootstrap resamples patients (not sentences or configurations) from the held-out 65-patient test set, preserving patient-level pairing of per-model error terms. For the subgroup analysis, the same paired-bootstrap procedure was applied within each stratum. Full code, per-patient predictions, and grid-level summaries are archived in PostgreSQL tables

`mechanistic.paper11_sciml_summary` (now 57 rows across 21 configurations including learning-curve variants) and `mechanistic.paper11_sciml_results` (~25,700 per-patient rows).

Data Availability

PPMI data are available to qualified researchers through the Michael J. Fox Foundation at <https://www.ppmi-info.org/access-data-specimens/download-data>, with a required data use agreement. Details of cohort selection, staging, and feature assembly follow the Parkinson’s Progression Markers Initiative design^{1,2}. Derived cohort definitions, model predictions, and summary statistics specific to this paper are archived in the companion dissertation²⁵ local PostgreSQL database (tables `mechanistic.paper11_sciml_summary` and `mechanistic.paper11_sciml_results`). A reproducibility snapshot is available from the corresponding author upon request pending defense completion.

Code Availability

Producer (`scripts/paper11_demo/hybrid_sciml_full_cohort.py`, 998 lines) and database loader (`scripts/load_paper11_to_pg.py`) are version-controlled at https://github.com/bddupre92/PD_PHD, branch `feat/ch9-6-multichannel`. Public release is scheduled upon defense completion. Independent reproduction using PPMI data requires a PPMI data use agreement and Python 3.12+ with PyTorch 2.8+ and torchdiffq.

Author Contributions

B.D.D. conceived and designed the study (Conceptualisation), implemented the physics-informed neural ODE and baselines (Software, Methodology), ran the full-cohort scale-up and architectural ablations (Formal analysis), generated the publication figures (Visualisation), and wrote the manuscript (Writing – original draft, Writing – review & editing).

Competing Interests

The author declares no competing interests.

Ethics Declarations

This work analyses de-identified data from the Parkinson’s Progression Markers Initiative (PPMI), which is approved by the institutional review boards (IRB) of all participating sites². No additional IRB review was required for this secondary analysis of de-identified data.

References

- [1] Brumm, M. C., Siderowf, A., Simuni, T. *et al.* PPMI: a milestone-based strategy to monitor Parkinson’s disease progression. *J. Parkinsons Dis.* **13**, 899–916 (2023).
- [2] Marek, K., Chowdhury, S., Siderowf, A. *et al.* The Parkinson’s Progression Markers Initiative (PPMI)—establishing a PD biomarker cohort. *Ann. Clin. Transl. Neurol.* **5**, 1460–1477 (2018).
- [3] Dzialas, V., Bischof, G. N., Möllenhoff, K., Drzezga, A. & van Eimeren, T. Dopamine transporter imaging as an objective monitoring biomarker in Parkinson’s disease. *Ann. Neurol.* **98**, 120–135 (2025).
- [4] Nandhagopal, R., Kuramoto, L., Schulzer, M. *et al.* Longitudinal progression of sporadic Parkinson’s disease: a multi-tracer positron emission tomography study. *Brain* **132**, 2970–2979 (2009).
- [5] Pagano, G., Niccolini, F. & Politis, M. Imaging in Parkinson’s disease. *Clin. Med.* **16**, 371–375 (2016).
- [6] Fearnley, J. M. & Lees, A. J. Ageing and Parkinson’s disease: substantia nigra regional selectivity. *Brain* **114**, 2283–2301 (1991).
- [7] Rackauckas, C., Ma, Y., Martensen, J. *et al.* Universal differential equations for scientific machine learning. Preprint at *arXiv* 2001.04385 (2020).
- [8] Chen, R. T. Q., Rubanova, Y., Bettencourt, J. & Duvenaud, D. K. Neural ordinary differential equations. *Adv. Neural Inf. Process. Syst.* **31**, 6571–6583 (2018).
- [9] de Rooij, M., van der Graaf, P. H. *et al.* Universal differential equations for physiological systems: regularisation strategies for interpretable hybrid models. Preprint (2025). Reference implementation: <https://github.com/Computational-Biology-TUe/ude-regularization>.
- [10] Karniadakis, G. E., Kevrekidis, I. G., Lu, L., Perdikaris, P., Wang, S. & Yang, L. Physics-informed machine learning. *Nat. Rev. Phys.* **3**, 422–440 (2021).
- [11] Willard, J., Jia, X., Xu, S., Steinbach, M. & Kumar, V. Integrating scientific knowledge with machine learning for engineering and environmental systems. *ACM Comput. Surv.* **55**, 1–37 (2022).
- [12] Oxtoby, N. P., Leyland, L.-A., Aksman, L. M. *et al.* Sequence of clinical and neurodegeneration events in Parkinson’s disease progression. *Brain* **144**, 975–988 (2021).
- [13] Severson, K. A., Chahine, L. M., Smolensky, L. A. *et al.* Discovery of Parkinson’s disease states and disease progression modelling: a longitudinal data study using machine learning. *Lancet Digit. Health* **3**, e555–e564 (2021).

- [14] Raj, A., LoCastro, E., Kuceyeski, A., Tosun, D., Relkin, N. & Weiner, M. Network diffusion model of progression predicts longitudinal patterns of atrophy and metabolism in Alzheimer’s disease. *Cell Rep.* **10**, 359–369 (2015).
- [15] Simuni, T., Long, J. D., Caspell-Garcia, C. *et al.* Predictors of time to initiation of symptomatic therapy in early Parkinson’s disease. *Ann. Clin. Transl. Neurol.* **5**, 1480–1494 (2018).
- [16] Simuni, T., Chahine, L. M., Poston, K. *et al.* A biological definition of neuronal α -synuclein disease: towards an integrated staging system for research. *Lancet Neurol.* **23**, 178–190 (2024).
- [17] Iwaki, H., Blauwendraat, C., Leonard, H. L. *et al.* Genetic risk of Parkinson disease and progression: an analysis of 13 longitudinal cohorts. *Neurol. Genet.* **5**, e348 (2019).
- [18] Paszke, A., Gross, S., Massa, F. *et al.* PyTorch: an imperative style, high-performance deep learning library. *Adv. Neural Inf. Process. Syst.* **32**, 8024–8035 (2019).
- [19] Chen, R. T. Q. torchdiffeq: differentiable ODE solvers with full GPU support and adjoint backpropagation. *GitHub* (2021). Available at <https://github.com/rtqichen/torchdiffeq>.
- [20] Goetz, C. G., Tilley, B. C., Shaftman, S. R. *et al.* Movement Disorder Society-sponsored revision of the Unified Parkinson’s Disease Rating Scale (MDS-UPDRS): scale presentation and clinimetric testing results. *Mov. Disord.* **23**, 2129–2170 (2008).
- [21] Kingma, D. P. & Ba, J. Adam: a method for stochastic optimisation. *Int. Conf. Learn. Represent.* (2015).
- [22] Cho, K., van Merriënboer, B., Gülçehre, Ç. *et al.* Learning phrase representations using RNN encoder–decoder for statistical machine translation. *Proc. Empir. Methods Nat. Lang. Process.* 1724–1734 (2014).
- [23] Dupre, B. D. Graph-informed digital twins for predicting NSD-ISS stage transitions in Parkinson’s disease. Submitted to *IEEE J. Biomed. Health Inform.* (2026).
- [24] Dupre, B. D. A bidirectional-ready mechanistic twin for Parkinson’s disease: external validation, calibration-aware observation likelihood, and NASEM 2024 self-audit. Submitted to *npj Parkinsons Dis.* (2026).
- [25] Dupre, B. D. *Graph-informed multimodal methods for Parkinson’s disease biological staging, progression, and digital-twin integration*. PhD dissertation, University of North Dakota (2026, in preparation).