Example 1

BEGINNING OF THE DOCUMENT
This article aims to show how to write :

- emphasis - bold - strikethrough and underline items

- itemized lists

- ordered lists

1. Section 1

content *of section1*

Emphasis1 Emphasis2 Emphasis3
Bold1
Strikethrough1
Underline1

All this paragraph must not have EOL between AAA and III.
AAA *Emphasis1* BBB *Emphasis2 and 3* CCC **Bold1** DDD **Bold2 and 3** EEE *Strikethrough1* FFF *Strikethrough2 and 3* GGG *Underline1* HHH *Underline2 and 3* III.
End of paragraph.

1.1. Section 1.1

content of section 1.1 with ulink [urlofulink]

program listing :

```
<?xml version="1.0" encoding="utf-8"?>
<article xml:lang="en" xmlns:xi="http://www.w3.org/2001/XInclude">
 <title>My first docbook article</title>
 <section id="section1">
  <title>Section level 1</title>
  <para>
   write your documentation
  </para>
 </section>
</article>
```

2. Section 2

Bullet list :

- item 1

- item 2 and *much more...*

- *item 3* and more...

- **item 4** and more...

- *item 5* and more...

- item 6
  details of item 6 !

- item 7
  <sbr></sbr>
  listitem with ulink : [linkcontent [urlofulink]]

Ordered list :

1. item1

2. item2

3. item3

3. Section 3

Figures :

Figure 1. set width="450" on big image

Figure 2. set width="450" on small image

Figure 3. skip width on big image

Figure 4. skip width on small image

A. Appendix A

content of appendix A

1. Appendix A.1

content of appendix A.1

B. Appendix B

content of appendix B

END OF THE DOCUMENT