

Le titre du livre, tu vois Jeanne ça  
marche!

Bertrand Delacrétaz

# Table of Contents

1. L'Île d'Elbe c'était joli, mais Piombino pas trop .....	1
2. Muzot .....	2
3. and now the various asciidoc demos, that we can use as examples... .....	3
4. First Steps with AsciiDoc .....	3
4.1. Lists Upon Lists .....	4
5. ...and we're back, with an included file .....	5
6. And an included file .....	5
6.1. Block Quotes and “Smart” Ones .....	6
7. Getting Literal .....	6
8. Wrap-up .....	7

# 1. L'Île d'Elbe c'était joli, mais Piombino pas trop



*Voici une légende, ou bien? Le Port de Piombino*

## 2. Muzot

Tante Nelly a 15 ans et demi quand elle est, en 1936, engagée au château de Muzot, près de Sierre, pour y travailler.



*Le Château de Muzot*

Entre commissions, arrosage de rosiers et soins aux jardins, elle aide la gouvernante des lieux, Mlle Baumgartner, qui est elle-même au service de M. Reinhart, locataire puis propriétaire du château. Quelques années auparavant, le poète Rilke a résidé à Muzot et y a passé les dernières années de sa vie (de 1921 à 1926). Depuis, M. Reinhart le prête régulièrement aux artistes en recherche d'un lieu calme où créer et écrire. Tante Nelly y restera employée pendant 6 ans, et reviendra souvent en visite ou pour donner des coups de main.

# 3. and now the various asciidoc demos, that we can use as examples...

This is a demonstration of Asciidoc 1.5.6.1.

And this is the preamble of this document.

Let's see how this looks as a PDF and ebook.

## Purpose

This document exercises many of the features of AsciiDoc to test the Asciidoc implementation.

**TIP** If you want the output to look familiar, copy (or link) the AsciiDoc stylesheet, asciidoc.css, to the output directory.

**NOTE** Items marked with TODO are either not yet supported or a work in progress.

# 4. First Steps with AsciiDoc

## Inline markup

- single quotes around a phrase place *emphasis*
- asterisks around a phrase make the text **bold**
- double asterisks around one or more letters in a word make those letters bold
- double underscore around a *substring* in a word emphasizes that substring
- use carrots around characters to make them <sup>super</sup>script
- use tildes around characters to make them <sub>subscript</sub>
- characters can be escaped using a \
  - for instance, you can escape a quote inside emphasized text like *Here's Johnny!*
- you can safely use reserved XML characters like <, > and &, which are escaped when rendering
- force a space between inline elements using the {sp} attribute
- hold text together with an intrinsic non-breaking space attribute, {nbsp}
- handle words with unicode characters like in the name Gregory Romé
- claim your copyright ©, registered trademark ® or trademark ™

You can write text [with inline links](#), optionally using an explicit [link prefix](#). In either case, the link can have a [query string](#).

If you want to break a line

just end it in a + sign  
and continue typing on the next line.

## 4.1. Lists Upon Lists

### *Adjacent lists*

- this list
- should join
- to have
- four items

### *Ordered lists*

1. These items
2. will be auto-numbered
  - a. and can be nested
3. A numbered list can nest
  - unordered
  - list
  - items

### *Statement*

I swear I left it in *Guy's* car. Let's go look for it.

### **term**

definition line two

### **another term**

another definition, which can be literal (indented) or regular paragraph

This should be a standalone paragraph, not grabbed by the definition list.

- first level written on two lines
- first level

with this literal text

- first level

with more literal text

- second level
  - third level

- fourth level

- back to  
first level

Let's make a horizontal rule...

---

then take a break.

## 5. ...and we're back, with an included file

## 6. And an included file

I come from an include file.

*Asciidoctor usage example. The listing should contain 5 lines.*

```
require 'asciidoctor'

doc = Asciidoctor.load '*This* is http://asciidoc.org[AsciiDoc]!', header_footer: true

puts doc.render
```

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<meta name="generator" content="Asciidoctor 0.1.4">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Untitled</title>
<link rel="stylesheet" href=".asciidoctor.css">
</head>
<body class="article">
<div id="header">
</div>
<div id="content">
<div class="paragraph">
<p><strong>This</strong> is <a href="http://asciidoc.org">AsciiDoc</a>!</p>
</div>
</div>
<div id="footer">
<div id="footer-text">
Last updated 2014-01-28 20:11:37 MST
</div>
</div>
</body>
</html>
```

## 6.1. Block Quotes and “Smart” Ones

AsciiDoc is **so powerful!**

This verse comes to mind.

La la la

Here's another quote:

When you have eliminated all which is impossible, then whatever remains, however improbable, must be the truth.

— Sir Arthur Conan Doyle, The Adventures of Sherlock Holmes

“Get moving!” he shouted.

## 7. Getting Literal

Want to get literal? Just prefix a line with a space (just 1 space will do).

I'll join that party, too.

We forgot to mention in [Ordered lists](#) that you can change the numbering style.

- a. first item (yeah!)
- b. second item, looking `so mono`
- c. third item, `mono` it is!

## 8. Wrap-up

**NOTE** | AsciiDoc is quite cool, you should try it!

*Info*

Go to this URL to learn more about it:

**TIP**

- <http://asciidoc.org>

Or you could return to the [\[first-steps-with-asciidoc\]](#) or [Purpose](#).

Here's a reference to the definition of [\[another\\_term\]](#), in case you forgot it.

**NOTE** | One more thing. Happy documenting!

When all else fails, head over to <http://google.com>.